

Photographs




WELL AND
WITH
BLADDER
TANK BEHIND
DOOR



TWO HOMES

REFILMED

JAN 17 1991



95-7895

MICROFILMED

JAN 1, 7 1991

95-07895
T50N R4W

ST. TACOMA, WASHINGTON
/E. SEATTLE, WASHINGTON

KOOTENAI COUNTY, IDAHO

32



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-07895

Priority: March 27, 1979

Maximum Diversion Rate:
Maximum Diversion Volume:¹

0.02 CFS
4.7 AF

This is to certify, that CLIFTON L. TRAVIS
ESTHER S. TRAVIS

W. 4601 SELTICE WAY

COEUR D'ALENE, ID 83814

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated March 27, 1979; and has submitted Proof of Beneficial Use on April 28, 1989. An examination indicates that the works have a diversion capacity of .020 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.02 CFS	3.5 AF
DOMESTIC	01/01 to 12/31	0.02 CFS	1.2 AF
	Totals	0.02 CFS	4.7 AF

LOCATION OF POINT(S) OF DIVERSION:

NWSW , Sec. 4, Township 50N, Range 04W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
50N	04W	4	NWSW	1		1

Total number of acres irrigated: 1

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

MICROFILMED

JAN 17 1991

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-07895

CONDITIONS/REMARKS:

5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.5 afa per acre for the lands above.
6. Domestic use is for 2 homes.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 20th
day of December, 1990.

Acting for

R. Keith Higginson, Director

MICROFILMED

JAN 17 1991

RECEIVED

APR 20 1984

For Office Use Only
Fee Received <u>248</u>
Date <u>4/17/84</u>
Receipt # <u>31493</u>

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Department of Water Resources

REQUEST FOR EXTENSION OF TIME
To provide additional time in which to submit
proof of beneficial use on a water right permit

Clifton or Esther S. Travis of W. 4601 Seltice Blvd. Coeur d'Alene
(Name) (Address)

State of Idaho, deposes and says:

That he is the holder, or the duly authorized agent of the holder*, of Permit to Appropriate the Public Water of the State of Idaho No. 95-7895.

That under the terms and conditions of said permit, work thereunder was required to be completed on or before May 1, 1984.

That he has heretofore performed the following work described under said permit:

Drilled well, household and irrigation
(This must be filled out! If no work has been completed put none.)

Costing \$ 4000.00

That he is unable to complete the remainder of the work within the required time for the following reasons, to-wit:

Health has prevented completion of project

Wherefore, he asks that the Department of Water Resources extend the time for the completion of obligations under said permit to May 1, 1989.
(1 yr. minimum, 5 yrs. maximum)

NOTE
AS OF JULY 1, 1980,
THERE IS A \$15.00
CHARGE FOR REQUESTS
FOR EXTENSION OF
TIME.

Clifton L. Travis
(Signature)*

*IF OTHER THAN HOLDER, Power of Attorney must be supplied.

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above application for extension of time be APPROVED and the time within which to submit the statement of beneficial use is extended to May 1, 1989.

Signed this 14th day of May, 19 84.

J. Glen Sayton
Chief, Operations Bureau

RECEIVED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant CLIFTON L. OR ESTHER S. TRAVIS Phone _____

Post office address RT 1 Box 192, COEUR D'ALENE, ID 83814

2. Source of water supply GROUNDWATER which is a tributary of _____

3. Location of point of diversion is NW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 4 Township 50N

Range 4W B.M. KOOTENAI County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.12 for DOMESTIC purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum) COMMERCIAL SEE REMARKS

Amount 0.02 for IRRIGATION purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.04 for IRRIGATION purposes from MAR 15 to NOV 15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.18 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. WELL & PUMP

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 6 inches; proposed depth of well is 200 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial

use is 5 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: NW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 4 Township 50N

Range 4W B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 3.

COMMERCIAL - SEE REMARKS

(5) If water is to be used for other purposes describe: IRRIGATION FROM 11/12/31
FOR GREENHOUSE

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated

c. Describe any other water rights used for the same purposes as described above.

9. a. Who owns the property at the point of diversion

APPLICANT

b. Who owns the land to be irrigated or place of use

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the


applicant to make this filing

10. Remarks

Water Used in Household Since 1957

~~Commercial use is for irrigation in greenhouse, 5-4-79 J.T.~~

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Clifton P. Travis
(Applicant)

Proposed Priority 3-27-79

Received by LKC Date 3/27/79 Time 2:00 P

Preliminary check by RJA Fee \$ 20.00

Receipted by LKC Date 3/27/79 # 13473

Publication prepared by pm Date 3/28/79

Published in Coeur d'Alene Press

Publication dates 4/5 & 12/79

Publication approved pm Date 4/19/79

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by RJA J.S.

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-7895, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before May 1, 19 84.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: _____

Witness my hand this 14th day of _____, 19 79.

J. Glen Saxton
Chief, Operations Bureau

AFFIDAVIT OF PUBLICATION

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

95-7895

Travis, Clifton L. &/or Esther S.
Route 1, Box 192, Coeur d'Alene,
ID 83814

Source: Groundwater

Date Filed: March 27, 1979

Amount: 0.18 CFS

Diversion Point: NWSW Sec 04 T
50N R 04W, Kootenai, Co.

Use: Domestic (0.12 CFS) from
January 1 to December 31; Irriga-
tion (0.02 CFS) from January 1 to
December 31; Irrigation (0.04
CFS) from March 15 to November
15.

Place of Use: NWSW Sec 04 T 50N
R 04W for 2 acres

Diversion Means: Well & pump

95-7896

Dickson, Reed &/or Rosemary
Box 223, Post Falls, ID 83854

Source: Groundwater

Date Filed: March 27, 1979

Amount: 0.02 CFS

Diversion Point: NENE Sec 17 T
50N R 05W, Kootenai, Co.

Use: Stockwater (0.02 CFS) from
January 1 to December 31.

Place of Use: NENE Sec 17 T 50N
R 05W

Diversion Means: Well, pump &
pipeline.

95-7897

Dickson, Reed &/or Rosemary
Box 223, Post Falls, ID 83854

Source: Groundwater

Date Filed: March 27, 1979

Amount: 0.20 CFS

Diversion Point: SESE Sec 08 T
50N R 05W, Kootenai Co.

Use: Domestic (0.11 CFS) from
January 1 to December 31; Stock-
water (0.02 CFS) from January 1
to December 31; Irrigation (0.11
CFS) from March 15 to November
15.

Place of Use: SESE Sec 08 T 50N
R 05W for 7 acres

Diversion Means: Well, pump &
pipeline

95-7898

Delavan, O. E. &/or Jack
Route 3, Box 432 C, Coeur d'Alene,
ID 83814

Source: Groundwater

Date Filed: March 27, 1979

Amount: 0.08 CFS

Diversion Point: LOT 02 Sec 33 T
50N R 03W, Kootenai, Co.

Use: Domestic (0.08 CFS) from
January 1 to December 31.

Place of Use: LOT 02 Sec 33 T 50N
R 03W

Diversion Means: Well, pump &
pipeline

If issued, the permit(s) will be
subject to all prior water rights.
Protests against the granting of
any permit must be filed with the
Director of the Idaho Department
of Water Resources, 4055 Gov't
Way, Coeur d'Alene, Id, 83814 on
or before April 23, 1979.

C. STEPHEN ALLRED
Director

Legal 637

April 5, 12, 1979

STATE OF IDAHO,
County of Kootenai,

} ss.

Cheri Budvarson being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The Notice

of which the annexed is a printed copy, was published in the regular Thursday
issue of said newspaper for 2 consecutive weeks
commencing on the 5 day of April, 1979, and
ending on the 12 day of April, 1979, and such
publication was made as often during said period as said daily
newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in
said Kootenai County, during a period of more than seventy-eight consecutive weeks
immediately prior to the first publication of said notice.

Subscribed and sworn to before me this 12 day of April

1979

APR 10 1979

30-24

CLERK

Northern District Office

Roberta M. Mandy
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

FILED

December 24, 1990

CLIFTON L. TRAVIS
ESTHER S. TRAVIS
W. 4601 SELTICE WAY
COEUR D ALENE, ID 83814

RE: WATER RIGHT NO. 95-07895

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosure

MICROFILMED
JAN 17 1991

LICENSE REVIEW CHECKLIST

Permit No. 95-7895

Name/Address change? ok ☒

Priority date Advance? yes no ☒

Memo to advance

Order to reinstate needed? yes no ☒

Total cfs Limited by fee

Limited by capacity ☒

Total volume Limited by flow

Chart checked for AF rate/ac ☒ 3.5

Capacity Actual measurement checked N/A

Theoretical checked ☒

If greater than permit, check for other rts

Source Changed? yes no ☒

If so, is memo needed to clarify? N/A

P/D Verify with map ☒ permit ☒

More than one per 1/4? Remember remark

Check p/d overlap N/A

Uses Check irrigation period of use w/ chart ☒

P/U Verify with map ☒ permit
> 5 acres irrigated, run overlap N/A

Remarks More than one p/d in 1/4
Description of non-irrig uses ☒
Special overlap condition

Conditions -

Measuring device
W.Master control
Overlap R30
Water quality
Other

Dates/Misc. -

Water Dist
App Rec'd
Proof Rec'd

CHECK FOR ADJ. CLAIM

Needed according to proof filed
Filed - needs amended
Not filed - send form
Not needed ☒

Comments/Changes to Examiner's Recommendations:

License 10-day ☒ 30-day

Back of field report signed? ☒

Reviewer J. Curtis Date 11-26-90 Review time 7 min.

RECORDED & INDEXED
JAN 17 1991

SENIOR AGENT REVIEW

RECEIVED
JUN 27 1990

Check List
for
Beneficial Use Field Report

Department of Water Resources

Permit 95-07895

✓ A. GENERAL INFORMATION

- ✓ 1. Name and address are most current available. (Check BU statement)
✓ 2. Exam Date
✓ 3. Source (Check Permit)

✓ B. OVERLAP REVIEW

- ✓ 1. & 2. (Rule 5,1,4)

✓ C. SYSTEM DESCRIPTION

- ✓ 1. Diversion System Diagram (Rule 5,1,3 / 5,1,4)
✓ 2. USGS (Rule 5,1,7 / 5,1,9) Aerial (Rule 5,1,17)
Photo of pd and/or pu or explanation
✓ 3. Word Picture (Rule 5,1,3 / 5,1,4)
✓ 4. Diversion (Rule 5,1,3)
✓ 5. Compare with USGS Map, Land Survey Maps, Aerial Photos and Permit.
✓ 6. Irrigation (Rule 5,1,8) method of determination

✓ D. FLOW MEASUREMENTS Check math (Rule 5,1,13 / 5,1,14)

✓ E. FLOW CALCULATIONS Check math (Rule 5,1,13 / 5,1,14)

✓ F. OPTIONAL

✓ G. VOLUME CALCULATIONS

- Three significant figures and no more than 1/10's (Rule 6,1,2)
Fish (Rule 5,1,11) number stock, homes, etc... (Rule 5,1,12)

✓ H. REMARKS AND OVERLAP ANALYSES

- ✓ All actual uses listed; all permitted uses not used, also listed; (Rule 5,1,2):
✓ Overlaps (Rule 5,1,4):
✓ Return flows (Rule 5,1,5):
✓ Conditions (Rule 5,1,6).

✓ I. RECOMMENDATIONS

- ✓ 1. Municipal (Rule 5,1,10): Compare with items E & G, permit, fee, capacity
(Rule 5,1,15): Measured flows for each use listed separately (Rule 5,1,14).
Period of year (Rule 5,1,13)
✓ 2. Compare permit to exam for amendments (Rule 5,1,16)

✓ J. AUTHENTICATION

Name, Signature, Certification Date, Exam Date.

✓ WELL INSPECTION REPORT

Check with permit and well log for discrepancies


Signature

J. King

Date

10/23/89

Photographs



WELL AND
WITH
BLADDER
TANK BEHIND
DOOR



TWO HOMES

MAILED

JAN 17 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUN 27 1990
Department of Water Resources

A. GENERAL INFORMATION

Permit No. 95-07895


1. Owner: CLIFTON L. OR ESTHER TRAVIS Phone No. 765-3140
Current Address: W. 4601 SELTICE WAY, COEUR D'ALENE, ID. 83814
2. Accompanied by: SAME EXAM. DATE: 10-17-89
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: GROUNDWATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE ☐ Copies Attached
2. Other water rights with same point of diversion: NONE ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

MICROFILMED
JAN 17 1991

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

6 "XAGE" WELLS, W/ A SUBMERSIBLE PUMP & PIPING TO PD

☐ See Remarks on page 4 for continuation[illegible]

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

[illegible]

6. Place(s) of Use:

Indicate Method of Determination *MMF*

[illegible]

Do not use this space

CONTINUED

JAN 17 1991

Do not use this space


D. FLOW MEASUREMENTS *none*

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:



E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

$$\frac{8.8 (1/2) 80\%}{2.3 (20) + 150} = 0.02$$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{3.5}$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{\hspace{2cm}}$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{3.5}$

2. Volume Calculations for Other Uses:

$$D_2 = 1.2$$

MICROFILMED

JAN 17 1991

H. REMARKS AND OVERLAP REVIEW ANALYSIS

SUL ASSUMED

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use

IRIGATION

DOMESTIC (2)

Period of Use
From To

3-15 11-15
1-1 12-31

Rate of Diversion
Q (cfs)

0.02 0.02

Annual Volume
V (afa)

3.5 1.2

Totals:

0.02

4.7

2. Recommended Amendments

- ☐ Change P.D. as reflected above
- ☐ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
- ☐ Add P.U. as reflected above

- ☒ None
- ☐ Other

J. AUTHENTICATION

Field Examiner's Name

Tom D. King

Signature

[Signature]

Certification Date


10/17/89

Field Report Preparation Date


K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

11-26-90
SE

MICROFILMED
JAN 17 1991



95-07895
T50N R4W



FOR SALE BY


SKER MAPS

ST. TACOMA, WASHINGTON
(E) SEATTLE WASHINGTON

TOWNSHIP

KOOTENAI COUNTY, Idaho

32



Form 238-I
09/89

State of Idaho
Department Of Water Resources

WELL INSPECTION FORM

This form should be completed by the examiner when conducting a field examination to determine the extent of beneficial use of water from a well or whenever a well is inspected for other reasons. The form should be attached to the beneficial use field report. If well construction standards do not appear to be met, a copy of this form should be forwarded to Groundwater Protection Section.

Water Right Permit No. 95-C7895

1. Legal Description of Well Location:

Twp. 50 N, Rge. 4W Sec. 4, SW $\frac{1}{4}$ NW $\frac{1}{4}$ Gov. Lot

2. Owner: CLIFTON TRAVIS

Address: W. 4601 SELTICE WAY City COEUR D'ALENE, State ID.

3. Approximate date of well construction 1984

Well driller: UNK

4. Casing: Diameter 6" Condition GOOD

5. Casing length above land surface 2' (12" ABOVE CONCRETE FLOOR)

6. Well depth (ft) 200 Flowing Temperature Access Port NO

7. Condition of piping and valving GOOD

8. Evidence of well seal YES

9. Shut in pressure or static water level UNK

10. Evidence of leakage around the casing NO

11. Does well need repair NO

12.

MICROFILMED


JAN 17 1991

Comments

over

SCHEMATIC

Provide a schematic Diagram showing the location of the well in the 1/4 1/4 with respect to houses, roads, other wells or readily identifiable features.



Inspected by

Sal King

Date

10/17/89

MICROFILMED

JAN 17 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814 • (208) 765-4639

CECIL D. ANDRUS

Governor

September 12, 1989

R. KEITH HIGGINSON

Director

Mr. Clifton Travis
W. 4601 Seltice
Coeur d'Alene, Id. 83814

Re: 95-7895

Dear Applicant:

We acknowledge receipt of your statement of completion of water development use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We do not know at this time when he will be able to conduct the examination; however, the examiner will try to contact you prior to the time the examination is made so that you may demonstrate the system. If you will not be available to show the system, please provide this office with the name and address of someone who will be able to do so. Your permit will remain valid until the examination is made.

If you have any questions concerning the field examination, please contact this office. Please be sure to use the above-referenced permit number in all future correspondence concerning this examination.

Sincerely,

/s/

TOM D. KING

Senior Water Resource Agent

TDK/pms

MICROFILMED

SEP 25 1989



1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 95-7895

Date: 8/18/89

General Considerations:

Y Name same as permit
N/A Signature the same as permit holder
Y Address change If yes, prepare a data entry
Y Proof received timely
N Reinstated

Source of Water:

N Surface water
Y Groundwater
1. well log in file
2. N/A Drilling permit
A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

Y Rate of diversion appropriate for uses
N Is rate or volume and fee appropriate?
N Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

N/A Is a measuring device or access port required?
N/A Has one been installed?
N/A Waiver or modification of measuring device requested

Remarks:

Proof Acceptable - drilling permit not needed and well log not researched because well is over 3 yrs old

N/A Priority Calculation:

Date proof received


Date proof due

No. of days late

Priority date

NEW PRIORITY DATE

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM



STATE OF IDAHO

MAY 03 1989

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

For Office Use Only
Fee Received _____
Date _____
Receipt # _____
Receipt by _____
Reviewed by _____
Sent to region _____

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 95-7895

Name(s) of Permit Holder: CLIFTON L. TRAVIS & ESTHER S. TRAVIS

Post Office Address: W. 4601 SELTICE
COEUR D'ALENE, ID

Telephone No. 765-3140

Source of Water: GROUNDWATER

Extent of Use:

Domestic 2 (number of households) Stockwater _____ (number and type of stock)

Irrigation 1 (acres) Other/Remark _____

1/2 HP PUMP - 200 FT OF LIFT 10 gpm

Total rate and/or volume for which proof is submitted 0.04 cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: _____

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Fee enclosed \$ _____
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Person to contact to accompany the Department representative during the field examination:

SAME
(Name) (Telephone Number)

(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

FILED

4/28/89
Date

Clifton L. Travis
Signature of Permit Holder (and title, if appropriate)

SEP 23 1989

February 28, 1989

CLIFTON L. TRAVIS
ESTHER S. TRAVIS
W. 4601 SELTICE BLVD.
COEUR D ALENE, ID 83814

138049

PROOF DUE NOTICE

RE: PERMIT NO. 95-07895

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before May 1, 1989. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

SEP 25 1989

May 15, 1984

Clifton or Esther S. Travis
W. 4601 Seltice Blvd.

~~Caldwell, ID 83605~~
~~COEUR D'ALENE, ID 83814~~

Dear Mr. and Mrs. Travis:

Re: Permit No. 95-7895

In lieu of the statement of beneficial use postcard, the department has accepted and approved the request for extension of time. The time within which to submit the statement of beneficial use is extended to May 1, 1989. Enclosed is a copy of the extension form and also I'm returning the statement of beneficial use postcard.

If you have any questions concerning your permit, please feel free to contact me at 334-4290.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosures

STAFF REVIEW OF REQUESTS FOR EXTENSION OF TIME

Permit Number 95-7895

- Y Date received stamp
Y Fee received and receipted
Y Name on request same as on permit
N Address same permit as on latest correspondence
Y Proof due date within six months of due date
Y Signature same as permit
Y Source of water the same
Y Review conditions of approval
N/A Extensions previously approved
Y Proceed diligently
N Is delay caused by litigation: _____ Swan Falls

Date lit. completed _____

Date lit. began _____

Period of delay _____

New proof due date _____

ACTION: *Approve - due diligence*
Return B/P postcard

Y Is the extension timely received?

N Reinstate: Extension received _____

Proof due date _____

Days late _____

Priority date _____

Adjusted priority date _____

Y Is there commencement of works?

_____ Cover letter

_____ Coding sheet - *address*

_____ Rolodex card updated and refiled

MICROFILMED

Reviewed by *[Signature]*

Date: 5-14-84

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
A. KENNETH DUNN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

APRIL 24, 1984

CLIFTON TRAVIS
W. 4601 SELTICE BLVD.
COEUR D ALENE ID 83814

RE: Permit No. 95-7895

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a Water Right License can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 667-6484 or in person at our office.

Sincerely,

/s/
TOM D. KING
Senior Water Resource Agent

cc: IDWR - State Office

NOT REFILED
SEP 25 1989


INTER-DEPARTMENT MEMO — 1

DATE 3-15-1984

FROM *Rita*
 TO 95-7895
 SUBJECT Returned P/u Notice

The Kootenai County Assessor's Office
 shows 4601 Selthie Blvd., Coeur d'Alene,
 Idaho as an address for the Driver's

RECEIVED

 SIGNATURE

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Statehouse
Boise, Idaho 83720

RECEIVED

MAR 12 1984

CLAIM CHECK
NO.

378442

Department of Water Resources

☐ HOLD

DATE

3-5
1ST NOTICE

2ND NOTICE

RETURN

Detached from
PS Form 3848-A
Oct. 1980

RETURN TO SENDER
NO SUCH STREET NUMBER
DATE 3-5 CARRIER 72

138516

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

TRAVIS, CLIFTON L. & ESTHER S.
ROUTE 1, BOX 192
COEUR D'ALENE, ID 83814

138516

PROOF DUE NOTICE

FEBRUARY 28, 1984

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 95-7895 WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE MAY 01, 1984. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST). ENCLOSED IS A POSTCARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.


IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER THE BENEFICIAL USE POSTCARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES





State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 384-2215

May 24, 1979

Re: Permit No. 95-7895

Clifton L. or Esther S. Travis
Rt. 1, Box 192
Coeur d'Alene, Idaho 83814

Dear Mr. or Mrs. Travis:

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval as listed on the fourth page.

Sincerely,

David R. Tuthill Jr.

DAVID R. TUTHILL, JR.
Supervisor, Water Allocations Section

DRT:lr

Enclosure

MICROFILMED

ROUTING SLIP

DATE 5/4/79

TIME _____

TO:

REF. No. (if any)

FROM: (show title)

FOR YOUR:

REVIEW AND:

PER:

☐ Information☐ Call Me☐ See Me☐ Our Conversation☐ Approval☐ Comment & Return☐ Your Request☐ Signature☐ Take Proper Action☐ Boss's Request☐ Draft a Reply for Me

Note! Irrigation uses

any comments?

Jim
The irrigation for greenhouse
should be called "commercial",
and the note inserted in remarks:

"Commercial use for irrigation of greenhouse"
for proper computerization and future
handling. Please change this app & I will
send a memo to the reasons thru Bob Alcenor. Per

95-7895

STAFF REVIEW - STATE OFFICE

1. ✓ Name vs. Signature
2. WS Source
3. ✓ Point of Diversion
4. 0.18 Amnt. & Period of Use
5. ✓ Descrip. of Diverting Wrks.
6. 5 Time req. for Proof of B/U
7. ✓ Place of Use for other than irrig.
8. 2 Place of Use for irrigation (add acres)
9. A Property Owner at Pt. of Div. & Pl. of Use
10. ✓ Map
11. 20 Fee & Rec't. No.

Copies Sent To:

<u>NO</u> Idaho Health Department	<u>NO</u> U.S.F.S.
<u>7</u> Idaho Fish & Game Dept.	<u>7</u> Dept. of Lands
<u> </u> Bureau of Land Management	<u> </u> Other

Dam Safety Information N/A (Goes to Permit Section)

Check:

Critical G.W. Area yes ✓ noOther rights on same land None plottedWithdrawals of all protests received N/A yes no

Conditions:

ID Power Co. Letter - Snake R. NOID Power Co. Letter - G.W. & Tribs. Snake River Condition Payette River Letter Priority Date 3/27/79Water Quality #16 NOWater Quality #10 intrastate interstate Meas. Dev. or Sc. Meas. NOTotalizing meter Supplemental Right-of-Way Cond. Watermaster Cond. Wtr. Dist No. Meas. Dev. Cond. for apps within a Water Dist.

Has made changes on Application
items: 4, 8a(5), 10

Reviewer: Jim

5/4/79

Date

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. Travis 95-7895

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) Revt 3-27-79

Hunt
In form to receipt

(2) _____

Send Copies to:

_____ Idaho State Health Department
_____ Idaho Fish and Game Department
_____ Bureau of Land Management

(3) _____

_____ Request Special Use Permit from U.S.F.S.
_____ Request Easement from B.L.M.
_____ Request Information from Applicant
_____ Request Dam Safety Information

(4) Revt 3-27-79

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. _____

(7) _____

Critical groundwater area: yes _____ no _____

(8) _____

Groundwater levels:

_____ Declining, _____ Stable, _____ Increasing

(comment) _____

(9) _____

Other rights on the same place of use

(10) _____

Comments: _____

(11) pm 4/19/79

Affidavit of Publication received (date) 4/16/79

(12) pm 4/23/79

Final date for protests April 23, 1979
Protests received: yes _____ no ☒

(13) pm 4/23/79

All requested information received from agencies or applicant: yes ☒ no _____

(14) _____

Action recommended:

☒ Approve _____ Deny

3-27-79 Proposed Priority

_____ Reason for Reduction _____

_____ Measuring device required

_____ See attached sheet for other conditions of approval

☒ No special conditions for approval

(15) District Northern By Bob Haynes Date 4-26-79

RECEIVED
MAY 02 1979

Department of Water Resources

95-2895

TRAVIS, CLIFTON L. &/or ESTHER S.

ROUTE 1, BOX 192, COEUR D'ALENE, ID 83814

Source: GROUNDWATER

Date Filed: 03/27/1979

Amount: 0.18 CFS

Diversion Point: NSW Sec 04 T 50N R 04W, KOOTENAI Co.

Use: DOMESTIC	(0.12 CFS)	from 01/01 to 12/31
IRRIGATION	(0.02 CFS)	from 01/01 to 12/31
IRRIGATION	(0.04 CFS)	from 03/15 to 11/15

Place of Use: NSW Sec 04 T 50N R 04W FOR 2 ACRES

Diversion Means: WELL & PUMP

MICROFILMED