

AFFIDAVIT OF PUBLICATION

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

95-7892

Neraas, Donald E.
5425 E. 21st Street, Spokane, WA.
Source: Hayden Lake
Date Filed: March 2, 1979
Amount: 0.04 cfs
Diversion Point: Lot 05 Sec 15 T
51N R 03W, Kootenai County.
Use: Domestic (0.04 cfs) from
January 1 to December 31.

Place of Use: Lot 05 Sec 15 T 51N
R 03W.
Diversion Means: Pump &
Pipeline

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 4055 Gov't Way, Coeur d'Alene, ID, 83814 on or before April 16, 1979.

C. STEPHEN ALLRED
Director

Legal 609
March 29, April 5, 1979

STATE OF IDAHO, } ss.
County of Kootenai,

Cheri Budvarson being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The notice

of which the annexed is a printed copy, was published in the regular Thursday issue of said newspaper for 2 consecutive weeks, commencing on the 29 day of March, 19 79, and ending on the 5 day of April, 19 79, and such publication was made as often during said period as said daily newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Subscribed and sworn to before me this 5 day of April, 19 79.

Roberta Manley
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

11.88
LEADER



MICROFILMED

RECEIVED


APR 9 1979

Department of
Northern District Office

OK
pm
4/9/79



TWP. 51 N, RGE. 3 W SEC. 15 MAP # MAP SCALE
 DATE OF EXAM 1/29/87 PERMIT # 95-7892



TWP. 51 N., RGE. 3W SEC. 15 MAP # 1"=400' PERMIT # 95-7892
DATE OF EXAM 1/29/87

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-07892

Priority: March 2, 1979 Amount: 0.04 CFS 1.2 AFA

This is to certify, that DONALD E. NERAAS
E. 5425 21ST ST.

SPOKANE, WA 99203 has complied with the terms and conditions
of the permit issued pursuant to Application for Permit dated March 2, 1979, and
has submitted proof to the Department of Water Resources on March 9, 1984, that
water has been applied to a beneficial use; an examination by the Department indicates
that the works have a diversion capacity of .040 cfs of water from:

HAYDEN LAKE tributary to SINKS

source and that a water right has been established as follow:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AFA

LOCATION OF POINT OF DIVERSION(S): LOT 5(NWSW), Sec. 15, Township 51N, Range 03W
KOOTENAI County

PLACE OF USE: DOMESTIC

TWN RGE SEC

51N 03W 15 LOT 5(NWSW)

CONDITIONS/REMARKS:

1. The right to the use of water hereby confirmed is limited to the amount which can actually be beneficially used and is restricted and appurtenant to the lands or place of use and to the purpose herein described, as provided by the laws of Idaho.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. Use of water under this water right is subject to control by the watermaster of State Water District No. 95A.

MICROFILMED


JUL 27 1988

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-07892

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 14th
day of June, 1988.


Director



JUL 27 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Ronald E. Meraas 1-509-Phone 534-3130

→ Post office address 5425 E. 21st Spokane, Wa.

2. Source of water supply Hayden Lake which is a tributary of _____

→ 3. Location of point of diversion is Coout Lot 5 of Section 15 Township 51 N

Range 3W B.M. Kootenai County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.04 for Domestic purposes from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.04 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. pump & pipe line

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is **not** for irrigation: Coout Lot 5
→ (1) Give the place of use of water: _____ of Section 15 Township 51 N

Range 3W B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.


(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 5.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

x Donald E. Newman
(Applicant)

Received by KIC Date 3/2/79 Time 2:00 P.M.
Preliminary check by KIC Fee \$ 20.00
Received by KIC Date 3/2/79 # 13445
Publication prepared by me Date 3/2/79
Published in Deseret News
Publication dates 3/27-4/1/79
Publication approved me Date 4/4/79
Protests filed by: none
Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by gxt 5.51

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-7892, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1, 19 84.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: Use of water under this permit is subject to control by the watermaster of State Water District No. 95-A, Hayden Lake.

Witness my hand this 24 day of April, 1979.

D. Allen Saylor
Chief, Operations Bureau

AFFIDAVIT OF PUBLICATION

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

95-7892

Neraas, Donald E.
5425 E. 21st Street, Spokane, WA.
Source: Hayden Lake
Date Filed: March 2, 1979
Amount: 0.04 cfs
Diversion Point: Lot 05 Sec 15 T
51N R 03W, Kootenai County.
Use: Domestic (0.04 cfs) from
January 1 to December 31.
Place of Use: Lot 05 Sec 15 T 51N
R 03W.
Diversion Means: Pump &
Pipeline

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 4055 Gov't Way, Coeur d'Alene, ID, 83814 on or before April 15, 1979.

C. STEPHEN ALLRED
Director

Legal 609

March 29, April 5, 1979

STATE OF IDAHO, } ss.
County of Kootenai,

Cheri Budvarson being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The notice

of which the annexed is a printed copy, was published in the regular Thursday issue of said newspaper for 2 consecutive weeks, commencing on the 29 day of March, 1979, and ending on the 5 day of April, 1979, and such publication was made as often during said period as said daily newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Cheri Budvarson
Subscribed and sworn to before me this 5 day of April, 1979.

Roberta Zank
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 95-7892

Name(s) of Permit Holder(s): Donald E. Neraas

Post Office Address: E 422 2nd
Spokane, WA 99202 Tel. No. 838-2981

☒ I hereby certify that construction of diversion works for the above referenced permit began on 6-30-83. I understand that I must
(date)

continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:


*Note: A financing difficulty is
not an acceptable reason.

7-11-83

Date

Donald E. Neraas
Signature of Permit Holder

Donald E. Neraas
Architect
E 422 Second
Spokane, WA 99202



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

RECEIVED
JUL 13 1983

June 15, 1988

DONALD E. NERAAS
E. 5425 21ST ST.
SPOKANE, WA 99203

RE: PERMIT NO. 95-07892

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MAINTAINED

JUL 27 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
Mⁿ 1 27

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 96-7892

1. Owner: DONALD NERAS Phone No. _____

Current Address: E 5425 21ST SPOKANE, WA 99203

2. Accompanied by: NONE EXAM. DATE: 1/29/87

Address: NONE Phone No. W 838-2981
4534-3130

Relationship to Permit Holder: NONE

3. Source: HAYDEN LAKE tributary to SINKS

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE

☐ Copies Attached


2. Other water rights with same point of diversion: NONE

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. Diversion System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

☐ Photo of Diversion and System Attached PHOTO OF FROST FREE STAND PIPE DID NOT DEVELOPE
(required for all but single household domestic groundwater, and stockwater).

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

☐ See Remarks on page 4 for continuation

Well or Diversion Identification No.*	518				
Motor Make					
Hp	1/3				
Motor Serial No.					
Pump Make					
Pump Serial No. or Discharge Size					

***Code to correspond with No. on map and aerial photo**

5. Point(s) of Diversion:

[illegible]

6. Place(s) of Use:

Indicate Method of Determination.

[illegible]

MICROFILMED

JUL 27 1988

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
NONE						

2. Measurements:

NONE

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

NONE

2. Alternate Method for Checking Purposes:

$$\frac{8.8(.33)808}{2.33(20)+15} = .04$$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

DOMESTIC 1.2

RECEIVED
JUL 27 1988

JUL 27 1986

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

CONSULTANT SEAL

Field Report Preparation Date

Certification Date

Signature

Field Examiner's Name

J. AUTHENTICATION

- ☐ Change P.D. as reflected above
- ☐ Add P.D. as reflected above
- ☒ None
- ☐ Change P.U. as reflected above
- ☐ Add P.U. as reflected above
- ☐ Other

2. Recommended Amendments

Totals:

170.0

27

Beneficial Use

Period of Use
From _____ **To** _____

Rate of Diversion
Q (cts)

Annual Volume V (a)

1. Recommended Amounts

1. RECOMMENDATIONS

H. REMARKS AND OVERLAP REVIEW ANALYSIS

NONE

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Staff Analysis Sheet
for
Beneficial Use Field Report

95-7892
Permit No.

RECEIVED

MAR 20 1987

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
☒ Copy of Permit
☒ Copies of any Amendments/Orders with conditions of approval Department of Water Resources
☒ Computer Data Proof Report
☒ Copy of U.S.G.S. Quad
☒ Check for Government Lots. If so, make a copy of Government Plat

Check of P/D index R 12/9/86 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of exam(s) attached?
Type of Overlap? ☐ Add acres or uses to existing system
☐ Increase rate of flow or volume
☐ Other: _____

Check of P/U index R 12/9/86 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of water right(s) attached?
Type of Overlap? ☐ Increase rate of flow or volume
☐ Add P/D's
☐ Increase number of acres within tracts
☐ Other: _____

Aerial Photo

Required? ☐ yes ☒ no If yes: ☐ copy attached?

Scheduling Letter sent? _____ (Initial and date)



☐ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
☐ Photographs of Point of Diversion and Place of Use
☒ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

C. Review and Processing:

Exam Completed [Signature] 2/3/87 (Signature of examiner and date)
Exam Reviewed by Senior Water Resource Agent R 3/13/87 (Initial and date)
Exam Reviewed by Manager of Regional Office PWA 3/17/87 (Initial and date)
Exam Date Entered in Computer _____ (Initial and date)
Exam sent to State Office _____ (Initial and date)
Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Réfiled in White File _____ (Initial and date)




CONTOUR INTERVAL 40 FEET
 DOTTED LINES REPRESENT 20-FOOT CONTOURS
 NATIONAL GEODETIC VERTICAL DATUM OF 1929

JUL 27 1988

ROAD
 Heavy-duty ———
 Medium-duty - - -

TWP. 51 N, RGE. 3 W SEC. 15 MAP # _____ MAP SCALE _____
 DATE OF EXAM 1/29/87 PERMIT # 95-7892

Sec 16
12337




MANUFACTURED

JUL 27 1988



#95-7892



TWP. 51 N., RGE. 3W SEC. 15 MAP # 1"=400' PERMIT # 95-7892
DATE OF EXAM 1/29/87

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
A. KENNETH DUNN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

APRIL 24, 1984

DONALD E. NERAS
E. 3525 21ST ST.
SPOKANE WA 99203

RE: Permit No. 95-7892

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a Water Right License can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 667-6484 or in person at our office.

Sincerely,

/S/
TOM D. KING
Senior Water Resource Agent

cc: IDWR - State Office

RECEIVED
FILMED

JUL 27 1988

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 95-7892

Name(s) of Permit Holder: Donald E. Neraas

Post Office Address: E 5425 21st, Spokane, WA 99203

Tel. No. W-838-2981
H-534-3130

Source of Water: Hayden Lake


Extent of Use: ☒ Domestic (number of households)
☐ Stockwater (number and type of stock)
☐ Irrigation (acres)
☐ Other

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No
 Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No


The above information is a true statement of the extent to which the above numbered permit has been developed.

Mar 1 1984
Date

Donald E. Neraas
Signature of Permit Holder



Donald E. Neraas: M.D.
Architect
E 422 Second
Spokane, WA 99202



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

Department of Water Resources

RECEIVED
MAR 9 1984

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

NERAAS, DONALD E.
5425 E. 21ST STREET
SPOKANE, WA 99202

138442

PROOF DUE NOTICE

JANUARY 31, 1984

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 95-7892 WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE APRIL 01, 1984. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST). ENCLOSED IS A POSTCARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER THE BENEFICIAL USE POSTCARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

RECORDED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 384-2215

April 24, 1979

Re: Permit No. 95-7892

Donald E. Neraas
5425 E. 21 Street
Spokane, Washington

Dear Mr. Neraas:

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval as listed on the fourth page.

Sincerely,

David R. Tuthill Jr.

DAVID R. TUTHILL, JR.
Supervisor, Water Allocations Section

DRT:lr

Enclosure

MICROFILMED

95-7892

STAFF REVIEW - STATE OFFICE

1. ✓ Name vs. Signature
2. L Source
3. ✓ Point of Diversion
4. 0.04 Amnt. & Period of Use
5. ✓ Descrip. of Diverting Wrks.
6. 5 Time req. for Proof of B/U
7. ✓ Place of Use for other than irrig.
8. N/A Place of Use for irrigation (add acres)
9. A Property Owner at Pt. of Div. & Pl. of Use
10. ✓ Map
11. 20 Fee & Rec't. No.

Copies Sent To:

NO Idaho Health Department
7 Idaho Fish & Game Dept.
Bureau of Land Management
NO U.S.F.S.
yes Dept. of Lands
NO Other

Dam Safety Information N/A (Goes to Permit Section)

Check:

Critical G.W. Area yes ✓ noOther rights on same land N/AWithdrawals of all protests received N/A yes no

Conditions:

ID Power Co. Letter - Snake R. NOID Power Co. Letter - G.W. & Tribs. NOSnake River Condition NOPayette River Letter NOPriority Date 3/2/79Water Quality #16 NOWater Quality #10 NOintrastate NO interstate NOMeas. Dev. or Sc. Meas. NOTotalizing meter NOSupplemental NORight-of-Way Cond. NOWatermaster Cond. yes
Wtr. Dist No. 95-AMeas. Dev. Cond. for apps within
a Water Dist. NO

Reviewer

4/24/79
Date

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. 95-7892

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) KK 3/2/79

In form to receipt

(2) _____

Send Copies to:

Idaho State Health Department

Idaho Fish and Game Department

Bureau of Land Management
☒ Dept of Lands per 3/2/79

Request Special Use Permit from U.S.F.S.

Request Easement from B.L.M.

Request Information from Applicant

Request Dam Safety Information

(3) KK 3/2/79

(4) KK 3/2/79

In form for advertising

(5) _____

Platted on Map No. _____

(6) PSA _____

Located within Water District No. 95A

(7) _____

Critical groundwater area: yes _____ no _____

(8) _____

Groundwater levels:

_____ Declining, _____ Stable, _____ Increasing

(comment) _____

(9) _____

Other rights on the same place of use

(10) _____

Comments: _____

(11) pm 4/9/79

Affidavit of Publication received(date) 4/9/79

(12) pm 4/16/79

Final date for protests April 16, 1979

Protests received: yes _____ no _____

(13) pm 4/16/79

All requested information received from agencies or applicant: yes ☒ no _____

(14) _____

Action recommended:

☒ Approve _____ Deny _____

3-2-79 Proposed Priority

Reason for Reduction

Measuring device required

See attached sheet for other conditions of approval

☒ No special conditions for approval

(15) District Northern

By Bob Haynes Date 4-18-79

RECEIVED
APR 23 1979

Department of Water Resources

95-2892-

NERAAS, DONALD E.

5425 E. 21ST STREET, SPOKANE, WA

Source: HAYDEN LAKE

Date Filed: 03/02/1979

Amount: 0.04 CFS

Diversion Point: LOT 05 Sec 15 T 51N R 03W, KOOTENAI Co.

Use: DOMESTIC (0.04 CFS) from 01/01 to 12/31

Place of Use: LOT 05 Sec 15 T 51N R 03W

Diversion Means: PUMP & PIPELINE

MICROFILMED

March 22, 1979

Coeur d'Alene Press
Second & Lakeside
Coeur d'Alene, Idaho 83814

Re: 95-7892

Gentlemen:

In reference to your telephone call yesterday indicating that you lost the legal notice for Application No. 95-7892, enclosed find a copy of same.

Please have this notice printed on March 29, and April 5, 1979. If you are unable to do so, please contact this office immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before April 16, 1979.

Yours truly,

Patricia H. Stypa
Secretary

Enc.

RECEIVED



STATE OF IDAHO

DEPARTMENT OF LANDS

STATEHOUSE, BOISE, IDAHO 83720

GORDON C. TROMBLEY
DIRECTOR

STATE BOARD OF LAND COMMISSIONERS

JOHN V. EVANS
GOVERNOR AND PRESIDENT
PETE T. CENARRUSA
SECRETARY OF STATE
DAVID H. LEROY
ATTORNEY GENERAL
JOE R. WILLIAMS
STATE AUDITOR
JERRY L. EVANS
SUPT OF PUBLIC INSTRUCTION

March 15, 1979

Robert Haynes
Dept. of Water Resources
Northern District
Rt. 5, Box 203, Suite 1
Coeur d'Alene, ID 83814

RE: 95-7892
Donald Neraas

Dear Bob:

Thank you for the copy of the above numbered diversion application. The applicant will be required to make application for an easement or a temporary permit from the Department of Lands in addition to your diversion permit.

The applicant is being so notified.

Very truly yours,


WILLIAM A. SCRIBNER, Chief
Bureau of Navigable Waters

WAS:bv

RECEIVED

MAR 19 1979

Department of Water Resources
Northern District Office


EQUAL OPPORTUNITY EMPLOYER

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
C. STEPHEN ALLRED
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

March 7, 1979

Mr. William Scribner
Idaho Department of Lands
Statehouse
Boise, Idaho 83720

RE: 95-7892

Dear Bill:

Enclosed is information which may be of interest to your Agency relating to an application recently filed with the Department of Water Resources.

Very truly yours,

Robert G. Haynes, P.E.
Regional Supervisor

RGH/rms

Enclosure

RECEIVED 1979

March 2, 1979

Mr. Donald E. Neraas
5425 E. 21st Street
Spokane, Washington

Dear Mr. Neraas:

Enclosed is your Receipt No. 13445 for \$20.00 that was received in this office for an Application for Permit to Appropriate the Public Waters of the State of Idaho.

We expect the processing time to be about 45 days. We do not anticipate any problems with approval of the permit.

As long as any necessary easements are obtained for the placement of the pipeline, you should have the continued use of the water from Hayden Lake.

Sincerely,

KENNETH KNOBLOCK
Senior Water Resource Agent

KK/pms

Enc. - Receipt

MICROFILMED