




MICROFILMED

APR 06 1988

SCALE 1:24 000

CONTOUR INTERVAL 20 FEET
DOTTED LINES REPRESENT 10 FOOT CONTOURS
DATUM IS MEAN SEA LEVEL

TWP. 52N RGE. 3W MAP # E-5 MAP SCALE _____ EXAM DATE _____

PERMIT # 95-7887

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-7887

Priority: January 26, 1979 Amount: .06 CFS 10.5 AFA

This is to certify, that LOIS M. EGGART

RT. 3 BOX 43

HAYDEN LAKE, ID 83835

has complied with the terms and conditions of the permit issued pursuant to Application for Permit dated January 26, 1979, and has submitted proof to the Department of Water Resources on February 9, 1984, that water has been applied to a beneficial use; an examination by the Department indicates that the works have a diversion capacity of .08 cfs of water from;

UNNAMED STREAM

tributary to SINKS

and that a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>VOLUME</u>
Irrigation	03/15 to 11/15	.06 cfs	10.5 afa

LOCATION OF POINT OF DIVERSION(S): SWSW , Sec. 4, Township 52N, Range 3W
Kootenai County

PLACE OF USE: Irrigation

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
52N	3W	4	SWSW	3			3

Total number of acres irrigated: 3

CONDITIONS/REMARKS:

1. The right to the use of the water hereby confirmed is limited to the amount which can actually be beneficially used and is restricted and appurtenant to the lands or place of use and to the purpose herein described, as provided by the laws of Idaho.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 29th day of March, 1988.

MICROFILMED

Director

APR 06 1988

IN THE MATTER OF PERMIT NO. 95-7887 IN THE
NAME OF LOIS M. EGGART

WHEREAS, on March 6, 1979, the Department issued the above-captioned permit with the following condition:

and,

IT IS, THEREFORE, HEREBY ORDERED that the condition requiring an access port or other type of measuring device be REMOVED.

Dated this 17th day of April, 1984.

L. Glen Saxton
L. GLEN SAXTON
Chief, Operations Bureau

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant LOIS M. EGGART Phone 772-4609
Post office address RT 3 BOX 43, HAYDEN LAKE, ID 83835
2. Source of water supply UNNAMED STREAM which is a tributary of dike
3. Location of point of diversion is SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 4 Township 52N
Range 3W B.M. KOOTENAI County, additional points of diversion if any: SE $\frac{1}{4}$ SW $\frac{1}{4}$ 4, 52N, 3W

4. Water will be used for the following purposes:

Amount 1.0 for IRRIGATION purposes from MAR 15 to NOV 15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.04 for DOMESTIC purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.02 for STOCKWATER purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

☒ a. 1.0 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. COLLECT POND, STORAGE POND

☒ b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered 50 HEAD OF CATTLE

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water ONE.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

[illegible]

05

None

Applicant

Apparent

applicant to make this filing

[illegible]

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

T 52 N, R 3 W
Sec 4

P.D.
place of use

Proposed Priority 1-26-79

Received by RMH Date 1-26-79 Time 3:00 PM
Preliminary check by RMH Fee \$ 35.00
Received by RMH Date 1/26/79 (13414)
Publication prepared by RMH Date 1/31/79
Published in Idaho Falls News
Publication dates 2/8-15/79
Publication approved RMH Date 2/22/79
Protests filed by: none
Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by RMH SS.

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-7887, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before March 1, 19 84.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other: An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

Witness my hand this 6th day of March, 19 79.

Chief, Operations Bureau

A. Allen Saylor

AFFIDAVIT OF PUBLICATION

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

95-7886

Emerson, Thomas O. &/or Alma I.
1111 Mountain Avenue, Coeur d'Alene, ID. 83814
Source: Coeur d'Alene Lake
Date Filed: January 25, 1979
Amount: 0.04 cfs
Diversion Point: Lot 01 Sec 35 T 50N R 04W, Kootenai County.
Use: Domestic (0.04 cfs) from January 1 to December 31
Place of Use: Lot 01 Sec 35 T 50N R 04W
Diversion Means: Pump and pipeline.

95-7887

Eggart, Lois M.
Route 3, Box 43, Hayden Lake, ID. 83835
Source: Unnamed stream
Date Filed: January 26, 1979
Amount: 1.00 cfs
Diversion Point: SWSW Sec 04 T 52N R 03W, Kootenai County
Use: Irrigation (1.00 cfs) from March 15 to November 15.
Place of Use: SWSW SESW Sec 04 T 52N R 03W for 50 acres
Diversion Means: Collection pond, storage pond.
95-7888
Emerson, Thomas O. &/or Alma I.
1111 Mountain Avenue, Coeur d'Alene, ID 83814
Source: Coeur d'Alene Lake
Amount: 0.20 cfs
Diversion Point: Lot 01 Sec 35 T 50N R 04W, Kootenai County
Use: Fire protection (0.20 cfs) from January 1 to December 31.
Place of Use: Lot 01 Sec 35 T 50N R 04W
Diversion Means: Pump, hose and sprinklers.

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of

any permit must be filed with the Director of the Idaho Department of Water Resources, 4055 Gov't Way, Coeur d'Alene, ID, 83814 on or before February 26, 1979.

C. STEPHEN ALLRED
Director

Feb. 8, 15, 1979

NOTICE OF CLAIMS TO WATER RIGHTS

Notice is hereby given that the following claim(s) to water right(s) have been established by diversion and application to beneficial use:

95-4044

Emerson, Thomas O. &/or Alma I.
1111 Mountain Avenue, Coeur d'Alene, ID 83814
Source: Coeur d'Alene Lake
Priority Date: June 1 1963
Amount: 0.04 cfs
Diversion Point: Lot 01 Sec 35 T 50N R 04W, Kootenai County
Use: Domestic (0.04 cfs) from January 1 to December 31
Place of Use: Lot 01 Sec 35 T 50N R 04W
Diversion Means: Pump and pipeline.

95-4405

Emerson, Thomas O. &/or Alma I.
1111 Mountain Avenue, Coeur d'Alene, ID 83814
Source: Coeur d'Alene Lake
Priority Date: April 1 1968
Amount: 0.04 cfs
Diversion Point: Lot 01 Sec 35 T 50N R 04W, Kootenai County
Use: Domestic (0.04 cfs) from January 1 to December 31
Place of Use: Lot 01 Sec 35 T 50N R 04W
Diversion Means: Pump and pipeline

Any exception to any claim of water right may be filed with the Director of the Idaho Department of Water Resources, 4055 Gov't Way, Coeur d'Alene, ID, 83814.

C. STEPHEN ALLRED
Director

Legal 458
Feb. 8, 15, 1979

STATE OF IDAHO,
of Kootenai,

} ss.

Charles Hedge

being first duly sworn

th deposes and says:

I am now and at all times hereinafter mentioned was a citizen of the United resident of the State of Idaho, over the age of twenty-one years and not a the above entitled action.

I am now and at all times hereinafter mentioned was the printer (principal the "Coeur d'Alene Press," a newspaper printed and published daily except in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation county.

The

Notice

the annexed is a printed copy, was published in the regular *Three* said newspaper for *2* consecutive *Weeks* ending on the *8* day of *Feb*, 19 *79*, and on the *15* day of *Feb*, 19 *79*, and such on was made as often during said period as said *Daily* er was regularly issued.

That said newspaper has been continuously and uninterruptedly published in tenai County, during a period of more than seventy-eight consecutive weeks tely prior to the first publication of said notice.

Charles Hedge

scribed and sworn to before me this *15* day of *Feb*

19 *79*

Robert Mander

Notary Public for the State of Idaho, residing at Coeur d'Alene, Idaho.

40.32

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 95-7887

Name(s) of Permit Holder(s): Lois M. Egart

Post Office Address: Rt 3 Box 43
Linden Lake, ID 83835

Tel. No. 772-4609

☒ I hereby certify that construction of diversion works for the above referenced permit began on 1961 (date). I understand that I must

continue to develop the water system with due diligence to maintain a valid permit.


☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is not an acceptable reason.

8-1-83
Date

Lois M. Egart
Signature of Permit Holder

Louis M. Eggen
RT 3, Box 13
Hayden Lake, ID 83822



RECEIVED



MICROFILMED

DEC 22 1988

1988
IDaho DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

March 30, 1988

LOIS M. EGGART
RT. 3 BOX 43
HAYDEN LAKE, ID 83835

RE: Permit No. 95-7887

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

RECEIVED
APR 1 1988

March 4, 1988

LOIS M. EGGART
RT. 3 BOX 43
HAYDEN LAKE, ID 83835

RE: Permit No. 95-7887

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

RECEIVED
APR 06 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

RECEIVED

MAY 23 1986

10-DAY

15-7887

Permit No.

1. Measurement Calculations

Department of Water Resources

a) Field Measurement Calculations (Include theoretical capacities and system capacity)

$$\frac{8.8 (1.6) 50\%}{2.33 (55) + 10} = 0.08 \quad \left\{ \begin{array}{l} 3 \text{ AC} (0.3) = 0.09 \text{ cfs} \\ \text{MAX} \\ \text{ALLOWABLE} \end{array} \right\} \quad 5 (5.01) = .06 \text{ cfs}$$

CAPACITY

ESTIMATED
PRESSURE + ~~ALLOWABLE~~

b) Volume Calculations for Irrigation:

$$\begin{aligned} V_{I.R.} &= (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 2 / 35 = 10.5 \\ V_{D.R.} &= [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 1.9835 (245) .06 = 29 \\ V &= \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 10.5 \end{aligned}$$

c) Volume Calculations for Other Uses:

2. Overlap Review


- a) Other water rights with same place of use: None
- b) Other water rights with same point of diversion: None
- c) Analysis:

MICROFILMED

APR 06 1988

[illegible]

10. Other water rights on these lands _____
11. Other water right diverted from same p.d. _____
12. Diversion and Delivery System Diagram: Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



13. ☒ Photo of Diversion & System Attached
☒ Aerial Photo of Place of Use Attached or Map of Irrigated Acreage Attached

14. Remarks
PHOTO O.D. NOT DEVELOPED
WELL FOR HOMER - NO STOCK

15. Recommended Amendments
☐ Change P.D. as reflected above
☐ Change P.U. as reflected above
16. Examiner's/Consultant's Signature _____ Date 4/3/86
Consultant's License Number _____
IDWR Director's Authorization to Conduct _____
Beneficial Use Examination _____

CONSULTANT SEAL

RECORDED

APR 06 1986



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

NORTHERN REGION

A. Kenneth Dunn
Director

Suite No. 9
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 667-6484

June 13, 1984

Ms. Lois M. Eggart
Rt. 3 Box 43
Hayden Lake, Id. 83835

Re: 95-7887

Dear Ms. Eggart:

I attempted to conduct the required examination of your irrigation system on June 1, 1984, but I found no one home.

I could not locate the stream from which you are taking water, so I naturally did not find the pump. Please contact me at your earliest convenience, so that you may show me your system.

Sincerely,

TOM D. KING
Senior Water Resource Agent

TDK/pms

MICROFILMED

APR 06 1988

not on

19

20

21

22

28

27

32

33

34

EIGHT MILE

North Pole

PRAIRIE

Corbin Junction

Well

BUNCO

(JAYDEN LAKE)

SCALE 1:24,000

RECEIVED

APR 06 1988

FOR SALE

TWP. 52N RGE. 3W MAP # E-5 MAP SCALE EXAM DATE

PERMIT #95-7887

REMARKS
ATTACHMENT TO 219A

PERMIT # 95-7887
INITIALS

DATE

6/12/84 UTL

K

6/13/84 LETTER ATTACHED

K

6/27/84 ^{called} CUTTING WAY WILL RECALL ME

K

9-85 772-4609 CANCELED APPT-WEATHER

K

3/12/86 772-4609

K

4/1/86 Ms Eggert Called me her system is in

K

April 19, 1984

Lois M. Eggart
Rt. 3, Box 43
Hayden Lake, ID 83835

Dear Ms. Eggart:

Re: Permit No. 95-7887

This office acknowledges receipt of the statement of beneficial use postcard and your request for removal of the access port requirement on your permit. Enclosed is a copy of the order removing that requirement.

Before a license can be issued, a field examination must be made by a representative of this department. I cannot tell you just when this examination will be made, but our examiner will contact you to schedule the exam at a convenient time.

If you have any questions regarding the field examination, please contact our Northern Regional office at 884-6484.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure

cc: Northern Region

MICROFILMED

APR 06 1988

RECEIVED

MAY 26 1984

Department of Water Resources
Northern District Office

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 95-7887 IN THE
NAME OF LOIS M. EGGART

ORDER

WHEREAS, on March 6, 1979, the Department issued the above-captioned permit with the following condition:

"An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department;"

and,

WHEREAS, the permit holder has indicated that the beneficial use of water under this permit is limited to the irrigation of two acres;

IT IS, THEREFORE, HEREBY ORDERED that the condition requiring an access port or other type of measuring device be REMOVED.

Dated this 17th day of April, 1984.

L. Glen Saxton
L. GLEN SAXTON
Chief, Operations Bureau

MICROFILMED

APR 06 1988

RECEIVED

MAY 25 1984

Department of Water Resources

April 19, 1984

Lois M. Eggart
Rt. 3, Box 43
Hayden Lake, ID 83835

Dear Ms. Eggart:

Re: Permit No. 95-7887

This office acknowledges receipt of the statement of beneficial use postcard and your request for removal of the access port requirement on your permit. Enclosed is a copy of the order removing that requirement.

Before a license can be issued, a field examination must be made by a representative of this department. I cannot tell you just when this examination will be made, but our examiner will contact you to schedule the exam at a convenient time.

If you have any questions regarding the field examination, please contact our Northern Regional office at 888-6484.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure

cc: Northern Region

RECEIVED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 95-7887

Name(s) of Permit Holder: Lois M. Eggart

Post Office Address: RT 3 Box 43

Hyden Lake, Id 83835 Tel. No. 712-4609

Source of water: _____

Extent of Use:

☐ Domestic	_____	(number of households)
☐ Stockwater	_____	(number and type of stock)
☒ Irrigation	<u>1</u>	(acres)
☐ Other	_____	

Measuring Device: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

Access Port: Required? ☒ Yes ☐ No Installed? ☐ Yes ☒ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

Date

Lois M. Eggart
Signature of Permit Holder

PLACE
13 CENT
STAMP
HERE



RECEIVED

FEB 9 1984

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

Department of Water Resources

IDWR
Statehouse, Boise

Dear sirs:

I would like to request that the access port requirement be removed from Permit 95-7889, since I am only irrigating one or two acres of land with a 1½ HP pump.

Lois M. Eggart

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138342

EGGART, LOIS M.
ROUTE 3, BOX 43
HAYDEN LAKE, ID 83835

PROOF DUE NOTICE

DECEMBER 31, 1983

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 95-7887 WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE MARCH 01, 1984. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST). ENCLOSED IS A POSTCARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER THE BENEFICIAL USE POSTCARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

MAURICE A FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 384-2215

March 7, 1979

Re: Permit No. 95-7887

Lois M. Eggart
Rt. 3, Box 43
Hayden Lake, Idaho 83835

Dear Ms. Eggart:

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note the special condition requiring you to install an access port or other device to provide for the installation of measuring equipment by the Department. The Department will provide specifications for the installation to you.

Sincerely,

David R. Tuthill Jr.

DAVID R. TUTHILL, JR.
Supervisor, Water Allocations Section

DRT:lr

Enclosure

MICROFILMED

INTER-DEPARTMENT MEMO — 1

DATE 3-6-79

FROM Dave Tuthill

TO File

SUBJECT 95-7887

Pursuant to telecon with Tom King, Northern Region, on this date, the cross-outs on this application were made by the applicant before submittal of the application.

DPT

SIGNATURE

MICROFILMED

95-7887

STAFF REVIEW - STATE OFFICE

1. ✓ Name vs. Signature
2. S.W. Source
3. ✓ Point of Diversion
4. 1.0 Amnt. & Period of Use
5. ✓ Descrip. of Diverting Wrks.
6. 5 Time req. for Proof of B/U
7. N/A Place of Use for other than irrig.
8. 30 Place of Use for irrigation (add acres)
9. ✓ Property Owner at Pt. of Div. & Pl. of Use
10. ✓ Map
11. 35 Fee & Rec't. No.

Copies Sent To:

<u>NO</u> Idaho Health Department	<u>NO</u> U.S.F.S.
<u>7</u> Idaho Fish & Game Dept.	<u>7</u> Dept. of Lands
<u> </u> Bureau of Land Management	<u> </u> Other

Dam Safety Information N/A (Goes to Permit Section)

Check:

Critical G.W. Area yes ✓ no

Other rights on same land None plotted

Withdrawals of all protests received N/A yes no

Conditions:

ID Power Co. Letter - Snake R. NO

ID Power Co. Letter - G.W. & Tribs.

Snake River Condition

Payette River Letter

Priority Date 1/26/79

Water Quality #16 NO

Water Quality #10

intrastate interstate

Meas. Dev. or Sc. Meas. Yes

Totalizing meter NO

Supplemental

Right-of-Way Cond.

Watermaster Cond.

Wtr. Dist No.

Meas. Dev. Cond. for apps within a Water Dist.

Jim Reviewer **IMED**

3/2/79 Date

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. 45-7887

Eggart

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) RWA 1-29-79

In form to receipt

(2) _____

Send Copies to:

Idaho State Health Department

Idaho Fish and Game Department

Bureau of Land Management

(3) _____

Request Special Use Permit from U.S.F.S.

Request Easement from B.L.M.

Request Information from Applicant

Request Dam Safety Information

(4) RWA 1-29-79

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. _____

(7) _____

Critical groundwater area: yes _____ no _____

(8) _____

Groundwater levels:

_____ Declining, _____ Stable, _____ Increasing

(comment) _____

(9) _____

Other rights on the same place of use

(10) _____

Comments: _____

(11) gms 2/22/79

Affidavit of Publication received(date) 2/21/79

(12) gms 2/26/79

Final date for protests February 26, 1979

Protests received: yes _____ no ✓

(13) gms 2/26/79

All requested information received from agencies or applicant: yes ✓ no _____

(14) _____

Action recommended:

☒ Approve _____ Deny

1-26-79 Proposed Priority

Reason for Reduction

Measuring device required

See attached sheet for other conditions of approval

No special conditions for approval

(15) District Northern

By Bob Haynes Date 2-21-79

RECEIVED
MAR 01 1979

Department of Water Resources

95-2882-

EGGART, LOIS M.

ROUTE 3, BOX 43, HAYDEN LAKE, ID 83835

Source: UNNAMED STREAM

Date Filed: 01/26/1979

Amount: 1.00 CFS

Diversion Point: SWSW Sec 04 T 52N R 03W, KOOTENAI Co.

Use: IRRIGATION (1.00 CFS) from 03/15 to 11/15

Place of Use: SWSW SESW Sec 04 T 52N R 03W FOR 50 ACRES

Diversion Means: COLLECTION POND, STORAGE POND

MICROFILMED