

AFFIDAVIT OF PUBLICATION

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Bernard Weliman, 7406 E. Carlisle, Spokane, Wa. has on July 6, 1978 submitted Application No. 95-7860 for a permit to appropriate 0.48 cubic feet per second of water from a groundwater source by means of a well, pump & pipeline within the SE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec 28, T52N, R4W, B.M., Kootenai County to be used from Jan. 1 to Dec. 31 for domestic purposes for

24 households within the E $\frac{1}{4}$ SW $\frac{1}{4}$ Sec 28, T52N, R4W, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 4055 Government Way, Coeur d'Alene, Idaho 83814, on or before August 7, 1978.

C. STEPHEN ALLRED
Director

Published in the Coeur d'Alene Press, Coeur d'Alene, Id. on July 20 and July 27, 1978.
Legal No. 700
July 20, 27, 1978

OK
7-28-78

STATE OF IDAHO,
County of Kootenai,

ss.

Carae Hedge being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The

Notice

of which the annexed is a printed copy, was published in the regular Issue
issue of said newspaper for 2 consecutive weeks
commencing on the 20 day of July, 1978 and
ending on the 27 day of July, 1978, and such
publication was made as often during said period as said daily
newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Carae Hedge

Subscribed and sworn to before me this

27

day of

July


1978

Robert M. Mank

Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

11.16
LEADER

MICROFILMED



DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 95-7860.

Name(s) of Permit Holder: Bernard Wellman

Post Office Address: Rt. 3 Box 412A

Rathdrum, Id. 83858

Tel. No. 687-0385

Source of Water: Groundwater

Extent of Use: ☒ Domestic 2 (number of households)
☐ Stockwater (number and type of stock)
☐ Irrigation (acres)
☐ Other

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No
Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

6/28/83

Date

x Bernard Wellman
Signature of Permit Holder

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 95-7860 Priority July 6, 1978 Amount 0.08 cfs

THIS IS TO CERTIFY, that Bernard Wellman
of Rathdrum, Idaho, has complied with the terms and conditions of Permit
No. 95-7860 issued pursuant to Application for Permit dated July 6, 1978,
and has submitted proof to the Department of Water Resources on June 28, 1983,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 0.18 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Domestic (2 Units)	from <u>January 1</u> to <u>December 31</u>	at <u>0.08 cfs</u> cfs and	<u>2.4 acre feet</u>
	from _____ to _____	at _____ cfs and	
	from _____ to _____	at _____ cfs and	
(both dates inclusive)			

Subject, however, to the condition that no more than 0.08 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
2.4 acre feet per year, said waters to be diverted within the SE $\frac{1}{4}$ SW $\frac{1}{4}$ Section 28,
Twp 52N, Rge 4W in the County of Kootenai

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
52N	4W	28																	

Total number of acres irrigated _____

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, and is subject to all prior water rights, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 7TH day of
September, 19 84.

MICROFILMED

Acting for the Director

Norman C Young

Identification No. _____

Application No. 95-7860

**STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES**

APPLICATION FOR PERMIT APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant BERNARD WELLMAN Phone: _____
post office address 7406 E. CARLISLE, SPOKANE, WA 99206

2. Source of water supply GROUNDWATER which is a tributary of _____

3. a. Location of point of diversion is SE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 28 Township 52N
Range 4W B.M. MOOTENAI County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____

4. Water will be used for the following purposes:

Amount 0.48 for DOMESTIC purpose from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.48 cubic feet per second and/or

b. _____ acre feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. WELL & PUMP

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____

Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)

c. Proposed well diameter is 8 inches; proposed depth of well is 300 feet.

7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.

b. Estimated construction cost is \$ _____.

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water: E $\frac{1}{2}$ OF SW $\frac{1}{4}$
7406 E of Section 28 Township 52N
Range 4W B.M.


(2) Amount of power to be generated: _____ hp under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water #12.

(5) If water is to be used for other purposes describe: _____

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Bernard Wellman
(Applicant)

Proposed Priority 7/06/78

Received by HK Date 7/6/78 Time 10:30

Preliminary check by VK Fee \$ 35.00

Received by HK Date 7/6/78 \$ 10992

Publication prepared by HK Date 7-12-78

Published in Idaho Water Review

Publication dates 7-20-78

Publication approved HK Date 7-28-78

Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by HK

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-7860, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 19 83.

c. Other: _____

2. Denial of said application is for the following reasons: _____

Witness my hand this 17 day of August, 19 78.

Chief, Operations Bureau

J. Hunsbarger

AFFIDAVIT OF PUBLICATION

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Bernard Wellman, 7406 E. Carlisle, Spokane, Wa. has on July 6, 1978 submitted Application No. 95-7860 for a permit to appropriate 0.48 cubic feet per second of water from a groundwater source by means of a well, pump & pipeline within the SE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec 28, T52N, R4W, B.M., Kootenai County to be used from Jan. 1 to Dec. 31 for domestic purposes for

households within the E $\frac{1}{4}$ SW $\frac{1}{4}$ Sec 28, T52N, R4W, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 4055 Government Way, Coeur d'Alene, Idaho 83814, on or before August 7, 1978.

C. STEPHEN ALLRED
Director

Published in the Coeur d'Alene Press, Coeur d'Alene, Id. on July 20 and July 27, 1978.
Legal No. 700
July 20, 27, 1978

OK
7-28-78

STATE OF IDAHO,
County of Kootenai,

} ss.

Caine Hedge being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer {principal clerk} of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The Notice

of which the annexed is a printed copy, was published in the regular Issue issue of said newspaper for 2 consecutive issues commencing on the 20 day of July, 1978 and ending on the 27 day of July, 1978, and such publication was made as often during said period as said daily newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Subscribed and sworn to before me this 27 day of July

19 78

Caine Hedge
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

September 10, 1984


RE: Permit No. 95-7860

Bernard Wellman
N. 100 Mtn. View Rd.
Rathdrum, ID 83858

Dear Mr. Wellman:

Enclosed herewith is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,



JIM JOHNSON
Water Distribution Supervisor

JJ:kw
Enclosure

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

August 20, 1984

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

RE: Permit No. 95-7860

Bernard Wellman
N. 100 Mtn. View Rd.
Rathdrum, ID 83858

Dear Mr. Wellman:

A representative of this Department has made an examination of the works covered by your Permit No. 95-7860, and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: 0.08 cfs Source: groundwater

The maximum quantity diverted shall not exceed 2.4 acre feet
per year.

Point(s) of diversion: SE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 28, Twp 52N, Rge 4W

Beneficial Use: Domestic use for 2 units within SE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 28, Twp 52N,
Rge 4W

Priority date established: July 6, 1978

Conditions (if any):

If you do not concur with these findings, please contact us within 10 days, otherwise a water license will be issued as set forth above.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:sc

ENCLOSURE

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

95-7860
Permit No.

1. **Measurement Calculations**

a) **Field Measurement Calculations** (Include theoretical capacities and system capacity)

none

$$\frac{8.8(10)80\%}{2.33(40)+300} = 0.18 \checkmark$$
$$\frac{40.4}{393.2}$$

b) **Volume Calculations for Irrigation:**

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____
 $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____
 $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

c) **Volume Calculations for Other Uses:**

none

$$V = 2 \text{ homes} \times 1.2 = 2.4 \text{ AK}$$

2. **Overlap Review**

a) **Other water rights with same place of use:** _____

b) **Other water rights with same point of diversion:** _____

c) **Analysis:** *no overlap review done-*

RECEIVED

trap 01

Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None

☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

Examiner's Signature _____

Checked in Regional Office by 206 Bayview

Approved in State Office by Kay Ward

Date 6/20/84 Date 6/21/84 Date 7-20-84

Permit No. 95-7860

Phone No. _____

EXAM. DATE: _____

Relationship to Permit Holder: _____

Source: GW tributary to _____

Well/Diversion* No.	Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		10			2"

*Code with points of diversion, system diagram & photos on reverse side. Disregard if only one.

5. System Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)
8" x 300' Well, Sub pump, 2" main to two homes, lawn and garden approx. 1/2 acre each home

6.	Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
	<i>None</i>						

7. Measurements *none* ☐ Additional data/computation sheets attached


8. Point(s) of Diversion: Indicate Method of Determination *Map*

[illegible]

9. Place(s) of Use: Irrigation - give acres served by system at time of exam.
Indicate Method of Determination Map

[illegible]

10. Other water rights on these lands None
11. Other water right diverted from same p.d. None
12. **Diversion and Delivery System Diagram:** Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.




13. ☐ Photo of Diversion & System Attached
- ☒ Aerial Photo of Place of Use Attached or Map of Irrigated Acreage Attached

14. Remarks _____

15. Recommended Amendments
- ☐ Change P.D. as reflected above
- ☐ Add P.D. as reflected above
- ☐ Change P.U. as reflected above
- ☐ Add P.U. as reflected above
16. Examiner's/Consultant's Signature *[Signature]* Date 1/2/84
- Consultant's License Number _____
- IDWR Director's Authorization to Conduct _____
- Beneficial Use Examination _____

CONSULTANT SEAL



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
A. KENNETH DUNN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

SEPTEMBER 6, 1983

BERNARD WELLMAND
RT. 3 BOX 412A
RATHDRUM ID 83858

RE: Permit No. 95-7860

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 667-6484 or in person at our office.

Sincerely,

/S/
TOM D. KING
Senior Water Resource Agent

cc: IDWR - State Office

MICROFILMED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 95-7860

Name(s) of Permit Holder: Bernard Wellman

Post Office Address: Rt. 3 Box 412A

Idrum, Id. 83858

Telephone No. 687-0385

Source of Water: Groundwater

Extent of Use: ☒ Domestic 2 (number of households)
☐ Stockwater (number and type of stock)
☐ Irrigation (acres)
☐ Other

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

6/28/83

Date

Bernard Wellman
Signature of Permit Holder

NEW ADDRESS

MICROFILMED

PLACE
13 CENT
STAMP
HERE

RECEIVED

JUN 28 1983



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

INTER-DEPARTMENT MEMO — 1

FROM

Polyn

DATE

6/21

TO

File 95-7860

SUBJECT

Kootenai County 664-8291

Per Assessor's office new address is

Rt 3 Box 412A
Rathdrum ID

MICROFILMED

SIGNATURE

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

WELLMAN, BERNARD
7406 E. CARLISLE
SPOKANE, WA 99206

138683

PROOF DUE NOTICE

MAY 31, 1983

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 95-7860 WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE AUGUST 01, 1983. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST). ENCLOSED IS A POSTCARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER THE BENEFICIAL USE POSTCARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

RECORDED

IDENT. NO. 95-7860

IDAHO DEPARTMENT OF WATER RESOURCES

WATER RIGHT
DATA ENTRY LOG[illegible]

WATER RIGHT ANALYSIS FORM

- DATA ENTRY -

Identification No. 1 95-17860
Old No. New No.

Record

1. Original Owner: Bernard Wellman

Present Owner: _____

2. Address: 7406 E. Carlisle

3. City: Spokane State: WA Zip: 99206

4. A. Source of Water: GW

B. Tributary of: _____

5. A. Stage (A,P,L,D,S,J): P

B. Status (D,L,R,C,A,I,F - leave blank if valid): _____

C. Priority Date: 7-06-1978

D. County: SS

E. Total Diversion Rate: .48

F. Total Diversion Volume: _____

G. Transfer/Amendment (P,T of A or blank): _____

H. Water District: _____

I. DLE/Carey Act (D,C or blank): _____

J. Right Basis (for adjudication claims A,B,C only): _____

	Tract	Sec.	Twp.	Rge.	Gov't Lot	Rediv.
6. A. Point of Diversion	<u>SESW</u>	<u>28</u>	<u>S2N</u>	<u>4W</u>	_____	_____
	_____	_____	_____	_____	_____	_____
	_____	_____	_____	_____	_____	_____
	_____	_____	_____	_____	_____	_____
	_____	_____	_____	_____	_____	_____

7. Period of Use, Use, Diversion Rate/Volume:

from 1-1 to 12-31 for D purposes. Amount .48
(cfs or AC-Ft/yr)

from _____ to _____ for _____ purposes. Amount _____

from _____ to _____ for _____ purposes. Amount _____

from _____ to _____ for _____ purposes. Amount _____

from _____ to _____ for _____ purposes. Amount _____

from _____ to _____ for _____ purposes. Amount _____

from _____ to _____ for _____ purposes. Amount _____

14. Diversion Means (brief narrative): Wall & jump -

G. Field Exam Made (P,R,F or blank):

E. Old Number:

D. Hearing Date:

C. Protested Date:

B. Date Permit Approved or Denied: 8-1-1978

13. A. Proof Due Date: 8-1-1983

12. Other Rights for Same Use:

11. Other uses (Non-irrigation explanatory information): D/12 Roma.

10. Remarks: A.
B.
C.
D.
E.

B. Decree Date:

9. A. Decree Name:

[illegible]

8. Use code: D

66-91-6 HFD



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 384-2215

August 18, 1978

Re: Permit No. 95-7860

Bernard Wellman
7406 E. Carlisle
Spokane, WA 99206

Dear Mr. Wellman:

Enclosed is a copy of your approved Application for Permit No. 95-7860. We direct your attention to the conditions of approval as listed on the fourth page.

Sincerely,

L. GLEN SAXTON
Chief, Operations Bureau

LGS:kw
Enclosure

MICROFILMED

95-7860

STAFF REVIEW - STATE OFFICE

1. ☒ Name vs. Signature
2. G.W. Source
3. ☒ Point of Diversion
4. ☒ Amnt. & Period of Use
5. ☒ Descrip. of Diverting Wrks.
6. 5 Time req. for Proof of B/U
7. ☒ Place of Use for other than irrig.
8. N/A Place of Use for irrigation (add acres)
9. App Property Owner at Pt. ☒ of Div. & Pl. of Use
10. ☒ Map
11. 35.00 Fee & Rec't. No. 7/6/78
12. Conrad and

Copies Sent To:

☒ Panhandle
 Idaho Health Department
N/A Idaho Fish & Game Dept.
A Bureau of Land Management

U.S.F.S.
N/A Dept. of Lands
A Other

Dam Safety Information N/A (Goes to Permit Section)

amt = household 12 x .04 cfs OK .48 cfs

Check:

Critical G.W. Area yes ☒ no

Other rights on same land none listed or plotted

N/A Withdrawals of all protests received yes no

Conditions:

ID Power Co. Letter - Snake R.
 ID Power Co. Letter - G.W. & Tribs.
 Snake River N/A
 Payette River Letter
 Priority Date 7/6/78

Meas. Dev. or Sc. Meas.

Totalizing meter

Supplemental N/A

Right-of-Way Cond.

Watermaster Cond.

Wtr. Dist. No.

Water Quality #16
 Water Quality #10
 intrastate interstate

Meas. Dev. Cond. for apps within a Water Dist.

Reviewer

Jun
8/17/78
 Date

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. Wellman

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) JK 7/10/78

In form to receipt

(2) _____

Send Copies to:

_____ Idaho State Health Department
_____ Idaho Fish and Game Department
_____ Bureau of Land Management
☒ Don handle Health
_____ Request Special Use Permit from U.S.F.S.
_____ Request Easement from B.L.M.
_____ Request Information from Applicant
_____ Request Dam Safety Information

(3) JK 7/10/78

(4) JK 7/10/78

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. _____

(7) _____

Critical groundwater area: yes _____ no ☒

(8) _____

Groundwater levels:

_____ Declining, ☒ Stable, _____ Increasing

(comment) _____

(9) _____

Other rights on the same place of use

(10) _____

Comments: _____

(11) _____

Affidavit of Publication received(date) 7-28-78

(12) _____

Final date for protests 8-7-78

Protests received: yes _____ no ☒

(13) _____

All requested information received from agencies or applicant: yes ☒ no _____

(14) _____

Action recommended:

☒ Approve _____ Deny

7-6-78 Proposed Priority

_____ Reason for Reduction _____

_____ Measuring device required

_____ See attached sheet for other conditions of approval

☒ No special conditions for approval

(15) District Northern

By Bob Haynes Date 8-10-78

RECEIVED
AUG 11 1978

Department of Water Resources



STATE OF IDAHO

DEPARTMENT OF HEALTH AND WELFARE

Division of Environment
P. O. Box 608
Coeur d'Alene, Idaho 83814
July 25, 1978

Bernard Wellman
7406 E. Garlisle
Spokane, Washington 99206

RE: Water Resources Permit Application

Dear Mr. Wellman:

On July 6, 1978 you applied for a permit to appropriate public waters to serve domestic water to 12 families. This would constitute a public drinking water system, as defined by Section 1-8002 Paragraph .20 of the Idaho Regulations for Public Drinking Water Systems. Section 39-118 of the Idaho Code (copy enclosed) requires that plans and specifications for the construction, modification, or expansion, of a public drinking water system be submitted to this Department for review and approval prior to construction.

Please contact this office if you have questions concerning this requirement. Our phone number is (208) 664-3166.

Sincerely,

DIVISION OF ENVIRONMENT

Roger Tinkey

Roger Tinkey
Environmental Engineer

RT:sc

cc: Robert Haynes, Regional Supervisor, Water Resources-Coeur d'Alene
George Wagner



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

Suite No. 1
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 667-6484

July 12, 1978

RE: Applications No. 95-7861, 96-7686, 96-7685, & 95-7860.
Claim No. 95-4395

Coeur d'Alene Press
SEcond & Lakeside
Coeur d'Alene, Id 83814

Gentlemen:

Enclosed is a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to our office along with the publication bill. Your cooperation in this matter is appreciated.

Very truly yours,

ROBERT G. HAYNES, P.E.
District Supervisor

RGH:ab

Enc: Legal Notice(s)

But Received
7-28-78
[Signature]

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Bernard Wellman

7406 E Carlisle, Spokane, Wa

has on July 6, 1978 submitted Application No. 95-7860

for a permit to appropriate 0.48 cubic feet per second ~~xxxxx feet per annum~~
of water from a groundwater source

by means of a well, pump & pipeline

within the SE $\frac{1}{4}$ SW $\frac{1}{4}$ SEC 28, T52N, R4W, B.M., Kootenai County

to be used from Jan 1 to Dec 31

for domestic purposes for 12 households

within the E $\frac{1}{2}$ SW $\frac{1}{4}$ SEC 28, T52N, R4W, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 4055 Government Way, Coeur d'Alene, Idaho 83814, on or before August 7, 1978.

C. STEPHEN ALLRED
Director

Published in the Coeur d'Alene Press, Coeur d'Alene, Id

on July 20 and July 27, 1978

MICROFILMED

July 12, 1978

RE: Applications No. 95-7860 & 96-7685

Dept of Health & Welfare
PO Box 608
Coeur d'Alene, Id 83814

Gentlemen,

Please find enclosed copies of two applications that may be of interest to your agency. Please review them and submit any comments you may have as soon as possible.

If we may be of any further assistance, please do not hesitate to contact us.

Sincerely,

ROBERT G. HAYNES, P.E.
Regional Supervisor

RGH:ab

Enclosure

RECEIVED