

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, }
County of Kootenai, } ss.

Frank Shaine being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The Notice of Application for water permit

of which the annexed is a printed copy, was published in the regular Thursday issue of said newspaper for 2 consecutive weeks, commencing on the 22 day of June, 1978, and ending on the 29 day of June, 1978, and such publication was made as often during said period as said newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Subscribed and sworn to before me this 11 day of July, 1978.

Roberta Manley
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Lakeside Water Assoc., Rt. 1 Box 42, Worley, Id. has on June 8, 1978 submitted Application No. 95-7853 for a permit to appropriate 0.20

cubic feet per second of water from a groundwater source by means of a well, pump & pipeline within the Gov Lot 1, Sec 19, T47N, R3W, B.M., Kootenai County to be used from Jan. 1 to Dec. 31 for domestic purposes for 12 households within the Gov Lot 1, Sec 19, T47N, R3W, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 4055 Government Way, Coeur d'Alene, Idaho 83814, on or before July 10, 1978.

C. STEPHEN ALLRED
Director

Legal No. 577
June 22, 29, 1978

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 95-7853 Priority June 8, 1978 Amount 0.20 cfs

THIS IS TO CERTIFY, that LAKESIDE WATER ASSOCIATION
of Worley, Idaho, has complied with the terms and conditions of Permit
No. 95-7853 issued pursuant to Application for Permit dated June 8, 1978,
and has submitted proof to the Department of Water Resources on June 8, 1978,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 0.20 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Domestic</u> (12 homes)	from <u>January 1</u> to <u>December 31</u>	at <u>0.20</u> cfs and	<u>14.4</u> acre feet
	from _____ to _____	at _____ cfs and	_____
	from _____ to _____	at _____ cfs and	_____

(both dates inclusive)

Subject, however, to the condition that no more than 0.20 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
14.4 acre feet per year, said waters to be diverted within the NE¹/₄SE¹/₄, Sec. 19, Twp. 47N,
Rge. 3W, B.M., in the County of Kootenai

Description and location of place of use:

Twp.	Range	Sec.	NE ¹ / ₄				NW ¹ / ₄				SW ¹ / ₄				SE ¹ / ₄				Totals
			NE ¹ / ₄	NW ¹ / ₄	SW ¹ / ₄	SE ¹ / ₄	NE ¹ / ₄	NW ¹ / ₄	SW ¹ / ₄	SE ¹ / ₄	NE ¹ / ₄	NW ¹ / ₄	SW ¹ / ₄	SE ¹ / ₄	NE ¹ / ₄	NW ¹ / ₄	SW ¹ / ₄	SE ¹ / ₄	
<u>47N</u>	<u>3W</u>	<u>19</u>													X				


Total number of acres irrigated _____

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 29 day of

May, 1979.


Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT **APPROVED**
To appropriate the public waters of the State of Idaho

1. Name of applicant LAKESIDE WATER ASSOCIATION Phone _____

Post office address RT 1 Box 42; WORLEY ID 83876

2. Source of water supply GROUNDWATER which is a tributary of _____

3. Location of point of diversion is ~~XXXXXX~~ NE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 19 Township 47N

Range 3W B.M. KOOTENAI County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.20 for DOMESTIC purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.20 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. WELL & PUMP

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 6 inches; proposed depth of well is 86 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water: ~~XXXXXX~~ NE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 19 Township 47N

Range 3W B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 12.

(5) If water is to be used for other purposes describe: _____

[illegible]

None

Application

Age Group	Percentage
18-24	10%
25-34	20%
35-44	25%
45-54	20%
55-64	15%
65-74	10%
75-84	5%
85+	5%

Appelion AT


1000 2000 3000 4000 5000 6000 7000 8000 9000 10000

the applicant, describe the arrangement enabling the

Figure 1

Age Group	Percentage
18-24	18.5%
25-34	22.5%
35-44	19.5%
45-54	17.5%
55-64	15.5%
65-74	13.5%
75-84	11.5%
85+	9.5%

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Lakeshore Water Assoc.
Clarence Jenkins, Pres.
(Applicant)

Proposed Priority 6/08/78

Received by RK Date 6/8/78 Time 3:15 P
Preliminary check by RK Fee \$ 10.00
Received by RK Date 6/8/78 # 10943
Publication prepared by [Signature] Date 6-12-78
Published in Grand Ocean Press
Publication dates 6-22-78 to 7-17-78
Protests filed by: _____
Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval by [Signature] S.S. _____
denial _____

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-7853, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 19 79.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other: _____

Witness my hand this 31st day of July, 19 78.

D. Allen Saylor
Chief, Operations Bureau

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
County of Kootenai, } ss.

Gadi Embury being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The Notice of Water Publication

of which the annexed is a printed copy, was published in the regular Thursday issue of said newspaper for 2 consecutive weeks, commencing on the 22 day of June, 1978, and ending on the 29 day of June, 1978, and such publication was made as often during said period as said daily newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Subscribed and sworn to before me this 14 day of July, 1978.

Roberta Manley
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Lakeside Water Assoc., Rt. 1 Box 42, Worley, Id. has on June 8, 1978 submitted Application No. 95-7853 for a permit to appropriate 0.20 cubic feet per second of water from a groundwater source by means of a well, pump & pipeline within the N.E. quarter of S.E. quarter of Section 19, T47N, R3W, B.M., Kootenai County to be used from Jan. 1 to Dec. 31 for domestic purposes for 12 households within the N.E. quarter of S.E. quarter of Section 19, T47N, R3W, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 4055 Government Way, Coeur d'Alene, Idaho 83814, on or before July 10, 1978.

C. STEPHEN ALLRED
Director

Legal No. 577
June 22, 29, 1978

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
County of Kootenai, } ss.

Frank H. Haines being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The notice of application for water permit

of which the annexed is a printed copy, was published in the regular Thursday issue of said newspaper for 2 consecutive weeks commencing on the 22 day of June, 1978, and ending on the 29 day of June, 1978, and such publication was made as often during said period as said newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Subscribed and sworn to before me this 11 day of July, 1978.

Robert M. Mankie
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Lakeside Water Assoc., Rt. 1 Box 42, Worley, Id. has on June 8, 1978 submitted Application No. 95-7853 for a permit to appropriate 0.20

cubic feet per second of water from a groundwater source by means of a well, pump & pipeline within the Gov Lot 1, Sec 19, T47N, R3W, B.M., Kootenai County to be used from Jan. 1 to Dec. 31 for domestic purposes for 12 households within the Gov Lot 1, Sec 19, T47N, R3W, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 4055 Government Way, Coeur d'Alene, Idaho 83814, on or before July 10, 1978.

C. STEPHEN ALLRED
Director

Legal No. 577
June 22, 29, 1978

*info from 6-22-
called 7-14-78
she had me
contacted Verain
is notifying it.*

May 30, 1979

Re: Permit No. 95-7853

Lakeside Water Association
Route #1, Box 42
Worley, ID 83876

Gentlemen:

Enclosed is a copy of the Water Right License issued on the above referenced permit.

Sincerely,


JAN GROVER
Water Rights Supervisor

JG:lr

Enclosure

RECORDED

Diagram of System



DATE OF EXAM 4/3/79

ACREAGE

Found _____
Recommended _____

Irrigation Requirement _____ Ac Ft/Ac

USE

Irrigation Q=_____c.f.s.	V=_____	AF/Ann. from _____	to _____
Domestic Q= <u>0.20</u> c.f.s.	V=_____	AF/Ann. from <u>Jan 1</u>	to <u>Dec 31</u>
Livestock Q=_____c.f.s.	V=_____	AF/Ann. from _____	to _____

Is water co-mingled? yes _____ no ✓

Name source: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Exchange? yes _____ no ✓

Name source exchanged with: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of injection: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of exchange: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Total Q measured _____ Method of measurement _____

Total Q recommended 0.20 Meter No. _____ Type _____ Condition _____

Total V recommended _____

Recommended Amendments:

P.D. _____
Place of Use _____
Other _____
None _____

MEASUREMENT CALCULATION:

SYSTEM DESCRIPTION:

Submersible pump & pipeline

REMARKS:

Accompanied By J.H. Coon & Clarence Jenks
12 lanes x 1.2 = 14.4 ac ft

Examiner's Signature [Signature] Date 4/3/79

Checked by Bob Harper Date 4-9-79

Approved by _____ Date _____

Worley, Idaho 83876
Rt. 1, Box 42
Mar.15, 1979

RECEIVED

MAR 16 1979

Mr. Tom D. King
Dept. of Wayer Resources
Coeur D8Alene, Idaho

Department of Water
Northern District Office

Dear Sir:

I can be available whenever you want to inspect the facilities of the Lakeside Water Association. Since you are to inspect the Conkling Park system also, I would suggest that the day be the same for both facilities.

My phone No. is 686-¹152. The best time to reach me is 11:30 to 1:00.

yours truly
Lakeside Water Ass'n

Clarence Jenks

Clarence Jenks

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
C. STEPHEN ALLRED
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

March 5, 1979

Lakeside Water Association
Route 1, Box 42
Worley, Idaho 83876

RE: 95-7853

Gentlemen:

I would like to examine your water system in the near future.

Please notify me of a place and time that I can contact someone to go with me on this examination. It will also be necessary to have a list or a plat showing the location of the houses on the system.

Thank you for your cooperation.

Sincerely,

TOM D. KING
Senior Water Resource Agent


TDK/pms

MAILED 12

1333

50 | A B C D E F

A →





State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 384-2215

November 22, 1978

Lakeside Water Association
Route 1, Box 42
Worley, ID 83876

Gentlemen:

Re: Permit No. 95-7853

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

If you have any questions regarding the field examination, please contact our regional office in Coeur d'Alene.

Sincerely,

RITA FLECK
Water Rights

11/23/78

RECEIVED

JUN 8 1978

Identification No. _____

Permit No. 95-7853

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Department of Water Resources
Northern District Office

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

1. a) Name of Permit Holder LAKESIDE WATER ASSOCIATION
b) Post Office Address RT 1 BOX 42, WORLEY, ID 83876
2. Permit Number _____
3. Date of Priority that you are prepared to establish 6/8/78
4. a) Source from which water was appropriated GROUNDWATER
b) Location of the point of diversion: 600 LOT 1 $\frac{1}{4}$, Section 19
Township 47N, Range 3W Boise Meridian, Other points of diversion: _____
5. a) The amount of water and use to which the water has been applied:
Amount 0.20 for DOMESTIC purposes from JAN 1 to DEC 31 incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
Amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
Amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
b) Total amount appropriated 0.20 cfs and/or acre-feet per annum
c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: ESTIMATED
6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:
a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use:

b) Describe the agreement or understanding by which you take water from the works:

7. a) Briefly describe the works for diverting and conveying the water to the place of use, (if from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) 6" WELL 86' DEEP

b) Describe the type and size of measuring device which you have installed at your point of diversion:

c) Give well driller's name and address and the date the well was completed:
DRILLED IN 1966
8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use:
600 LOT 1 SEC 19, T-47N, R-
4/22/78



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

August 1, 1978

Re: Permit No. 95-7853

Lakeside Water Association
Route #1, Box 42
Worley, ID 83876

Gentlemen:

Enclosed is a copy of your approved Application for Permit No. 95-7853. We direct your attention to the conditions of approval as listed on the fourth page.

Sincerely,

L. GLEN SAXTON
Chief, Operations Bureau

LGS:kw
Enclosure

MICROFILMED

- | | |
|--|---|
| 1. ☒ Name vs. Signature | 7. _____ Place of Use for other than irrig. |
| 2. ☒ Source | 8. _____ Place of Use for irrigation (add acres) |
| 3. _____ Point of Diversion | 9. ☒ Property Owner at Pt. of Div. & Pl. of Use |
| 4. ☒ Amnt. & Period of Use | 10. ☒ Map |
| 5. ☒ Descrip. of Diverting Wrks. | 11. ☒ Fee & Rec't. No. |
| 6. ☒ Time req. for Proof of B/U | |

Copies Sent To:

_____ Idaho Health Department	_____ U.S.F.S.
_____ Idaho Fish & Game Dept.	_____ Dept. of Lands
_____ Bureau of Land Management	☒ Other <u>PANHANDLE HEALTH</u>

Dam Safety Information N/A (Goes to Permit Section)Check:Critical G.W. Area _____ yes ☒ noOther rights on same land None

Withdrawals of all protests received _____ yes _____ no

Conditions:

ID Power Co. Letter - Snake R. _____

Meas. Dev. or Sc. Meas. no

ID Power Co. Letter - G.W. & Tribs. _____

Totalizing meter _____

Snake River Condition _____

Supplemental _____

Payette River Letter _____

Right-of-Way Cond. _____

Priority Date 6/8/78Watermaster Cond. _____
Wtr. Dist No. _____

Water Quality #16 _____

Meas. Dev. Cond. for apps within
a Water Dist. _____Water Quality #10 _____
intrastate _____ interstate _____

Jan Prover
Reviewer
7/25/78
Date

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. 95-7853

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) KK 6/12/78

In form to receipt

(2) _____

Send Copies to:

_____ Idaho State Health Department
_____ Idaho Fish and Game Department
_____ Bureau of Land Management
☒ PANHANDLE HEALTH
_____ Request Special Use Permit from U.S.F.S.
_____ Request Easement from B.L.M.
_____ Request Information from Applicant
_____ Request Dam Safety Information

(3) KK 6/12/78

(4) KK 6/12/78

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. _____

(7) _____

Critical groundwater area: yes _____ no ☒

(8) _____

Groundwater levels:

_____ Declining, ☒ Stable, _____ Increasing

(comment) _____

(9) _____

Other rights on the same place of use

(10) _____

Comments: _____

(11) _____

Affidavit of Publication received(date) 7-12-78

(12) _____

Final date for protests _____
Protests received: yes _____ no ☒

(13) _____

All requested information received from agencies or applicant: yes ☒ no _____

(14) _____

Action recommended:

☒ Approve _____ Deny

6-8-78 Proposed Priority

Reason for Reduction _____

Measuring device required

See attached sheet for other conditions of approval

☒ No special conditions for approval

(15) District Northern

By Bob Haynes Date 7-18-78

RECEIVED
JUL 19 1978

Department of Water Resources

TO: Bob Haynes

FROM: Ken Knoblock *Ken*

SUBJECT: 95-7853

DATE: June 27, 1978

I assisted the applicant in completing the application. We used the Metsker Map of the area to determine the government lot number. There was marking on the map and both of us determined that the point of diversion was in Gov Lot 1. The marking on the map was incorrect, the correct location is the NE $\frac{1}{4}$ SE $\frac{1}{4}$. As you know that area is extremely confusing because of the lake and because only $\frac{1}{2}$ of the section is there.

I feel that it is our error because the applicant and myself relied on our map to complete the application.

The correction was made with the newspaper today. I recommend that the application be corrected at no charge to the applicant. I have made the corrections on the map.

RECORDED



STATE OF IDAHO

DEPARTMENT OF HEALTH AND WELFARE

Division of Environment
P. O. Box 608
Coeur d'Alene, Idaho 83814
June 26, 1978

LAKESIDE WATER ASSOCIATION
Route 1, Box 42
Worley, Idaho 83876

RE: Domestic Water Supply for Lakeside Water

Dear Board Members:

On June 8, 1978 you applied for a permit to appropriate public waters to serve domestic water to 12 families. This would constitute a public drinking water system, as defined by Section 1-8002 Paragraph .20 of the Idaho Regulations for Public Drinking Water Systems. Section 39-118 of the Idaho Code (copy enclosed) requires that plans and specifications for the construction, modification, or expansion, of a public drinking water system be submitted to this Department for review and approval prior to construction.

Please contact this office if you have questions concerning this requirement. Our phone number is (208) 664-3166.

Sincerely,

DIVISION OF ENVIRONMENT

Roger Tinkey

Roger Tinkey
Environmental Engineer

RT:sc
Enc.

cc: George Wagner
Bob Haynes, Dept. of Water Resources - Northern Region ✓

95-7853

1978
JUN 28 1978
Water Resources
Northern District Office



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES NORTHERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

Suite No. 1
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 667-6484

June 15, 1978

RE: Applications No. 96-7673, 96-7672, 96-7674, 95-7854, 95-7851, 95-7852 & 95-7853.
Correction No. 94-7118

Coeur d'Alene Press
Second & Lakeside
Coeur d'Alene, Id 83814

Gentlemen:

Enclosed is a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to our office along with the publication bill. Your cooperation in this matter is appreciated.

Very truly yours,

ROBERT G. HAYNES, P.E.
District Supervisor

RGH:ab

Enc: Legal Notice(s)

Ball Received
7-14-78
B.

ENCLOSURE

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Lakeside Water Assoc

Rt 1 Box 42, Worley, Id

has on June 8, 1978 submitted Application No. 95-7853

for a permit to appropriate 0.20 cubic feet per second ~~acre feet per annum~~
of water from a groundwater source

by means of a well, pump & pipeline

within the Gov Lot 1, Sec 19, T47N, R3W, B.M., Kootenai County

*photocopy
card* NESE
6-22-78
to be used from Jan 1 to Dec 31 for domestic purposes

for 12 households

NESE
within the Gov Lot 1, Sec 19, T47N, R3W, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 4055 Government Way, Coeur d'Alene, Idaho 83814, on or before July 10, 1978.

C. STEPHEN ALLRED
Director

Published in the Coeur d'Alene Press, Coeur d'Alene, Id

on June 22 and June 29, 1978

MICROFILMED

Sept 12, 1978

RE: Application No. 95-7853

Dept of Health & Welfare
PO Box 608
Coeur d'Alene, Id 83814

Gentlemen,

We are enclosing a copy of an application that may be of interest to your agency. Please review the application and if you have any comments, please submit them to our Department as soon as possible.

If we may be of any further assistance, please do not hesitate to contact us.

Sincerely,

ROBERT G. HAYNES, P.E.
Regional Supervisor

RGH:ab

Enclosure

MICROFILMED