

AFFIDAVIT OF PUBLICATION

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Dry Acres Water & Sewer District, Rt. 3, Box 438, Rathdrum, Id. has on May 2, 1978 submitted Application No. 95-7842 for a permit to appropriate 0.20 cubic feet per second of water from a groundwater source by means of a well, pump & pipeline within the NE $\frac{1}{4}$ NE $\frac{1}{4}$ Sec 33, T52N, R4W, B.M., Kootenai County to be used from Jan. 1 to Dec. 31 for domestic purposes for 30 households within the NE $\frac{1}{4}$: N $\frac{1}{2}$ SE $\frac{1}{4}$ Sec 33 & W $\frac{1}{2}$ NW $\frac{1}{4}$ Sec 34, all in T52N, R4W, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 4055 Government Way, Coeur d'Alene, Idaho 83814, on or before May 29, 1978.

C. STEPHEN ALLRED
Director

Published in the Coeur d'Alene Press, Coeur d'Alene, Id. on May 18, 1978.
No. 416
18, 1978.

STATE OF IDAHO,
County of Kootenai,

ss.

Coeur d'Alene being first duly sworn upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The *Notice*

of which the annexed is a printed copy, was published in the regular *Times* issue of said newspaper for *2* consecutive *Weeks*, commencing on the *18* day of *May*, 19*78*, and ending on the *18* day of *May*, 19*78*, and such publication was made as often during said period as said *daily* newspaper was regularly issued.


4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Subscribed and sworn to before me this *18* day of *May*, 19*78*.

Roberta Manley
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

11.88
LEADER

MICROFILMED



MICROFILMED

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 95-7842 Priority May 2, 1978 Amount 0.20 cfs

THIS IS TO CERTIFY, that Dry Acres Water & Sewer District
of Rathdrum, Idaho, has complied with the terms and conditions of Permit
No. 95-7842 issued pursuant to Application for Permit dated May 2, 1978,
and has submitted proof to the Department of Water Resources on May 26, 1983,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 0.21 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Domestic</u> from <u>January 1</u> to <u>December 31</u> at <u>0.20</u> cfs and <u>36.0</u> acre feet			
<u>(30 Units)</u>			
from _____ to _____ at _____ cfs and _____			
from _____ to _____ at _____ cfs and _____			
(both dates inclusive)			

Subject, however, to the condition that no more than 0.20 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
36.0 acre feet per year, said waters to be diverted within the NE $\frac{1}{4}$ NE $\frac{1}{4}$ Section 33,
Twp 52N, Rge 4W in the County of Kootenai

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
52N	4W	33	X	X	X	X									X	X			
		34						X	X										

Total number of acres irrigated _____

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, and is subject to all prior water rights, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 17TH day of

APRIL, 19 84.

Director

Norman C Young

\$10

Identification No. _____
Application No. 95-7842

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT **APPROVED**

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant DRY ACRES WATER & SEWER DISTRICT Phone: _____
post office address RT 3 BOX 438, RATHDRUM, ID
2. Source of water supply GROUNDWATER which is a tributary of _____
3. a. Location of point of diversion is SE 1/4 NE 1/4 of NE 1/4 of Section 33 Township 52N
Range 4W B.M. KOOTENAI County; additional points of diversion if any: _____


b. If water is not consumed, it will be discharged into _____ at a point in _____ 1/4
of _____ 1/4 of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 0.20 for DOMESTIC purpose from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 0.20 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. WELL & PUMP

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
c. Proposed well diameter is 8 inches; proposed depth of well is 300 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$ _____.
8. Description of proposed uses:
a. If water is **not** for irrigation: SEE ITEM 8b
(1) Give the place of use of water: _____ 1/4 of _____ 1/4 of Section _____ Township _____
Range _____ B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water 30.
(5) If water is to be used for other purposes describe: _____

RECEIVED

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

James F. Welles
(Applicant) *Board member*

Proposed Priority 5/02/78

Received by AK Date 5-2-78 Time 2:30 PM

Preliminary check by AK Fee \$ 10.00

Received by AK Date 5-2-78 (10881)

Publication prepared by AK Date 5-3-78

Published in Idaho Falls

Publication dates 5-14-78 to 5-24-78

Publication approved AK Date 5-24-78

Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____

Recommended for approval/denial by AK Date _____

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-7842, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 19 83.

c. Other: _____

2. Denial of said application is for the following reasons: _____

Witness my hand this 6TH day of June, 19 78.

Administrator

Norman C. Young

AFFIDAVIT OF PUBLICATION

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Dry Acres Water & Sewer District, Rt. 3, Box 438, Rathdrum, Id. has on May 2, 1978 submitted Application No. 95-7842 for a permit to appropriate 0.20 cubic feet per second of water from a groundwater source by means of a well, pump & pipeline within the NE $\frac{1}{4}$ NE $\frac{1}{4}$ Sec 33, T52N, R4W, B.M., Kootenai County to be used from Jan. 1 to Dec. 31 for domestic purposes for 30 households within the NE $\frac{1}{4}$: N $\frac{1}{2}$ SE $\frac{1}{4}$ Sec 33 & W $\frac{1}{2}$ NW $\frac{1}{4}$ Sec 34, all in T52N, R4W, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 4056 Government Way, Coeur d'Alene, Idaho 83814, on or before May 29, 1978.

C. STEPHEN ALLRED
Director

Published in the Coeur d'Alene Press, Coeur d'Alene, Id. on May 18, 1978.
No. 416
18, 1978.

STATE OF IDAHO,
County of Kootenai,

} ss.

Caree Hedge being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The Notice

of which the annexed is a printed copy, was published in the regular Thursday issue of said newspaper for 2 consecutive Weeks, commencing on the 11 day of May, 1978, and ending on the 18 day of May, 1978 and such publication was made as often during said period as said Daily newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Subscribed and sworn to before me this 18 day of May, 1978.

Caree Hedge
Roberta Stanley
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

April 17, 1984

RE: Permit No. 95-7842

Dry Acres Water & Sewer District
S. 520 Atlas Rd.
Rathdrum, ID 83838

Gentlemen:

Enclosed herewith is a copy of the Water Right License issued on the above
referenced Permit.

Sincerely,



JIM JOHNSON
Water Distribution Supervisor

JJ:kw
Enclosure



95-7842

DRY ACRES WATER AND SEWER DIST
P/D: SEC 33 TWP 52N RNG 04W
IRRIGATION? N

State of Idaho

DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

MAR 12 1984

95-7842
Permit No.

CONTACT WITH PERMIT HOLDER

☐ Appointment letter mailed:

DATE

INITIALS

Department of Water Resources

REMARKS

1/19/84

JK

664-2133 - Jim Woot of RCWold
pumps

☐ Telephone call made

(List Telephone No. used)

☐ Appointment scheduled for:

(Date, time, location)

EXAMINATION

Date 1/19/84 Accompanied by — Total Q measured 0.21 cfs ✓

Source GW Tributary to — Supp. annubar measurement sheet used? —

If source is surface water, estimate total flow of source —

Methods of measurement Hershey #3473681 Meets permit requirements? yes

Measurement calculations: 400 gallons in 4.16 = $\frac{400}{4.16} = 96.15 \text{ gpm} = 0.21 \text{ cfs} \checkmark$
0.20 144.8 AF
 $0.21(1.9835)(365) = 152 \text{ AF}$
Booster
 $8.8(5)80\% = 0.44(2)(1.9835)(365) = 638 \text{ AF}$
2.33(30)H10
30 Homes = 0.25 cfs $\times (1.2 \text{ AF})(30 \text{ H}) = 36 \text{ AF} \checkmark$

APPLIED FOR 0.20 cfs ✓ APPLIED FOR 30 HOMES ✓

WELL/DIV. NO.*	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEVICE	REMARKS
	15					Hershey	Good	R.C. WORT Submers
Booster	5	US	F4545-00-389	JACUZZI	46704/1154			
	5	US	63-28231-094	"	46711067			

System Description 8" x 360' well with 15HP submersible pump & 4" pipe to 7600 gal clear well.
Two 5HP Booster pumps with 1 1/2" x 3" line to pressure system then by 4" main to places
delivery system

*Code with map on reverse side. Disregard code if only one.

RECOMMENDED AMOUNTS

Irrigation requirement = AFA/Acre

USE

Q (cfs)

V (afa)

FROM

TO

Domestic (30 units) ✓

0.20 ✓

36.0 ✓

1-1 ✓

12-31 ✓

Total

0.20 ✓

36.0 ✓

Remarks At time of Exam delivery system was running at 80 PSI

SWL 235 - Drilled By E.A. Holman Well Log @ Dantschi Eng.

19 Homes on line - 11 stubs = 30 units

MAP (Attach Aerial Photo)

[illegible]

SCHEMATIC DIAGRAM OF SYSTEM

(include distance from pump to measuring device, if applicable.)

See Plans

Point(s) of diversion: (SEWENE, sec 33, 52N, R44)

Place(s) of Use

[illegible]

Recommended Amendments:

- ☐ Change P.D. as reflected above
- ☐ Add P.D. as reflected above
- ☐ Change P.U. as reflected above
- ☐ Add P.U. as reflected above
- ☐ Other
- ☒ None

Examiner's Signature

Checked by

Approved by.

Date _____


Date _____

Date _____

68-4-4

10/8/6

68/pt/1



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
A. KENNETH DUNN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

SEPTEMBER 6, 1983

DRY ACRES WATER AND SEWER DISTRICT
S. 520 ATLAS RD
RATHDRUM ID 83838

RE: Permit No. 95-7842

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 667-6484 or in person at our office.

Sincerely,

/S/
TOM D. KING
Senior Water Resource Agent

cc: IDWR - State Office

MICROFILMED

DEPARTMENT OF WATER RESOURCES

957842

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. _____

Name(s) of Permit Holder: DRY ACRES WATER & SEWER "DISTRICT"

Post Office Address: 5520 ATHAS Rd RATHBUN

Idaho 83858Tel. No. 687-0516

Source of Water: Underground Aquifer

Extent of Use: ☒ Domestic 31 (number of households)
☐ Stockwater _____ (number and type of stock)
☐ Irrigation _____ (acres)
☐ Other _____

Measuring Device: Required? ☒ Yes ☒ No Installed? ☐ Yes ☐ No
Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No


The above information is a true statement of the extent to which the above numbered permit has been developed.

5-11-83

Date

Frank E. Johnson (RES.)
Signature of Permit Holder

DRY ACRE, WA. WATER DISTRICT
S. 520 ATZASY RD.
RATHDRUM, ID.



DEFEAT
MUSCULAR DYSTROPHY
SUPPORT MDA



83858



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

MAY 28 1983
DEPARTMENT OF WATER RESOURCES

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138453
DRY ACRES WATER & SEWER DIST.
RT. 3 BOX 438
RATHDRUM, ID 83858

PROOF DUE NOTICE

MARCH 31, 1983

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 95-7842 WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE JUNE 01, 1983. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST). ENCLOSED IS A POSTCARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER THE BENEFICIAL USE POSTCARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

A FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

RECORDED
INDEXED
ENCLOSURES



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 384-2215

June 9, 1978

Re: Permit No. 95-7842

Dry Acres Water & Sewer District
Route 3, Box 438
Rathdrum, ID 83858

Gentlemen:

Enclosed is a copy of your approved Application for Permit No. 95-7842. We direct your attention to the conditions of approval as listed on the fourth page.

Sincerely,

L. GLEN SAXTON
Chief, Operations Bureau

LGS:kw
Enclosure

1. ☒ Name vs. Signature *Prob. Member!* ☒ Place of Use for other than irrig.
2. ☒ Source 8. ☐ Place of Use for irrigation (add acres)
3. ☒ Point of Diversion 9. ☒ Property Owner at Pt. of Div. & Pl. of Use
4. ☒ Amnt. & Period of Use 10. ☒ Map
5. ☒ Descrip. of Diverting Wrks. 11. ☒ Fee & Rec't. No.
6. ☒ Time req. for Proof of B/U

Copies Sent To:

☒ Idaho Health Department
☐ Idaho Fish & Game Dept.
☐ Bureau of Land Management

☐ U.S.F.S.
☐ Dept. of Lands
☐ Other

Dam Safety Information N/A (Goes to Permit Section)

Check:

Critical G.W. Area ☐ yes ☒ no

Other rights on same land None - dom.

Withdrawals of all protests received ☐ yes ☐ no

Conditions:

ID Power Co. Letter - Snake R. ☐

Meas. Dev. or Sc. Meas. no

ID Power Co. Letter - G.W. & Tribs. ☐

Totalizing meter ☐

Snake River Condition ☐

Supplemental ☐

Payette River Letter ☐

Right-of-Way Cond. ☐

Priority Date 5-2-78

Watermaster Cond. ☐
Wtr. Dist No. ☐

Water Quality #16 ☐

Meas. Dev. Cond. for apps within a Water Dist. ☐

Water Quality #10 ☐
intrastate ☐ interstate ☐

Jan Grover
Reviewer
6/5/78
Date

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. _____

Dry Acres

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) AK 5.2.78

In form to receipt

(2) KK 5-3-78

Send Copies to:

☒ Idaho State Health Department
☐ Idaho Fish and Game Department
☐ Bureau of Land Management

(3) _____

☐ Request Special Use Permit from U.S.F.S.
☐ Request Easement from B.L.M.
☐ Request Information from Applicant
☐ Request Dam Safety Information

(4) AK 5/2/78

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. _____

(7) _____

Critical groundwater area: yes _____ no ☒

(8) _____

Groundwater levels:

_____ Declining, ☒ Stable, _____ Increasing

(comment) _____

(9) _____

Other rights on the same place of use

(10) _____

Comments: _____

(11) SPU 5-24-78

Affidavit of Publication received(date) 5-24-78

(12) _____

Final date for protests 5-29-78

Protests received: yes _____ no ☒

(13) _____

All requested information received from agencies or applicant: yes ☒ no _____

(14) _____

Action recommended:

☒ Approve _____ Deny

5-278 Proposed Priority

Reason for Reduction _____

Measuring device required

See attached sheet for other conditions of approval

☒ No special conditions for approval

(15) District Northern

By Bob Haynes Date 5-30-78

RECEIVED

JUN 2 1978

Department of Water Resources



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

Suite No. 1
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 667-6484

May 4, 1978

RE: Applications No. 95-7842, 95-7841, 95-7840 & 95-7839.

Coeur d'Alene Press
Second & Lakeside
Coeur d'Alene, Id 83814

Gentlemen:

Enclosed is a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to our office along with the publication bill. Your cooperation in this matter is appreciated.

Very truly yours,

ROBERT G. HAYNES, P.E.
District Supervisor

RGH:ab

Enc: Legal Notice(s)

*Bill received 5-24-78
OK - JDU*

RECEIVED

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Dry Acres Water & Sewer District

Et 3, Box 438, Rathdrum, Id

has on May 2, 1978 submitted Application No. 95-7842

for a permit to appropriate 0.20 cubic feet per second ~~acre feet per annum~~

of water from a groundwater source

by means of a well, pump & pipeline

within the NE1/4 Sec 33, T52N, R4W, B.M., Kootenai County

to be used from Jan 1 to Dec 31 for domestic purposes for 30 households

for
xxxx

within the NE1/4, NW1/4 Sec 33 & NW1/4 Sec 34, all in T52N, R4W, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 4055 Government Way, Coeur d'Alene, Idaho 83814, on or before May 29, 1978.

C. STEPHEN ALLRED
Director

Published in the Coeur d'Alene Press, Coeur d'Alene, Id

on May 11 and May 18, 1978

May 3, 1978

RE: Application No. 95-7842

David Johann
Dept of Health & Welfare
PO Box 608
Coeur d'Alene, Id 83814

Dear Mr Johann,

We are enclosing a copy of an application that may be of interest to your agency. Please review the application and if you have any comments, please submit them to our Department as soon as possible.

If we may be of any further assistance, please do not hesitate to contact us.

Sincerely,

ROBERT G. HAYNES, P.E.
Regional Supervisor

RGH:ab

Enclosure