

AFFIDAVIT OF PUBLICATION

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Idaho Forest Industries, Inc. P.O. Box 1030, Coeur d'Alene, Id. has on April 28, 1978 submitted Application No. 95-7840 for a permit to appropriate 2.00 cubic feet per second of water from the Spokane River by means of a pump & pipeline within the Gov. Lot 2, Sec. 14 T50N, R4W, B.M., Kootenai County to be used from Jan. 1 to Dec. 31 for industrial purposes within the Gov. Lot 2, Sec. 14, T50N, R4W, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 4055 Government Way, Coeur d'Alene, Idaho 83814, on or before May 29, 1978.

C. STEPHEN ALLRED
Director

Published in the Coeur d'Alene Press, Coeur d'Alene, Id. on May 11 and May 18, 1978.
Legal No. 418
May 11, 18, 1978.

STATE OF IDAHO,
County of Kootenai,

} ss.

Cesar Hedges being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The Notice

of which the annexed is a printed copy, was published in the regular Thurs issue of said newspaper for 2 consecutive Weeks commencing on the 11 day of May, 1978, and ending on the 18 day of May, 1978, and such publication was made as often during said period as said Daily newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Cesar Hedges
Subscribed and sworn to before me this 18 day of May, 1978.

Roberta Manley
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

MICROFILMED

OK
APW
5-24-78

11.16 LEADER

KOOTENAI COUNTY, IDAHO


↑ To Athol



Standard Parallel North

Coeur D'Alene Military
Winter Pasture Reserve

II	II	I	IV	III	II	I	IV	III	V	VII	V	VII	VI
66	40.84	41.02	41.09	41.16	41.23	41.30	41.68	41.12	39.06	24.76	24.58	24.93	36.17



See plat of Fort Shoshone
Reserve, Apr. 24, 1894

Reservation

MICROFILMED

RIVER

S
A

Bridge

19 09 A

19 45 A

2
16 43 A

50
19 45 A

Cemetery
9
19 45 A

(Old Cemetery)

10
9.72 A

11
9.72 A

12
9.64 A

13
8.55 A

40
3.70 A


41
3.46 A

Gar

PARK
20 A

LAKE COEUR D'ALENE

MICROFILMED



May 2, 1978

RE: Applications No. 95-7839 & 95-7840

Wm. Scribner
Id Dept of Lands
Statehouse
Boise, Id 83720

Dear Mr Scribner,

Enclosed are copies of the above referenced applications which may be of interest to your agency. The applicants wish to appropriate water from streams which appear to be navigable.

If we may be of any further assistance, please do not hesitate to contact us.

Sincerely,

ROBERT G. HAYNES, P.E.
Regional Supervisor

RGH:ab

Enclosures

MICROFILMED

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 95-7840 Priority April 28, 1978 Amount 0.36 cfs

THIS IS TO CERTIFY, that Idaho Forest Industries, Inc.
of Coeur d'Alene, Idaho, has complied with the terms and conditions of Permit
No. 95-7840 issued pursuant to Application for Permit dated April 28, 1978,
and has submitted proof to the Department of Water Resources on December 22, 1982,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 0.36 cfs of water from Spokane River,
tributary to Columbia River, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Industrial</u>	from <u>January 1</u> to <u>December 31</u>	at <u>0.36</u> cfs and	<u>260.6</u> acre feet
_____	from _____ to _____	at _____ cfs and	_____
_____	from _____ to _____	at _____ cfs and	_____

(both dates inclusive)

Subject, however, to the condition that no more than 0.36 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
260.6 acre feet per year, said waters to be diverted within the Gov. Lot 2 (SE $\frac{1}{4}$ NW $\frac{1}{4}$)
Section 14, Twp 50N, Rge 4W in the County of Kootenai

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
50N	4W	14								GL2 X									

Total number of acres irrigated _____

[Signature]

MICROFILMED

CONDITIONS OF APPROVAL

a. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

b. The right to the use of the water hereby confirmed is restricted and appurtenant to lands or place of use herein described, and is subject to all prior water rights, as provided by the laws of Idaho.

c. Any water right confirmed in this license for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this license and shall not give rise to any right or claim against any future rights to the use of water other than hydropower, within the State of Idaho initiated later in time than the priority of this license.

Industrial use is for steam plant, sawmill equipment cooling and fire protection system.

P/U also known as Lot 18 of Fort Sherman Military Reservation.

Return water shall be treated to insure that the effluent meets Idaho Water Quality Standards.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 29TH day of OCTOBER, 19 85.

Acting for the Director

Norman C. Young

[Handwritten initials]

Identification No. _____

Application No. 95-7840

**STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES**

APPLICATION FOR PERMIT APPROVED

To Appropriate the Public Waters of the State of Idaho

(TYPE OR PRINT IN INK)

1. Name of applicant Idaho Forest Industries, Inc. Phone: (208) 667-9441
post office address P. O. Box 1030, Coeur d'Alene, Idaho 83814
2. Source of water supply Spokane River which is a tributary of Coeur d'Alene Lake
3. a. Location of point of diversion is Govt. Lot 2 (Lot 18) ~~XX~~ of Section 14 Township 50N
Range 4 W B.M. Kootenai County; ~~additional points of diversion if any:~~
(Also described as Lot 18 of the resurvey of Forst Sherman abandoned
Military Reservation Plat.)
b. If water is not consumed, it will be discharged into dry well (less than 18 ft) point in Lot 18 ~~XX~~
of 1/4 of Section 14 Township 50 N Range 4 W B.M. Kootenai County
4. Water will be used for the following purposes:
Amount 2.00 for industrial purpose from January 1 to December 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 2.00 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Submerged pick up and pump,
3,000 gallon pressure tanks.

b. Height of storage dam none feet, active reservoir capacity N/A acre feet; total reservoir
capacity N/A acre feet, materials used in storage dam: N/A
Period of year during which storage will occur N/A to N/A inclusive.
(Mo. Day) (Mo. Day)
c. Proposed well diameter is N/A inches; proposed depth of well is N/A feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$ 10,000.
8. Description of proposed uses:
a. If water is **not** for irrigation:
Govt. Lot 2 (Lot 18)
(1) Give the place of use of water: ~~XXXX~~ ~~XX~~ of Section 14 Township 50 N
Range 4 W B.M. _____
(2) Amount of power to be generated: N/A hp under N/A feet of head.
(3) List number of each kind of livestock to be watered N/A

(4) Name of municipality to be served N/A, or number of families to be
supplied with domestic water N/A.
(5) If water is to be used for other purposes describe: Water to be used for emergency standby
source for steam plant, sawmill equipment cooling, fire system.

[illegible]


c. Describe any other water rights used for the same purposes as described above.

Primary source well permit being applied for.

9. a. Who owns the property at the point of diversion _____ State of Idaho
b. Who owns the land to be irrigated or place of use _____ Idaho Forest Industries, Inc.
c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____ Easement

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile
4 INCHES EQUAL 1 MILE

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Jack C. Durby
(Applicant)
CHIEF ENGINEER
IDAHO FOREST INDUSTRIES
Jack C. Durby
Vice Pres.

Proposed Priority 4/28/78

Received by JK Date 4-28-78 Time 11 AM
Preliminary check by JK Fee \$ 35.00
Received by JK Date 4-28-78 (10870)
Publication prepared by JK Date 5-2-78
Published in Idaho Falls News
Publication dates 5-11-78 to 5-18-78
Publication approved JK Date 5-24-78
Priority reduced to _____ Reason _____
Protests filed by: _____
Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by JK

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-7840, and said application is hereby APPROVED.


1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 19 83.
- c. Other: For licensing purposes a scientific measurement of the diversion rate of the system as it is normally operated shall be provided by either properly installing an approved type of measuring device or by having a professional engineer certify the rate of diversion to the Department prior to submitting proof of beneficial use of water.
- The issuance of this permit in no way grants any right-of-way or easement across the land of another.

Witness my hand this 6th day of June, 19 78.

Administrator

Norm Jensen



FROM CENTER HUB SEC 14, T50N, R4W, B.M. KOOTENAI COUNTY, STATE OF IDAHO, DUE WEST ALONG CENTERLINE RIVER AVENUE A DISTANCE OF 654.06 FEET; THENCE NORTH 29° 22' EAST A DISTANCE OF 613.14 FEET ALONG CENTERLINE OF SEA WALL; THENCE NORTH 30° 15' WEST A DISTANCE OF 165 FEET TO THE LOCATION OF THE LAST PILING TO WHICH THE SUBMERGED PUMP WILL BE ANCHORED.

W. Martin
4/12/78

Identification No. _____

Area _____

STATE OF IDAHO
DEPARTMENT OF LANDS

EASEMENT

APPLICATION FOR A PERMIT TO MAKE AN ENCROACHMENT
ON A NAVIGABLE LAKE OR RESERVOIRPursuant to Adopted Rules
And Applicable Statutes
(TYPE OR PRINT IN INK)

1. Name of applicant: Idaho Forest Industries, Inc.
 Post office address: P. O. Box 1030, Coeur d'Alene, Idaho 83814
 Telephone Number: (208) 667-9441

2. Name of lake or stream: Spokane River

3. Name and address of contractor: Idaho Forest Industries, Inc.

4. Proposed starting date of construction and installation: May 22, 1978

5. Property description: DeArmond Stud Mill

in Lot 18 (1/16 or Lot No.) of Section 14, Township 50 N, Range 4 W, B.M.

6. Type of structure proposed: (Please check and attach a descriptive drawing.)

☐ Breakwater	☐ Dock	☐ Bulkhead
☐ Piling	☐ Boathouse	☐ Fill
☐ Excavation	☒ Water line Other (Please specify)	

7. Length of encroachment waterward from the ordinary highwater mark: 30'

8. Width of encroachment at ordinary highwater mark: 8", at maximum length: 12"

9. Water depth at maximum length: 12' - 14'

10. Signature of applicant: [Signature] Date: 4/10/78

CHIEF ENGINEER, IDAHO FOREST INDUSTRIES

11. STATEMENTS OF ADJACENT PROPERTY OWNERS

N/A

I, _____ am the owner of riparian or littoral property adjacent to the property listed in this application. I am familiar with the scope and location of the proposed encroachment as evidenced by accompanying plans which I have initialed and I offer no objection to the encroachment.

Date

Name

Address

I, _____ am the owner of riparian or littoral property adjacent to the property listed in this application. I am familiar with the scope and location of the proposed encroachment as evidenced by accompanying plans which I have initialed and I offer no objection to the encroachment.

Date

Name

Address

Application approved by _____ Date _____

Permit issued by _____ Date _____

Instructions for Application

These instructions are given for the convenience of the applicant, but an applicant should review the rules before submitting his application. Note particularly the definitions in the rules, available from the Department of Lands.

No person, corporation, or governmental agency may construct, replace or enlarge an encroachment of any kind, in, on, or above the beds, waters and air-space over navigable lakes and reservoirs in the State of Idaho without first having sought and obtained written approval from the Director, Department of Lands, Statehouse, Boise, Idaho, 83720.

Approval is not required to clean, maintain, or to make ordinary repairs to an existing encroachment. If in doubt, contact the Department of Lands.

Applications must be in writing on forms or copies thereof available from the Department of Lands or from the Department of Water Resources. Applications for noncommercial encroachments may be filed with field offices of the Department of Lands. All other applications must be filed in Boise with the Director, Department of Lands.

The application must be accompanied by a vicinity map on a scale of 2-inches per mile showing the precise location of the proposal, design drawings showing adjacent ownership, a plan view and front and side views or typical cross-sections of the proposed construction, and shore and bottom cross-section and/or profile, all related to ordinary high and low water marks.

The ordinary highwater mark is the line which water impresses on the soil to deprive the soil of vegetation and destroying its value for agriculture. The low water mark is the average of low water levels of a lake or stream taken over a period of years.

A sample of acceptable drawings is attached. If plan sheets are larger than 8½ by 14 inches, transparencies must be furnished.

An application fee of \$25.00 and cost of publication (\$25.00 deposit) is required for all but noncommercial, navigational encroachments -- \$50.00 total.

The Director, Department of Lands, may order a hearing on the application if the proposal appears to require formal review. Adjacent property owners, governmental agencies, and other persons may file written objections and request a hearing on certain applications. The information obtained at a hearing will be used to justify approval or denial of the permit. The State of Idaho reserves the right to require an easement or lease application for the use and occupancy of state-owned lakebeds.


As a general rule, docks or similar structures should be installed at right angles to the general shoreline, should not extend beyond a depth necessary for customary navigation or normal low water, and should be no closer than ten feet to adjacent property boundaries extended into the water in the normally accepted manner.

Applications for noncommercial navigational encroachments must be submitted by the riparian or littoral owner or his lessee. A riparian or littoral owner is an owner whose property extends to the ordinary highwater mark of a lake or reservoir. Riparian or littoral ownership or right must be demonstrated in all cases. Applications for all other encroachments must be submitted by the riparian or littoral owner approving the encroachment.

If an encroachment may infringe upon rights of an adjacent owner, processing of the application will be simplified if the written consent of the adjacent owner to the encroachment appears on the application. Space is provided on the application for the adjacent owners to signify consent.

Penalties are provided for violation of applicable rules and underlying statutes.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

4 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

James E. Martin
(Applicant)

CHIEF ENGINEER
IDAHO FOREST INDUSTRIES, INC.

Jack C. Durdy
Vice Pres.

Received by _____ Date _____ Time _____

Preliminary check by _____ Fee \$ _____

Received by _____ Date _____

Publication prepared by _____ Date _____

Published in _____

Publication dates _____

Publication approved _____ Date _____

Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by _____

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.


b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19____.

c. Other: _____

2. Denial of said application is for the following reasons: _____

Witness my hand this _____ day of _____ 19____.

Director



AFFIDAVIT OF PUBLICATION

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Idaho Forest Industries, Inc. P.O. Box 1030, Coeur d'Alene, Id. has on April 28, 1978 submitted Application No. 95-7840 for a permit to appropriate 2.00 cubic feet per second of water from the Spokane River by means of a pump & pipeline within the Gov. Lot 2, Sec. 14 T50N. R4W. B.M., Kootenai County to be used from Jan. 1 to Dec. 31 for industrial purposes within the Gov. Lot 2, Sec. 14, T50N, R4W, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 4055 Government Way, Coeur d'Alene, Idaho 83814, on or before May 29, 1978.

C. STEPHEN ALLRED
Director

Published in the Coeur d'Alene Press, Coeur d'Alene, Id. on May 11 and May 18, 1978.
Legal No: 418
May 11, 18, 1978.

STATE OF IDAHO,
County of Kootenai,

} ss.

Carole Hedge being first duly sworn upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The

of which the annexed is a printed copy, was published in the regular issue of said newspaper for *3* consecutive *weeks* commencing on the *11* day of *May*, 19*78*, and ending on the *18* day of *May*, 19*78*, and such publication was made as often during said period as said *daily* newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Subscribed and sworn to before me this

18 day of *May*, 19*78*.

Roberta Manley

Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

OK
APW
5-24-78

11/16 LEADER

November 12, 1985

RE: Permit No. 95-7840

Idaho Forest Industries, Inc.
Box 1030
Coeur d'Alene, ID 83814

Gentlemen:

Enclosed herewith is a copy of your Water Right License issued on the above referenced permit.

Please be advised that one of the conditions of your permit was that a measuring device be installed as part of your diversion works. That requirement has been waived with issuance of the enclosed license. However, in the event that water supply shortages become a problem installation of measuring devices may be required.

Should you have any questions, please feel free to contact our office.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc
Enclosures

MICROFILMED

October 2, 1985

RE: Permit No. 95-7840

Idaho Forest Industries, Inc.
Box 1030
Coeur d'Alene, ID 83814

Dear Permit Holder(s):

A representative of this Department made an examination of the works covered by your Permit No. 95-7840 and has found the following:

Amount of water that can be recognized as beneficially used
under Idaho law: 0.36 cfs Source: Spokane River trib to
Columbia River

The maximum quantity diverted shall not exceed 260.6 acre feet
per year.

Point(s) of diversion: Gov. Lot 2 (SENW) Sec. 14, Twp 50N, Rge
4W

Beneficial Use: Industrial use within SENW (Gov. Lot 2) Sec.
14, Twp 50N, Rge 4W

Priority date established: April 28, 1978

Conditions (if any): Return water shall be treated to insure
that the effluent meets Idaho Water Quality Standards.
Industrial use is for steam plant, sawmill equipment cooling &
fire protection system. P/U also known as Lot 18 of Fort
Sherman Military Reservation.

MICROFILMED

Permit No. 95-7840

Page 2

If you do not concur with these findings, please contact us within 10 days; otherwise a water license will be issued as set forth above.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

MICROFILMED

State of Idaho
DEPARTMENT OF WATER RESOURCES
FIELD REPORT

F-4

95-7840
Permit No.

CONTACT WITH PERMIT HOLDER

	DATE	INITIALS	REMARKS
☐ Appointment letter mailed:			765-1414 X 278
☐ Telephone call made: (List Telephone No. used)			
☐ Appointment scheduled for: (Date, time, location)			

EXAMINATION

Date 2-16-83 Accompanied by Ralph MacInseck Total Q measured - 160 gpm
If source is surface water, estimate total flow of source -
Methods of measurement Cole Meets Permit requirements? ~~Yes~~ No

Measurement calculations:

See Attached

AF $0.7(1.9835) 365 = 506.8$
 $V = 0.36 \times 1.9835 \times 365 = 260.6$
System Runs 24/day 365 day/yr

WELL/DIVERSION* NO.	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEV.	REMARKS
								See Attached

System Description Pump on floating dock with 2" flex hose to 500 gall. tank then to boiler for steam. Evaporation to tank and overflow to river.

*Code with map on reverse side. Disregard code if only one.

RECOMMENDED AMOUNTS		Irrigation requirement =		AFA/Acre	
USE		Q (cfs)	V (afa)	FROM	TO
<u>Industrial</u> ✓		<u>0.36</u>	<u>506.8</u>	<u>1-1</u> ✓	<u>12-31</u> ✓
<u>160 gpm ÷ 448.8 =</u>		<u>0.36</u>	<u>260.6</u>		
		<u>0.36</u>	<u>260.6</u>		
		<u>0.36</u>	<u>506.8</u>		
Total					

Remarks 3-2-83 Contacted Jim Johnson - Recommend removal of M D requirement

95-7841 has been cancelled.

MICROFILMED

LE PARD & FRAME, INC.

CONSULTING ENGINEERS

603 North 4th St. - Phone 664-2121

COEUR D'ALENE, IDAHO 83814

February 25, 1983

RECEIVED

FEB 28 1983

Mr. Tom King
Department of Water Resources
Northern District
4055 Government Way
Coeur d'Alene, Idaho 83814

Department of Water Resources
Northern District Office

RE: APPLICATION FOR PERMIT NO. 95-7841

*Abandoned
95-7840*

Dear Tom:

Reference is made to the subject Application for Permit for the boiler feed pump for the DeArmond Stud Mill, a subsidiary of Idaho Forest Industries, Incorporated. The pump flow is calculated as follows:

Pump Data

Cornell Pump Company
"Y" Series Pump 1 1/4Y - F4
Horizontal Frame Mounted Centrifugal
2" Suction 1 1/4" Discharge
9 5/8" Diameter Impeller

Motor Data

GE Model 1113
25 H.P.
RPM 3540
3 Phase - 220/240 Volt

Field Pump Application Data

Pump bolted on dock with suction intake one foot above water surface.
Pump elevation 17 feet below boiler filter.
Gage 98 psi at filter intake
Head = 98 psi = 226' Gage
17' Elevation
23' Filter
4' Miscellaneous
270'

MICROFILMED

Mr. Tom King
Page 2 (Continued)
February 25, 1983

RECEIVED

FEB 28 1983

Department of Water Resources
Northern District Office


From Attached Pump Curve

Flow = 160 gpm @ 270' Head
Use 160 gpm

This flow is less than a flow of 0.7 cfs = 314 gpm and wouldn't require a measuring device. Application is therefor made for the flow of 160 gpm as computed above.


Thank you.

Yours truly,



Gary A. Frame

GAF/ch
cc: Mike DeArmond
Enclosure



MICROFILMED

154-20

NOVEMBER 1970

AUG. 1961 OR SC 1395


CORNELL MODEL 1 1/4 Y

SPEED 3540 R.P.M.

IMPELLER CLOSED

DIAMETER VARIOUS

MAX. DIA. SOLIDS 9/32"



1 1/4 Y - 3600

CORNELL MANUFACTURING CO. • PORTLAND, OREGON

MICROFILMED


226.4
10
244.4


TOWNSHIP 50 N., RANGE 4 W. B. M.

KOOTENAI COUNTY, IDAHO

32

To Athol







ge N° 47600 of the Boise Meridian

a D c C b B "

Standard Parallel Line North.





DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 95-7840

Name(s) of Permit Holder: Idaho Forest Industries

Post Office Address: Box 1030

Coeur d'Alene Tel. No. 667-9441

Source of Water: DEC 22 1982

Extent of Use:

- ☐ Domestic _____ (number of households)
- ☐ Stockwater _____ (number and type of stock)
- ☐ Irrigation _____ (acres)
- ☒ Other Indust.

Measuring Device: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

Access Port: Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

12-22-82
Date

x Mike DeC...
Signature of Permit Holder

PLACE
TEN CENT
STAMP
HERE



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720



STATE OF IDAHO

DEPARTMENT OF LANDS

STATEHOUSE, BOISE, IDAHO 83720

GORDON C. TROMBLEY
DIRECTOR

STATE BOARD OF LAND COMMISSIONERS

JOHN V. EVANS
GOVERNOR AND PRESIDENT
PETE T. CENARRUSA
SECRETARY OF STATE
WAYNE L. KIDWELL
ATTORNEY GENERAL
JOE R. WILLIAMS
STATE AUDITOR
ROY TRUBY
SUPT OF PUBLIC INSTRUCTION

3 July 1978

Robert G. Haynes
Department of Water Resources
Northern District
Route #5, Box 203, Suite 1
Coeur d'Alene, ID 83814

Dear Bob:

File in
RE: Idaho Forest Industries
95-7840

The Department of Lands will issue Encroachment Permit No. L-95-S-2421 for the work described in the above-numbered diversion application. We have recommended that an easement be granted to the Idaho Forest Industries for the work proposed, in addition to our encroachment permit.

We have no objections to the above-numbered application and have attached a copy of our encroachment permit for your information.

Very truly yours,

WILLIAM A. SCRIBNER, Chief
Bureau of Navigable Waters

WAS:ph

Attachment

RECEIVED
JUL 6 1978
Department of Water Resources
Northern District Office

MICROFILMED

EQUAL OPPORTUNITY EMPLOYER



STATE OF IDAHO

DEPARTMENT OF LANDS

STATEHOUSE, BOISE, IDAHO 83720

GORDON C. TROMBLEY
DIRECTOR

ENCROACHMENT PERMIT NO. L-95-8-2421


Permission is hereby granted to IDAHO FOREST INDUSTRIES
of P.O. Box 1030, Coeur d'Alene, ID 83814 to construct and maintain
a submerged pump and waterline
to be located as follows: bed of the Spokane River located in the reservoir adjacent
to Government Lot 2, Section 14, Township 30 North, Range 4 West, S.N.

1. Construction will follow details and specifications shown on the approved drawings, and made a part hereof, together with any special conditions, procedures or endorsements required by the Department appearing on attached pages 1 through 2.
2. This permit does not convey the State's title to or jurisdiction or management of lands lying below the natural or ordinary high water mark.
3. Acceptance of this permit constitutes permission by the permittee for representatives of the Department of Lands to come upon permittee's lands at all reasonable times to inspect the encroachment authorized by this permit.
4. The permittee assumes all liability for damages which may result from the exercise of this permit.
5. All applicable provisions of the Rules for Regulation of Beds, Waters and Airspace Over Navigable Lakes and Streams in the State of Idaho, are incorporated herein by reference and made a part hereof.
6. This permit does not relieve the permittee from obtaining additional local or Federal permits as required.
7. The Director of the Department of Lands may cancel this permit for cause upon notice and hearing as provided for in the adopted rules.

FOR THE DIRECTOR


BY: William P. Scribner
TITLE: Chief, Bureau of Navigable Waters

DATE: July 7, 1978



MICROFILMED

11. Map of proposed project: show clearly the point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile -
4 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Case E. Martin
(Applicant)
CHIEF ENGINEER
IDAHO FOREST INDUSTRIES

MICROFILMED

June 9, 1978

Re: Permit No.'s 95-7840 and 95-7841

Idaho Forest Industries, Inc.
P. O. Box 1030
Coeur d'Alene, ID 83814

Gentlemen:

Enclosed are copies of your approved Applications for Permit No.'s 95-7840 and 95-7841. We direct your attention to the conditions of approval as listed on the fourth pages.

Be sure to note that a special condition requiring you to either install and maintain measuring devices at your points of diversion or to provide the Department a certified measurement of the systems diversion capacity prior to submitting proof of beneficial use of water. We have enclosed a letter describing the different types of measuring devices accepted by this office.

Sincerely,

L. GLEN SAXTON
Chief, Operations Bureau

LGS:kw
Enclosures

1. ☒ Name vs. Signature *Pres. & Chief Eng.* 7. ☒ Place of Use for other than irrig.
2. ☒ Source 8. ☐ Place of Use for irrigation (add acres)
3. ☒ Point of Diversion 9. ☒ Property Owner at Pt. of Div. & Pl. of Use
4. ☒ Amnt. & Period of Use 10. ☒ Map
5. ☒ Descrip. of Diverting Wrks. 11. ☒ Fee & Rec't. No.
6. ☐ Time req. for Proof of B/U

Copies Sent To:

☒ Idaho Health Department ☐ U.S.F.S.

☐ Idaho Fish & Game Dept. ☒ Dept. of Lands

☐ Bureau of Land Management ☐ Other

Dam Safety Information N/A (Goes to Permit Section)

Check:

Critical G.W. Area ☐ yes ☒ no

Other rights on same land None - different source
as App. for Permit # 95-7841

Withdrawals of all protests received ☐ yes ☐ no

Conditions:

ID Power Co. Letter - Snake R. ☐

Meas. Dev. or Sc. Meas. ☒

ID Power Co. Letter - G.W. & Tribs. ☐

Totalizing meter ☐

Snake River Condition ☐

Supplemental ☐

Payette River Letter ☐

Right-of-Way Cond. ☒

Priority Date 4-28-78

Watermaster Cond. ☐
 Wtr. Dist No. ☐

Water Quality #16 ☐

Meas. Dev. Cond. for apps within
 a Water Dist. ☐

Water Quality #10 ☐
 intrastate ☐ interstate ☐

Jan Grover
 Reviewer
6/5/78
 Date

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. _____

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) KK 5/2/78

In form to receipt

(2) RJA _____

Send Copies to:

☒ Idaho State Health Department
☐ Idaho Fish and Game Department
☐ Bureau of Land Management
☒ DEPT OF LANDS
☐ Request Special Use Permit from U.S.F.S.
☐ Request Easement from B.L.M.
☐ Request Information from Applicant
☐ Request Dam Safety Information

(3) KK 5/2/78

In form for advertising

(4) _____

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. _____

(7) _____

Critical groundwater area: yes _____ no _____

(8) _____

Groundwater levels:

_____ Declining, _____ Stable, _____ Increasing

(comment) _____

(9) _____

Other rights on the same place of use

(10) _____

Comments: _____

(11) LDW 5-24-78

Affidavit of Publication received (date) 5-24-78

(12) _____

Final date for protests 5-29-78

Protests received: yes _____ no ☒

(13) _____

All requested information received from agencies or applicant: yes ☒ no _____

(14) _____

Action recommended:

☒ Approve _____ Deny

4-28-78 Proposed Priority

Reason for Reduction _____

☒ Measuring device required

See attached sheet for other conditions of approval

No special conditions for approval

(15) District Northern

By Bob Hughes Date 5-30-78

RECEIVED

JUN 2 1978

Department of Water Resources

May 30, 1978

Re: 95-7840 & 95-7841

Mr. David Johann
Department of Health & Welfare
P.O. Box 603
Coeur d'Alene, ID 83814

Dear Mr. Johann:

We are enclosing two (2) copies of applications that may be of interest to your agency. Please review the application and if you have any comments, please submit them to our Department as soon as possible.

If we may be of further assistance, please contact us.

Very truly yours,

ROBERT G. HAYNES, P.E.
Regional Supervisor

RGH/sdw

Enclosure

ENCLOSURE



STATE OF IDAHO

DEPARTMENT OF LANDS

STATEHOUSE, BOISE, IDAHO 83720

GORDON C. TROMBLEY
DIRECTOR

STATE BOARD OF LAND COMMISSIONERS

JOHN V. EVANS
GOVERNOR AND PRESIDENT
PETE T. CENARRUSA
SECRETARY OF STATE
WAYNE L. KIDWELL
ATTORNEY GENERAL
JOE R. WILLIAMS
STATE AUDITOR
ROY TRUBY
SUPT OF PUBLIC INSTRUCTION

18 May 1978

Robert G. Haynes
Department of Water Resources
Northern District
Route #5, Box 203, Suite 1
Coeur d'Alene, ID 83814

Dear Bob:

RE: Idaho Forest Industries
95-7840

Thank-you for the copy of the above-numbered diversion application. The work proposed in the application will require both an easement and an encroachment permit from the Department of Lands.

The applicant has been notified of our requirements and the Department of Lands has received an easement and encroachment application for this project.

Very truly yours,

WILLIAM A. SCRIBNER, Chief
Bureau of Navigable Waters

pah

cc: Bureau of Lands
Bureau of Navigable Waters - CdA

RECEIVED
RA

MAY 22 1978

Department of Water Resources
Northern District Office

EQUAL OPPORTUNITY EMPLOYER



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

Suite No. 1
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 667-6484

May 4, 1978

RE: Applications No. 95-7842, 95-7841, 95-7840 & 95-7839.

Coeur d'Alene Press
Second & Lakeside
Coeur d'Alene, Id 83814
Gentlemen:

Enclosed is a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to our office along with the publication bill. Your cooperation in this matter is appreciated.

Very truly yours,

ROBERT G. HAYNES, P.E.
District Supervisor

RGH:ab

Enc: Legal Notice(s)

*Bill received 5-24-78
OK - LWA*

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Idaho Forest Industries, Inc
PO Box 1030, Coeur d'Alene, Id
has on April 28, 1978 submitted Application No. 95-7840
for a permit to appropriate 2.00 cubic feet per second ~~acre feet per annum~~
of water from the Spokane River
by means of a pump & pipeline
within the Gov Lot 2, Sec 14, T50N, R4W, B.M., Kootenai County

to be used from Jan 1 to Dec 31

for industrial purposes

within the Gov Lot 2, Sec 14, T50N, R4W, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 4055 Government Way, Coeur d'Alene, Idaho 83814, on or before May 29, 1978.

C. STEPHEN ALLRED
Director

Published in the Coeur d'Alene Press, Coeur d'Alene, Id
on May 11 and May 18, 1978

May 2, 1978

RE: Applications No. 95-7839 & 95-7840

Wm Scribner
Id Dept of Lands
Statehouse
Boise, Id 83720

Dear Mr Scribner,

Enclosed are copies of the above referenced applications which may be of interest to your agency. The applicants wish to appropriate water from streams which appear to be navigable.

If we may be of any further assistance, please do not hesitate to contact us.

Sincerely,

ROBERT G. HAYNES, P.E.
Regional Supervisor

RGH:ab

Enclosures

MICROFILMED