


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

R5W



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Edmund A. Satchell
(Applicant)

AFFIDAVIT OF PUBLICATION

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Elmer A. Satchwell, Rt. 1, Box 526, Post Falls, ID has on November 23, 1977 submitted Application No. 95-7801 for a permit to appropriate 3.0 cubic feet per second of water from a groundwater source by means of a well, pump and pipeline within the SW $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 24 & NE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 13, T51N, R5W, B.M..

Kootenai County to be used from April 1 to Oct. 15 for the irrigation of 160 acres within the NW $\frac{1}{4}$ & NW $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 24, T51N, R5W, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 4055 Government Way, Coeur d'Alene, Idaho 83814, on or before December, 26, 1977.

C. STEPHEN ALLRED
Director

Legal No. 891
Dec. 8, 15, 1977

011
12.19.77
B

STATE OF IDAHO, } ss.
County of Kootenai

Sandra Rowland being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The Notice of application

of which the annexed is a printed copy, was published in the regular Thursday issue of said newspaper for 2 consecutive weeks, commencing on the 8th day of December, 1977, and ending on the 15th day of December, 1977 and such publication was made as often during said period as said daily newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.


Sandra Rowland

Subscribed and sworn to before me this _____ day of _____, 19____.

Roberta Stanley
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

10. Other water rights on these lands *Look in Sec 13 Not same land*
11. Other water right diverted from same p.d. *98-2139*

12. **Diversion and Delivery System Diagram:** Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



13. ☐ Photo of Diversion & System Attached

☒ Aerial Photo of Place of Use Attached
or Map of Irrigated Acreage Attached

14. Remarks

15. Recommended Amendments
- ☐ Change P.D. as reflected above
- ☐ Change P.U. as reflected above
16. Examiner's/Consultant's Signature *[Signature]* Date *6/28/89*
- Consultant's License Number
- IDWR Director's Authorization to Conduct
- Beneficial Use Examination

Date

REPROFILMED

SEP 29 1989

CONSULTANT SEAL

14

24 246A
B
20.8
8AC
3AC

203A

D

A (38)

47.7

A242
E Satchwell

140.9

98.2

1320

6.8
7

550

A-293
Jacklin Seed

660

194A

239A

Irrigated
40AC

SIH

64.1
36.7 - 26.2
35.4 - 2.5
35.4

93.2

MICROFILMED



SEP 29 1981

A174
L HOWELL B

70.6 66.6
w/w

out

A
79.2



MAP ACCURACY STANDARDS
25, COLORADO OR WASHINGTON 25, D. C.
SYMBOLS IS AVAILABLE ON REQUEST

ROAD CLASSIFICATION
Medium-duty ——— Light-duty ———
Unimproved dirt =====
○ State Route

RATHDRUM, IDAHO
SW/4 SPIRIT LAKE 15' QUADRANGLE
N4745—W11652.5/7.5

1961

MICROFILMED

SEP 29 1987

TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-7801

Priority: November 23, 1977 Amount: 2.67 CFS 560.0 AFA

This is to certify, that ELMER A. SATCHWELL
N. 5450 GREENFERRY RD.
POST FALLS, ID 83854

has complied with the terms and conditions
of the permit issued pursuant to Application for Permit dated November 23, 1977, and
has submitted proof to the Department of Water Resources on February 24, 1983, that
water has been applied to a beneficial use; an examination by the Department indicates
that the works have a diversion capacity of 2.67 cfs of water from a **GROUNDWATER**
source and that a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>VOLUME</u>
Irrigation	03/15 to 11/15	2.67 cfs	560.0 afa

LOCATION OF POINT OF DIVERSION(S): NESW , Sec. 13, Township 51N, Range 5W
SWNW , Sec. 24
Kootenai County

PLACE OF USE: Irrigation

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
51N	5W	24	NENW 38	NWNW 8	SWNW 39	SEnw 36	160
			NWSW 39				

Total number of acres irrigated: 160

CONDITIONS/REMARKS:

1. The right to the use of the water hereby confirmed is limited to the amount which can actually be beneficially used and is restricted and appurtenant to the lands or place of use and to the purpose herein described, as provided by the laws of Idaho.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 24th day
of SEPTEMBER, 1987.

MICROFILMED

for the Director

SEP 29 1987

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. 95-7801

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,

WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows:

"The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 1st day of June 1981.

Glen Saxton

GLEN SAXTON
Chief, Operations Bureau

Identification No. _____

Application No. 95-7801

**STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES**

APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant Elmer A Satchwell Phone: 773-4605
post office address Rt 1 Box 526, Post Falls, Id 83854
2. Source of water supply Groundwater which is a tributary of _____
3. a. Location of point of diversion is SW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 24 Township 51N
Range 5W B.M. Kootenai County; additional points of diversion if any: _____
NE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec 13, T51N, R5W, B.M.
- b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 3.0 for irrigation purpose from April 1 to October 15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 3.0 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. _____
150 HP Pump 8" & 6" Main Line, 4" lateral lines
- b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
- c. Proposed well diameter is 16 inches; proposed depth of well is 300 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$ 50,000.00
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M.
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____
(5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4			
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4
51N	5W	24					36	10	40	34		40						
																		160
			NE 1/4				NW 1/4				SW 1/4				SE 1/4			
TOTALS																		

Total number of acres to be irrigated 160

c. Describe any other water rights used for the same purposes as described above.

9. a. Who owns the property at the point of diversion Elmer Satchwell

b. Who owns the land to be irrigated or place of use Elmer Satchwell


c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

R5W

T
51
N



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Elmer A. Satchell
(Applicant)

Proposed Priority 11/23/77

Received by WHL Date 11-23-77 Time 10:30 AM

Preliminary check by WHL Fee \$ 45.00

Received by SDW Date 11-23-77 # 9482

Publication prepared by WHL Date 11-23-77

Published in Sum. d. Allen Press

Publication dates 12-8-77 to 12-15-77

Publication approved WHL Date 12-19-77

Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by WHL

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-7801, and said application is hereby APPROVED

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before March 1, 19 83.

c. Other: For licensing purposes a scientific measurement of the diversion rate

of the system as it is normally operated shall be provided by either properly

installing an approved type of measuring device or by having a professional

engineer certify the rate of diversion to the Department prior to submitting

proof of beneficial use of water.

2. Denial of said application is for the following reasons: _____

Witness my hand this 8 day of March, 19 78

Deputy Director

AFFIDAVIT OF PUBLICATION

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Elmer A. Satchwell, Rt. 1, Box 526, Post Falls, ID has on November 23, 1977 submitted Application No. 95-7801 for a permit to appropriate 3.0 cubic feet per second of water from a groundwater source by means of a well, pump and pipeline within the SW $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 24 & NE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 13, T51N, R5W, B.M.

Kootenai County to be used from April 1 to Oct. 15 for the irrigation of 160 acres within the NW $\frac{1}{4}$ & NW $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 24, T51N, R5W, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 4055 Government Way, Coeur d'Alene, Idaho 83814, on or before December, 26, 1977.

C. STEPHEN ALLRED
Director

Legal No. 891
Dec. 8, 15, 1977

016
17.19.77
B

STATE OF IDAHO,
County of Kootenai,

} ss.

Sandra Rowla, being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The Notice of application

of which the annexed is a printed copy, was published in the regular Thursday issue of said newspaper for 2 consecutive weeks, commencing on the 8th day of December, 1977, and ending on the 15th day of December, 1977 and such publication was made as often during said period as said daily newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Sandra Rowlan

Subscribed and sworn to before me this _____ day of _____, 19____.

Roberta Manley
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

September 28, 1987

ELMER A. SATCHWELL
N. 5450 GREENFERRY RD.
POST FALLS, ID 83854

RE: Permit No. 95-7801

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

SEP 29 1987

August 25, 1987

ELMER A. SATCHWELL
N. 5450 GREENFERRY RD.
POST FALLS, ID 83854

RE: Permit No. 95-7801

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

SEP 29 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

10 DAY


95-7801
Permit No.

1. Measurement Calculations

a) Field Measurement Calculations (Include theoretical capacities and system capacity)

$$\frac{1200 \text{ gpm}}{447.8} = 2.67 \text{ cfs} / (.02)(160) = 3.2 \text{ cfs}$$

$$\text{NW } \textcircled{1} = \frac{\pi 450^2}{2} = \frac{318087}{43560} = 7.3 \text{ AC}$$



$$= \frac{1200(500)}{2} = 6.8$$

$$\frac{6.8}{43560}$$

$$\begin{array}{r} 7.3 \\ 7.6 \\ \hline 14.9 \end{array} \quad \begin{array}{r} 47.7 \\ 14.9 \\ \hline 62.6 \end{array} = \text{NENW}$$

SEE ATTACHED MAP

RECEIVED

JUL 16 1984

Department of Water Resources

b) Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = (160)(3.5) = 560 \text{ AF}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) = (1.9835)(245)(2.67) = 1287.5$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 560 \text{ AF}$$

c) Volume Calculations for Other Uses:

2. Overlap Review

a) Other water rights with same place of use: 95-2139

b) Other water rights with same point of diversion: 95-2139

c) Analysis: System described in 95-2139 is piped so that if the well in section 24 goes malfunctioning the irrigation can continued using the well in section 13.

MICROFILMED

SEP 29 1987

RECOMMENDED AMOUNTS

3.	Permit No.	96-7801	Priority	11-23-77	Amount	2.67	App. Date	11-23-77	Date Proof Submitted	2-24-83	System Capacity	2.67
----	------------	---------	----------	----------	--------	------	-----------	----------	----------------------	---------	-----------------	------

4. Permit Holder: James A. & Deborah
Address: 71650 Mustang Rd. Trout Lake, Id. 83854
5. Source: Mountainwater tributary to _____
6. Beneficial Use _____

Period of Use From 3-15 To 11-15
Rate of Diversion Q (cfs) 2.67
Annual Volume V (afa) 560

7. Point(s) of Diversion:

No.	Govt. Lot	%	%	%	Sec.	Twp.	Rge.	County
#1	NE SW	SW NW	24	SW	SW	SW	SW	Boothen
#2	SW NE	SW	13	SW	SW	SW	SW	Boothen

8. Place(s) of Use											
NE 1/4			NW 1/4			SW 1/4			SE 1/4		
Twp.	Rge.	Sec.	NE 1/4 NW 1/4 SW 1/4 SE 1/4	NE 1/4 NW 1/4 SW 1/4 SE 1/4	NE 1/4 NW 1/4 SW 1/4 SE 1/4	NE 1/4 NW 1/4 SW 1/4 SE 1/4	NE 1/4 NW 1/4 SW 1/4 SE 1/4	NE 1/4 NW 1/4 SW 1/4 SE 1/4	NE 1/4 NW 1/4 SW 1/4 SE 1/4	NE 1/4 NW 1/4 SW 1/4 SE 1/4	Totals
SW	SW	24	38 39 36	38 39 36	38 39 36	38 39 36	38 39 36	38 39 36	38 39 36	38 39 36	160
Total Acres											160

9. Recommended Conditions/Remarks:

10. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

11. Examiner's Signature [Signature]
Checked in Regional Office by [Signature]
Approved in State Office by [Signature]
Date 7/3/84 Date 7/11/84 Date 11/14/87

MICROFILMED
SEP 29 1984

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Permit No. 95-7801
Phone No. _____

1. Owner: NE Phone No. _____
Current Address: _____

2. Accompanied by: _____ EXAM. DATE: 6/28/84
Address: _____ Phone No. _____
Relationship to Permit Holder: _____

3. Source: GAU tributary to

Well/Diversion* No.	Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
NE 50 NW 24	Newman	150	81251401	Pearless	F-21610 70" 8"
SW NE SW 13	See License 95-	2139			

*Code with points of diversion, system diagram & photos on reverse side. Disregard if only one.

5. System Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

16" x 300' Well with motor & pump with 8" main
4" laterals

#2 16" x 314' Well with 150 HP motor & pump with 8" main to
#1 pump & 4" LATERALS

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Mc Chrometer			70-8-3219	120P51		

7. Measurements ☐ Additional data/computation sheets attached

$$\frac{1600 \text{ gpm}}{1000} \cdot 1200 \text{ gpm} = 2.67 \text{ cfs}$$
$$13 \text{ RB } 30 @ 70 \text{ psi} = \frac{934.56}{448} = 2.08$$

3. Point(s) of Diversion: _____ Indicate Method of Determination *map*


[illegible]

1.	Place(s) of Use:	Irrigation - give acres served by system at time of exam. Indicate Method of Determination _____
----	------------------	---

[illegible]Total Acres

11. Other water right diverted from same p.d. 93-2134

indicate how diversion systems are connected.



☒ Aerial Photo of Place of Use Attached
☐ or Map of Irrigated Acreage Attached

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ Add P.U. as reflected above


Date _____

REPRODUCED

Date _____

CONSULTANT SEAL

14



98.2

A (38)

47.7

A242
E Satchwell

PD,

1320

6.8
7
2

550

660

239A



Irrigated
40AC

194A

51A

36.7	41.1
35.4	35.4

93.2

MICROFILM

A174
L. HOWELL B


SEP 29 1961

76.6 66.6
w/...

out


20.9

A
19.2



1:62 500'

000



1:40 FEET
20-FOOT CONTOURS
SEA LEVEL

MAP ACCURACY STANDARDS
25, COLORADO OR WASHINGTON 25, D.C.
SYMBOLS IS AVAILABLE ON REQUEST



ROAD CLASSIFICATION
Medium-duty ——— Light-duty ———
Unimproved dirt ———
○ State Route

RATHDRUM, IDAHO
SW/4 SPIRIT LAKE 15' QUADRANGLE
N4745—W11652.5/7.5

1961

MICROFILMED

SEP 29 1987

OGRAPIH, 25, AND SYMBOLS IS AVAILABLE ON REQUEST

DMA 2679 II NW—SERIES V88

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN W. EVANS
Governor
R. KENNETH DUNN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

MARCH 10, 1983

ELMER SATCHELWELL
N 5450 GREENEFERRY ROAD
POST FALLS ID 83854

RE: Permit No. 95-7801

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 667-6484 or in person at our office.

Sincerely,

TOM D. KING
Senior Water Resource Agent

cc: IDWR - State Office

RECORDED

SEP 29 1987

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card a statement that the permit holder(s) has completed development to the extent shown below. Permit No. 95-7801.

Name(s) of Permit Holder: Elmer A. Satchwell

Post Office Address: N5450 Greenterry Rd

Post Falls, Idaho 83854 Tel. No. 208-773-4605

Source of Water: Groundwater

Extent of Use:

☐ Domestic	(number of households)
☐ Stockwater	(number and type of stock)
☒ Irrigation <u>160</u>	(acres)
☐ Other	



Measuring Device:	Required?	☐ Yes ☐ No	Installed?	☐ Yes ☐ No
Access Port:	Required?	☒ Yes ☐ No	Installed?	☒ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

2.22.83
Date

Elmer Satchwell
Signature of Permit Holder

Elmer S. Smith
15450 Greenberry Rd
Post Falls, ID 83854



83854



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

FEB 22 1983

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138103

SATCHWELL, ELMER A.
RT. 1 BOX 526
POST FALLS, ID 83854

DECEMBER 31, 1982

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 95-7801 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE MARCH 01, 1983. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENC: 1





State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

December 1, 1982

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition is less restrictive and provides you the option to install an access port or have your system measured and certified by a professional engineer. Instructions for access port installation are also enclosed.

If you have questions regarding this matter, please contact the regional office nearest to you.

Sincerely,

DAVID R. TUTHILL JR., P. E.
Supervisor, Water Allocations Section

DRT:jg

Enclosures

NORTHERN REGION OFFICE
Route #5, Box 203, Government Way
Coeur d'Alene, Idaho 83814
Telephone 667-6484

EASTERN REGION OFFICE
150 Shoup Avenue
Idaho Falls, Idaho 83401
Telephone 525-7161

SOUTHERN REGION OFFICE
1041 Blue Lake Boulevard North
Twin Falls, Idaho 83301
Telephone 734-3578

WESTERN REGION OFFICE
92 South Cole Road
Boise, Idaho 83709
Telephone 334-2190



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

John V. Evans
Governor

C. Stephen Allred
Director

Statehouse
Boise, Idaho 83720
(208) 384-2215

March 15, 1978

Re: Permit No. 95-7801

Elmer A. Satchwell
Route 1, Box 526
Post Falls, ID 83854

Dear Mr. Satchwell:

Enclosed is a copy of your approved Application for Permit No. 95-7801. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to either install and maintain a measuring device at your point of diversion or to provide the Department a certified measurement of the systems diversion capacity prior to submitting proof of beneficial use of water. We have enclosed a letter describing the different types of measuring devices accepted by this office.

Sincerely,

L. GLEN SAXTON
Chief, Operations Bureau

LGS:KW

Enclosure

MICROFILMED

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. 95-7801 Patchwell

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) AK 11-23-77

In form to receipt

(2) _____

Send Copies to:

Idaho State Health Department

Idaho Fish and Game Department

Bureau of Land Management

(3) _____

Request Special Use Permit from U.S.F.S.

Request Easement from B.L.M.

Request Information from Applicant

Request Dam Safety Information

(4) AK 11-23-77

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. _____

(7) KK 12/27/77

Critical groundwater area: yes _____ no ☒

(8) KK 12/27/77

Groundwater levels:

_____ Declining, ☒ Stable, _____ Increasing

(comment) _____

(9) _____

Other rights on the same place of use

(10) _____

Comments: none kw

(11) KK 12/27/77

Affidavit of Publication received(date) 12-19-77

(12) KK 12/27/77

Final date for protests 12-26-77

Protests received: yes _____ no ☒

(13) _____

All requested information received from agencies or
applicant: yes _____ no _____

(14) KK 12/27/77

Action recommended:

☒ Approve _____ Deny

11-23-77 Proposed Priority

_____ Reason for Reduction _____

☒ Measuring device required

_____ See attached sheet for other conditions of
approval

☒ No special conditions for approval

(15) District Northern

By [Signature] Date 12/27/77



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

Suite No. 1
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 667-6484

December 1, 1977

Re: Claim No. 94-4034
Application No. 95-7801[✓] & 95-7802

Coeur d'Alene Press
Second and Lakeside
Coeur d'Alene, ID 83814

Gentlemen:

Enclosed is a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to our office along with the publication bill. Your cooperation in this matter is appreciated.

Very truly yours,

ROBERT G. HAYNES, P.E.
District Supervisor

RGH:ab

Enc: Legal Notice(s)

Bill reviewed
12-19-77
JB

November 9, 1977

Robert J Crummer
Box 263
Kellogg, Id 83837

Dear Mr Crummer,

We are herewith returning your check #92-88 for \$10.00 and Application for Permit per my telephone conversation with Mrs Crummer.

I would like at this time to outline the conversation I had with Mrs Crummer. Since you have been using the water since July, 1975, it is possible for you to file a Claim to a Water Right. The claim would indicate a priority date of July, 1975; however, neither the date nor the water right would be confirmed by this department. If you wish to resubmit the application, this department would establish and confirm the priority date based upon the date of receipt of the application. The department would also examine the system and confirm the use or nonuse of this system. Since it is possible to file either the application or a claim, I have taken the liberty of filling out a claim using the information submitted by you on your application. Please refile either the claim or the application with a \$10.00 filing fee with this department.

One of the criteria for establishing a water right, according to the Idaho State Code, is that all water diverted for that right be put to a beneficial use. An amount of 0.04 cfs is normally considered to be adequate for one household (including water for lawn, garden & household animals). The Department would, therefore, probably not approve an application for a greater amount unless it could be shown to the satisfaction of the Director that the higher rate is necessary.

If we may be of any further assistance, please do not hesitate to contact us.

Sincerely,

TOM KING
Senior Water Resource Agent

TK:ab

Enclosure

NOV 10 1977

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Elmer A Satchwell
Rt 1 Box 526, Post Falls, Id
has on November 23, 1977 submitted Application No. 95-7801
for a permit to appropriate 3.0 cubic feet per second ~~above feet per annum~~
of water from a groundwater source
by means of a well, pump & pipeline
within the _____
SW $\frac{1}{4}$ NW $\frac{1}{4}$ Sec 24 & NE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec 13, T51N, R5W, B.M., Kootenai County
to be used from April 1 to Oct 15
for the irrigation of 160 acres
within the NW $\frac{1}{4}$ & NW $\frac{1}{4}$ SW $\frac{1}{4}$ Sec 24, T51N, R5W, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 4055 Government Way, Coeur d'Alene, Idaho 83814, on or before December 26, 1977.

C. STEPHEN ALLRED
Director

Published in the Coeur d'Alene Press, Coeur d'Alene, Id
on December 8 and December 15, 1977

MICROFILMED

IDENT. NO. 95.7801

WATER RIGHT
DATA ENTRY LOG

[illegible]