


PROPOSED WELL
SITE

RANGE 4 W

PROPOSED WELL
SITE



HAYDEN LAKE IRRIGATION DISTRICT	
7:51 A. M. 3.4 P. M. MOOSEHEAD COUNTY ROAD	50 100 150 200 250 300 350 400 450 500 550 600 650 700 750 800 850 900 950 1000 1050 1100 1150 1200 1250 1300 1350 1400 1450 1500 1550 1600 1650 1700 1750 1800 1850 1900 1950 2000 2050 2100 2150 2200 2250 2300 2350 2400 2450 2500 2550 2600 2650 2700 2750 2800 2850 2900 2950 3000 3050 3100 3150 3200 3250 3300 3350 3400 3450 3500 3550 3600 3650 3700 3750 3800 3850 3900 3950 4000 4050 4100 4150 4200 4250 4300 4350 4400 4450 4500 4550 4600 4650 4700 4750 4800 4850 4900 4950 5000 5050 5100 5150 5200 5250 5300 5350 5400 5450 5500 5550 5600 5650 5700 5750 5800 5850 5900 5950 6000 6050 6100 6150 6200 6250 6300 6350 6400 6450 6500 6550 6600 6650 6700 6750 6800 6850 6900 6950 7000 7050 7100 7150 7200 7250 7300 7350 7400 7450 7500 7550 7600 7650 7700 7750 7800 7850 7900 7950 8000 8050 8100 8150 8200 8250 8300 8350 8400 8450 8500 8550 8600 8650 8700 8750 8800 8850 8900 8950 9000 9050 9100 9150 9200 9250 9300 9350 9400 9450 9500 9550 9600 9650 9700 9750 9800 9850 9900 9950 10000

AFFIDAVIT OF PUBLICATION

NOTICE OF AMENDED APPLICATION FOR PERMIT
Notice is hereby given that Application for Permit No. 95-7800 in the name of Hayden Lake Irrigation District was filed for the diversion of 31.16 c.f.s. of water from the Rathdrum Prairie Aquifer, with the point of diversion in the NW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 14, T51N, R4W, (3 wells) and the NW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 16, T51N, R4W, B.M. Kootenai County, to be used for Irrigation purposes from March 15 to November 1 within the Hayden Lake Irrigation District.

The applicants now propose to amend Application No. 95-7800, requesting 31.16 c.f.s. from a groundwater source, to be used from March 15 to November 1 for irrigation purposes with the points of diversion in the NE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 14, T51N, R4W, (3 wells) and the NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 16, T51N, R4W, B.M., Kootenai County.

Any protest to the proposed amending of the application may be filed with the Idaho Department of Water Resources, 4055 Government Way, Coeur d'Alene, ID 83814 on or before February 6, 1978.

C. STEPHEN ALLRED
Director

Legal No. 999
Jan. 19, 26, 1978

STATE OF IDAHO,
County of Kootenai,

} ss.

Carol Hedge being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The Notice

of which the annexed is a printed copy, was published in the regular issue of said newspaper for 2 consecutive Weeks, commencing on the 19 day of Jan, 1978, and ending on the 26 day of Jan, 1978, and such publication was made as often during said period as said daily newspaper was regularly issued.


4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Carol Hedge
Subscribed and sworn to before me this 26 day of Jan, 1978.

Roberta Stanley
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

14.04
LEADER

OK
SDW
1-31-78



RECEIVED
JUL 27 1992

Department of Water Resources


STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

PERMIT # _____

PHOTOGRAPHS



BYPASS TO
INJECTION WELL



WELL HEAD BEHIND
MANOMETER

RECEIVED

MAY 25 1993

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Administration within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name Richard S. Thompson
Address Highway 100
Owner's Permit No. _____

7. WATER LEVEL

Static water level 313 feet below land surface
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Temperature _____ F Quality _____
Artesian closed in pressure _____ p.s.i.
Controlled by ☐ Valve ☐ Cap ☐ Plug

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe method of abandoning) _____

8. WELL TEST DATA

☒ Pump ☐ Bailor ☐ Other _____
Discharge G.P.M. _____ Draw Down _____ Hours Pumped 4 1/2

3. PROPOSED USE

☒ Domestic ☐ Irrigation ☐ Test ☐ Other (specify type) _____
☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection

9. LITHOLOGIC LOG


Hole Diam.	Depth		Material	Water	
	From	To		Yen.	No.
34	0	15	Dark sand 15' to 15'	1	
34	15	20	Dark sand 15' to 20'	1	
34	20	30	Dark sand 20' to 30'	1	
34	30	45	Dark sand 30' to 45'	1	
34	45	60	Dark sand 45' to 60'	1	
34	60	75	Dark sand 60' to 75'	1	
34	75	90	Dark sand 75' to 90'	1	
34	90	105	Dark sand 90' to 105'	1	
34	105	120	Dark sand 105' to 120'	1	
34	120	135	Dark sand 120' to 135'	1	
34	135	150	Dark sand 135' to 150'	1	
34	150	165	Dark sand 150' to 165'	1	
34	165	180	Dark sand 165' to 180'	1	
34	180	195	Dark sand 180' to 195'	1	
34	195	210	Dark sand 195' to 210'	1	
34	210	225	Dark sand 210' to 225'	1	
34	225	240	Dark sand 225' to 240'	1	
34	240	255	Dark sand 240' to 255'	1	
34	255	270	Dark sand 255' to 270'	1	
34	270	285	Dark sand 270' to 285'	1	
34	285	300	Dark sand 285' to 300'	1	
34	300	315	Dark sand 300' to 315'	1	
34	315	330	Dark sand 315' to 330'	1	
34	330	345	Dark sand 330' to 345'	1	
34	345	360	Dark sand 345' to 360'	1	
34	360	375	Dark sand 360' to 375'	1	
34	375	390	Dark sand 375' to 390'	1	
34	390	405	Dark sand 390' to 405'	1	
34	405	420	Dark sand 405' to 420'	1	
34	420	435	Dark sand 420' to 435'	1	
34	435	450	Dark sand 435' to 450'	1	
34	450	465	Dark sand 450' to 465'	1	
34	465	480	Dark sand 465' to 480'	1	
34	480	495	Dark sand 480' to 495'	1	
34	495	510	Dark sand 495' to 510'	1	
34	510	525	Dark sand 510' to 525'	1	
34	525	540	Dark sand 525' to 540'	1	
34	540	555	Dark sand 540' to 555'	1	
34	555	570	Dark sand 555' to 570'	1	
34	570	585	Dark sand 570' to 585'	1	
34	585	600	Dark sand 585' to 600'	1	
34	600	615	Dark sand 600' to 615'	1	
34	615	630	Dark sand 615' to 630'	1	
34	630	645	Dark sand 630' to 645'	1	
34	645	660	Dark sand 645' to 660'	1	
34	660	675	Dark sand 660' to 675'	1	
34	675	690	Dark sand 675' to 690'	1	
34	690	705	Dark sand 690' to 705'	1	
34	705	720	Dark sand 705' to 720'	1	
34	720	735	Dark sand 720' to 735'	1	
34	735	750	Dark sand 735' to 750'	1	
34	750	765	Dark sand 750' to 765'	1	
34	765	780	Dark sand 765' to 780'	1	
34	780	795	Dark sand 780' to 795'	1	
34	795	810	Dark sand 795' to 810'	1	
34	810	825	Dark sand 810' to 825'	1	
34	825	840	Dark sand 825' to 840'	1	
34	840	855	Dark sand 840' to 855'	1	
34	855	870	Dark sand 855' to 870'	1	
34	870	885	Dark sand 870' to 885'	1	
34	885	900	Dark sand 885' to 900'	1	
34	900	915	Dark sand 900' to 915'	1	
34	915	930	Dark sand 915' to 930'	1	
34	930	945	Dark sand 930' to 945'	1	
34	945	960	Dark sand 945' to 960'	1	
34	960	975	Dark sand 960' to 975'	1	
34	975	990	Dark sand 975' to 990'	1	
34	990	1005	Dark sand 990' to 1005'	1	
34	1005	1020	Dark sand 1005' to 1020'	1	
34	1020	1035	Dark sand 1020' to 1035'	1	
34	1035	1050	Dark sand 1035' to 1050'	1	
34	1050	1065	Dark sand 1050' to 1065'	1	
34	1065	1080	Dark sand 1065' to 1080'	1	
34	1080	1095	Dark sand 1080' to 1095'	1	
34	1095	1110	Dark sand 1095' to 1110'	1	
34	1110	1125	Dark sand 1110' to 1125'	1	
34	1125	1140	Dark sand 1125' to 1140'	1	
34	1140	1155	Dark sand 1140' to 1155'	1	
34	1155	1170	Dark sand 1155' to 1170'	1	
34	1170	1185	Dark sand 1170' to 1185'	1	
34	1185	1200	Dark sand 1185' to 1200'	1	
34	1200	1215	Dark sand 1200' to 1215'	1	
34	1215	1230	Dark sand 1215' to 1230'	1	
34	1230	1245	Dark sand 1230' to 1245'	1	
34	1245	1260	Dark sand 1245' to 1260'	1	
34	1260	1275	Dark sand 1260' to 1275'	1	
34	1275	1290	Dark sand 1275' to 1290'	1	
34	1290	1305	Dark sand 1290' to 1305'	1	
34	1305	1320	Dark sand 1305' to 1320'	1	
34	1320	1335	Dark sand 1320' to 1335'	1	
34	1335	1350	Dark sand 1335' to 1350'	1	
34	1350	1365	Dark sand 1350' to 1365'	1	
34	1365	1380	Dark sand 1365' to 1380'	1	
34	1380	1395	Dark sand 1380' to 1395'	1	
34	1395	1410	Dark sand 1395' to 1410'	1	
34	1410	1425	Dark sand 1410' to 1425'	1	
34	1425	1440	Dark sand 1425' to 1440'	1	
34	1440	1455	Dark sand 1440' to 1455'	1	
34	1455	1470	Dark sand 1455' to 1470'	1	
34	1470	1485	Dark sand 1470' to 1485'	1	
34	1485	1500	Dark sand 1485' to 1500'	1	
34	1500	1515	Dark sand 1500' to 1515'	1	
34	1515	1530	Dark sand 1515' to 1530'	1	
34	1530	1545	Dark sand 1530' to 1545'	1	
34	1545	1560	Dark sand 1545' to 1560'	1	
34	1560	1575	Dark sand 1560' to 1575'	1	
34	1575	1590	Dark sand 1575' to 1590'	1	
34	1590	1605	Dark sand 1590' to 1605'	1	
34	1605	1620	Dark sand 1605' to 1620'	1	
34	1620	1635	Dark sand 1620' to 1635'	1	
34	1635	1650	Dark sand 1635' to 1650'	1	
34	1650	1665	Dark sand 1650' to 1665'	1	
34	1665	1680	Dark sand 1665' to 1680'	1	
34	1680	1695	Dark sand 1680' to 1695'	1	
34	1695	1710	Dark sand 1695' to 1710'	1	
34	1710	1725	Dark sand 1710' to 1725'	1	
34	1725	1740	Dark sand 1725' to 1740'	1	
34	1740	1755	Dark sand 1740' to 1755'	1	
34	1755	1770	Dark sand 1755' to 1770'	1	
34	1770	1785	Dark sand 1770' to 1785'	1	
34	1785	1800	Dark sand 1785' to 1800'	1	
34	1800	1815	Dark sand 1800' to 1815'	1	
34	1815	1830	Dark sand 1815' to 1830'	1	
34	1830	1845	Dark sand 1830' to 1845'	1	
34	1845	1860	Dark sand 1845' to 1860'	1	
34	1860	1875	Dark sand 1860' to 1875'	1	
34	1875	1890	Dark sand 1875' to 1890'	1	
34	1890	1905	Dark sand 1890' to 1905'	1	
34	1905	1920	Dark sand 1905' to 1920'	1	
34	1920	1935	Dark sand 1920' to 1935'	1	
34	1935	1950	Dark sand 1935' to 1950'	1	
34	1950	1965	Dark sand 1950' to 1965'	1	
34	1965	1980	Dark sand 1965' to 1980'	1	
34	1980	1995	Dark sand 1980' to 1995'	1	
34	1995	2010	Dark sand 1995' to 2010'	1	
34	2010	2025	Dark sand 2010' to 2025'	1	
34	2025	2040	Dark sand 2025' to 2040'	1	
34	2040	2055	Dark sand 2040' to 2055'	1	
34	2055	2070	Dark sand 2055' to 2070'	1	
34	2070	2085	Dark sand 2070' to 2085'	1	
34	2085	2100	Dark sand 2085' to 2100'	1	
34	2100	2115	Dark sand 2100' to 2115'	1	
34	2115	2130	Dark sand 2115' to 2130'	1	
34	2130	2145	Dark sand 2130' to 2145'	1	
34	2145	2160	Dark sand 2145' to 2160'	1	
34	2160	2175	Dark sand 2160' to 2175'	1	
34	2175	2190	Dark sand 2175' to 2190'	1	
34	2190	2205	Dark sand 2190' to 2205'	1	
34	2205	2220	Dark sand 2205' to 2220'	1	
34	2220	2235	Dark sand 2220' to 2235'	1	
34	2235	2250	Dark sand 2235' to 2250'	1	
34	2250	2265	Dark sand 2250' to 2265'	1	
34	2265	2280	Dark sand 2265' to 2280'	1	
34	2280	2295	Dark sand 2280' to 2295'	1	
34	2295	2310	Dark sand 2295' to 2310'	1	
34	2310	2325	Dark sand 2310' to 2325'	1	
34	2325	2340	Dark sand 2325' to 2340'	1	
34	2340	2355	Dark sand 2340' to 2355'	1	
34	2355	2370	Dark sand 2355' to 2370'	1	
34	2370	2385	Dark sand 2370' to 2385'	1	
34	2385	2400	Dark sand 2385' to 2400'	1	
34	2400	2415	Dark sand 2400' to 2415'	1	
34	2415	2430	Dark sand 2415' to 2430'	1	
34	2430	2445	Dark sand 2430' to 2445'	1	
34	2445	2460	Dark sand 2445' to 2460'	1	
34	2460	2475	Dark sand 2460' to 2475'	1	
34	2475	2490	Dark sand 2475' to 2490'	1	
34	2490	2505	Dark sand 2490' to 2505'	1	
34	2505	2520	Dark sand 2505' to 2520'	1	
34	2520	2535	Dark sand 2520' to 2535'	1	
34	2535	2550	Dark sand 2535' to 2550'	1	
34	2550	2565	Dark sand 2550' to 2565'	1	
34	2565	2580	Dark sand 2565' to 2580'	1	
34	2580	2595	Dark sand 2580' to 2595'	1	
34	2595	2610	Dark sand 2595' to 2610'	1	
34	2610	2625	Dark sand 2610' to 2625'	1	
34	2625	2640	Dark sand 2625' to 2640'	1	
34	2640	2655	Dark sand 2640' to 2655'	1	
34	2655	2670	Dark sand 2655' to 2670'	1	
34	2670	2685	Dark sand 2670' to 2685'	1	
34	2685	2700	Dark sand 2685' to 2700'	1	
34	2700	2715	Dark sand 2700' to 2715'	1	
34	2715	2730	Dark sand 2715' to 2730'	1	
34	2730	2745	Dark sand 2730' to 2745'	1	
34	2745	2760	Dark sand 2745' to 2760'	1	
34	2760	2775	Dark sand 2760' to 2775'	1	
34	2775	2790	Dark sand 2775' to 2790'	1	
34	2790	2805	Dark sand 2790' to 2805'	1	
34	2805	2820	Dark sand 2805' to 2820'	1	
34	2820	2835	Dark sand 2820' to 2835'	1	
34	2835	2850	Dark sand 2835' to 2850'	1	
34	2850	2865	Dark sand 2850' to 2865'	1	
34	2865	2880	Dark sand 2865' to 2880'	1	
34	2880	2895	Dark sand 2880' to 2895'	1	
34	2895	2910	Dark sand 2895' to 2910'	1	
34	2910	2925	Dark sand 2910' to 2925'	1	
34	2925	2940	Dark sand 2925' to 2940'	1	
34	2940	2955	Dark sand 2940' to 2955'	1	
34	2955	2970	Dark sand 2955' to 2970'	1	
34	2970	2985	Dark sand 2970' to 2985'	1	
34	2985	3000	Dark sand 2985' to 3000'	1	

USE ADDITIONAL SHEETS IF NECESSARY FORWARD THE WHITE COPY TO THE DEPARTMENT

USE TYPEWRITER OR
BALL POINT PEN

State of Idaho
Department of Water Administration
WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Administration within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>Hydrex Water Treatment Plant</u> Address <u>Hydrex Lake Road</u> Owner's Permit No. _____		7. WATER LEVEL Static water level <u>31.5</u> feet below land surface Flowing? ☐ Yes ☒ No G.P.M. flow _____ Temperature _____ °F. Quality _____ Artesian closed-in pressure _____ p.s.i. Controlled by ☐ Valve ☐ Cap ☐ Plug																																																																																																																																																																													
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe method of abandoning) _____		8. WELL TEST DATA ☒ Pump ☐ Bailor ☐ Other Discharge G.P.M. <u>2146</u> Draw Down <u>37</u> Hours Pumped <u>11 1/2</u>																																																																																																																																																																													
3. PROPOSED USE ☒ Domestic ☒ Irrigation ☐ Test ☐ Other (specify type) _____ ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection		9. LITHOLOGIC LOG																																																																																																																																																																													
4. METHOD DRILLED ☒ Cable ☐ Rotary ☐ Dug ☐ Other		<table border="1"><thead><tr><th rowspan="2">Hole Diam.</th><th colspan="2">Depth</th><th rowspan="2">Material</th><th colspan="2">Water</th></tr><tr><th>From</th><th>To</th><th>Yes</th><th>No</th></tr></thead><tbody><tr><td>24</td><td>0</td><td>15</td><td>Large Gravel & Sand</td><td></td><td></td></tr><tr><td>24</td><td>15</td><td>20</td><td>Gravel</td><td></td><td></td></tr><tr><td>24</td><td>20</td><td>30</td><td>Gravel & Sand</td><td></td><td></td></tr><tr><td>24</td><td>30</td><td>48</td><td>Gravel & Sand</td><td></td><td></td></tr><tr><td>24</td><td>48</td><td>65</td><td>Gravel</td><td></td><td></td></tr><tr><td>24</td><td>65</td><td>78</td><td>Gravel & Sand</td><td></td><td></td></tr><tr><td>24</td><td>78</td><td>90</td><td>Gravel & Sand</td><td></td><td></td></tr><tr><td>24</td><td>90</td><td>101</td><td>Gravel & Sand</td><td></td><td></td></tr><tr><td>24</td><td>101</td><td>150</td><td>Gravel & Sand</td><td></td><td></td></tr><tr><td>24</td><td>150</td><td>252</td><td>Gravel & Sand</td><td></td><td></td></tr><tr><td>24</td><td>252</td><td>309</td><td>Gravel & Sand</td><td></td><td></td></tr><tr><td>24</td><td>309</td><td>311</td><td>Gravel & Sand</td><td></td><td></td></tr><tr><td>24</td><td>311</td><td>319</td><td>Gravel & Sand</td><td></td><td></td></tr><tr><td>24</td><td>319</td><td>324</td><td>Gravel & Sand</td><td></td><td></td></tr><tr><td>24</td><td>324</td><td>331</td><td>Gravel & Sand</td><td></td><td></td></tr><tr><td>24</td><td>331</td><td>343</td><td>Gravel & Sand</td><td></td><td></td></tr><tr><td>24</td><td>343</td><td>351</td><td>Gravel & Sand</td><td></td><td></td></tr><tr><td>24</td><td>351</td><td>360</td><td>Gravel & Sand</td><td></td><td></td></tr><tr><td>24</td><td>360</td><td>373</td><td>Gravel & Sand</td><td></td><td></td></tr><tr><td>24</td><td>373</td><td>381</td><td>Gravel & Sand</td><td></td><td></td></tr><tr><td>24</td><td>381</td><td>393</td><td>Gravel & Sand</td><td></td><td></td></tr><tr><td>24</td><td>393</td><td>409</td><td>Gravel & Sand</td><td></td><td></td></tr><tr><td>24</td><td>409</td><td>417</td><td>Gravel & Sand</td><td></td><td></td></tr><tr><td>24</td><td>417</td><td>422</td><td>Gravel & Sand</td><td></td><td></td></tr><tr><td>24</td><td>422</td><td>427</td><td>Gravel & Sand</td><td></td><td></td></tr><tr><td>24</td><td>427</td><td>433</td><td>Gravel & Sand</td><td></td><td></td></tr><tr><td>24</td><td>433</td><td>440</td><td>Gravel & Sand</td><td></td><td></td></tr></tbody></table>		Hole Diam.	Depth		Material	Water		From	To	Yes	No	24	0	15	Large Gravel & Sand			24	15	20	Gravel			24	20	30	Gravel & Sand			24	30	48	Gravel & Sand			24	48	65	Gravel			24	65	78	Gravel & Sand			24	78	90	Gravel & Sand			24	90	101	Gravel & Sand			24	101	150	Gravel & Sand			24	150	252	Gravel & Sand			24	252	309	Gravel & Sand			24	309	311	Gravel & Sand			24	311	319	Gravel & Sand			24	319	324	Gravel & Sand			24	324	331	Gravel & Sand			24	331	343	Gravel & Sand			24	343	351	Gravel & Sand			24	351	360	Gravel & Sand			24	360	373	Gravel & Sand			24	373	381	Gravel & Sand			24	381	393	Gravel & Sand			24	393	409	Gravel & Sand			24	409	417	Gravel & Sand			24	417	422	Gravel & Sand			24	422	427	Gravel & Sand			24	427	433	Gravel & Sand			24	433	440	Gravel & Sand		
Hole Diam.	Depth		Material		Water																																																																																																																																																																										
	From	To		Yes	No																																																																																																																																																																										
24	0	15	Large Gravel & Sand																																																																																																																																																																												
24	15	20	Gravel																																																																																																																																																																												
24	20	30	Gravel & Sand																																																																																																																																																																												
24	30	48	Gravel & Sand																																																																																																																																																																												
24	48	65	Gravel																																																																																																																																																																												
24	65	78	Gravel & Sand																																																																																																																																																																												
24	78	90	Gravel & Sand																																																																																																																																																																												
24	90	101	Gravel & Sand																																																																																																																																																																												
24	101	150	Gravel & Sand																																																																																																																																																																												
24	150	252	Gravel & Sand																																																																																																																																																																												
24	252	309	Gravel & Sand																																																																																																																																																																												
24	309	311	Gravel & Sand																																																																																																																																																																												
24	311	319	Gravel & Sand																																																																																																																																																																												
24	319	324	Gravel & Sand																																																																																																																																																																												
24	324	331	Gravel & Sand																																																																																																																																																																												
24	331	343	Gravel & Sand																																																																																																																																																																												
24	343	351	Gravel & Sand																																																																																																																																																																												
24	351	360	Gravel & Sand																																																																																																																																																																												
24	360	373	Gravel & Sand																																																																																																																																																																												
24	373	381	Gravel & Sand																																																																																																																																																																												
24	381	393	Gravel & Sand																																																																																																																																																																												
24	393	409	Gravel & Sand																																																																																																																																																																												
24	409	417	Gravel & Sand																																																																																																																																																																												
24	417	422	Gravel & Sand																																																																																																																																																																												
24	422	427	Gravel & Sand																																																																																																																																																																												
24	427	433	Gravel & Sand																																																																																																																																																																												
24	433	440	Gravel & Sand																																																																																																																																																																												
5. WELL CONSTRUCTION Diameter of hole <u>10</u> inches Total depth <u>422</u> feet Casing schedule: ☒ Steel ☐ Concrete Thickness <u>5/8</u> inches Diameter <u>1</u> inches From <u>2</u> feet To <u>384</u> feet _____ inches _____ inches _____ feet _____ feet _____ inches _____ inches _____ feet _____ feet _____ inches _____ inches _____ feet _____ feet _____ inches _____ inches _____ feet _____ feet Was a packer or seal used? ☒ Yes ☐ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches Number _____ From _____ To _____ _____ perforations _____ feet _____ feet _____ perforations _____ feet _____ feet _____ perforations _____ feet _____ feet Well screen installed? ☒ Yes ☐ No Manufacturer's name <u>W.P. Johnson</u> Type <u>Stripless Steel</u> Model No. <u>3001</u> Diameter <u>10</u> Slot size <u>20</u> Set from <u>341</u> feet to <u>361</u> feet Diameter <u>10</u> Slot size <u>20</u> Set from <u>361</u> feet to <u>376</u> feet Gravel packed? ☐ Yes ☒ No Size of gravel <u>10</u> Placed from _____ feet to _____ feet Bottom of screen <u>376</u> feet to <u>422</u> feet Surface seal depth <u>100</u> Material used in seal ☐ Cement grout ☒ Pudding clay ☐ Well cuttings Sealing procedure used ☐ Slurry pit ☒ Temporary surface casing ☐ Overbars to seal depth		10. RECEIVED AUG 16 1978 Department of Water Resources																																																																																																																																																																													
6. LOCATION OF WELL Sketch map location must agree with written location. <u>95</u>  Subdivision Name _____ Lot No. _____ Block No. _____ County <u>Kootenai</u> NE 1/4 NE 1/4 Sec. 14 T. 51 N. R. 2 E/W		11. DRILLERS CERTIFICATION Firm Name <u>Ed. Holman Drilling Co.</u> Firm No. <u>105</u> Address <u>101 S. 2nd St. Pocatello, ID 83430</u> Signed by (Firm Official) <u>Ed. Holman</u> and <u>Don Koch</u> Operator																																																																																																																																																																													

USE ADDITIONAL SHEETS IF NECESSARY

FORWARD THE WHITE COPY TO THE DEPARTMENT

JUL 27 1988



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

Suite No. 1
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 667-6484

January 12, 1978

RE: Application No. 95-7805
Amended Application No. 95-7800

Coeur d'Alene Press
Second & Lakeside
Coeur d'Alene, Id 83814

Gentlemen:

Enclosed is a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to our office along with the publication bill. Your cooperation in this matter is appreciated.

Very truly yours,

ROBERT G. HAYNES, P.E.
District Supervisor

RGH:ab

Enc: Legal Notice(s)

*Bill
received
1-31-78
OK
ADDW*

MICROFILMED

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-07800

Priority: November 16, 1977

Maximum Diversion Rate: 3.80 CFS
Maximum Diversion Volume: 2081.3 AF

This is to certify, that HAYDEN LAKE IRRIGATION DISTRICT

PO BOX 162

HAYDEN ID 83835

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated November 16, 1977; and has submitted Proof of Beneficial Use on April 25, 1988. An examination indicates that the works have a diversion capacity of 3.800 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/01	3.80 CFS	1748.7 AF
STOCKWATER	01/01 to 12/31	0.11 CFS	6.7 AF
COMMERCIAL	01/01 to 12/31	0.29 CFS	17.5 AF
MUNICIPAL	01/01 to 12/31	3.80 CFS	
DOMESTIC	01/01 to 12/31	0.84 CFS	308.4 AF
Totals		3.80 CFS	2081.3 AF

LOCATION OF POINT(S) OF DIVERSION:

NENE, Sec. 14, Township 51N, Range 04W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
51N	04W	11	NESW 30	NWSW 30	SWSW 30	
			SESW 30	SESE 5		125
		14	NENW 30	NWNW 30	SWNW 30	
			SENW 30	NESW 30	NWSW 30	
			SWSW 20	SESW 20		220
		15	NESW 30			30
		16	SESW 15			15
		21	NENE 30	NWNE 30	SWNE 30	
			SENE 30	NESE 30	NWSE 30	
			SWSE 30	SESE 30		240
		22	NENE 15	NWNE 10	NESE 30	
			SWSE 30	SESE 30		115
		23	NWNW 10	SWNW 30	SENW 30	70
		26	NWNW 30			30
		27	NENE 30	NWNE 30	NENW 30	
			NWNW 30	SWNW 30	SENW 30	180

Total number of acres irrigated: 1025

PLACE OF USE: STOCKWATER, same as IRRIGATION use

RECORDED

MAY 25 1993


State of Idaho
Department of Water Resources**WATER RIGHT LICENSE**

WATER RIGHT NO. 95-07800

PLACE OF USE: COMMERCIAL, same as IRRIGATION usePLACE OF USE: DOMESTIC, same as IRRIGATION useCONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right limited to the amount that can actually be beneficially use used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.0 afa per acre for the lands above.
6. Municipal use is within the city of Hayden.
7. Domestic use is for 514 homes.
8. Stockwater use is for 500 mixed stock.
9. Place of use is located within Hayden Lake Irrigation District.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 30TH
day of MARCH, 1993.

Acting for 
R. Keith Higginson, Director

MAY 25 1993

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 95-07800

APPROVED

Date of Priority: November 16, 1977

Maximum Diversion Rate: 3.80 CFS
Maximum Diversion Volume: 2081.3 AF

Comes now

HAYDEN LAKE IRRIGATION DISTRICT

PO BOX 162

HAYDEN ID 83835

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 95-07800, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/01	3.80 CFS	1748.7 AF
STOCKWATER	01/01 to 12/31	0.11 CFS	6.7 AF
COMMERCIAL	01/01 to 12/31	0.29 CFS	17.5 AF
MUNICIPAL	01/01 to 12/31	3.80 CFS	
DOMESTIC	01/01 to 12/31	0.84 CFS	308.4 AF
Totals		3.80 CFS	2081.3 AF

LOCATION OF POINT(S) OF DIVERSION:

NENE , Sec. 14, Township 51N, Range 04W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
51N	04W	11	NESW 30	NWSW 30	SWSW 30	
			SESW 30	SESE 5		125
		14	NENW 30	NWNW 30	SWNW 30	
			SENW 30	NESW 30	NWSW 30	
			SWSW 20	SESW 20		220
		15	NESW 30			30
		16	SESW 15			15
		21	NENE 30	NWNE 30	SWNE 30	
			SENE 30	NESE 30	NWSE 30	
			SWSE 30	SESE 30		240
		22	NENE 15	NWNE 10	NESE 30	
			SWSE 30	SESE 30		115
		23	NWNW 10	SWNW 30	SENW 30	70
		26	NWNW 30			30
		27	NENE 30	NWNE 30	NENW 30	
			NWNW 30	SWNW 30	SENW 30	180

Total number of acres irrigated: 1025

PLACE OF USE: STOCKWATER, same as IRRIGATION use

APPROVED

MAY 25 1993

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 95-07800

PLACE OF USE: COMMERCIAL, same as IRRIGATION use

PLACE OF USE: DOMESTIC, same as IRRIGATION use

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Board of Directors, this 3 day of March, 1993.
Hayden Lake, Idaho

Lern D. Fitzgerald
(Signature)
Chairman of the Board

RECEIVED
MAY 25 1993

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 95-07800

FOR DEPARTMENT USE ONLY

Preliminary check by Fee = 20.00 Received by ju # C026940 Date 3-9-93

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 95-07800 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right limited to the amount that can actually be beneficially use used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.0 afa per acre for the lands above.
6. Municipal use is within the city of Hayden.
7. Domestic use is for 514 homes.
8. Stockwater use is for 500 mixed stock.
9. Place of use is located within Hayden Lake Irrigation District.

Witness my hand this 30TH day of MARCH, 1993.

R. Keith Higginson
Acting for R. Keith Higginson, Director

MICROFILMED

MAY 25 1993

RECEIVED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APR 18 1983

REQUEST FOR EXTENSION OF TIME

Department of Water Resources

To provide additional time in which to submit
proof of beneficial use on a water right permit

APR 13 1983

Department of Water Resources
Northern District Office

Mr. Bill Batey, Chairman, Board of Directors

HAYDEN LAKE IRRIGATION DISTRICT

(Name)

of P.O. Box 162, Hayden Lake, Idaho 83835

(Address)

State of Idaho, deposes and says:That he is the holder, or the duly authorized agent of the holder*, of Permit to Appropriate the Public
Waters of the State of Idaho No. 957800.That under the terms and conditions of said permit, work thereunder was required to be completed on or
before May 1, 1983.That he has heretofore performed the following work described under said permit: Construction of
20" diameter well, installation of 300 h.p. pump and 12" diameter header to existing
24" mainline, construction of pumphouse and controls -- all at site of Well No. 1 at
Lacey and Highway 95, producing approximately 4 cfs. This is in Hayden Lake IrrigateTract #121, Sec. 14, T51N, R4W., B.M., Kootenai County, ID Costing \$ 133,384.60That he is unable to complete the remainder of the work within the required time for the following
reasons, to-wit: Planning continues on site requirements and specifications for the remaining
developments. The contractual procedure is quite time consuming and the First Phase
was just completed February, 1983.Wherefore, he asks that the Department of Water Resources extend the time for the completion of
obligations under said permit to May 1, 1988.Bill Batey Chairman Board of Directors
(Signature)*

*IF OTHER THAN HOLDER, Power of Attorney must be supplied.

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above application for extension of time be APPROVED and the time
within which to submit the statement of beneficial use is extended to May 1, 1988.Signed this 20th day of April, 1983.J. Glen Sayton
Chief, Operations Bureau\$15.00 fee received by pm

Date

4/13/83Receipt # 27506

95-7800

A

[illegible]

Total number of acres irrigated _____

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. 95-7800

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,

WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows:

"The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 1st day of June 1981.

Glen Saxton

GLEN SAXTON
Chief, Operations Bureau

Identification No. _____
Application No. 95-7800

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
AMENDED
APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant Hayden Lake Irrigation District Phone: 772-2612
post office address P.O. Box 162, Hayden Lake, ID 83835
2. Source of water supply Groundwater which is a tributary of _____
3. a. Location of point of diversion is NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 14 Township 51N
Range 4W B.M. Kootenai County; additional points of diversion if any: _____
Two additional wells located in the NE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec 14, T51N, R4W and one additional
well located in the NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec 16, T51N, R4W.
b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 31.16 for irrigation purpose from March 15 to Nov 1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 31.16 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. 4-3500 gpm pumps connected to
present irrigation piping network

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
c. Proposed well diameter is 20 inches; proposed depth of well is 395 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$ _____.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water: _____
(5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4			
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4
51N	4W	11									40	40	40	40			5	165
51N	4W	14	30	40	40	30	40	40	40	40	40	38	40	40				458
51N	4W	15									25	20	30	20	20	40	135	
51N	4W	16									20						20	
51N	4W	21	30	20	10	10				20	40	40					170	
51N	4W	22	40			40							40		40	40	200	
51N	4W	23	40	40	20	30	40	40	30	30							270	
51N	4W	26															10	
51N	4W	27	40	30													130	

Total number of acres to be irrigated 1558

c. Describe any other water rights used for the same purposes as described above. water for this District is presently taken from Hayden Lake,

9. a. Who owns the property at the point of diversion The Hayden Lake Irrigation District

b. Who owns the land to be irrigated or place of use Hayden Lake Irrigation District Members

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks The Hayden Lake Irrigation District is attempting to phase out the necessity of drawing its water from Hayden Lake. The District plans to do this by installation of a well system. One well to be built now and any additional required wells to be built in the future.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

[illegible]

Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Gene E. Vergard
(Applicant)

(Applicant)

Gene E. Negaard, Chairman, Board of Directors
Hayden Lake Irrigation District

Proposed Priority 11-16-77

Received by JK Date 11-6-78 Time 2:00 PM

Preliminary check by JK Fee \$10.00

Received by JK Date 11-6-78 (9511)

Publication prepared by _____ Date _____

Published in _____

Publication dates _____

Publication approved _____ Date _____

Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by JK

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-7800, and said application is hereby APPROVED.
1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before May 1, 19 83.

c. Other: For licensing purposes a scientific measurement of the diversion rate of the system as it is normally operated shall be provided by either properly installing an approved type of measuring device or by having a professional engineer certify the rate of diversion to the Dept. prior to submitting proof of beneficial use of water.
The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per

second.

Witness my hand this 16th day of May 19 78.


Director

JK

PROPOSED WELL
SITE

PAUSE 4 W

PROPOSED WELL
SITE _____



HAYDEN LAKE IRRIGATION DISTRICT
 JOHN T. MATHIAS & ASSOCIATES
 ROBERTA L. MATHIAS
 3410 10th Street, N.E.
 Denver, CO 80217

Identification No. _____
Application No. 95-7800

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant HAYDEN LAKE IRRIGATION DISTRICT Phone: 208/772-2612
post office address P.O. Box 162, Hayden Lake, Idaho 83835
2. Source of water supply Rathdrum Prairie Aquifer which is a tributary of Hayden Lake and Lake Pend Oreille
3. a. Location of point of diversion is NW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 14 Township 51 North
Range 4 West B.M. Kootenai County; additional points of diversion if any: _____
Two additional wells located at NW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Sec. 14, T.51N., R.4 W. and one additional well located at NW/4 of SW/4 of Sec. 16, T.51N. R4.W
- b. If water is not consumed, it will be discharged into N/A at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 31.16 for irrigation purpose from March 15 to Nov. 1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 31.16 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. 4-3500 GPM pumps connected to present Irrigation piping network

b. Height of storage dam N/A feet, active reservoir capacity N/A acre feet; total reservoir capacity N/A acre feet, materials used in storage dam: N/A
Period of year during which storage will occur N/A to N/A inclusive.
(Mo. Day) (Mo. Day)
c. Proposed well diameter is 20 inches; proposed depth of well is 395 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years.
b. Estimated construction cost is \$ _____.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____
(5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4			
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4
51N	4W	11					40	40	40	40	40	40	40	40			5	165
51N	4W	14	30	40	40	30	40	40	40	40	38	40	40	40				458
51N	4W	15									25	20	30	20	20	40	135	
51N	4W	16									20			20			20	
51N	4W	21	30	20	10	10			20		40	40					170	
51N	4W	22	40			40						40		40	40	40	200	
51N	4W	23	40	40	20	30	40	40	30	30							270	
51N	4W	26						10		10							10	
51N	4W	27	40	30			10	40	10								130	
TOTALS			NE 1/4				NW 1/4				SW 1/4				SE 1/4			

Total number of acres to be irrigated 1558

c. Describe any other water rights used for the same purposes as described above. water for this District is presently taken from Hayden Lake,

9. a. Who owns the property at the point of diversion The Hayden Lake Irrigation District

b. Who owns the land to be irrigated or place of use Hayden Lake Irrigation District Members

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks The Hayden Lake Irrigation District is attempting to phase out the necessity of drawing its water from Hayden Lake. The District plans to do this by installation of a well system. One well to be built now and any additional required wells to be built in the future.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

[illegible]

Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Steve E. Leonard
(Applicant)

(Applicant)

Gene E. Negaard, Chairman, Board of Directors
HAYDEN LAKE IRRIGATION DISTRICT

Received by TR Date 11-16-77 Time 9:00 AM

Preliminary check by TR Fee \$ 275.00

Received by TR Date 11-16-77 (0977)

Publication prepared by TR Date 11-16-77

Published in Grand View Press

Publication dates 11-24-77 to 12-1-77

Publication approved TR Date 11-2-77

Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by _____

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19____.

c. Other: _____

2. Denial of said application is for the following reasons: _____

Witness my hand this _____ day of _____, 19____.

Director

AFFIDAVIT OF PUBLICATION

NOTICE OF AMENDED APPLICATION FOR PERMIT Notice is hereby given that Application for Permit No. 95-7800 in the name of Hayden Lake Irrigation District was filed for the diversion of 31.16 c.f.s. of water from the Rathdrum Prairie Aquifer, with the point of diversion in the NW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 14, T51N, R4W, (3 wells) and the NW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 16, T51N, R4W, B.M. Kootenai County, to be used for Irrigation purposes from March 15 to November 1 within the Hayden Lake Irrigation District.

The applicants now propose to amend Application No. 95-7800, requesting 31.16 c.f.s. from a groundwater source, to be used from March 15 to November 1 for irrigation purposes with the points of diversion in the NE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 14, T51N, R4W, (3 wells) and the NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 16, T51N, R4W, B.M., Kootenai County.

Any protest to the proposed amending of the application may be filed with the Idaho Department of Water Resources, 4055 Government Way, Coeur d'Alene, ID 83814 on or before February 6, 1978.

C. STEPHEN ALLRED
Director

Legal No. 999
Jan. 19, 26, 1978

STATE OF IDAHO,
County of Kootenai,

} ss.

Cecil Hedge being first duly sworn upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The Notice

of which the annexed is a printed copy, was published in the regular Thursday issue of said newspaper for 2 consecutive Weeks, commencing on the 19 day of Jan, 1978, and ending on the 26 day of Jan, 1978, and such publication was made as often during said period as said daily newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Subscribed and sworn to before me this 26 day of Jan, 1978.

Roberta M. Mandy
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

LEADER

AFFIDAVIT OF PUBLICATION

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that the Hayden Lake Irrigation District PO Box 182, Hayden Lake, Id. has on November 16, 1977 submitted Application No. 95-7800 for a permit to appropriate 31.16 cubic feet per second of water from a groundwater source by means of wells, pump & pipeline within the NW¼NE¼ Sec 14, T51N, R4W, B.M., Kootenai County (3 wells) and the NW¼SW¼ Sec 16, T51N, R4W, B.M. (1 well) to be used from March 15 to Nov. 1 for irrigation of 1558 acres within the Hayden Lake Irrigation District.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 4055 Government Way, Coeur d'Alene, Idaho 83814, on or before December 12, 1977.

C. STEPHEN ALLRED
Director

Legal No. 838
Nov. 24 & Dec. 1, 1977

STATE OF IDAHO,
County of Kootenai,

ss.

Carole Hodge being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The Notice

of which the annexed is a printed copy, was published in the regular Thursday issue of said newspaper for 3 consecutive issues commencing on the 34 day of May, 1977, and ending on the 1 day of June, 1977, and such publication was made as often during said period as said daily newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Subscribed and sworn to before me this 1 day of June

19 77

Roberta Manley
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES RECEIVED
TRANSFER ANALYSIS SHEET APR 26 2004

Department of Water Resources

INITIAL REVIEW BY: AB

1. Right number 95-7800 & 95-8581 Applicant HAYDEN LAKE IRR. DIST.
2. Type of right: ☐ Decree ☒ License ☐ Claim
3. Purpose of transfer: ☐ Change point of diversion ☒ Add diversion point(s) ☐ Change place of use
☐ Other _____
4. Check:
 - a. ☒ Source ☒ Priority ☒ Amount ☒ Purpose ☒ Period of use
 - b. ☒ Description of original point of diversion.
 - c. ☒ Description of original place of use.
5. Amount of land &/or water transferred:
 - a. ☒ All of right.
 - b. ☐ Part of right (NOTE! Part B should be filled in only if part of the right is owned by the applicant).
 - c. ☒ Check description of point(s) of diversion.
 - d. ☒ Check description of place of use.
 - e. ☒ Check map (shows p.d. and p.u. after transfer).
 - f. ☒ Check for correct signature, notarization, and fee.
 - g. ☒ Check proof of ownership of right &/or land from which water is transferred.
 - h. ☒ Check for expansion in use of right. Comments _____
 - i. ☐ Check for existing water rights from same source, on land water is being transferred to.
Right number(s) none
 - j. ☐ Is use within a Watermaster District? ☐ Yes ☒ No
If yes, what district? _____

FINAL PROCESSING REVIEW BY: _____

1. Watermaster recommendation requested on _____ Received on _____
2. Is transfer published correctly? ☒ Yes ☐ No
3. Protest received? ☐ Yes ☒ No

RECOMMENDED ACTION

1. ☐ Approve
2. ☐ Deny See Attached Memo
3-11-04 Bob Haynes
3. Conditions* _____
4. By _____ Date _____

* All uses within Watermaster Districts require special conditions. 5-4-2008 28

Approval Updates Completed
Amended Approval 7-13-04 28 (70974)



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

March 31, 1993

HAYDEN LAKE IRRIGATION DISTRICT
PO BOX 162
HAYDEN ID 83835

RE: WATER RIGHT NO. 95-07800

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Should you have any questions regarding these documents, please feel free to contact our office.

Sincerely,

A handwritten signature in cursive script that reads 'Pamela Skaggs'.

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECORDED

MAY 25 1993

HAYDEN LAKE IRRIGATION DISTRICT
O & M ACCOUNT

DETACH AND RETAIN THIS STATEMENT
THE ATTACHED CHECK IS IN PAYMENT OF ITEMS DESCRIBED BELOW.
IF NOT CORRECT PLEASE NOTIFY US PROMPTLY. NO RECEIPT DESIRED.

DELUXE - FORM TWC-2 V-3

DATE	INVOICE NO.	DESCRIPTION	AMOUNT	DEDUCTIONS		NET AMOUNT
				PARTICULARS	AMOUNT	
2/26/93		Water Right #95-08581	20.00			40.00
		Water Right #95-07800	20.00			
Vern D Fitzgerald Bruce Eyle						

MAY 25 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

February 19, 1993

HAYDEN LAKE IRRIGATION DISTRICT
PO BOX 162
HAYDEN ID 83835

RE: WATER RIGHT NO. 95-07800

Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 15 days.

If you do not concur with these findings or if you have any questions, please contact us within the 15-day period.

Sincerely,

Pamela Skaggs

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECEIVED

MAY 25 1993

LICENSE REVIEW CHECKLIST

Permit # 95-07800

Date 01-22-93
C8

	Yes	No	
NAME	☐	☒	Address Change?
PRIORITY DATE	☐	☒	Advance? _____
	☐	☒	Memo to Advance _____
	☐	☒	Order to Reinstate Needed? _____
TOTAL CFS	☐	☒	Fee paid 4.0 cts
	☐	☒	Incorrect Fee for rate recommended? _____
	☐	☒	Disagree with Actual Measurement? 3.8 (MUN) <u>1025 x .02 = 20.5 / 3.8 (IRR) .84 (DOM) .29 (COMM) .11 cts (STOCK)</u>
	☐	☒	Disagree with Theoretical? _____
	☒	☐	Limited by Capacity? <u>3.80 cts</u>
TOTAL VOLUME			Rate/ac <u>3.0</u> AFA Irr. Season <u>D</u> <u>3-15 to 11-15</u> Standard Irr. Season
	☒	☐	<u>3-15 to 11-01 Per Permit</u> Season Recommended
	☒	☐	Disagree with Examiner's Calculations? <u>6.7 (STOCK)</u> <u>1025 x 3.0 = 3075 > 1748.7 AFA (IRR) 308.4 (DOM) 17.5 (COMM)</u>
	☒	☐	Limited by Flow? <u>3.8 x 232 x 1.9835 = 1748.7</u> (Permit Season)
SOURCE	☐	☒	Changes? Clarification of <u>Originally</u> <u>Intended</u> source
	☐	☒	Notice of Intent to Void.
	☐	☒	Verify with Map
	☐	☒	Amendment Needed? _____
	☐	☒	Is Overlap Analysis a Consideration? _____
	☒	☐	Verify with Map ^{MUN} Add NESW, ~~NESW~~ , ~~NWSE~~ , S15 - SENW, S27 SEW, S21 - NONE, ~~NESW~~ , ~~NWSE~~ , S22
	☐	☒	Amendment Needed? <u>Drop NESW, SWSW, SESW, S21 + SENG, S22</u>
	☐	☒	Is Overlap Analysis a Consideration? _____
	☒	☐	Change(s) in Nature of Use? <u>Add MUN, DOM, COMM & STOCK</u>
	☒	☐	Amendment Needed? <u>No Expansion Permitted VOL</u>
	☐	☒	Multiple P/Ds in 1/4 1/4? _____
	☒	☐	Non-Irr. Uses <u>MUN/Hayden DOM/514 STOCK/500 STOCK</u>
	☐	☒	Special Overlap Condition _____
	☒	☐	Other <u>PU</u>
	☐	☒	Measuring Device
	☐	☒	W/Master Control
	<u>R29</u>	☐	Overlap
	☐	☒	Water Quality
			DATES/MISC
		☒	Water Dist.
		☒	App Rec'd
		☒	Exam Made

COMMENTS: Reduced acres, rate Amend P/O & Uses
400 STOCK per Proof B/O / Allow 500 per exam since not limited by Permit

LICENSE _____ AMEND ☒ SPECIAL PARAGRAPH _____

Pam
I have
briefly look
at these. Go
ahead and start
further processing
Jm

LICENSE REVIEW CHECKLIST

Permit # 95-07800

Date 01-22-93
CS

	Yes	No	
NAME	☐	☒	Address Change?
PRIORITY DATE	☐	☒	Advance?
	☐	☒	Memo to Advance
	☐	☒	Order to Reinstate Needed?
TOTAL CFS	☐	☒	Fee paid 4.0 cfs
	☐	☒	Incorrect Fee for rate recommended?
	☐	☒	Disagree with Actual Measurement? 3.8 (MUN)
	☐	☒	1025 x .02 = 20.5 / 3.8 (IRR) .84 (DOM) .29 (COMM) .11 cfs (STOCK)
	☐	☒	Disagree with Theoretical?
	☒	☐	Limited by Capacity? 3.80 cfs
TOTAL VOLUME			Rate/ac <u>3.0</u> AFA Irr. Season <u>D</u>
			3-15 to 11-15 Standard Irr. Season
	☒	☐	3-15 to 11-01 Per Permit Season Recommended
	☒	☐	Disagree with Examiner's Calculations? 6.7 (STOCK)
	☒	☐	1025 x 3.0 = 3075 > 1748.7 cfs (IRR) 308.4 (DOM) 17.5 (COMM)
	☒	☐	Limited by Flow? 3.8 x 232 x 1.9835 = 1748.7 (Permit Season)
SOURCE	☐	☒	Changes? Clarification of Originally Intended source
	☐	☒	Notice of Intent to Void.
P/D	☐	☒	Verify with Map
	☐	☒	Amendment Needed?
	☐	☒	Is Overlap Analysis a Consideration?
P/U	☒	☐	Verify with Map Add NESW, ^{MUN} ~~NWSE~~ , ~~NWSE~~ , S15 - SENW, S27
	☒	☐	SE 1/4, S21 - NWNE, ~~NWSE~~ , S22
	☐	☒	Amendment Needed? Drop NESW, SWSW, SESW, S21 + SENG, S22
	☐	☒	Is Overlap Analysis a Consideration?
USES	☒	☐	Change(s) in Nature of Use? Add MUN, DOM, COMM + STOCK
	☒	☐	Amendment Needed? No Expansion Permitted VOL
REMARKS	☐	☒	Multiple P/Ds in 1/4 1/4?
	☒	☐	Non-Irr. Uses MUN/Hayden DOM/514 STOCK/500 STOCK
	☐	☒	Special Overlap Condition
	☒	☐	Other PU
CONDITIONS	☐	☒	Measuring Device
	☐	☒	W/Master Control
	☐	☒	Overlap
	☐	☒	Water Quality
			DATES/MISC
			Water Dist.
			App Rec'd
			Exam Made

COMMENTS: Reduced acres, rate Amend P/D + Uses
400 STOCK per Proof B/O / Allow 500 per exam since not limited by Permit

LICENSE ☐ AMEND ☒ SPECIAL PARAGRAPH ☐

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	HAYDEN LAKE IRRIGATION DISTRICT PO BOX 162 HAYDEN ID 83835 (208) 772-2612	11/16/1977	IRRIGATION STOCKWATER COMMERCIAL MUNICIPAL DOMESTIC	03-15 11-01 01-01 12-31 01-01 12-31 01-01 12-31 01-01 12-31	3.80 CFS 0.11 CFS 0.29 CFS 3.80 CFS 0.84 CFS	1748.7 AFA 6.7 AFA 17.5 AFA 308.4 AFA 2081.3 AFA
TOTAL DIVERSION:				3.80 CFS		

Water Source: GROUNDWATER			Tributary to:			Stage: LICENSE								
Point(s) of Diversion Capacity: 3.80 CFS														
Point(s) of Diversion: T51N R04W S14 NE NE														
Place of use Legal Description for: IRRIGATION														
NE			NW			SW								
NENE NWNE SWNE SENE			NENW NWNW SWNW SENW			NESW NWSW SWSW SESW								
Lt Ac Lt Ac Lt Ac Lt Ac			Lt Ac Lt Ac Lt Ac Lt Ac			Lt Ac Lt Ac Lt Ac Lt Ac								
T	R	S							SE			SUM		
51N	04W	11												
51N	04W	14												
51N	04W	15												
51N	04W	16												
51N	04W	21												
51N	04W	22												
51N	04W	23												
51N	04W	26												
51N	04W	27												
												TOTAL ACRES		
												1025.0		

Place of use location for STOCKWATER is the same location as described for: IRRIGATION

Place of use location for COMMERCIAL is the same location as described for: IRRIGATION

Place of use location for DOMESTIC is the same location as described for: IRRIGATION

Pou County: KOOTENAI

Other Water Rights with Same Point(s) of Diversion and Source:
95-07527 95-07800

Other Water Rights Listing Overlapping Place(s) of use:
95-00467 95-00467A 95-07776 95-07800 95-07825 95-08273 95-08581 95-07800 95-08581 E95-08581

Conditions of Approval:

- R29 - This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.0 afa per acre for the lands above.

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

WR0749NP
No. L95-07800

Remarks: Municipal use is within the city of Hayden.
Domestic use is for 514 homes.
Stockwater use is for 500 mixed stock.
Place of use is located within Hayden Lake Irrigation District.

Dates: App. Received: 11/16/1977 Priority Date: 11/16/1977
Proof Due Date: 05/01/1988 Proof Made Date: 04/25/1988
Exam Made Date: 07/27/1990 Exam Sent to S.O.: 07/22/1992
Licensed Date:

Misc: Water District Number: Field Exam Fee: R (Received)

Audit: 01/22/93 SKAGGS

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 95-07800

1. Owner: HAYDEN LAKE IRRIGATION DIST

Phone No. 278-2612

Current Address: BOX 162 HAYDEN ~~LAKE~~ ID. 83835

2. Accompanied by: ROGER REYNOLDS

EXAM. DATE: 7/27/90

Address: SAME

Phone No. _____

Relationship to Permit Holder: WATERMASTER

3. Source: GROUND WATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: App 95-8581 L.L.

☐ Copies Attached


2. Other water rights with same point of diversion: _____

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. Diversion System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



RECEIVED

MAY 25 1993

Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

A ten inch by 440 foot well with static water level at 313 feet, a 300 h. p. pump with a 10 inch line and measuring port to a 12 inch mainline to 75,000 gallon above ground storage tank, located within the SW NW, Sec. 18, T51N, R4W, then to Gravity flow mainline and delivery system.

☐ See Remarks on page 4 for continuation

Well or Diversion Identification No.*	45	300	06.6564-155	WESTERN	82091086
Motor Make					
Hp					
Motor Serial No.					
Pump Make					
Pump Serial No. or Discharge Size					

**Code to correspond with No. on map and aerial photo*

5. Point(s) of Diversion:

[illegible]

6. Place(s) of Use:

Indicate Method of Determination *M#P*

[illegible]

Do not use this space

MAY 25 1993

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
COR HALL MANOMETER			6-10	# 142676	10"	

2. Measurements:

$$H = 18.5$$

$$L = 5.3 \quad 13.2 \pm 17.9 \text{ FROM C-H SUPPLEMENT } 1/8$$

$$ID = 10.1$$

NORMAL PUMP OPERATING PRESSURE 40-70 PSI / 70-72 PSI DURING EXAM.

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method: $Q = \frac{\pi (5.5)^2 (17.9)}{448.8} = 3.79$

RECOMMEND 3.8 cfs

2. Alternate Method for Checking Purposes:

$$\frac{8.8(300)(70\%)}{2.3(70) + 313} = 3.9 \leftarrow \text{CAPACITY OF SYSTEM @ 70\% (PUMP RATED @ 1800 GPM)}$$

$$\frac{8.8(300)(70\%)}{2.3(40) + 313} = 4.56 \quad \text{(MAX. THEORETICAL)}$$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

$$\text{Water HP: } (3) \times (4) \div 8.8 = \text{_____ (5)}$$

$$\text{Meter Input KW: } 3.6 \times \text{_____ KH} \times \text{_____ CTR or MULT} \times \text{_____ PTR} \times \text{_____ N/} \times \text{_____ T} = \text{_____ (6)}$$

$$\text{Meter Input HP: } (6) \times 1.34 = \text{_____ (7)}$$

$$\text{Panel Input KW: } \text{_____ Ave PF} \times \text{_____ Ave Volts} \times \text{_____ Ave Amps} \times .001732 = \text{_____ (6)}$$

$$\text{Panel Input HP: } (6) \times 1.34 = \text{_____ (7)} \quad \text{Efficiency: } (5)/(7) \times 100 = \text{_____ \%}$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = \frac{102.5}{3.5} \times \text{(Acres Irrigated)} \times \text{(Irrigation Requirement)} = 3587.5$$

$$V_{D.R.} = \frac{3.8}{245} \times \text{(Days in Irrigation Season)} \times 1.9835 = 1846.6$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 1846.6$$

2. Volume Calculations for Other Uses:

$$\frac{(514 \text{ HOMES})(70610)(4 \text{ PERSONS/HOME})}{120 \text{ MIN}} = \text{_____}$$

$$\frac{(514 \text{ HOMES})(.6) = 308.4 \text{ AF DAM}}{(50 \text{ CON UNITS}) = (41 \text{ UNITS W/TOILET})(400 \text{ GPD}) = (41)(400)(365)} = \text{_____}$$

SEE ATTACHED

MAY 25 1993

H. REMARKS AND OVERLAP REVIEW ANALYSIS

OVERLAP: REPLACES 95-00467 & 95-00467 #

AMENDMENT INFORMATION: ORIGINAL PERMIT ALLOWS FOR

3.16 CFS FOR 1958 HERE WITH VOLUME OF 3458. SINCE NEW USES ARE CONSIDERED NON-CONSUMPTIVE THERE IS NO EXPANSION

OVERLAP: SAME USES AS 95-08581 -

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use

Period of Use	From	To	Rate of Diversion Q (cfs)	Annual Volume V (afa)
IRRIGATION	5-15	11-15	403.8	1846.6
MUNICIPAL	1-1	12-31	3.8	17.5
COMMERCIAL	1-1	12-31	0.29	8.1
STOCK	1-1	12-31	0.14	368.4
DOMESTIC (514)	1-1	12-31	0.84	816.3 + 70K
Totals:			3.8	2140.6

2. Recommended Amendments

- ☐ Change P.D. as reflected above
- ☐ Add P.D. as reflected above
- ☐ Change P.U. as reflected above
- ☐ Add P.U. as reflected above


None ☐

Other ☒ USE

J. AUTHENTICATION

Field Examiner's Name JAM DRING
 Signature [Signature]
 Certification Date 4/10/91
 Field Report Preparation Date 9/3/91

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.



MAY 25 1993

G:2

COMMERCIAL

95-07800

41 UNITS W/TOILET, .5 gpd/PATRON, ≈ 40 PATRON/DAY^{*}
 $(41)(.5)(40) = 8.2 \text{ K gpd}$

3 RESTAURANTS / BAR, 12 gpd/PATRON, ≈ 100 PATRONS/DAY^{*}
 $(3)(12)(100) = .36 \text{ K gpd}$

1 LAUNDROMAT, 20 WASHERS, 50 GAL/LOAD $\left\{ \begin{array}{l} 1 \text{ LOAD}/\frac{1}{2} \text{ HR} \\ 10 \text{ HR}/\text{DAY} \end{array} \right\}$ ^{**}
 $(20)(50)\left(\frac{10}{1.5}\right) = 6.7 \text{ K G/D}$

1 CAR WASH W/2 BAYS & 1 TOILET ≈ 10 PATRONS/DAY (OPEN 24 HRS/DAY)
 CAR WASH 10 gpm (10 HRS)(60 MIN/HR) $\approx 6.0 \text{ K G/D}$
 TOILET (10)(5) = 50 g/D $\approx .05 \text{ K G/D}$

1 RESTAURANT - NO LOUNGE 30 PATRONS
 $(30)(10) .3 \text{ K G/D}$

$$\frac{[(8.2 \text{ K}) + (.36 \text{ K}) + (6.7 \text{ K}) + (.05 \text{ K}) + (.3 \text{ K})][.365 \text{ K}]}{325.8288 \text{ K}} = 17.5 \text{ AFA}$$

$$\frac{\text{IDEAL DIVERSION RATE}}{(8.2 \text{ K}) + (.36 \text{ K}) + (6.7 \text{ K}) + (.05 \text{ K}) + (.3 \text{ K})} = \frac{130 \text{ gpm}}{448.8} = .29 \text{ cfs}$$

* HYDRAULIC HANDBOOK TABLE 27
 ** USDA PUB #24

DOMESTIC

$$(614 \text{ HOMES})(.6 \text{ AFA}) = 308.4 \text{ AF}$$

IDEAL DIV. RATE = .84 cfs (EXAMINERS HANDBOOK APP #4)

STOCKWATER

500 HD 8.1 AFA & IDEAL DIV. RATE 0.14 cfs (EX. HANDBOOK TABLE 6)


H.

SYSTEM CAPACITY

$$(4.0 \text{ Afs})(365)(1.9835) = 2895.9$$

$$\text{PERMITTED USE } \left\{ \begin{array}{l} 1550 \text{ ACRES @ } 3.5 \text{ AFA/ACRE} = 5453 \text{ AFA} \\ \text{ANNUAL VOLUME } 31.16 \text{ CFS (245)}(1.9835) = 15142.4 \text{ AFA} \end{array} \right.$$

MAY 25 1993



RECEIVED

JUL 27 1992

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

PERMIT # _____

PHOTOGRAPHS



BY PASS TO
INJECTION WELL



WELL HEAD BEHIND
MANOMETER

MAY 25 1993

State law requires that, upon the start with the Director, Department of Water Affairs, (Section 10(1)(b)), after the completion of construction of the wall.

State law requires that, upon the start with the Director, Department of Water Affairs, (Section 10(1)(b)), after the completion of construction of the wall.

USE ADDITIONAL SHEETS IF NECESSARY FORWARD THE WHITE COPY TO THE DEPARTMENT

State of Idaho
Department Of Water Resources
WELL INSPECTION FORM

If well is associated with water right, provide WR Permit No. 9507800

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description of Well Location:

Twp. _____ N, Rge. _____ Sec. _____, _____ $\frac{1}{4}$ _____ $\frac{1}{4}$ Gov. Lot _____

2. Owner: _____

Address: _____,

City _____, State _____

3. Casing $\geq$ 12 inches above ground: Yes ☒ No ☐

4. Access Port:	Y ☒ N ☐	Static Water Level:	<u>313</u>
Pressure Gauge:	Y ☒ N ☐	Casing Diameter:	<u>10"</u>
Flowing:	Y ☐ N ☒	Temperature:	<u>✓</u>

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Y ☐ N ☒

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks : _____

MAY 25 1993



State of Idaho
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite No. 9 • 4055 Government Way • Coeur d'Alene, Idaho 83814 • (208) 765-4639

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

June 8, 1988

Hayden Lake Irrigation Dist.
P. O. Box 162
Hayden Lake, Id 83835

RE: 95-7800

Gentlemen:

We acknowledge receipt of your statement of completion of water development use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We do not know at this time when he will be able to conduct the examination; however, the examiner will try to contact you at the time he makes the examination so that you may show him the system. If you will not be available to show the system, please provide this office with the name and address of someone who will be able to do so. Your permit will remain valid until the examination is made.

If you have any questions concerning the field examination, please contact this office. Please be sure to use the above-referenced permit number in all future correspondence concerning this examination.

Sincerely,

/s/
TOM D. KING
Senior Water Resource Agent

TDK/pms

MICROFILMED

JUL 27 1988



USE TYPEWRITER OR
BALL POINT PEN

State of Idaho
Department of Water Resources
WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

RECEIVED

1. WELL OWNER KILLIANE GREEN Address: 2411 N. 767 HAYDEN LAKE, IDAHO Owner's Permit No. 95-7527		7. WATER LEVEL Department of Water Resources Northern District Office Static water level 295 feet below land surface Flowing? ☐ Yes ☒ No G.P.M. flow _____ Temperature _____ ° F. Quality _____ Artesian closed-in pressure _____ p.s.i. Controlled by ☐ Valve ☐ Cap ☒ Plug																		
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe method of abandoning)		8. WELL TEST DATA ☐ Pump ☐ Bailor ☒ Other Discharge G.P.M. Draw Down Head (feet)																		
3. PROPOSED USE ☐ Domestic ☐ Irrigation ☐ Test ☐ Other (specify type) ☒ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection		9. LITHOLOGIC LOG																		
4. METHOD DRILLED ☐ Cable ☒ Rotary ☐ Dug ☐ Other		<table border="1"><thead><tr><th rowspan="2">Hole Diam.</th><th colspan="2">Depth</th><th rowspan="2">Material</th><th rowspan="2">Remarks</th></tr><tr><th>From</th><th>To</th></tr></thead><tbody><tr><td>5</td><td>0</td><td>290</td><td>SAND, GRAY CLAY</td><td>X</td></tr><tr><td>6</td><td>290</td><td>335</td><td>SAND, GRAY CLAY</td><td>X</td></tr></tbody></table>		Hole Diam.	Depth		Material	Remarks	From	To	5	0	290	SAND, GRAY CLAY	X	6	290	335	SAND, GRAY CLAY	X
Hole Diam.	Depth		Material		Remarks															
	From	To																		
5	0	290	SAND, GRAY CLAY	X																
6	290	335	SAND, GRAY CLAY	X																
5. WELL CONSTRUCTION Diameter of hole 6 inches Total depth 335 feet Casing schedule: ☒ Steel ☐ Concrete Thickness Diameter From To 1.350 inches 6 inches 1 foot 335 feet Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☒ Yes ☐ No How perforated? ☐ Factory ☒ Knife ☐ Torch Size of perforation 1/4 inches by 2 inches Number Perforations From To 52 perforations 320 feet 335 feet Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No Size of gravel _____ Placed from _____ feet to _____ feet Casing and depth 20 material used in well ☐ Concrete gravel ☒ Building clay ☐ Well casing Casing schedule and ☐ Steel or ☒ Temporary casing with ☒ Gravel in well casing																				
6. LOCATION OF WELL Sketch map showing management or other location.																				

State of Idaho
Department of Water Administration
WELL DRILLER'S REPORT

1 WELL OWNER Name <u>H. J. Deane Inc.</u> Address <u>Highway 101 N.W.</u> Owner's Permit No. _____	7 WATER LEVEL Static water level <u>31.5</u> feet below land surface Flowing? ☐ Yes ☒ No G.P.M. Rate _____ Temperature _____ °F. Quality _____ Artesian closed-in pressure _____ p.s.i. Controlled by ☐ Valve ☐ Cap ☐ Plug
---	---

☐ Pump ☐ Boiler ☐ Other

2. LITHOLOGIC LOG

Date Time	Depth		Remarks	Temp	Wind
	From	To			
24	0	15	Large Coral P.S. 2nd		
✓	15	20	Bottom		
24	20	30	Coral P.S. 2nd		
20	30	40	Coral of 2nd		
	40	45	Coral		
	45	55	Coral 2" diameter		
	55	70	Coral 2" diameter		
	70	100	Coral 2" diameter		
	100	150	Coral P.S. 2nd		
	150	250	Coral P.S. 2nd		
	250	280	Bottom		
	280	300	Coral 1 1/2" diameter		
	300	310	Coral Light		
	310	319	Coral w/ water 2nd		
	319	380	Coral 1 1/2" diameter		
	380	430	2nd P.S. 2		
	430	450	2nd P.S. 2nd		
	450	460	2nd P.S. 2nd		
	460	470	2nd P.S. 2nd		
	470	480	2nd P.S. 2nd		
	480	490	2nd P.S. 2nd		
	490	500	2nd P.S. 2nd		
	500	510	2nd P.S. 2nd		
	510	520	2nd P.S. 2nd		
	520	530	2nd P.S. 2nd		
	530	540	2nd P.S. 2nd		
	540	550	2nd P.S. 2nd		
	550	560	2nd P.S. 2nd		
	560	570	2nd P.S. 2nd		
	570	580	2nd P.S. 2nd		
	580	590	2nd P.S. 2nd		
	590	600	2nd P.S. 2nd		
	600	610	2nd P.S. 2nd		
	610	620	2nd P.S. 2nd		
	620	630	2nd P.S. 2nd		
	630	640	2nd P.S. 2nd		
	640	650	2nd P.S. 2nd		
	650	660	2nd P.S. 2nd		
	660	670	2nd P.S. 2nd		
	670	680	2nd P.S. 2nd		
	680	690	2nd P.S. 2nd		
	690	700	2nd P.S. 2nd		
	700	710	2nd P.S. 2nd		
	710	720	2nd P.S. 2nd		
	720	730	2nd P.S. 2nd		
	730	740	2nd P.S. 2nd		
	740	750	2nd P.S. 2nd		
	750	760	2nd P.S. 2nd		
	760	770	2nd P.S. 2nd		
	770	780	2nd P.S. 2nd		
	780	790	2nd P.S. 2nd		
	790	800	2nd P.S. 2nd		
	800	810	2nd P.S. 2nd		
	810	820	2nd P.S. 2nd		
	820	830	2nd P.S. 2nd		
	830	840	2nd P.S. 2nd		
	840	850	2nd P.S. 2nd		
	850	860	2nd P.S. 2nd		
	860	870	2nd P.S. 2nd		
	870	880	2nd P.S. 2nd		
	880	890	2nd P.S. 2nd		
	890	900	2nd P.S. 2nd		
	900	910	2nd P.S. 2nd		
	910	920	2nd P.S. 2nd		
	920	930	2nd P.S. 2nd		
	930	940	2nd P.S. 2nd		
	940	950	2nd P.S. 2nd		
	950	960	2nd P.S. 2nd		
	960	970	2nd P.S. 2nd		
	970	980	2nd P.S. 2nd		
	980	990	2nd P.S. 2nd		
	990	1000	2nd P.S. 2nd		

Was a peeler or used used? ☐ Yes ☐ No
 Perforated? ☐ Yes ☐ No
 How perforated? ☐ Factory ☐ Knife ☐ Torch
 Size of perforation _____ inches by _____ inches
 Number _____ From _____ To _____
 _____ perforations _____ feet _____
 _____ perforations _____ feet _____
 _____ perforations _____ feet _____

Name of person John S. 433 433 433
 Address and city State County City
☐ Publishing day ☐ Mail settings
☐ Money at ☐ Delivery within setting
☐ Delivery to and from

~~SECRET~~



THE

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 95-7800

Date: 5-10-88

General Considerations:

5 Name same as permit
9 Signature the same as permit holder
9 Address change _____ If yes, prepare a data entry
9 Proof received timely _____
_____ Reinstated

Source of Water:

9 Surface water
9 Groundwater
1. well log in file - 15000 d - 1 may k
N/A 2. drilling permit - N/A
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

9 Rate of diversion appropriate for uses
9 Is rate or volume and fee appropriate?
9 Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

9 Is a measuring device or access port required?
9 Has one been installed?
N/A Waiver or modification of measuring device requested

Remarks:

Proof acceptable
Needs a change in nature of use amendment

Priority Calculation:

Date proof received	_____	_____
Date proof due	_____	+
No. of days late	_____	=
Priority date	_____	+
NEW PRIORITY DATE	_____	=

completed 6/7/88 SA
SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

RECEIVED
APR 25 1988

For Office Use Only
Fee Received \$175.00
Date 4-25-88
Receipt # 000432
Receipt by [Signature]
Reviewed by [Signature]
Sent to region [Signature]

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES
Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 95-7800

Name(s) of Permit Holder: Mr. Bill Batey, Chairman--Board of Directors
HAYDEN LAKE IRRIGATION DISTRICT

Post Office Address: P. O. Box 162, Hayden Lake, ID 83835

Telephone No. (208) 772-2612

Source of Water: Groundwater-Hayden Lake Irrigated Tract 121, Section 14, Township
51 North, Range 4 West, Boise Meridian, Kootenai County, Idaho

Extent of Use:

Domestic 514 (number of households) Estimated cattle/horses/sheep
Stockwater 400 (number and type of stock)
Irrigation 260 (acres) Other/Remark Included in the domestic are

commercial retail facilities. This source also provides municipal and fire
protection capacity.

Total rate and/or volume for which proof is submitted 4.0 cfs acre-feet

Show the date water was first diverted and beneficially used under this permit: January 1983

Measuring Device: Required? Yes No
Installed? Yes X No

Fee enclosed \$ 175.00
(See License Examination Fee Schedule)

Flow Measurement Port: Required? Yes No
Installed? X Yes No

Person to contact to accompany the Department representative during the field examination:

Mr. Bill Batey, Chairman
(Name)

Mr. Roger Reynolds, Watermaster 772-7612
(Telephone Number)

P. O. Box 162, Hayden Lake, Idaho 83835
(Address)

Office @ Lacey & U.S 95 North

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

JUL 27 1988

4-22-88
Date

Bill Batey Chairman Board of Directors
Signature of Permit Holder (and title, if appropriate)
Bill Batey, Chairman - Board of Directors
Hayden Lake Irrigation District

P A Y E E: DETACH THIS STATEMENT BEFORE DEPOSITING

HAYDEN LAKE IRRIGATION DISTRICT
O & M ACCOUNT

DATE	INVOICE NO.	DESCRIPTION	AMOUNT	DISCOUNT OR DEDUCTION	NET AMOUNT
4/21/88		Fee - proof of beneficial use permit <i>Bill Batey</i>	175.00		175.00

MAINTAINED

JUL 27 1988

MR. BILL BATEY, CHAIRMAN
HAYDEN LAKE IRRIGATION DIST.
P.O. BOX 162
HAYDEN LAKE, ID 83835

138368
CERTIFIED MAIL
February 28, 1988

PROOF DUE NOTICE

RE: Permit No. 95-7800

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before May 1, 1988. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a completed field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this Department on or before the above described proof due date, or the permit will no longer be of any force nor effect.

Sincerely,

RITA FLECK
Secretary/Records Manager

Enclosures

MICROFILMED

JUL 27 1988

April 21, 1983

Mr. Bill Batey, Chairman
Hayden Lake Irrigation District
P. O. Box 162
Hayden Lake, ID 83835

Dear Mr. Batey:

Re: Permit No. 95-7800

Enclosed is a copy of the approved request for extension of time. The time within which to submit the statement of beneficial use postcard is extended to May 1, 1983.

Sincerely,

RITA I. FLECK
Sr. Secretary

Enc: Extension of Time

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138316

HAYDEN LAKE IRRIGATION DIST.
P.O. BOX 162
HAYDEN LAKE, ID 83835

PROOF DUE NOTICE

FEBRUARY 28, 1983

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 95-7800 WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE MAY 01, 1983. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST). ENCLOSED IS A POSTCARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER THE BENEFICIAL USE POSTCARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES





State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

December 28, 1982

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition is less restrictive and provides you the option to install an access port or have your system measured and certified by a professional engineer. Instructions for access port installation are also enclosed.

If you have questions regarding this matter, please contact the regional office nearest to you.

Sincerely,

DAVID R. TUTHILL JR., P. E.
Supervisor, Water Allocations Section

DRT:jg

Enclosures

NORTHERN REGION OFFICE
Route #5, Box 203, Government Way
Coeur d'Alene, Idaho 83814
Telephone 667-6484

EASTERN REGION OFFICE
150 Shoup Avenue
Idaho Falls, Idaho 83401
Telephone 525-7161

SOUTHERN REGION OFFICE
1041 Blue Lake Boulevard North
Twin Falls, Idaho 83301
Telephone 734-3578

WESTERN REGION OFFICE
92 South Cole Road
Boise, Idaho 83709
Telephone 334-2190



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

John V. Evans
Governor

C. Stephen Allred
Director

Statehouse
Boise, Idaho 83720
(208) 384-2215

May 18, 1978

Re: Permit No. 95-7800

Hayden Lake Irrigation District
P. O. Box 162
Hayden Lake, ID 83835

Gentlemen:

Enclosed is a copy of your approved Application for Permit No. 95-7800. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to either install and maintain a measuring device at your point of diversion or to provide the Department a certified measurement of the systems diversion capacity prior to submitting proof of beneficial use of water. We have enclosed a letter describing the different types of measuring devices accepted by this office.

Sincerely,

L. GLEN SAXTON
Chief, Operations Bureau

LGS:KW

Enclosure

MICROFILMED



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES NORTHERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

Suite No. 1
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 667-6484

January 12, 1978

RE: Application No. 95-7805
Amended Application No. 95-7800

Coeur d'Alene Press
Second & Lakeside
Coeur d'Alene, Id 83814

Gentlemen:

Enclosed is a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to our office along with the publication bill. Your cooperation in this matter is appreciated.

Very truly yours,

ROBERT G. HAYNES, P.E.
District Supervisor

RGH:ab

Enc: Legal Notice(s)

*Bill
received
1-31-78
OK
HAW*

MICROFILMED

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. Hayden Lake I.D.

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) SR 11-16-77

In form to receipt

(2) _____

Send Copies to:

_____ Idaho State Health Department
_____ Idaho Fish and Game Department
_____ Bureau of Land Management

(3) _____

_____ Request Special Use Permit from U.S.F.S.
_____ Request Easement from B.L.M.
_____ Request Information from Applicant
_____ Request Dam Safety Information

(4) SR 11-16-77

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. _____

(7) _____

Critical groundwater area: yes _____ no ☒

(8) _____

Groundwater levels:

_____ Declining, ☒ Stable, _____ Increasing

(comment) _____

(9) _____

Other rights on the same place of use

(10) _____

Comments: none known

(11) SRW 1-31-78
SRW 12-2-77

Affidavit of Publication received(date) 1-31-78
12-2-77

(12) _____

Final date for protests 12-12-77 / 2-6-78
Protests received: yes _____ no ☒

(13) _____

All requested information received from agencies or applicant: yes ☒ no _____

(14) _____

Action recommended:

☒ Approve _____ Deny

11-16-77 Proposed Priority

Reason for Reduction _____

☒ Measuring device required

See attached sheet for other conditions of approval

No special conditions for approval

(15) District Northum

By Bob Hughes Date 12-12-77

RECORDED
Supplemental

NOTICE OF AMENDED APPLICATION FOR PERMIT

Notice is hereby given that Application for Permit No. 95-7800 in the name of Hayden Lake Irrigation District was filed for the diversion of 31.16 c.f.s. of water from the Rathdrum Prairie Aquifer, with the point of diversion in the NW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec 14, T51N, R4W, (3 wells) and the NW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec 16, T51N, R4W, B.M. Kootenai County, to be used for Irrigation purposes from March 15 to November 1 within the Hayden Lake Irrigation District.

The applicants now propose to amend Application No 95-7800, requesting 31.16 c.f.s. from a groundwater source, to be used from March 15 to November 1 for irrigation purposes with the points of diversion in the NE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec 14, T51N, R4W, (3 wells) and the NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec 16, T51N, R4W, B.M., Kootenai County.

Any protest to the proposed amending of the application may be filed with the Idaho Department of Water Resources, 4055 Government Way, Coeur d'Alene, ID 83814 on or before February 6, 1978.

C. STEPHEN ALLRED
Director

Published in the Coeur d'Alene Press, Coeur d'Alene, ID on January 19 & January 26, 1978.

MICROFILMED

January 4, 1978

Re: Hayden Lake Irrigation Application No. 95-7800 and tele/con 1-3-78

Jim Buffa P.E.
% Mackel Engineering & Surveying
402 Idaho Ave.
Coeur d'Alene, ID 83814

Dear Mr. Buffa:

Inclosed is an Ammended Application for permit, which must be signed by Gene E. Negaard.

Please check the Ammended Application over carefully and return it to this office along with a \$10.00 fee to partially offset the re-advertising expense.

If this office can be of any further assistance, please do not hesitate to contact us.

Sincerely

TOM KING
Senior Water Resource Agent

TK/sdw

Enclosure

MICROFILMED

MECKEL ENGINEERING & SURVEYING

402 Idaho Avenue
Coeur d'Alene, Idaho 83814
Phone (208) 667-4638

November 16, 1977

Board of Directors
Hayden Lake Irrigation District
Hayden Lake, Idaho 83835

Re: 'Application for Permit' to Department of Water Resources

Gentlemen:

The 'Application for Permit' to appropriate the Public Waters of the State of Idaho was submitted to the local office of the Idaho Department of Water Resources on November 16, 1977. They advise me that the sequence of events relating to this permit should be as follows: (1) An advertisement of the water permit application will probably appear in the Coeur d'Alene Press on November 17th and 24th as well as December 1st. A protest period lasting through December 12th will follow; (2) The application will then be sent to the Boise office for approval, which should be approximately ninety (90) days from the date of submission; (3) Following that, as described in the permit application, the Irrigation District will have five (5) years to complete the facilities required to develop the 31.16 cfs applied for. At the end of the five year period the Water Resource Department will inspect the actual facilities installed as well as the volume of actual water usage which will then form the basis of the 'water rights' certified by the State.

The State Water Resources Department wished to emphasize that the water permit applied for is for irrigation purposes only and contains no provisions for domestic use. Any permit for domestic use would have to be applied for prior to that use. In other words, domestic use will not constitute a 'water right' under the present permit.

If you have any questions regarding the above please advise.

Sincerely,

J.A. Buffa
J.A. Buffa P.E.
jl

cc: Department of Water Resources
Coeur d'Alene, Idaho

RECEIVED
NOV 18 1977
Department of Water Resources
Northern District Office

MICROFILMED



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

Suite No. 1
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 667-6484

December 17, 1977

RE: Applications No. 95-7800 & 95-7799
Claim No. 95-4388

Coeur d'Alene, Press
Second & Lakeside
Coeur d'Alene, Id 83814

Gentlemen:

Enclosed is a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to our office along with the publication bill. Your cooperation in this matter is appreciated.

Very truly yours,

ROBERT G. HAYNES, P.E.
District Supervisor

RGH:ab

Enc: Legal Notice(s)

Bill received
12-2-77
OK Allred

MICROFILMED

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that the Hayden Lake Irrigation District

PO Box 162, Mayden Lake, Id

has on November 16, 1977 submitted Application No. 95-7800

for a permit to appropriate 31.16 cubic feet per second ~~XXXXXXXXXXXXXXXXXXXX~~
of water from a groundwater source

by means of wells, pump & pipeline

within the NW $\frac{1}{4}$ NE $\frac{1}{4}$ Sec 14, T51N, R4W, B.M., Kootenai County (3 wells) and
the NW $\frac{1}{4}$ SW $\frac{1}{4}$ Sec 16, T51N, R4W, B.M. (1 well)

to be used from March 15 to Nov 1

for irrigation of 1558 acres

within the Hayden Lake Irrigation District

If issued, this permit will be subject to all prior water rights. Protests
against the granting of the permit must be filed with the Idaho Department of
Water Resources, 4055 Government Way, Coeur d'Alene, Idaho 83814, on or before
December 12, 1977.

C. STEPHEN ALLRED
Director

Published in the Coeur d'Alene Press, Coeur d'Alene, Id

on November 24 and December 1, 1977

MICROFILMED