



STATE OF IDAHO

F WATER RESOURCES

PERMIT # 95-7779

INITIALS



Three P/U

→ #1 home

→ #3 home

→ #2 home



MICROFILMED

SEP 25 1989



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION

REMARKS / PHOTOS


PERMIT # 95-7779

DATE

INITIALS




P/D
w/ Access port



MICROFILMED

SEP 25 1989




MICROFILMED

SEP 23 1989

T51N R5W Sec 1

Date 7-6-87

95-7779



TWP. 51 N., RGE. 5W SEC. 1 MAP # ~~67-25-26~~ PERMIT # 95-7779
DATE OF EXAM 7-6-87

1" = 660'

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-07779

Priority: September 1, 1977

Maximum Diversion Rate:
Maximum Diversion Volume:¹

0.66 CFS
244.7 AF

This is to certify, that CARL NAGEL
RT. 3 BOX 206A

RATHDRUM, ID 838580000 has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated September 1, 1977; and has submitted Proof of Beneficial Use on October 4, 1982. An examination indicates that the works have a diversion capacity of .660 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 11/01	0.66 CFS	241.5 AF
STOCKWATER	01/01 to 12/31	0.02 CFS	1.4 AF
DOMESTIC	01/01 to 12/31	0.08 CFS	1.8 AF
	Totals	0.66 CFS	244.7 AF

LOCATION OF POINT(S) OF DIVERSION:

SWNW , Sec. 1, Township 51N, Range 05W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
51N	05W	1	NWNW 30	SWNW 39		69

PLACE OF USE: STOCKWATER

TWN RGE SEC
51N 05W 1 SWNW

PLACE OF USE: DOMESTIC

TWN RGE SEC
51N 05W 1 SWNW

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to reflect cropping patterns or acceptable standards of water delivery efficiency.

MICROFILMED

SEP 25 1989

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-07779

CONDITIONS/REMARKS:

2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 3 homes.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 22ND day of AUGUST, 1989.


R. Keith Higginson, Director

RECEIVED
SEP 22 1989

SEP 22 1989

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF REMOVING THE MEASURING DEVICE)
REQUIREMENT FOR PERMIT NO. 95-7779 IN) ORDER
THE NAME OF CARL NAGEL)

WHEREAS, on November 17, 1977, the Department of Water Resources issued Permit No. 95-7779 in the name of Carl Nagel with the requirement that:

For licensing purposes a scientific measurement of the diversion rate of the system as it is normally operated shall be provided by either properly installing an approved type of measuring device or by having a professional engineer certify the rate of diversion to the Department prior to submitting proof of beneficial use of water; and,

WHEREAS, on June 1, 1981, the department modified the measuring device requirement to:

The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department;

WHEREAS, on June 5, 1986, the Department received a request from the permit holders to remove the measuring device requirement; and,

WHEREAS, the Department of Water Resources has determined that no type of measuring device is required at this time for a determination of the quantity of water appropriated;

THEREFORE, the condition of approval requiring any type of measuring device is REMOVED.

Dated this 11th day of June, 1986.


L. GLEN SAXTON
Chief, Operations Bureau

RECEIVED

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. 95-7779

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,

WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows:

"The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 1st day of June 1981.

Glen Saxton

GLEN SAXTON
Chief, Operations Bureau

Identification No. _____

Application No. 95-7779

**STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES**

APPLICATION FOR PERMIT APPROVED


To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant Carl Nagel Phone: 772-5688
post office address Hayden Lake, Idaho 83835
2. Source of water supply underground which is a tributary of _____
3. a. Location of point of diversion is SW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 1 Township 51N
Range 5W B.M. Kootenai County; additional points of diversion if any: _____

- b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 3.5 for IRRIGATION purpose from MAY 1 to OCT. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.10 for DOMESTIC purpose from JAN. 1 to DEC. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.02 for STOCK purpose from JAN. 1 to DEC. 31 (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 3.72 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. _____
well - pump - main + laterals

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ (Mo. Day) to _____ (Mo. Day) inclusive.
c. Proposed well diameter is 8 inches; proposed depth of well is 200 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years.
b. Estimated construction cost is \$ 20,000.00.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: SW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 1 Township 51N
Range 5W B.M.
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered 10 horses
25 cows
(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 6.
(5) If water is to be used for other purposes describe: _____

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Carl Nagel
(Applicant)

Proposed Priority 9/1/77

Received by VP Date 9-1-77 Time 1:00 PM
Preliminary check by VP Fee \$ 55.00
Received by B Date 8-2-77 (5221)
Publication prepared by B Date 9-2-77
Published in Current Affairs P. 100
Publication dates 9-8-77 to 9-15-77
Publication approved B Date 9-29-77
Priority reduced to _____ Reason _____
Protests filed by: _____
Copies of protests forwarded by: _____
Hearing held by _____ Date _____
Recommended for approval VP denial by VP

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-7779, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before November 1, 1982.

c. Other: For licensing purposes a scientific measurement of the diversion rate

of the systems as it is normally operated shall be provided by either properly installed an approved type of measuring device or by having a professional engineer certify the rate of diversion to the Department prior to submitting proof of beneficial use of water.

2. Denial of said application is for the following reasons:

Witness my hand this 17 day of November, 1977.

Deputy Director

AFFIDAVIT OF PUBLICATION

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Carl Nagel, Hayden Lake, Id has on September 1, 1977 submitted Application No. 95-7779 for a permit to appropriate 3.72 cubic feet per second of water from a groundwater source by means of well pump & pipeline within the SW $\frac{1}{4}$ NW $\frac{1}{4}$ Sec 1, T51N, R5W, B.M., Kootenai County to be used from Jan. 1 to Dec. 31 for stock water (0.02 cfs) and domestic purposes for 6 households (0.10 cfs) and from May 1 to Oct. 30 for the irrigation of 185 acres (3.6 cfs) within the SW $\frac{1}{4}$ NE $\frac{1}{4}$, SE $\frac{1}{4}$ NW $\frac{1}{4}$ & W $\frac{1}{2}$ NW $\frac{1}{4}$, sec 1, T51N, R5W; and NE $\frac{1}{4}$ SW $\frac{1}{4}$ & S $\frac{1}{2}$ SW $\frac{1}{4}$ Sec 36, T56N, R5W, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 4055 Government Way, Coeur d'Alene, Idaho 83814, on or before October 3, 1977.

C. STEPHEN ALLRED
Director

Legal 567
Sept. 15, 22, 1977

STATE OF IDAHO,
County of Kootenai,

} ss.

Carol Hedge being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The

Notice

of which the annexed is a printed copy, was published in the regular Thursday issue of said newspaper for 3 consecutive Weeks commencing on the 15 day of Sept, 1977, and ending on the 22 day of Sept, 1977, and such publication was made as often during said period as said Daily newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Subscribed and sworn to before me this

25

day of

Sept

1977

Roberta D. Manley

Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

11-88
LEADER

August 24, 1989

CARL NAGEL
RT. 3 BOX 206A
RATHDRUM, ID 838580000

RE: PERMIT NO. 95-07779

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

SEP 23 1989

August 2, 1989

CARL NAGEL
RT. 3 BOX 206A
RATHDRUM, ID 838580000

RE: PERMIT NO. 95-07779

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

SEP 23 1989

POINT OF DIVERSION OVERLAP REVIEW

WR-NUMBER	TWP	RNG	SC	TRACT	LT	#SOURCE	#NAME
				1\4 1\4 1\4			
9507779	51N	05W	1	SW NW		GROUNDWATER	NAGEL, CARL
NO MATCHES FOR THIS POD							

RECEIVED
MAY 1985

SEP 25 1985

DEC 21 1987
Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

95-7779
Permit No.

Staff Analysis Sheet
for
Beneficial Use Field Report

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
- ☒ Copy of Permit
- ☒ Copies of any Amendments/Orders with conditions of approval
- ☒ Computer Data Proof Report
- ☒ Copy of U.S.G.S. Quad
- ☒ Check for Government Lots. If so, make a copy of Government Plat

Check of P/D index R 9/18/86 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of exam(s) attached?
Type of Overlap? ☐ Add acres or uses to existing system
☐ Increase rate of flow or volume
☐ Other: _____

Check of P/U index R 9/18/86 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of water right(s) attached?
Type of Overlap? ☐ Increase rate of flow or volume
☐ Add P/D's
☐ Increase number of acres within tracts
☐ Other: _____

Aerial Photo

Required? ☒ yes ☐ no If yes: ☒ copy attached?

Scheduling Letter sent? _____ (Initial and date)

☐ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☐ Fully completed and signed Field Report Form
- ☐ Photographs of Point of Diversion and Place of Use
- ☐ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

C. Review and Processing:

Exam Completed Jennifer A. Jones (Signature of examiner and date)
Exam Reviewed by Senior Water Resource Agent R 8/87 (Initial and date)
Exam Reviewed by Manager of Regional Office PVA 12/16/87 (Initial and date)
Exam Date Entered in Computer m 12/16/87 (Initial and date)
Exam sent to State Office m 12/17/87 (Initial and date)
Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)

7-31-87



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION

A. Kenneth Dunn
Director

Suite No. 9
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 667-6484

March 11, 1986

Mr. Carl Nagel
Rt. 3 Box 206-A
Rathdrum, Id. 83858

Re: 95-7779

Dear Mr. Nagel:

I would like to conduct the required field examination of the water system described in the above-referenced permit this irrigation season.

In order to accomplish this, please contact me at this office to schedule a date and time when you or your appointee can meet with me to demonstrate the system. Please contact me at least one week prior to the date you desire to demonstrate the system.

Sincerely,

TDM D. KING
Senior Water Resource Agent

TDK/pms

MICROFILMED

SEP 25 1989



STATE OF IDAHO

WATER RESOURCES

PERMIT # 95-7779

INITIALS

Three P/U

↑ #1 home

→ #3 home

↓ #2 home

MICROFILMED

SEP 25 1989



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION

REMARKS / PHOTOS


PERMIT # 95-7779

DATE

INITIALS



P/D
W/ Access port



MICROFILMED

SEP 25 1989

7/87

State of Idaho
DEPARTMENT OF WATER RESOURCES
SUPPLEMENTAL FIELD REPORT FOR COX/HALL MEASUREMENT

Measured by: Jennifer ArgravesDate 7-6-87Owner: Carl NagelPermit No. 95-2279

Description of well &/or measuring site

- Include any clarifications of the sketch

- Include legal description if more than one p.d. is described in the Field Report

dia = 5" thickness = 1/8"CIR = $2\pi(\frac{5}{2}) = 15.7$

MEASURED INSIDE PIPE RADIUS IN INCHES (IR)

CIR = Pipe Circumference in Inches = 15.7T = Pipe Thickness in Inches = 1/8"IR = [(0.1592 X CIR) - T] = ... 2.38

DIFFERENTIAL PRESSURE READING IN INCHES OF H2O (H)

High Reading = 22.5Low Reading = 10.5High - Low = H = ... 12

COX/HALL DESCRIPTION & FACTOR DETERMINATION (H#)

State ID No. _____

Size of tip used _____

Number of holes in
meter taped or blocked _____

To determine Cox/Hall Factor (H#) use table to the right.
Using the Differential Pressure Reading (H) find appropriate
Row and Column to determine (H#).
(example: H = 12.4 then H# = 17.0)

Determine (H#) and enter here: 16.7

CALCULATION OF DISCHARGE IN CFS (Q)

$$Q = \frac{(3.1416)(IR)^2(H\#)}{(448.8)}$$


$$Q = \frac{(3.1416)(2.38^2)(16.7)}{(448.8)} = \frac{.66}{.66} \text{ CFS}$$

SKETCH (If not shown on Field Report)

MICROFILMED

SEP 25 1989

	.0	.1	.2	.3	.4	.5	.6	.7	.8	.9
0	0.0	0.0	1.3	1.4	2.2	2.3	2.9	3.3	3.7	4.0
1	4.3	4.5	4.8	5.0	5.2	5.4	5.6	5.8	6.0	6.2
2	6.3	6.5	6.7	6.9	7.0	7.2	7.3	7.5	7.6	7.7
3	7.9	8.0	8.2	8.3	8.5	8.6	8.7	8.8	9.0	9.1
4	9.3	9.4	9.5	9.6	9.7	9.8	10.0	10.1	10.2	10.3
5	10.4	10.5	10.6	10.7	10.9	11.0	11.1	11.2	11.3	11.4
6	11.5	11.6	11.7	11.8	11.9	12.0	12.1	12.2	12.3	12.4
7	12.5	12.6	12.7	12.8	12.9	13.0	13.1	13.2	13.3	13.4
8	13.5	13.6	13.7	13.8	13.9	14.0	14.0	14.1	14.2	
9	14.3	14.4	14.5	14.5	14.6	14.7	14.8	14.9	15.0	15.0
10	15.1	15.2	15.3	15.4	15.5	15.5	15.6	15.7	15.8	15.9
11	15.9	16.0	16.1	16.2	16.3	16.3	16.4	16.5	16.5	16.6
12	16.7	16.7	16.8	16.9	17.0	17.0	17.1	17.2	17.3	17.3
13	17.4	17.5	17.5	17.6	17.7	17.8	17.8	17.9	18.0	18.1
14	18.1	18.2	18.3	18.3	18.4	18.5	18.5	18.6	18.7	18.7
15	18.8	18.9	18.9	19.0	19.1	19.1	19.2	19.3	19.3	19.4
16	19.5	19.5	19.6	19.6	19.7	19.7	19.8	19.9	19.9	20.0
17	20.1	20.1	20.2	20.2	20.3	20.4	20.4	20.5	20.5	20.6
18	20.7	20.7	20.8	20.9	20.9	21.0	21.0	21.1	21.2	21.2
19	21.3	21.3	21.4	21.4	21.5	21.6	21.6	21.7	21.7	21.8
20	21.9	21.9	22.0	22.0	22.1	22.2	22.2	22.3	22.3	22.4
21	22.4	22.5	22.5	22.6	22.6	22.7	22.7	22.8	22.9	22.9
22	23.0	23.0	23.1	23.1	23.2	23.2	23.3	23.4	23.4	23.5
23	23.5	23.6	23.6	23.7	23.7	23.8	23.8	23.9	23.9	24.0
24	24.0	24.1	24.2	24.2	24.3	24.3	24.4	24.4	24.5	24.5
25	24.6	24.6	24.7	24.7	24.8	24.8	24.9	24.9	25.0	25.0
26	25.1	25.1	25.2	25.2	25.3	25.3	25.4	25.4	25.5	25.5
27	25.6	25.6	25.7	25.7	25.8	25.8	25.9	25.9	26.0	26.0
28	26.1	26.1	26.2	26.2	26.3	26.3	26.4	26.4	26.5	26.5
29	26.6	26.6	26.7	26.7	26.8	26.8	26.9	26.9	27.0	27.0
30	27.0	27.1	27.1	27.2	27.2	27.3	27.3	27.4	27.4	27.5
31	27.5	27.5	27.6	27.6	27.7	27.7	27.8	27.8	27.9	27.9
32	28.0	28.0	28.0	28.1	28.1	28.2	28.2	28.3	28.3	28.4
33	28.4	28.5	28.5	28.5	28.6	28.6	28.7	28.7	28.8	28.8
34	28.9	28.9	29.0	29.0	29.0	29.1	29.1	29.1	29.2	29.2
35	29.3	29.3	29.3	29.4	29.4	29.5	29.5	29.5	29.6	29.6
36	29.7	29.7	29.8	29.8	29.9	29.9	30.0	30.0	30.0	30.1
37	30.1	30.2	30.2	30.3	30.3	30.4	30.4	30.5	30.5	30.5
38	30.6	30.6	30.7	30.7	30.8	30.8	30.8	30.9	30.9	31.0
39	31.0	31.0	31.1	31.1	31.2	31.2	31.2	31.3	31.3	31.4
40	31.4	31.5	31.5	31.5	31.6	31.6	31.7	31.7	31.7	31.8
41	31.8	31.9	31.9	31.9	32.0	32.0	32.1	32.1	32.2	32.2
42	32.2	32.3	32.3	32.3	32.4	32.4	32.5	32.5	32.5	32.6
43	32.6	32.6	32.7	32.7	32.7	32.8	32.8	32.9	32.9	33.0
44	33.0	33.0	33.1	33.1	33.2	33.2	33.2	33.3	33.3	33.4
45	33.4	33.5	33.5	33.5	33.6	33.6	33.7	33.7	33.7	33.8
46	33.8	33.9	33.9	33.9	34.0	34.0	34.0	34.1	34.1	34.1
47	34.2	34.2	34.2	34.3	34.3	34.4	34.4	34.4	34.5	34.5
48	34.6	34.6	34.6	34.7	34.7	34.8	34.8	34.8	34.9	34.9




MICROFILMED

SEP 23 1989

T51N R5W Sec 1

Date 7-6-87

95-7779



TWP. 51 N., RGE. 5W SEC. 1 MAP # 95-7779 PERMIT # 95-7779
DATE OF EXAM 7-6-87

SEP 25 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


Permit No. 95-7779
1. Owner: Carl Nagel Phone No. 687-1210
Current Address: Rt. 3 Box 206A, Rathdrum, Idaho 83858
2. Accompanied by: SAME EXAM. DATE: 7-6-87
Address: SAME Phone No. _____
Relationship to Permit Holder: _____
3. Source: Ground water tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE
_____ ☐ Copies Attached
2. Other water rights with same point of diversion: NONE
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

MICROFILMED

SEP 25 1989

3. Narrative: Description (As operating at time of measurement, indicate pressure, number of sprayers, etc.)

From pump 4" outlet to 5" main line to it.

2" live breaks off from 4" live from pump to 60

3 domestic trees each + $\frac{1}{2}$ Ac. lawn & garden each. Also

60409 ≈

 ~~$\approx 45 \text{ spr. hd.}, \text{ use for run } \approx 60 \text{ spr. @ } 30 \text{ ps.}$~~ ~~$22p5 \equiv 22p5$~~

☐ See Remarks on page 4 for continuation

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		40			411

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

[illegible]

6. Place(s) of Use:

[illegible]

12401

Do not use this space

SEP 2 1989

CONFIDENTIAL

Do not use this space

UNRECORDED

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
CoX					5"	

2. Measurements:

.66 cfs

$Q = 25 \text{ cfs}$

cat

Cal. on cox measurement sheet.

FOR ~~X~~ SEE ATTACHED - JK

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

$$Q = \frac{8.8(75)(40)}{2.3(22) + 197} = 1.07 \text{ cfs}$$

$Q_{irr} = .66 \text{ cfs}$

$Q_{3Dom} = .08$

$Q_{stock} = .03 \text{ cfs}$

2. Alternate Method for Checking Purposes:

$Q_{Total} = .67 \text{ via permit - fee}$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3)

; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$

$\frac{241.5}{245} \text{ AF}$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$

239.6 AF

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$

239.6 AF

2. Volume Calculations for Other Uses:

$V_{Domestic} = 1.2(3) = 3.6 \text{ AF}$

$.6(3) = 1.8$

$V_{stock} = 1.4 \text{ AF}$

SEP 25 1989

H. REMARKS AND OVERLAP REVIEW ANALYSIS

NONE

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use		Period of Use		Rate of Diversion		Annual Volume	
		From	To	Q (cfs)		V (afa)	
Domestic		1-1	12-31	.08 cfs		3.6 AF	
Irrigation		5-1	10-30	.66 cfs		239.6 AF	
Stock		1-1	12-31	.03 cfs		1.4 AF	OK
Totals:				.67 cfs		244.6 AF	

2. Recommended Amendments

- ☐ Change P.D. as reflected above
☐ Change P.U. as reflected above
☐ Add P.D. as reflected above
☐ Add P.U. as reflected above
☒ None
☐ Other

J. AUTHENTICATION

Field Examiner's Name

Jennifer Alvarez

Signature

Jennifer Alvarez

Certification Date


7-31-87

Field Report Preparation Date

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

Jennifer Alvarez

12/13/88



MICROFILMED

SEP 25 1989

★

95-7779

$$\left. \begin{array}{l} \text{C.6} \\ \text{G.1} \end{array} \right\} \left\{ \begin{array}{l} \text{ROADWAY ON SECTION LINE 60' ROW} \\ \therefore \frac{(\frac{60}{2})(1320)}{43560} \approx 1 \text{ ACRE} \quad \text{SWNW} = 39 \text{ AC} \end{array} \right.$$

E.2. PRESSURE READING AT WELL HEAD WAS MADE USING MR NAGEL PRESSURE GAUGE. ACCORDING MR. NAGEL NO PRESSURE READING ON SPRINKLER HEADS WAS MADE AT THE TIME OF THE EXAM. DURING A PREVIOUS ATTEMPT AT EXAMINATION OF THIS SYSTEM I FOUND THE FOLLOWING 1050 LF 5" MAIN, 1320 LF 4" MAIN W/ 3" LATERALS AND 60 RB 30 1/64 NO2 @ 35 PSI $\therefore \frac{496 \text{ gpm/SP (60 SP)}}{449.8} = .66 \text{ cfs}$ WHICH MEANS PUMP EFF IS DOWN BELOW 75%

G.2 } (IRR OF LAWN & GARDEN CALCULATED IN
1.1 } 39 ACRES WITHIN SWNW)

Prepared by J. King

MICROFILMED

SEP 25 1989

4/86

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EXAMINATION FEE INFORMATION

For Office Use Only
Fee Received 100.00
Date 6/3/86
Receipt # 32117
Receipt by R
Sent to S.O. 6/4/86

RECEIVED
JUN 6 1986

1. Permit No. 95-7779

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:

☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: Carl Nagel

3. Post Office Address: RT. 3 - Box 206A -

Bathory, Idaho 83858 Telephone No. 687-1210

4. Source of Water: Weir

5. Extent of Use:

Domestic 3 (No. of households) Stockwater 60 (No. and type of stock)

Irrigation 80 (acres) Other/Remark Horses & Cows

6. Total rate &/or volume for which proof is submitted 2.67 cfs _____ acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

May 1978

8. Person to contact to accompany the department representative during the field examination:

Carl Nagel (Name)

RT 3 - Box 206A Green Ferry Road Bathory 687-1210
(Address) (Telephone Number)

☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

6-2-86
Date

Carl Nagel SEP 25 1989
Signature of Permit Holder (and title, if appropriate)

MICROFILMED

June 11, 1986

Carl Nagel
S. 2190 Green Ferry Rd.
Rathdrum, ID 83858

Dear Mr. Nagel:

Re: Permit No. 95-7779

Enclosed is a copy of the order removing the measuring device requirement for the above-referenced permit.

If you have any questions concerning your permit, please feel free to contact this office.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure

RECEIVED

RECEIVED

JUN 5 1986

Department of Water Resources

DATE 6/3/86

Director
Idaho Dept. of Water Resources
Statehouse Mail
Boise, Id. 83720

Dear Sir:

I request the removal of the Condition of Approval that I install and maintain a measuring device or measuring port, since my usage of the water under Permit No. 95-7779 is less than 0.70 cfs (315 gpm).

Sincerely,

NAME Carl Nagel
ADDRESS S 2190 CREEKFERRY RD
CITY & STATE RATHBURN IDAHO

RECEIVED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

95-7779

NAGEL, CARL

RT. 3 BOX 206A

RATHDRUM, ID 83858

Mailing address:
Statehouse
Boise, Idaho 83720

138442

April 17, 1986

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

Certified water right examiners are licensed engineers, geologists, or land surveyors certified by the department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is being developed at this time. A listing

of certified water right examiners will be available from this department when examiners have been certified.

If your permitted use, in fact, has already been examined by the department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the department.

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The enclosed license examination fee schedule shows a listing of applicable fees.

FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD, THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION, WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE.

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT.

The attached examination fee information sheet and the fee may be submitted to the following department offices.

Northern Region

Idaho Dept. of Water Resources
4055 Government Way
Coeur d'Alene, ID 83814
Phone: 765-4639

Eastern Region

Idaho Dept. of Water Resources
150 Shoup Ave., Suite 15
Idaho Falls, ID 83401
Phone: 525-7161

Southern Region

Idaho Dept. of Water Resources
1041 Blue Lakes Blvd. North
Twin Falls, ID 83301
Phone: 734-3578

Western Region

Idaho Dept. of Water Resources
450 W. State St., (Third Floor)
Boise, ID 83720
Phone: 334-2190

Sincerely,



L. GLEN SAXTON
Chief, Operations Bureau

Enclosures

RECEIVED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
A. KENNETH DUNN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

January 21, 1983

Mr. Carl Nasel
Rt. 3 Box 206A
Rathdrum, Id. 83858

RE: 95-7779

Dear Mr. Nasel:

We acknowledge receipt of your statement of completion of water development and use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We do not know at this time when he will be able to conduct the examination, however, the examiner will try to contact you at the time he makes the examination so that you may show him the system. If you will not be available to show the system, please provide this office with the name and address of someone who will be able to do so. Your permit will remain valid until the examination is made.

If you have any questions concerning the field examination, please contact this office. Please be sure to use the above-referenced permit number in all future correspondence concerning this examination.

Very truly yours,

TOM D. KING
Senior Water Resource Agent

TDK/pms

cc: IDWR - State Office

MICROFILMED

DEPARTMENT OF WATER RESOURCES 95-779

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. _____

Name(s) of Permit Holder: CARL NAGEL

Post Office Address: RR. 3 Box 206-A RATHDRUM, ID. 83858

Tel. No. 208-687-1210

Source of Water: GROUND WATER (8" WELL)

Extent of Use:

- ☒ Domestic 3 (number of households)
- ☒ Stockwater 50 CATTLE 16 HOGS (number and type of stock)
- ☒ Irrigation 80 (acres)
- ☐ Other _____

Measuring Device:	Required?	☐ Yes ☐ No	Installed?	☐ Yes ☐ No	
Access Port:	Required?	☒ Yes ☐ No	Installed?	☒ Yes ☐ No	


The above information is a true statement of the extent to which the above numbered permit has been developed.

9-30-82
Date

Carl Nagel
Signature of Permit Holder

CARL NAGE

RR 3 Box 206-A
RATHDRUM, ID 83858



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

1381031

NAGEL, CARL
HAYDEN LAKE, ID 83835

AUGUST 31, 1982

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 95-7779 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE NOVEMBER 01, 1982. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENC: 1



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

April 30, 1982

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition is less restrictive and provides you the option to install an access port or have your system measured and certified by a professional engineer. Instructions for access port installation are also enclosed.

If you have questions regarding this matter, please contact the regional office nearest to you.

Sincerely,

DAVID R. TUTHILL JR., P. E.
Supervisor, Water Allocations Section

DRT:jg

Enclosures

NORTHERN REGION OFFICE
Route #5, Box 203, Government Way
Coeur d'Alene, Idaho 83814
Telephone 667-6484

SOUTHERN REGION OFFICE
1041 Blue Lake Boulevard North
Twin Falls, Idaho 83301
Telephone 734-3578

EASTERN REGION OFFICE
150 Shoup Avenue
Idaho Falls, Idaho 83401
Telephone 525-7161

WESTERN REGION OFFICE
92 South Cole Road
Boise, Idaho 83709
Telephone 334-2190

IDENT. NO. 95-7779

WATER RIGHT
DATA ENTRY LOG

[illegible]

November 18, 1977

Re: Permit No. 95-7779

Carl Nagel
Hayden Lake,
Idaho 83835

Dear Mr. Nagel:

Enclosed is a copy of your approved Application for Permit No. 95-7779 . We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to either install and maintain a measuring device at your point of diversion or to provide the Department a certified measurement of the systems diversion capacity prior to submitting proof of beneficial use of water. We have enclosed a letter describing the different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Chief, Operations Bureau

BDF/cah

Enclosure

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. 95-7779 Nogel

- ☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) JK 9-1-77

In form to receipt

(2) _____

Send Copies to:

- _____
Idaho State Health Department

Idaho Fish and Game Department

Bureau of Land Management

(3) _____

- _____
Request Special Use Permit from U.S.F.S.

Request Easement from B.L.M.

Request Information from Applicant

Request Dam Safety Information

(4) JK 9-1-77

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. _____

(7) _____

Critical groundwater area: yes _____ no ☒

(8) _____

Groundwater levels:

_____ Declining, ☒ Stable, _____ Increasing

(comment) _____

(9) _____

Other rights on the same place of use

(10) _____

Comments: none kw

(11) _____

Affidavit of Publication received(date) 9-29-77

(12) _____

Final date for protests 9-26-77

Protests received: yes _____ no ☒

(13) _____

All requested information received from agencies or applicant: yes ☒ no _____

(14) _____

Action recommended:

☒ Approve

_____ Deny

9-1-77 Proposed Priority

_____ Reason for Reduction _____

☒ Measuring device required

_____ See attached sheet for other conditions of approval

_____ No special conditions for approval

(15) District Northern

By Bob Layman

Date 9-30-77



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

NORTHERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

Suite No. 1
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 667-6484

October 18, 1977

RE: Application No. 95-7785 & 95-7779

David Johann
Dept of Health & Welfare
PO Box 608
Coeur d'Alene, Id 83814

Dear Mr Johann,

We are enclosing a copy of an application that may be of interest to your agency. Please review the application and if you have any comments, please submit them to our Department as soon as possible. We normally complete the processing of an application within a 6-week period and we are required to take final action shortly thereafter.

If we may be of any further assistance, please do not hesitate to contact us.

Sincerely,

ROBERT G. HAYNES, P.E.
Regional Supervisor

RGH:ab

Enclosure



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

Suite No. 1
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 667-6484

September 8, 1977

RE: Application No. 95-7779, & 96-7609, & 95-7780

Coeur d'Alene Press
Second & Lakeside
Coeur d'alene, Id 83814

Gentlemen:

Enclosed is a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to our office along with the publication bill. Your cooperation in this matter is appreciated.

Very truly yours,

ROBERT G. HAYNES, P.E.
District Supervisor

RGH:ab

Enc: Legal Notice(s)

*Bill reviewed
9-29-77*

LAW OFFICE OF
HERBERT NAGEL
305 JOHNSTON BUILDING
111 NORTH SECOND STREET
COEUR D'ALENE, IDAHO 83814

August 31, 1977

Idaho Department of Water Resources
Northern District Office
Route #5, Box 203, Suite #1
Coeur d'Alene, Idaho 83814

Gentlemen:

Enclosed please find the Permit and fee as per our
telephone conversation of even date.

If there are any questions, please advise.

Very truly yours,


HERBERT NAGEL

HN:tjn

Enclosure

RECEIVED
SEP 1 1977

Department of Water Resources
Northern District Office

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Carl Hagel

Hayden Lake, Id

has on September 1, 1977 submitted Application No. 95-7779

for a permit to appropriate 3.72 cubic feet per second ~~acres feet per annum~~

of water from a groundwater source

by means of well pump & pipeline

within the SW¹/₄NE¹/₄ Sec 1, T51N, R5W, B.M., Kootenai County

to be used from Jan 1 to Dec 31 for stock water (0.02 cfs) and domestic

~~for~~ purposes for 6 households (0.10 cfs) and from May 1 to Oct 30 for the

irrigation of 185 acres (3.6 cfs)

within the SW¹/₄NE¹/₄ Sec 1, T51N, R5W; T51N, R5W; SW¹/₄NE¹/₄ & NE¹/₄SW¹/₄ Sec 36, T56N, R5W, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 4055 Government Way, Coeur d'Alene, Idaho 83814, on or before September 26, 1977.

C. STEPHEN ALLRED
Director

Published in the Coeur d'Alene Press, Coeur d'Alene, Id

on September 8 and September 15, 1977



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

NORTHERN DISTRICT

4055 Government Way

667-6484

COEUR D'ALENE, IDAHO 83814

September 2, 1977

RE: Application No. 95-7779

Carl Nagel
111 N SEcond St
Coeur d'Alene, Id 83814

Dear Mr Nagel,

Attached is your receipt No. 5771 in the amount of \$55.00 for the filing fee on the above referenced item which was received in this office.

Sincerely,

Alea Beito
Secretary

AB

Attachment

RECEIVED