




PO PU

MICROFILMED
NOV 24 1989

SCALE 1:24 000


CONTOUR INTERVAL 40 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929

TWP. 48N RGE. 4W SEC. 11 MAP # F-54 MAP SCALE 1:24,000
DATE OF EXAM 9/19/86 PERMIT # 95-7757

7075

48 N., RANGE 4 W. B. M.

ENAI COUNTY, IDAHO



- SMALL TRACTS**
- 1- BELLGROVE GRANGE
 - 2- R.N. McLOED
 - 3- WM NEILSEN
 - 4- F.J. WATSON
 - 5- FRANKLYN GREENOUGH
 - 6- PAUL GRAVES
 - 7- MOLLIE G. RATTALLO
 - 8- T.E. O'CONNELL
 - 9- DR. MARC ANTHONY
 - 10- HARRIET
 - 11- THOS. MALOTT
 - 12- THEO. H. GALLAND
 - 13- FRED FLECKENSTEIN
 - 14- CLIFFORD W. WOODWARD
 - 15- ALFRED B. ROBINSON
 - 16- HAROLD C. COLLINS
 - 17- CLED MAXINE ALWAY
 - 18- JOHN C. GEORGE
 - 19- RICHARD KLUND
 - 20- C.E. WOMACK
 - 21- DORTHY L. FALLS
 - 22- WILLARD E. BARY
 - 23- DALE K. KIMES
 - 24- DEAN DOTSON
 - 25- NELSON LEVI
 - 26- ZOLA M'DANIELS
 - 27- LLOYD E. OLSON
 - 28- RUSSELL A. JOHNSON
 - 29- RICHARD FELLER
 - 30- ELMER M. SMITH
 - 31- OZZIE WALCH
 - 32- DONALD K. MERKELEY
 - 33- ERNEST E. BUCHANAN
 - 34- CLARENCE M. OLSON
 - 35- C.C. DONKLE
 - 36- HARRY A. GRAFT
 - 37- GEO. S. PRKE JR.
 - 38- R. SMITH
 - 39- HARRISON C. DALE
 - 40- IVAN F. CLAFIN
 - 41- G.C. COOPER
 - 42- E.D. ELTON
 - 43- GENE DYER
 - 44- RUSSELL L. SPELLMAN
 - 45- ALDEN W. CHAMBERLAIN
 - 46- LOUIS H. LVELL
 - 47- EDWARD H. LAMPERT
 - 48- NORMAN K. DEIVEY ETAL.
 - 49- R.E. CHAMBERLAIN
 - 50- ELTON L. HAINES
 - 51- R.E. HENRIKSEN
 - 52- LORIS L. LANTON
 - 53- STATE

MICROFILMED
NOV 24 1989

TWP. 48N RGE. 4W SEC. 11 MAP # _____ MAP SCALE _____
DATE OF EXAM 9/19/86 PERMIT # 95-7757

September 22, 1986

Mr. Walter Koepf
Box 397
Pinehurst, Id. 83850

Re: 95-7757

Dear Mr. Koepf:

I plan to conduct the required on-site examination of your water system in the near future. To facilitate the licensing process, please answer the following questions and return this letter as quickly as possible.

If the pump IS submersible, please complete the following:

Size of outlet: _____ Size of main line: _____
Is the water used for lawn/garden? _____
Inside plumbing? _____
H.P. _____ Depth of pump: _____

If the pump is NOT submersible, please complete the following:

Size of outlet: _____ Size of main line: _____
Is the water used for lawn/garden? _____
Inside plumbing? _____
Motor Make: _____ Serial/Model No. _____
H.P. _____ Pump Make: _____
Pump Serial/Model No. _____

If you have any questions, or if it is more convenient to call, please contact me at this number - 765-4639.

Sincerely,

NOTED
TODD KING
Senior Water Resource Agent
NOV 24 1986
IDK/pms

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Walter or Velma Koepf
Box 397, Pinehurst, Id
has on July 28, 1977 submitted Application No. 95-7757
for a permit to appropriate 0.04 cubic feet per second ~~acres feet per annum~~
of water from Lake Coeur d'Alene
by means of a pump & pipeline
within the Gov Lot 3, Sec 11, T48N, R4W, B.M., Kootenai County

to be used from Jan 1 to Dec 31
for domestic & fire protection purposes

within the Gov Lot 3, Sec 11, T48N, R4W, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 4055 Government Way, Coeur d'Alene, Idaho 83814, on or before August 29, 1977.

C. STEPHEN ALLRED
Director

Published in the Coeur d'Alene Press, Coeur d'Alene, Id
on August 11 and August 18, 1977

MICROFILMED

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-07757

Priority: September 12, 1977

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:¹

0.6 AF

This is to certify, that WALTER KOEPL
VELMA KOEPL

P.O. BOX 397

PINEHURST, ID 83850

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated July 28, 1977; and has submitted Proof of Beneficial Use on November 16, 1981. An examination indicates that the works have a diversion capacity of .040 cfs of water from:

COEUR D ALENE LAKE

tributary to SPOKANE RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
-----------------------	----------------------	--------------------------	----------------------

DOMESTIC	01/01 to 12/31	0.04 CFS	0.6 AF
----------	----------------	----------	--------

LOCATION OF POINT(S) OF DIVERSION: LOT 3(SWSE), Sec. 11, Township 48N, Range 04W
KOOTENAI County

PLACE OF USE: DOMESTIC

TWN RGE SEC

48N 04W 11 LOT 3(SWSE)

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to reflect cropping patterns or acceptable standards of water delivery efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 20TH day of NOVEMBER, 1989.

MICROFILMED

Issued to

Norman C. Young
R. Keith Higginson, Director

NOV 24 1989

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 95-7757 IN THE
NAME OF WALTER OR VELMA KOEPL

ORDER OF REINSTATEMENT

WHEREAS, the Department has issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use be submitted on or before October 1, 1981; and,

WHEREAS, the Department has notified the permit holders by certified mail that proof was due and instructed the permit holders as to the steps to be taken to make said proof; and,

WHEREAS, the Department has notified the permit holders that the permit lapsed for failure of the permit holders to submit proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holders have provided a reasonable showing as to why said permit should be reinstated by submitting proof of beneficial use on November 16, 1981;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 95-7757 be REINSTATED and the priority advanced to September 12, 1977.

Dated this 23rd day of January, 1986.


L. GLEN SAXTON
Chief, Operations Bureau

MICROFILMED

Identification No. _____

Application No. 95-7757

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT **APPROVED**

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant WALTER OR VELMA KOEPL Phone: _____
post office address BOX 397 PINEHURST, ID 83850

2. Source of water supply LAKE COEUR D'ALENE which is a tributary of _____

3. a. Location of point of diversion is LOT 3 $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section 11 Township 48N
Range 4W B.M. KOOTENAI County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____

4. Water will be used for the following purposes:

Amount 0.04 for DOMESTIC purpose from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.04 for FIREPROTECTION purpose from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.04 cubic feet per second and/or

b. _____ acre feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. PUMP WITH PIPELINE
TO PLACE OF USE

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____

Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 4 years.

b. Estimated construction cost is \$ _____.

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water: LOT 3 $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section 11 Township 48N
Range 4W B.M. _____

(2) Amount of power to be generated: _____ hp under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water ONE.

(5) If water is to be used for other purposes describe: FIREPROTECTION FOR
HOUSEHOLD & LOT

10. Remarks.

applicant to make this filing-

- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the

- b. Who owns the land to be irrigated or place of use.

9. a. Who owns the property at the point of diversion


- c. Describe any other water rights used for the same purposes as described above. None

Total number of acres to be irrigated.

TWP.	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼			
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼
			TOTALS															

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Walter Knepl
(Applicant)

Proposed Priority 7-28-77

Received by KK Date 7/28/77 Time 10:30A
Preliminary check by KK Fee \$ 10.00
Received by KK Date 7/28/77 # 5687
Publication prepared by David Clark Date 7-29-77
Published in Journal of Clark
Publication dates 8-11-77 to 8-27-77
Publication approved P Date 8-29-77
Priority reduced to _____ Reason _____
Protests filed by: _____
Copies of protests forwarded by: _____
Hearing held by _____ Date _____
Recommended for approval/denial by PAH

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-7757, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or

before October 1, 19 81.

c. Other: _____

2. Denial of said application is for the following reasons: _____

Witness my hand this 23 day of September, 19 77.

Deputy Director

AFFIDAVIT OF PUBLICATION

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Walter or Velma Koepf Box 397, Pinehurst, Id. has on July 28, 1977 submitted Application No. 95-7757 for a permit to appropriate 0.04 cubic feet per second of water from Lake Coeur d'Alene by means of a pump & pipeline within the Gov't. Lot 3, Sec. 11, T48N, R4W, B.M., Kootenai County to be used from Jan. 1 to Dec. 31 for domestic & fire protection purposes within the Gov't. Lot 3, Sec. 11, T48N, R4W, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 4055 Government Way, Coeur d'Alene, Idaho 83814, on or before August 29, 1977.

C. STEPHEN ALLRED
Director

Legal No. 440
Aug. 11, 18, 1977

OK
8-29-77

STATE OF IDAHO,
County of Kootenai,

} ss.

Carole Hedges

being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The

Notice

of which the annexed is a printed copy, was published in the regular

issue of said newspaper for

2

consecutive

Thurs
Weeks

commencing on the

11

day of

Aug

1977, and

ending on the

18

day of

Aug

1977, and such

publication was made as often during said period as said

Daily

newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Carole Hedges

Subscribed and sworn to before me this

18

day of

Aug

1977.

Roberta Manley

Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

1044
LEADER

November 21, 1989

WALTER KOEPL
VELMA KOEPL
P.O. BOX 397
PINEHURST, ID 83850

RE: PERMIT NO. 95-07757

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

NOV 24 1989

October 26, 1989

WALTER KOEPL
VELMA KOEPL
P.O. BOX 397
PINEHURST, ID 83850

RE: PERMIT NO. 95-07757

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

RECEIVED
NOV 24 1989

NOV 24 1989

POINT OF DIVERSION OVERLAP REVIEW

WR-NUMBER	TWP	RNG	SC	TRACT			LT	#SOURCE	#NAME
				1\4	1\4	1\4			
9507757	48N	04W	11	SW	SE		3	COEUR D ALENE LAKE	KOEPL, WALTER
9507243								COEUR D ALENE LAKE	BOLING, GLENN W.
9507278								SPRING	LINN, ALFRED S.
9507364								GROUNDWATER	JUEDES, ERWIN R.
9507365								COEUR D ALENE LAKE	JUEDES, ERWIN R.
9507543								COEUR D ALENE LAKE	WRIGHT, ELMER E.
9508036								COEUR D ALENE LAKE	NOVAK, WILLIAM J.
9508037								GROUNDWATER	NOVAK, WILLIAM J.
9508332								COEUR D ALENE LAKE	WOLFE, STANLEY K.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Staff Analysis Sheet
for
Beneficial Use Field Report

95-7757
Permit No.

RECEIVED

MAR 20 1987

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
- ☒ Copy of Permit
- ☒ Copies of any Amendments/Orders with conditions of approval
- ☒ Computer Data Proof Report
- ☒ Copy of U.S.G.S. Quad
- ☒ Check for Government Lots. If so, make a copy of Government Plat

Department of Water Resources

Check of P/D index E 9/15/86 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of exam(s) attached?
Type of Overlap? ☐ Add acres or uses to existing system
☐ Increase rate of flow or volume
☐ Other: _____

Check of P/U index E 9/15/86 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of water right(s) attached?
Type of Overlap? ☐ Increase rate of flow or volume
☐ Add P/D's
☐ Increase number of acres within tracts
☐ Other: _____

Aerial Photo

Required? ☐ yes ☒ no If yes: ☐ copy attached?

Scheduling Letter sent? _____ (Initial and date)

☐ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
- ☒ ~~Photographs of Point of Diversion and Place of Use~~
- ☒ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

C. Review and Processing:

Exam Completed 24/K 3/10/87 (Signature of examiner and date)

Exam Reviewed by Senior Water Resource Agent E 3/10/87 (Initial and date)

Exam Reviewed by Manager of Regional Office RST 3/17/87 (Initial and date)

Exam Date Entered in Computer m 4/1/87 (Initial and date)

Exam sent to State Office _____ (Initial and date)

Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

NORTHERN REGION


REMARKS / PHOTOS

PERMIT # 95-7757

DATE

INITIALS

9/9/86 No building - Dock ~~1~~, PLACE FOR CAMPER & POSSIBLE
PUMP HOUSE ~ NO PIC ~ INSURE USE OF WATER *K*
9/22/86 PUMP LETTER SENT
12/5/86 KOOTENAI ASSESSOR: MR KOEPL OWNS & @ SAME ADDRESS *K*
682-2644 ~
6/21/88 PUMP LETTER SENT



Department of Water Resources

UNRECORDED

NOV 24 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

MAR 20 1987

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 95-7757

1. Owner: WALTER OR VELMA KOEPL

Phone No. 682-2644

Current Address: BOX 397 PINEHURST ID. 83850

9/6/88

2. Accompanied by: NONE

EXAM. DATE: 9/19/86

Address: NONE

Phone No. _____

Relationship to Permit Holder: NONE

3. Source: COEUR DALENE LAKE tributary to SPOKANE R.

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE

☐ Copies Attached


2. Other water rights with same point of diversion: NONE

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION NONE

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



INDEXED
NOV 24 1989

Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

☐ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

Department of Water Resources

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

~~None~~ 1" LINE IN LAKE w/ 1" PIPE TO TRAILER FOR ~~FOR~~

NON-POTABLE USE

~~WZS/S 270818P~~

☐ See Remarks on page 4 for continuation

Well or Division Identification No.*	~~None~~	RED JACCE	1/2	7 H & 1	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion: ~~None~~

[illegible]

6. Place(s) of Use: None
Indicate Method of Determination MP

[illegible]

Do not use this space

D. FLOW MEASUREMENTS


☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
NONE						

2. Measurements:

NONE



E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

NONE

2. Alternate Method for Checking Purposes:

ONE HOME
(CAMPER TRAILER)

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3)

; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

NONE HOME

MICROFILMED

NOV 24 1989

~~SEE ATTACHED COMMENTS~~

[illegible]

1. Recommended Amounts

Period of Use
From _____ **To** _____

Rate of Diversion
Q (cts)Annual Volume
V (a7a)

Dr. J. H. H. H.

Down (1)

1-1

18-21

h o o

90

Totals:

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☐ Change P.U. as reflected above☐ Add P.U. as reflected above

J. AUTHENTICATION

Field Examiner's Name

Signature

Certification Date

Field Report Preparation Date

10m D.H. 1/45

Wm. J. Brown

10/11/16


08/11/18 18/01/18


K. Licensing recommendation shall be prepared by employee on a computer printout attached hereto.

W8/9/7 WAF


NOV 24 1989

UNCLASSIFIED





MICROFILMED



CONTOUR INTERVAL 40 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929

NOV 24 1989

ROAD (

Primary highway,
hard surface

Secondary highway,
hard surface


TWP. 48N RGE. 4W SEC. 11 MAP # F-54 MAP SCALE

DATE OF EXAM 9/19/86 PERMIT # 95-7757

7075

48 N., RANGE 4 W. B. M.

ENAI COUNTY, IDAHO



SMALL TRACTS

- 1- BELLGROVE GRANGE
- 2- R.N. NOLLO
- 3- WM. NELSEN
- 4- F.J. WATSON
- 5- FRANKLYN GRENDOUGH
- 6- PAUL GRAVES
- 7- MOLLIE G. PATTALLO
- 8- T.E. O'CONNELL
- 9- DR. MARC. ANTHONY
- 10- HARRIET
- 11- THOS. MALOTT
- 12- THOS. H. GALLAND
- 13- FRED FLECKENSTEIN
- 14- CLIFFORD W. WOODWARD
- 15- ALFRED B. ROBINSON
- 16- HAROLD C. COLLINS
- 17- CLED MARINE ALWAY
- 18- JOHN C. GEORGE
- 19- RICHARD KLUND
- 20- C.E. WOMACK
- 21- DORTHY L. FALLS
- 22- WILLARD E. BARY
- 23- DALE K. KIMES
- 24- DEAN DOTSON
- 25- NELSON LEVI
- 26- ZOLA M'DANIELS
- 27- LLOYD E. OLSON
- 28- RUSSELL A. JOHNSON
- 29- RICHARD FELLER
- 30- ELMER M. SMITH
- 31- OZZIE WALCH
- 32- DONALD K. MERKELEY
- 33- ERNEST E. BUCHANAN
- 34- CLARENCE M. OLSON
- 35- C. C. DONKLE
- 36- HARRY A. GRAFF
- 37- GEO. S. PRKE JR.
- 38- R. SMITH
- 39- HARRISON C. DALE
- 40- IVAN F. CLAFLIN
- 41- G. C. COOPER
- 42- E. DELTON
- 43- GENE DYER
- 44- RUSSELL L. SPELLMAN
- 45- ALDEN W. CHAMBERLAIN
- 46- LOUIS H. EYELL
- 47- EDWARD H. LAMPERT
- 48- NORMAN K. DEVEY ETAL.
- 49- R.E. CHAMBERLAIN
- 50- ELTON L. HAINES
- 51- R.E. HENNINGSEN
- 52- DR. S. L. LANTON
- 53- STATE

MICROFILMED

NOV 24 1989

TWP. 48N RGE. 4W SEC. 11 MAP # MAP SCALE
DATE OF EXAM 9/19/86 PERMIT # 96-7757



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 334-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

June 15, 1988

RECEIVED
JUN 17 1988

Department of Water Resources
Northern District Office

Walter and Velma Koepl
Box 397
Pinehurst, ID 83850

Re: Permit to Appropriate Water No. 95-7757

Dear Mr. & Mrs. Koepl:

You telephoned me following receipt of a department Notice of Pending Order Voiding Permit for failure to develop. You stated that the system is developed, and that, when the examiner visited the site in September, 1986, you had removed the trailer from the site for repairs. You also stated that when you received Tom King's letter, dated December 8, 1986, which indicated that cancellation was imminent, that you called our Northern Regional Office and resolved the problem verbally.

The field exam recommending cancellation is being returned to the regional office in Coeur d' Alene. An examiner will contact you for another examination. We will not act further to cancel your permit at this time.

Sincerely,

GARY SPACKMAN, Supervisor
Water Allocation Section

GS:jf

CC: Northern Region

MICROFILMED

NOV 24 1989



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 334-7900

CECIL D. ANDRUS
GOVERNOR
R. KEITH HIGGINSON
DIRECTOR

June 15, 1988

Walter and Velma Koepl
Box 397
Pinehurst, ID 83850

Re: Permit to Appropriate Water No. 95-7757

Dear Mr. & Mrs. Koepl:

You telephoned me following receipt of a department Notice of Pending Order Voiding Permit for failure to develop. You stated that the system is developed, and that, when the examiner visited the site in September, 1986, you had removed the trailer from the site for repairs. You also stated that when you received Tom King's letter, dated December 8, 1986, which indicated that cancellation was imminent, that you called our Northern Regional Office and resolved the problem verbally.

The field exam recommending cancellation is being returned to the regional office in Coeur d'Alene. An examiner will contact you for another examination. We will not act further to cancel your permit at this time.

Sincerely,

GARY SPACKMAN, Supervisor
Water Allocation Section

GS:jf

CC: Northern Region

MICROFILMED

NOV 24 1989



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 334-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

May 23, 1988

Walter or Velma Koepf
Box 397
Pinehurst, ID 83850

RE: Permit to Appropriate Water No. 95-7757

Dear Permit Holders:

NOTICE OF PENDING ORDER VOIDING PERMIT

On September 23, 1977 the Department of Water Resources approved an application to appropriate water, numbered 95-7757, from Lake Coeur d'Alene, for domestic and fire protection purposes located in the Lot 3, Sec. 11, Twp. 48N, Rge. 4W, Kootenai County, B.M.

Based on a field inspection conducted by a representative of our Department it has come to our attention that you have not developed the system you intended under this permit.

The purpose of this letter is to request that you relinquish your permit or explain why the Department should not void the permit. Enclosed is a relinquishment form that should be signed and returned to this office, unless you have some explanation that would prevent the Department from voiding your permit.

If you fail to respond to this notice within thirty (30) days of the date of mailing of this letter, the Department will act to void your permit. The permit will be voided on the grounds that you failed to divert and beneficially use the water that you were permitted to develop.

If you have any questions in regard to this matter, please feel free to contact our office.

Respectfully,

GARY SPACKMAN

Supervisor, Water Allocation Section

I hereby certify that on this 24th day of May, 1988, I sent the original copy of this letter, postage prepaid, to the person and address listed above.

NOV 24 1989

December 8, 1986

Mr. Walter Koepl
Box 397
Pinehurst, Id. 83850

Re: 95-7757

Dear Mr. Koepl:

Since you have made no response to my inquiries of September 22, 1986, I assume you are not drawing water from Lake Coeur d'Alene. In this case, your permit No. 95-7757 must be cancelled.

I will commence the cancellation process unless you contact me at this office prior to February 2, 1987.

Sincerely,

TOM D. KING
Senior Water Resource Agent

IDK/pms

RECEIVED

NOV 24 1986

September 22, 1986

Mr. Robert Zeepl
Box 69
P.O. Box 1, Id. 53450
Re: 75-7797

Dear Mr. Zeepl:

I plan to conduct the required on-site examination of your water system in the near future. To facilitate the licensing process, please answer the following questions and return this letter as quickly as possible.

If the pump is not submersible, please complete the following:

Size of outlet: _____ Size of main line: _____
Is the water used for lawn/garden? _____
In-line plumbing? _____
H.P. _____ Depth of pump: _____

If the pump is not submersible, please complete the following:

Size of outlet: _____ Size of main line: _____
Is the water used for lawn/garden? _____
In-line plumbing? _____
Motor Make: _____ Serial/Model No. _____
H.P. _____ Pump Make: _____
Pump Serial/Model No. _____

If you have any questions, or if it is more convenient to call, please contact me at this number - 765-4639.

Sincerely,

TOM D. KING
Senior Water Resource Agent
NOV 04 1986
TDK/pms

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
A. KENNETH DUNN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

JANUARY 29, 1986

WALTER KOEPL
P.O. BOX 397
PINEHURST ID 83850

RE: Permit No. 95-7757

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Enclosed please find a copy of an order involving your permit.

Before a Water Right License can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 765-4639 or in person at our office.

Sincerely,

/S/
TOM D. KING
Senior Water Resource Agent
cc: IDWR - State Office

ENCLOSURE

MICROFILMED

NOV 24 1989

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 95-7757

Name(s) of Permit Holder: Walter & Velma Koepf

Post Office Address: Box #397

Pinehurst, Idaho

Tel. No. 682-2644

Source of Water: Coeur d'Alene Lake

Extent of Use: ☒ Domestic _____ (number of households)
☐ Stockwater _____ (number and type of stock)
☐ Irrigation _____ (acres)
☐ Other _____

MICROFILMED


Measuring Device:	Required?	☐ Yes ☒ No	Installed?	☐ Yes ☐ No
Access Port:	Required?	☐ Yes ☒ No	Installed?	☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

11-6-81
Date

Walter Koepf
Signature of Permit Holder

Walter Koe
Box #397
Pinehurst Ida 83850



HELP YOU WILL IN-
HELP THE

PLACE
TEN CENT
STAMP
HERE

RECEIVED



NOV 16 1981

IDAHO DEPARTMENT OF WATER RESOURCES

STATEHOUSE

Department of Water Resources
BOISE, IDAHO 83720

MICROFILMED

INTER-DEPARTMENT MEMO — 1

DATE 1-21-86

FROM Jim

TO RITA

SUBJECT REINSTATEMENT

DAVE H. came across this During data base review.

Looks like it needs to be processed for reinstatement.

SIGNATURE

CALCULATION OF NEW PRIORITY DATE

FROM: RITA FLECK

TO: FILE # 95-7757

DATE: 1-23-1986

Date proof received

320

Nov. 16

Proof due

-274

Oct. 1

Number of day proof late

46

Priority date

+209

July 28, 1977

New priority date

255

Sept. 12, 1977

Remarks:

MICROFILMED

WARNING

CANCELLED OR LAPSED

This permit has been officially CANCELLED or LAPSED.

Ninety days following the date of official action this file will be DESTROYED.

IDENT. NO. 95-7757

WATER RIGHT
DATA ENTRY LOG

[illegible]

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

KOEPL, WALTER & VELMA
P.O. BOX 397
PINEHURST, ID 83850

OCTOBER 07, 1981

DEAR PERMIT HOLDER:

YOU ARE HEREBY NOTIFIED THAT UNDER THE PROVISIONS OF SECTION 42-218A OF THE IDAHO CODE, PERMIT NO. 95-7757 HAS LAPSED. THIS OFFICE DID NOT RECEIVE EITHER A NOTICE THAT YOU HAVE COMPLETED THE PROJECT BY THE DATE REQUIRED ON YOUR PERMIT, OR A REQUEST FOR AN EXTENSION OF TIME. YOU WERE PROVIDED THE PROPER FORMS IN OUR NOTICE TO YOU DATED JULY 31, 1981.

YOUR PERMIT CANNOT BE REINSTATED UNLESS YOU SUBMIT THE STATEMENT OF BENEFICIAL USE POSTCARD OR SUBMIT AN EXTENSION OF TIME REQUEST SHOWING REASONABLE CAUSE FOR DELAY. EITHER THE COMPLETED POSTCARD OR THE EXTENSION REQUEST MUST BE RECEIVED BY THIS OFFICE WITHIN SIXTY DAYS OF THE DATE OF THIS LAPSE NOTICE OR THE PERMIT WILL NO LONGER BE OF ANY FORCE OR EFFECT.

A STATEMENT OF BENEFICIAL USE POSTCARD AND A REQUEST FOR EXTENSION OF TIME FORM ARE ENCLOSED FOR YOUR USE. PLEASE NOTE THAT A FEE OF \$15.00 MUST ACCOMPANY AN EXTENSION OF TIME REQUEST.

L. GLEN SAXTON
CHIEF, OPERATIONS BUREAU

ENCLOSURES

CERTIFICATION OF MAILING

I hereby certify that on 10-28-81
a copy/an original of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above.

[Signature]
MICROFILMED

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138477

KOEPL, WALTER & VELMA
P.O. BOX 397
PINEHURST, ID 83850

JULY 31, 1981

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 95-7757 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE OCTOBER 01, 1981. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. A REQUEST FOR EXTENSION OF TIME FORM IS ENCLOSED FOR YOUR CONVENIENCE. PLEASE NOTE THAT A FEE OF \$15.00 MUST BE SUBMITTED WITH THIS FORM.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENCLOSURES

MICROFILMED



STATE OF IDAHO

DEPARTMENT OF LANDS

STATEHOUSE, BOISE, IDAHO 83720

GORDON C. TROMBLEY
DIRECTOR

STATE BOARD OF LAND COMMISSIONERS

JOHN V. EVANS
GOVERNOR AND PRESIDENT
PETE T. CENARRUSA
SECRETARY OF STATE
WAYNE L. KIDWELL
ATTORNEY GENERAL
JOE R. WILLIAMS
STATE AUDITOR
ROY TRUBY
SUPT OF PUBLIC INSTRUCTION

11 October 1977

Robert G. Haynes
Department of Water Resources
Northern District
Route #5, Box 203, Suite 1
Coeur d'Alene, ID 83814

RE: Walter L. Koepf
95-7757

Dear Bob:

The Department of Lands has issued an encroachment permit and temporary permit for the installation and maintenance of an intake line and pump on the bed of Lake Coeur d'Alene adjacent to Lot 14, Half Round Bay, in Lot 3, Section 11, Township 48 North, Range 4 West, B.M.

We have no objections to the work proposed in the above-numbered water diversion application. A copy of our permits are attached for your information.

Very truly yours,

DIVISION OF EARTH RESOURCES

William A. Scribner
WILLIAM A. SCRIBNER, Chief
Bureau of Navigable Waters

WAS:ph

Attachments

cc: Bureau of Navigable Waters - CdA

ok to file
BDF
RECEIVED
OCT 12 1977
Department of Water Resources
Northern District Office

EQUAL OPPORTUNITY EMPLOYER

MICROFILMED



STATE OF IDAHO

DEPARTMENT OF LANDS

STATEHOUSE, BOISE, IDAHO 83720

GORDON C. TROMBLEY
DIRECTOR

STATE BOARD OF LAND COMMISSIONERS

JOHN V. EVANS
GOVERNOR AND PRESIDENT
PETE T. CENARRUSA
SECRETARY OF STATE
WAYNE L. KIDWELL
ATTORNEY GENERAL
JOE R. WILLIAMS
STATE AUDITOR
ROY TRUBY
SUPT OF PUBLIC INSTRUCTION

TEMPORARY PERMIT

NO. 1447

Permission is hereby granted to WALTER L. AND VELMA KOEPL of Box 397, Pinehurst, ID, to install and maintain an intake line and pump on and across the following described land:

That part of the bed of Lake Coeur d'Alene adjacent to Lot 14, Half Round Bay, in Lot 3, Section 11, Township 48 North, Range 4 West, Boise Meridian.

This permit is subject to the following terms and conditions:

1. This authorization is effective upon signature by the Director, Department of Lands and payment of the required fee by the permittee.
2. This permit shall expire on December 31, 1981, but may be extended for an additional five (5) year period upon request of the permittee, subject to such terms and conditions as imposed by the Director, Department of Lands.
3. This permit is granted in consideration of the receipt of Ten Dollars (\$10.00).
4. Any excavation performed under this permit shall be back-filled and smoothed to the profile and cross-section of the pre-existing riverbed.
5. The permittee shall indemnify and hold harmless the State of Idaho and its representatives against and from any and all demands, claims or liabilities of every nature whatsoever, arising directly or indirectly from or in any way connected with the use authorized under this permit.
6. This permit may be cancelled after written notice to the permittee of non-compliance with the terms herein and failure of the permittee to correct noted non-compliance.

EQUAL OPPORTUNITY EMPLOYER

MICROFILMED


Walter L and Velma Koe

Page 2

Temporary Permit

7. This permit may be assigned by the permittee during the term of the permit by giving written notice of the name and mailing address of the assignee to the Director, Department of Lands.

Dated this 11th day of October, 1977.


GORDON C. TROMBLEY, Director
Department of Lands

MICROFILMED

CH - 1 W - 1 MI.

HARRISON

Half Round Bay
Kopke's COEUR
N.

L A K E

MC. IRON ROD &
OLD PLOUGH SHARE IN
ROUND OF STONES

PARKING NEWTON & RIVER

GOV. LOT 1. SE

STATE HWY 95A


LANE 5106 EAST

EXISTING APPROACH

4 COR. 1 ROD
IN DITCH


136





Ad A

Lake



Ad A

Lake

LOT 14

MICROFILMED

P/L

September 29, 1977

Re: Permit No. 95-7757

Walter &/or Velma Koepf
Box 397
Pinehurst, ID 83850

Dear Mr. &/or Mrs. Koepf:

Enclosed is a copy of your approved Application for Permit No. 95-7757. We direct your attention to the conditions of approval as listed on the fourth page.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF:mef

Enclosure

MAILED

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. KOEPL

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) SR 7/28/77

In form to receipt

(2) _____

Send Copies to:

Idaho State Health Department

Idaho Fish and Game Department

Bureau of Land Management

(3) Y _____

☒ Dept Lands

Request Special Use Permit from U.S.F.S.

Request Easement from B.L.M.

Request Information from Applicant

Request Dam Safety Information

(4) YK 7-28/77

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. _____

(7) _____

Critical groundwater area: yes _____ no _____

(8) _____

Groundwater levels:

_____ Declining, _____ Stable, _____ Increasing

(comment) _____

(9) _____

Other rights on the same place of use

(10) _____

Comments: _____

(11) _____

Affidavit of Publication received(date) 8-29-77

(12) _____

Final date for protests August 29, 1977
Protests received: yes no

(13) _____

All requested information received from agencies or
applicant: yes ☒ no _____

(14) _____

Action recommended:

☒ Approve

Deny

7-28-77 Proposed Priority

Reason for Reduction

Measuring device required

See attached sheet for other conditions of
approval

☒ No special conditions for approval

(15) District Northern

By Bob Hynes

Date 8-30-77



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

NORTHERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

Suite No. 1
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 667-6484

August 4, 1977

RE: Applications No. 95-7760, 95-7759, 95-7758, 94-7107, 95-7757, & 96-7592.

Coeur d'Alene Press
Second & Lakeside
Coeur d'Alene, Id 83814

Gentlemen:

Enclosed is a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to our office along with the publication bill. Your cooperation in this matter is appreciated.

Very truly yours,

ROBERT G. HAYNES, P.E.
District Supervisor

RGH:ab

Enc: Legal Notice(s)

B. J. David
8-29-77
R

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Walter or Velma Koepf
Box 397, Pinehurst, Id
has on July 28, 1977 submitted Application No. 95-7757
for a permit to appropriate 0.04 cubic feet per second ~~across the~~
of water from Lake Coeur d'Alene
by means of a pump & pipeline
within the Gov Lot 3, Sec 11, T43N, R4W, B.M., Kootenai County

to be used from Jan 1 to Dec 31
for domestic & fire protection purposes

within the Gov Lot 3, Sec 11, T43N, R4W, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 4055 Government Way, Coeur d'Alene, Idaho 83814, on or before August 29, 1977.

C. STEPHEN ALLRED
Director

Published in the Coeur d'Alene Press, Coeur d'Alene, Id
on August 11 and August 18, 1977

July 29, 1977

RE: Application No. 95-7757

William A. Scribner
Dept of Lands
Statehouse
Boise, Id 83720

Dear Mr. Scribner,

Enclosed is a copy of the above referenced application which may be of interest to your agency. The applicant wishes to appropriate water from a stream which appears to be navigable.

If we may be of any further assistance, please do not hesitate to contact us.

Sincerely,

ROBERT G. HAYNES, P.E.
Regional Supervisor

RGH:ab

Enclosure