


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Warren Smith
(Applicant)

RECEIVED
JUN 29 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Department of Water Resources.

A. GENERAL INFORMATION

Permit No. 95-7578

1. Owner: Warren Smith Phone No. _____

Current Address: Rt. 3 Box 36, Hayden Lake, Id. 83835

2. Accompanied by: _____ EXAM. DATE: 6-2-87

Address: SAME Phone No. _____

Relationship to Permit Holder: _____

3. Source: Lancaster creek tributary to Hayden creek

B. OVERLAP REVIEW

1. Other water rights with same place of use: # 95-7500


☒ Copies Attached

2. Other water rights with same point of diversion: ~~95-7500~~ NONE

☒ Copies Attached ☐ Copies of Field Exam's Attached


C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☒ Alternative diagram attached



Scale: 1" = NTS


2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
- ☐ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).



I-7

RECEIVED
JUL 27 1988

TWP 52 N, RGE 3W SEC 22
EXAM DATE 6 / 2 / 87 MAP # 95-7578 PERMIT # 95-7578



T. 52N


R. 3W

SEL 22

95-7578

EXAM DATE

6-2-87



T. 52N R. 3W

SEL 22

95-7578

EXAM DATE 6-2-87

DEPARTMENT OF

STATE OF IDAHO

OF WATER RESOURCES

PERMIT # 95-7578

INITIALS

Point of Diversion

in

Lancaster Creek



V-Notch Weir
Overflow →
to Storage Pond
for irr.



Pump From
Storage Pond
to irr.

MICROFILMED

JUL 27 1988



STATE OF IDAHO DEPARTMENT OF WATER RESOURCES


NORTHERN REGION

REMARKS / PHOTOS

PERMIT # 95-7578

DATE

INITIALS



Storage Pond used for
irr.

RECEIVED

JUL 27 1988

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-7578

Priority: January 28, 1976 Amount: .06 CFS 31.0 AFA

This is to certify, that WARREN SMITH
RT. 3 BOX 36

HAYDEN LAKE, ID 83835 has complied with the terms and conditions of the permit issued pursuant to Application for Permit dated January 28, 1976, and has submitted proof to the Department of Water Resources on January 6, 1981, that water has been applied to a beneficial use; an examination by the Department indicates that the works have a diversion capacity of .06 cfs of water from;

LANCASTER CREEK tributary to HAYDEN CREEK

and that a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>VOLUME</u>
Irrigation	03/15 to 11/15	.06 cfs	29.2 afa
Irrigation storage	01/01 to 12/31		1.8 afa
Irrigation from storage	03/15 to 11/15		1.8 afa
Diversion to storage	01/01 to 12/31	.06 cfs	
Totals		.06 CFS	31.0 AFA

LOCATION OF POINT OF DIVERSION(S): NWSE , Sec. 22, Township 52N, Range 3W
Kootenai County

PLACE OF USE: Irrigation

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
52N	3W	22	SWNE 2	SENE 10	NESW 28	NWSE 20	60
Total number of acres irrigated:							60

PLACE OF USE: Irrigation storage, same as Irrigation use

PLACE OF USE: Irrigation from storage, same as Irrigation use

PLACE OF USE: Diversion to storage, same as Irrigation use

CONDITIONS/REMARKS:

1. The right to the use of the water hereby confirmed is limited to the amount which can actually be beneficially used and is restricted and appurtenant to the lands or place of use and to the purpose herein described, as provided by the laws of Idaho.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

MICROFILMED

JUL 27 1988


State of Idaho
Department of Water Resources

PAGE 2

WATER RIGHT LICENSE

WATER RIGHT NO. 95-7578

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 13th day
of April, 1908.


Director

Identification No. 95-7578

Application No. _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant Warren Smith Phone: 772-3704
post office address Route 3, Box 36, Hayden Lake, Idaho
2. Source of water supply Lancaster Creek which is a tributary of Hayden Creek
3. a. Location of point of diversion is NW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 22 Township 52N
Range 3W B.M. Kootenai County; additional points of diversion if any: _____

- b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 0.30 for Irrigation purpose from March 15 to Nov. 15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 0.30 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Water will be diverted from the Creek
by a 4" pipeline, gravity flow into a storage pond. Water will be pumped from
the pond by a 7 $\frac{1}{2}$ h.p. pump and motor for irrigation.

- b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
- c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$ _____.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.
(5) If water is to be used for other purposes describe: _____

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4			
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4
52N	3W	22				2					10						20	
											28							60
			NE 1/4				NW 1/4				SW 1/4				SE 1/4			
TOTALS																		

Total number of acres to be irrigated. 60

c. Describe any other water rights used for the same purposes as described above. Permit No. 95-7500 covers this same ground from 2 Springs.

9. a. Who owns the property at the point of diversion


b. Who owns the land to be irrigated or place of use

Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Warren Smith
(Applicant)

Preposed Priority 1-28-76

Received by FE Date 1-28-76 Time 1:30 pm

Preliminary check by *not* Fee \$25.00

Received by CP Date 1-28-76 (Rec't. #3904)

Publication prepared by CP Date 1-30-76

Published in Coeur d'Alene Press

Publication dates 2-5 & 2-12-76

Publication approved CP Date 2-23-76

Priority reduced to Reason

Protests filed by:

Copies of protests forwarded by:

Hearing held by Date

Recommended for approval denial by *not*

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-7578, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before March 1, 19 81.

c. Other: A measuring device of a type approved by the Director shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons:

Witness my hand this 4 day of March, 19 76.

Director

AFFIDAVIT OF PUBLICATION

RECEIVED

FEB 17 1976

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Warren Smith, Route 3, Box 36, Hayden Lake, Idaho has on January 28, 1976 submitted Application No. 95-7578 for a permit to appropriate 0.30 cubic feet per second of water from Lancaster Creek, tributary of Hayden Creek by means of pipeline, storage pond, and pump within the NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 22, T. 52N, R. 3W, BM, Kootenai County to be used from March 15 to Nov. 15 for the irrigation of 60 acres within the SW $\frac{1}{4}$ NE $\frac{1}{4}$, SE $\frac{1}{4}$ NW $\frac{1}{4}$, NE $\frac{1}{4}$ SW $\frac{1}{4}$, NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 22, T. 52N, R. 3W, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 4055 Government Way, Coeur d'Alene, Idaho 83814, on or before February 23, 1976.

R. KEITH HIGGINSON
Director

Legal No. 709
Feb. 5, 12, 1976

STATE OF IDAHO,
County of Kootenai, } ss.

Coral Hedge

upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The

Notice of Application

of which the annexed is a printed copy, was published in the regular *Thursday* issue of said newspaper for *2* consecutive *weeks*, commencing on the *15* day of *February*, 1976, and ending on the *16* day of *February*, 1976, and such publication was made as often during said period as said *Daily* newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice

Coral Hedge

Subscribed and sworn to before me this *16* day of *February*, 1976.

Roberta Manley

Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

12.60
LEADER

April 13, 1988

WARREN SMITH
RT. 3 BOX 36
HAYDEN LAKE, ID 83835

RE: Permit No. 95-7578

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure



JUL 27 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

Permit No. _____

1. Measurement Calculations

a) Field Measurement Calculations (Include theoretical capacities and system capacity)

b) Volume Calculations for Irrigation:

$$\begin{aligned} V_{I.R.} &= (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{3.5} = \underline{210.} \\ V_{D.R.} &= [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{29.2} \\ V &= \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{\hspace{2cm}} \end{aligned}$$

c) Volume Calculations for Other Uses:

$$V_{DR} = 0.06 \text{ cfs} \times 245 \text{ days} \times 1.9835 = 29.15 \approx 29.2 \text{ AFA}$$

2. Overlap Review

a) Other water rights with same place of use: _____

b) Other water rights with same point of diversion: _____

c) Analysis:

MICROFILMED

JUL 27 1988

RECOMMENDED AMOUNTS

March 16, 1988

WARREN SMITH
RT. 3 BOX 36
HAYDEN LAKE, ID 83835

RE: Permit No. 95-7578

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

JUL 27 1988

RECEIVED
JUN 29 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Department of Water Resources.

A. GENERAL INFORMATION

Permit No. 95-7578

1. Owner: Warren Smith

Phone No. _____

Current Address: Rt. 3 Box 36, Hayden Lake, Id. 83835

2. Accompanied by: _____

EXAM. DATE: 6-2-87

Address: _____

Phone No. _____

Relationship to Permit Holder: _____

3. Source: Lancaster Creek tributary to Hayden Creek

B. OVERLAP REVIEW

1. Other water rights with same place of use: # 95-7500

☒ Copies Attached


2. Other water rights with same point of diversion: ~~95-7500~~ NONE

☒ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☒ Alternative diagram attached



Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☐ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater.

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

From Lancaster Creek through 4" PVC to small storage area 10x20x2 through West to holding pond 20x18x4. Another 4" pipe from springs also fills pond this is covered by #95-7500. Storage water is pumped through a 4" metal pipe into a 4" main line to 3" laterals with 25 sprinkler heads. (Rainbird 30WS 1/4").

☐ See Remarks on page 4 for continuation

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	GE	7.5	5K2132N9A	Correll	1 1/4"

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NW	SE	22	52N	3W	Hootenai	Map - permit

6. Place(s) of Use:

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/4		NE 1/4		NW 1/4		SE 1/4		SW 1/	
------	------	------	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--	-------	--

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
~~5K213 JH9A~~	~~GE~~	~~7.5~~		~~Corbett~~		
Pressure Gauge						

2. Measurements:

See Attachment #1 & #2 for pressure readings and Flow cal.
 $Q_{irr} = .22 \text{ cfs}$ - cal. on Attachment #2
 See Attachment #3 for weir calculations of flow
 $Q = .06 \text{ cfs}$ is taken from Lancaster Creek

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

$$Q = \frac{8.8 (.75) (.75)}{2.3 (40) - 5} = .57 \text{ cfs} \quad Q_{system} = .22 \text{ cfs}$$

2. Alternate Method for Checking Purposes:

$$Q_{weir} = .058 \text{ cfs} = .06 \text{ cfs}$$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{i.r.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 210$$

$$V_{d.r.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 14.4 \text{ AF}$$

$$V = \text{Smaller of } V_{i.r.} \text{ and } V_{d.r.} = 14.4 \text{ AF}$$

2. Volume Calculations for Other Uses:

MICROFILMED

JUL 27 1988

H. REMARKS AND OVERLAP REVIEW ANALYSIS

95-7500 overlaps with # 95-7578 in point of diversion and 48 Ac. of IT. The point of diversion of # 95-7500 is springs whereas # 95-7578 point of diversion is Lancaster Creek.

From item # 69 of permit it is obvious this was intended for storage - prior to MORE PRECISE ITEMIZATION OF USES HOWEVER POND IS ONLY 1.8 AF

ADDITIONAL ACREAGE & ADDITIONAL WATER FOR ACREAGE IRRIGATED UNDER 95-7500

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
IRR	From 3-15 To 11-15	.06 Q (cfs)	14 V (afa)
STORAGE	1-1	.06 cfs	14 AF
STORAGE FOR IRR	1-1	.06 cfs	14 AF
IRR FOR STORAGE	3-15	.06 cfs	14 AF
TOTALS:		.06 cfs	14 AF


2. Recommended Amendments

- ☐ Change P.D. as reflected above
- ☐ Change P.U. as reflected above
- ☒ Add P.D. as reflected above
- ☐ Add P.U. as reflected above
- ☐ Other
- ☒ None

J. AUTHENTICATION

Field Examiner's Name
Signature
Certification Date
Field Report Preparation Date


Jennifer Argues
6/24/87 - 2



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

UNCLASSIFIED

JUL 27 1988




APR 1984

2/12

1-1

TWP 52 N, RGE 3W SEC 22 JUL 27 1988
EXAM DATE 6 / 2 / 87 MAP # PERMIT # 95-7578




T 52N

R 3W

SEL 22

95-7578

EXAM DATE 6-2-87



T 52N R 3W


SEL 22

95-7578

EXAM DATE 6-2-87

Pressure Readings: OF system in operation

→ Nozzles are mainly
Rain birds $\frac{1}{64}$ (30's)



Main line 4"

Lancaster Creek

V-Notch Weir

Seepage collection

Storage

$\approx 34,600 \text{ ft}^3$
 $= 78,600 \text{ ft}^3$
 $4" = 1.8 \text{ AF}$

Pump

ATTACHMENT #1

MANUFACTURED

JUL 27 1988


42-381 50 SHEETS 5 SQUARE
42-382 100 SHEETS 5 SQUARE
42-389 200 SHEETS 5 SQUARE



THE UNFINISHED

JUL 27 1988

Weir Measurements (8" weir)



From Table


$$Q = .058 \text{ sec-ft} = \boxed{.058 \text{ cfs}}$$

→ This is the limiting factor

MICROFILMED

JUL 27 1988

Field Notes




4" main line
3/2" lateral
Start point

MICROFILMED

JUL 27 1988

Field Notes



DEPARTMENT OF

STATE OF IDAHO

OF WATER RESOURCES


PERMIT # 95-7578

INITIALS

Point of Diversion

in

Lancaster Creek



V-Notch Weir

Overflow →

to Storage Pond

for irr.



Pump From

Storage Pond

to irr.



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES


NORTHERN REGION

REMARKS / PHOTOS

PERMIT # 95-7578

DATE

INITIALS



Storage Pond used for
irr.

APPROVED
JAN 10 1996



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION

REMARKS / PHOTOS

PERMIT # 95-7578

DATE

INITIALS

5-29-87 Called → Appt. Tues 6-2-87

@ 9:00 AM

Dir: 6 miles North HWY 95

past lights Turn East on

Ohio Match Road 4 miles

to "Y" the house on the

Right

J.A.

MAILED

JUL 27 1988

REMARKS
ATTACHMENT TO 219A

PERMIT # 95-7500
INITIALS
95-7578

DATE	REMARKS	INITIALS
6/3/82	EXAM - NO MD - SEE HE WILL CONTACT ME WHEN HE PUTS IT IN. MUST DRAIN POND TO INSTALL V/NOTCH WIER - SEE WILL CALL IN 83 DURING REFILL OF POND	k
9/84	NO MD IN EVIDENCE	k
10/23/84	LETTER ATTACHED	
11/2/84	MR. SMITH STOPPED BY SEE MD WILL BE INSTALLED BY 6-15-1985 PMS SAID I WOULD CALL HIM WHEN I WAS READY TO DO THE EXAM	k k
6/5/85	MR. SMITH SEE TO GET TO INSTALL MD	k
3/7/86	APPT LETTER ATTACHED	

MICROFILMED

JUL 27 1988



STATE OF IDAHO DEPARTMENT OF WATER RESOURCES

NORTHERN REGION

A. Kenneth Dunn
Director

Suite No. 9
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 765-4639

March 11, 1986

Mr. Warren R. Smith
Rt. 3 Box 36
Hayden Lake, Id. 83835

Re: 95-7500 and 95-7578

Dear Mr. Smith:

I would like to conduct the required field examination of the water systems described in the above-referenced permits during this irrigation season.

In order to accomplish this, please contact me at this office to schedule a date and time when you or your appointee can meet with me to demonstrate the system. Please contact me at least one week prior to the date you desire to demonstrate the system and insure that the measuring device is in operation condition.

Sincerely,

TOM D. KING
Senior Water Resource Agent

IDK/pms

MAKROFILMED
JUL 27 1988



STATE OF IDAHO DEPARTMENT OF WATER RESOURCES

NORTHERN REGION

A. Kenneth Dunn
Director

Suite No. 9
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 667-6484

October 23, 1984

Mr. Warren R. Smith
Rt. 3 Box 36
Hayden Lake, Id. 83835

Re: 95-7500 and 95-7578

Dear Mr. Smith:

On June 3, 1982, I attempted to conduct the required field examination of the above-referenced permits. I was unable to complete the exams since you had not installed the measuring devices required by the permits. At that time, you assured me that you would have the measuring devices installed by the spring of 1983 and that you would contact me to schedule an appointment to re-examine the system.

As of this date, I still have not received word from you on this matter. I am afraid that if I do not receive word from you by June 30, 1983, I will be forced to commence cancellation procedures at that time.

Sincerely,

TOM D. KING
Senior Water Resource Agent

TDK/pms

1985
MICROFILMED

JUL 27 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Staff Analysis Sheet
for
Beneficial Use Field Report

95-7578
Permit No.

RECEIVED
JUN 29 1987

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
- ☒ Copy of Permit
- ☒ Copies of any Amendments/Orders with conditions of approval
- ☒ Computer Data Proof Report
- ☒ Copy of U.S.G.S. Quad
- ☒ Check for Government Lots. If so, make a copy of Government Plat
- Check of P/D index JK (Initial and date)
- Overlap? ☒ yes ☐ no If yes: ☐ copy of exam(s) attached?
- Type of Overlap? ☐ Add acres or uses to existing system
- ☐ Increase rate of flow or volume
- ☒ Other: ADD STOR
- Check of P/U index JK (Initial and date)
- Overlap? ☒ yes ☐ no If yes: ☐ copy of water right(s) attached?
- Type of Overlap? ☐ Increase rate of flow or volume
- ☐ Add P/D's
- ☐ Increase number of acres within tracts
- ☒ Other: ADD STOR
- Aerial Photo
- Required? ☐ yes ☒ no If yes: ☒ copy attached?
- Scheduling Letter sent? _____ (Initial and date)
- ☒ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
- ☐ Photographs of Point of Diversion and Place of Use
- ☐ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

C. Review and Processing:

Exam Completed Jennifer Argauer 5-6-87 (Signature of examiner and date)

Exam Reviewed by Senior Water Resource Agent JK 6/87 (Initial and date)

Exam Reviewed by Manager of Regional Office JK 6/24/87 (Initial and date)

Exam Date Entered in Computer JK 6/24/87 (Initial and date)

Exam sent to State Office JK 6/25/87 (Initial and date)

Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original

Refiled in White File _____ (Initial and date)

4/86

RECEIVED

MAY 23 1986

STATE OF IDAHO

Department of Water Resources

EXAMINATION FEE INFORMATION

For Office Use Only
Fee Received
Date 5/15/86
Receipt # 32858
Receipt by
Sent to S.O. 5/19/86

pd. \$100.00 exam
fee per telecon
w/Pat 2/29/88-kw

1. Permit No. 95-7500 95-7578 ~ JK

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:

☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: Warren Smith

3. Post Office Address: Rt. 3 Box 36

Hayden Lake, Id. 83835

Telephone No. 772-3704

4. Source of Water: ~~Springs~~ LANCASTER CREEK JK

5. Extent of Use:

Domestic (No. of households) Stockwater (No. and type of stock)

Irrigation 60 (acres) Other/Remark

6. Total rate &/or volume for which proof is submitted 0.6 ^{ac} cfs JK acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

July of 1976

8. Person to contact to accompany the department representative during the field examination:

Warren Smith (Applicant)

(Name)

(Address)

(Telephone Number)

☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

5/15/86

Date

Warren R. Smith

Signature of Permit Holder (and title, if appropriate)

JUL 27 1988

A. Kenneth Dunn
~~XXXXXXXXXXXX~~

July 7, 1981

Mr. Warren R. Smith
Rt. 3 Box 36
Hayden Lake, Idaho 83835

Re: 95-7578

Dear Mr. Smith:

I regret to advise you that a measuring device must be installed on the diversion structure on Lancaster Creek.

The S.C.S. office may be able to aid you in the design and installation of the device. I will try to set the examination of this Permit for the 1982 irrigation season.

If you have any questions, please contact me at this office.

Sincerely,

TOM D. KING
Senior Water Resource Agent

TDK/pms

cc: IDWR - State Office

MICROFILMED

JUL 27 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
C. STEPHEN ALLRED
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

January 20, 1981

Mr. Warren Smith
Rt. 3 Box 36
Hayden Lake, Id. 83835

RE: 95-7578

Dear Mr. Smith:

We acknowledge receipt of your statement of completion of water development and use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We do not know at this time when he will be able to conduct the examination, however, the examiner will try to contact you at the time he makes the examination so that you may show him the system. If you will not be available to show the system, please provide this office with the name and address of someone who will be able to do so. Your permit will remain valid until the examination is made.

If you have any questions concerning the field examination, please contact this office.

Very truly yours,

TOM D. KING
Senior Water Resource Asent

TDK/fms

cc: IDWR - State Office

RECORDED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 95-7578.

Name(s) of Permit Holder: Warren R. Smith

Post Office Address: Route 3 Box 36

Hayden Lake, Idaho 83835 Tel. No. 772-3304

Source of Water: Lancaster creek + 2 springs

Extent of Use: ☐ Domestic _____ (number of households)
☐ Stockwater _____ (number and type of stock)
☒ Irrigation 60 (acres) (less late in season)
☐ Other _____

Measuring Device: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

Access Port: Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

January 3, 1981
 Date

Warren R. Smith
 Signature of Permit Holder

4 JAN
1984

Warren R. Smith
Route 3, Box 36
Hayden Lake, ID 83835



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

RECEIVED
JAN 10 1984
BOISE, IDAHO

JAN 10 1984

Idaho Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

SMITH, WARREN
RT. 3 BOX 36
HAYDEN LAKE, ID 83835

138822

DECEMBER 31, 1980

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 95-7578 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE MARCH 01, 1981. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. A REQUEST FOR EXTENSION OF TIME FORM IS ENCLOSED FOR YOUR CONVENIENCE. PLEASE NOTE THAT A FEE OF \$15.00 MUST BE SUBMITTED WITH THIS FORM.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENCLOSURES

MICROFILMED



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Cecil D. Andrus
Governor

R. Keith Higginson
Director

Statehouse
Boise, Idaho 83720
(208) 384-2215

March 4, 1976

Re: Permit No. 95-7578

Warren Smith
Route 3, Box 36
Hayden Lake, ID 83835

Dear Mr. Smith:

Enclosed is a copy of your approved Application for Permit No. 95-7578. You may be aware that the water rights in the Hayden Lake drainage were adjudicated in 1971. Your water use is subject to all prior water rights and may be controlled by a watermaster in the future. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF:mef

Enclosures

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

RAH 1-30-76

Application No. 95-7578 Warren Smith

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) RAH 1-30-76

In form to receipt

(2) _____

Send Copies to:

_____ Idaho State Health Department
_____ Idaho Fish and Game Department
_____ Bureau of Land Management

(3) _____

_____ Request Special Use Permit from U.S.F.S.
_____ Request Easement from B.L.M.
_____ Request Information from Applicant

(4) RAH 1-30-76

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. 95-C

(7) _____

Critical groundwater area: yes _____ no _____

(8) _____

Groundwater levels:

_____ Declining, _____ Stable, _____ Increasing

(comment) _____

(9) _____

Other rights on the same place of use

(10) _____

Comments: No field Exam

(11) CP 2/23

Affidavit of Publication received (date) FEB. 17, 1976

(12) CP 1/30

Final date for protests FEBRUARY 23, 1976

Protests received: yes _____ no ☒

(13) _____

All requested information received from agencies or applicant: yes ☒ no _____

(14) _____

Action recommended:

☒ Approve

_____ Proposed Priority 1-28-76

_____ Reason for Reduction _____

☒ Measuring device required

_____ See attached sheet for other conditions of approval

_____ No special conditions for approval

(15) District Northern

By Bob Haynes

Date 2-24-76

RECEIVED

FEB 26 1976

Department of Water Resources



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

COEUR D'ALENE, IDAHO 83814

NORTHERN DISTRICT

Route 5, Box 203 - Suite #1
4055 Government Way

(208) 667-6484

January 30, 1976

Re: Application No. 95-7577 - Hayden Pines Water Company
" " 95-7578 - Warren Smith

Coeur d'Alene Press
Second & Lakeside
Coeur d'Alene, ID 83814

Gentlemen:

Enclosed is a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to our office along with the publication bill. Your cooperation in this matter is appreciated.

Very truly yours,

ROBERT G. HAYNES
District Supervisor

RGH:CP

Enc: Legal Notice(s)

Bill: 2-23-76-4

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Warren Smith,
Route 3, Box 36, Hayden Lake, Idaho
has on January 28, 1976 submitted Application No. 95-7578
for a permit to appropriate 0.30 cubic feet per second ~~XXXXXX~~
of water from Lancaster Creek, tributary of Hayden Creek
by means of pipeline, storage pond, and pump
within the NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 22, T. 52N, R. 3W, BM, Kootenai County
to be used from March 15 to Nov. 15
for the irrigation of 60 acres
within the SW $\frac{1}{4}$ NE $\frac{1}{4}$, SE $\frac{1}{4}$ NW $\frac{1}{4}$, NE $\frac{1}{4}$ SW $\frac{1}{4}$, NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 22, T. 52N, R. 3W, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 4055 Government Way, Coeur d'Alene, Idaho 83814, on or before February 23, 1976.

R. KEITH HIGGINSON
Director

Published in the Coeur d'Alene Press, Coeur d'Alene, Idaho
on Feb. 5 and Feb. 12, 1976