

No Color
Documents
In File

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 95-7538 Priority June 9, 1975 Amount 0.21 cfs

THIS IS TO CERTIFY, that CITY OF POST FALLS, IDAHO
of Post Falls, Idaho, has complied with the terms and conditions of Permit
No. 95-7538 issued pursuant to Application for Permit dated June 9, 1975,
and has submitted proof to the Department of Water Resources on October 18, 1976,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 0.21 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Domestic</u>	from <u>April 1</u> to <u>October 1</u>	at <u>0.04</u> cfs and	<u>0.6 acre feet</u>
<u>Irrigation</u>	from <u>April 1</u> to <u>October 1</u>	at <u>0.17</u> cfs and	<u>7.0 acre feet</u>
	from _____ to _____	at _____ cfs and	_____
(both dates inclusive)			

Subject, however, to the condition that no more than 0.21 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
7.6 acre feet per year, said waters to be diverted within the SE 1/4, Sec. 3, Twp. 50N,
Rge. 5W, B. M. in the County of Kootenai

Description and location of place of use:

Twp.	Range	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
<u>50N</u>	<u>5W</u>	<u>3</u>												X					<u>2</u>

Total number of acres irrigated 2

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 20 day of
February, 19 79.


Director

MICROFILMED

Identification No. 95-7538

Application No. _____

**STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES**

APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

APPROVED

1. Name of applicant City of Post Falls, Idaho Phone: 773-4121
post office address City Hall, Post Falls, Idaho 83854
2. Source of water supply Ground Water which is a tributary of _____
3. a. Location of point of diversion is SE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 3 Township 50N
Range 5 W.B.M. Kootenai County; additional points of diversion if any: None
- b. If water is not consumed, it will be discharged into N.A. at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 0.04 cfs domestic & purpose from April 1 to Oct. 1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.50 for Irrigation purpose from April 1 to Oct. 1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 0.50 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. _____
6" Well with submersible pump
- b. Height of storage dam N.A. feet, active reservoir capacity _____ acre feet; total reservoir capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
- c. Proposed well diameter is 6" inches; proposed depth of well is 50 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years.
b. Estimated construction cost is \$ 2,000.00.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: SE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 3 Township 50
Range 5 W.B.M.
(2) Amount of power to be generated: N.A. hp under _____ feet of head.
(3) List number of each kind of livestock to be watered N.A.
(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.
(5) If water is to be used for other purposes describe: For Restroom facility and lawn sprinkling at the City of Post Falls River Park.

RECORDED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated 5

c. Describe any other water rights used for the same purposes as described above.

any water right of record.

9. a. Who owns the property at the point of diversion
City of Post Falls

b. Who owns the land to be irrigated or place of use. City of Post Falls

If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

applicant to make this filing-

10. Remarks Regarding Item 8-C, both the new and old well will be used

~~for lawn sprinkling purposes.~~

A maximum amount of 0.5 cubic feet per second is requested in order to irrigate

at the peak in a very short period of time to allow the public to use the park for a longer period of time.

longer period of time.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

SECTION 3

---PROPOSED POINT OF DIVERSION AND
PLACE OF USE, TAX NOS. 1009 & 1010,
KOOTENAI COUNTY, IDAHO.

Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Don Kamps - Mayor
(Applicant)
Marilyn Felling - City Clerk

Proposed Priority 6-09-1975

Received by CP Date 6-9-75 Time 11:00 a.m.
Preliminary check by CP Fee \$ 25.00
Received by CP Date 6-11-75 # 907
Publication prepared by CP Date 6-13-75
Published in Post Falls Tribune
Publication dates 6-19 & 6-26-75
Publication approved CP Date 7-14-75
Priority reduced to _____ Reason _____
Protests filed by: _____
Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by DDF

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-7538, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before December 1, 19 76.

c. Other: A measuring device of a type approved by the Director shall be

permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons:

Witness my hand this 17 day of November, 19 75.

Director

**NOTICE OF APPLICATION
FOR WATER PERMIT**

Notice is hereby given that City of Post Falls, City Hall, Post Falls, Idaho has on June 9, 1975 submitted Application No. 95-7538 for a permit to appropriate 0.50 cubic feet per second of water from a ground water source by means of well and pump within the SE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 3, T. 50N, R. 5W, B.M., Kootenai County to be used from April 1 to Oct. 1 for domestic (0.04 cfs) and the irrigation of five acres (0.50 cfs) within the SE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 3, T. 50N, R. 5W, B.M.

If issued, this permit will be subject to all prior water rights.

Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 401 Front Ave., Coeur d'Alene, Idaho 83814 on or before July 7, 1975.

R. KEITH HIGGINSON

Director

Published in the Post Falls Tribune, Post Falls, Idaho on June 19 and June 26, 1975

6-19-2tc

AFFIDAVIT OF PUBLICATION

County of Kootenai }
STATE OF IDAHO } ss.

DELORIS R. ROSIN

~~DELORIS R. ROSIN~~, being first duly sworn, deposes and says that she is the publisher of THE POST FALLS TRIBUNE, a newspaper published weekly at Post Falls, Kootenai County, Idaho, and of general circulation therein.

That the NOTICE OF APPLICATION FOR WATER PERMIT

No. 95-7538 a true printed copy of which is attached to the margin hereof, has been and was correctly printed and published in the regular and entire issue of every number of said newspaper and not in any supplement thereof or thereto for two consecutive issues, commencing

with the issue dated June 19, 1975
and ending with the issue dated June 26, 1975

Deloris R. Rosin

Subscribed and sworn to before me, this 26th

day of June, 1975

Douglas R. Rosin

Notary Public for the State of Idaho
Residing at Post Falls, Idaho

Publication Fee \$ 11.52

32 lines

February 21, 1979

Re: Permit No. 95-7538

City of Post Falls
Box 789
Post Falls, Idaho 83854

Gentlemen:

Enclosed is a copy of the Water Right License issued on the above referenced
permit.

Sincerely,

JAN GROVER
Water Rights Supervisor

JG:lr

Enclosure



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

John V. Evans
Governor

C. Stephen Allred
Director

Statehouse
Boise, Idaho 83720
(208) 384-2215

January 29, 1979

Re: Permit No. 95-7538

City of Post Falls
Box 789
Post Falls, Idaho 83854

Gentlemen:

A representative of this Department made an examination of the works covered by your Permit No. 95-7538 on July 21, 1977, and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: 0.21 cfs Source: groundwater

The maximum quantity diverted shall not exceed 7.6 acre feet per
year.

Point of diversion: SE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 3, Twp. 50N, Rge. 5W, B. M.

Beneficial use: Domestic and irrigation of 2 acres within the SE $\frac{1}{4}$ SW $\frac{1}{4}$,
Sec. 3, Twp. 50N, Rge. 5W, Sec. 3, B. M.

Priority date established: June 9, 1975

If you do not concur with these findings please contact us within 10 days, otherwise a
water license will be issued as set forth above.

Sincerely,

JAN GROVER
Water Rights Supervisor

JG/kw

DEPARTMENT OF WATER ADMINISTRATION
FIELD REPORT

RECEIVED

OCT 21 1976

1. Name of permit holder City of Post Falls, Idaho
Post office address Box 789, Post Falls, ID 83854 Phone 773-4121
Person to contact _____ Phone _____
Department of Water Resources
Northern District Office

2. Source of water supply: Groundwater ☐ Surface water ☒ _____
(name spring, stream, etc.)
Tributary to _____

3. Water will be used for the following purposes:

Amount 0.04 c.f.s. for Domestic (restroom facility)
_____ AF/Annum (nature of use)

Period of Use: from April 1 to Oct. 1
(mo.-day) inclusive (mo.-day)

Amount 0.50 c.f.s. for Irrigation
_____ AF/Annum (nature of use)

Period of Use: from April 1 to Oct. 1
(mo.-day) inclusive (mo.-day)

Amount _____ c.f.s. for _____
_____ AF/Annum (nature of use)

Period of Use: from _____ to _____
(mo.-day) inclusive (mo.-day)

Other uses: _____

Permit No. 95-7538
Examination for b/u

4. Total amount to be appropriated:

Max Rate of Diversion 0.50 cubic feet per second and annual volume _____ AF/Annum.

5. Location of Point(s) of Diversion:

Township 50N N/S, Range 5W E/W, B.M., Section 3, Subdivision SE 1/4 SW 1/4, Kootenai
County

Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ 1/4 _____ 1/4, _____
County

Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ 1/4 _____ 1/4, _____
County

Other Points of Diversions: _____

Description of diverting works: 6" casing, 60' deep, 1 hp sub. pump to toilets and hose bibs.
(4' dug well 36" to sprinkling system
5 hp pump)

Measuring device required: yes ☒ no ☐

6. Lands to be irrigated or place of use. (For city of Post Falls River Park)

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
50N	5W	3											5						5

TOTAL ACREAGE

5

T
50
N




Diagram of System

DATE OF EXAM 7/21/77

ACREAGE

Found 2 acres
Recommended 2 acres

Irrigation Requirement 3.5 Ac Ft/Ac

USE

Irrigation Q = 0.17 c.f.s. per minute V = 7.0 AF/Ann. from 4/1 to 10/1
Domestic Q = 0.04 c.f.s. V = .6 AF/Ann. from 4/1 to 10/1
Livestock Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____

Is water co-mingled? yes _____ no ☒

Name source: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Exchange? yes _____ no ☒

Name source exchanged with: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of injection: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of exchange: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Total Q measured 0.21 cfs Method of measurement meter

Total Q recommended 0.21 Meter No. _____ Type _____ Condition _____

Total V recommended 7.6 a.f.

Recommended Amendments:

P.D. _____
Place of Use _____
Other _____
None ☒

MEASUREMENT CALCULATION:

ACU Meter # 47472035
10 gals in 35 seconds .04 Domestic
15 heads 5 gals/head = .17 irrigation

SYSTEM DESCRIPTION:

5 h.p Westinghouse
1 h.p Westinghouse
Both wells are located in the same well house

REMARKS:

Domestic for restrooms at the park
Irrigation at 2 acres of lawn
Chuck Edleman present during exam

Examiner's Signature Julian E. Barth Jr. Date 7/21/77

Checked by Bob Haynes Date 8/5/77

Approved by _____ Date _____

October 19, 1976

Re: Permit No. 95-7538

City of Post Falls
Box 789
Post Falls, Idaho 83854

Gentlemen:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell during which part of the irrigation season this examination will be made, but our examiner will try to contact you at the time he makes the exam so that you may show him the system.

If you have any questions regarding the field examination, please contact our Regional Office in Coeur d'Alene.

Sincerely,

JANICE RENK
Water Rights Bureau

/jr

Identification No. _____

Permit No. 95-7538

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

RECEIVED

OCT 18 1976

Department of Water Resources

1. a) Name of Permit Holder CITY OF POST FALLS
b) Post Office Address P.O. Box 789
2. Permit Number 95-7538
3. Date of Priority that you are prepared to establish NOT KNOWN EXISTING 4' HAND DUG WELL
4. a) Source from which water was appropriated GROUND WATER
b) Location of the point of diversion: SE $\frac{1}{4}$ SW $\frac{1}{4}$, Section 3
Township 50 N, Range 5 W Boise Meridian, Other points of diversion: _____

5. a) The amount of water and use to which the water has been applied:

Amount 0.04 CFS for DOMESTIC purposes from APRIL 1 to OCT 1 incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)

Amount 0.50 CFS for IRRIGATION purposes from APRIL 1 to OCT 1 incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)

Amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)

b) Total amount appropriated 0.54 cfs and/or acre-feet per annum

c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: ESTIMATE BY CITY ENGINEER GARY A. FRAME, C.E.

6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:

a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use:

N.A.

b) Describe the agreement or understanding by which you take water from the works:

N.A.

7. a) Briefly describe the works for diverting and conveying the water to the place of use, (if from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch)

NEW 6" WELL CASING TOTAL DEPTH 60 FT.
1 HP SUBM. PUMP - TO TOILETS & HOSE BIBS
(4' DUG WELL 36" TO WATER } TO SPRINKLING
5 HP PUMP } SYSTEM EXISTING.)

b) Describe the type and size of measuring device which you have installed at your point of diversion:

DOMESTIC 1 - 5/8" x 3/4" ACCUMETER 164,800 GAL 1976
IRRIGATION 1 1/2" WATER METER TO
BE INSTALLED SPRING 1977

c) Give well driller's name and address and the date the well was completed:

5-29-1975
ASSOCIATED WELL
BOX 723 C.D.A. TRAND

8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use: _____

10/19/76

9. Irrigation uses: describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision: _____

T	R	SEC.	NE¼				NW¼				SW¼				SE¼				TOTAL
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
N 50	5W	3																5	5

Total number of acres irrigated 5

10. Remarks: THE WATER WILL BE USED FOR
LAWN & DOMESTIC PURPOSES WITHIN
THE CITY PARK

The above information is a true statement of the extent to which the above numbered permit has been developed.

10-13-1976
(Date)

Charles A. Edelman, SPW.
(Signature)

State of Idaho)
) ss.
County of Kootenai)

On this 13th day of October, 19 76, personally appeared before me the signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.

Marilyn J. Fehling
Notary Public residing at Post Falls

My commission expires 12-5-77

September 30, 1976

CERTIFIED MAIL 138958

Re: Permit No. 95-7538

City of Post Falls, Idaho
City Hall
Post Falls, Idaho 83854

Gentlemen:

One of the conditions of approval of your water Permit No. 95-7538 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before December 1, 1976. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.

R. Keith Higginson

R. KEITH HIGGINSON
Director

RKH:jg
Enc: Proof affidavit

RECEIVED
SEP 30 1976
FALLS, IDAHO

November 17, 1975

Re: Permit No. 95-7538

City of Post Falls
City Hall
Post Falls, ID 83854

Gentlemen:

Enclosed is a copy of your approved Application for Permit No. 95-7538 . We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF:jfr

Enclosures

MICROFILMED

INTER-DEPARTMENT MEMO — 1

FROM ~~STEN~~ BOB HAYNES

DATE July 18, 1975

TO ~~STEN~~ BOB FLEENOR

SUBJECT Application for Permit No. 95-7538

RECEIVED

JUL 21 1975

Department of Water Resources
Northern District Office


The rate of diversion for irrigation appears excessive.

According to B. Fleenor, we should acquire additional information on the design of the system and the irrigation schedule.

MICROFILMED

11-6

SEE LETTER IN FILE FROM LE PARD + FRAME DATED 10-30-75. (P)



SIGNATURE

LE PARD & FRAME

CONSULTING ENGINEERS

603 North 4th St. - Phone 664-2121

COEUR D'ALENE, IDAHO 83814

RECEIVED

NOV 6 1975

Department of Water Resources
Northern District Office

October 30, 1975

Mr. Robert G. Haynes, P.E.
District Supervisor
Idaho Department of Water Resources
4055 Government Way
Coeur d'Alene, Idaho 83814


Dear Mr. Haynes:

Thank you for your letter of October 29 concerning Permit No. 95-7538. This permit covers a well to supply water for the Post Falls River Park on the south side of the Spokane River.

Application was made for 0.5 cfs such that all lawn sprinkling could be performed after dark when the park was not in use. It was estimated that approximately 200 gpm, or 0.45 cfs, would be necessary to satisfy this condition. The park is in a state of development so actual needs will not be known until the project is essentially complete.

Please contact me if you have any further questions.

Very truly yours,



Gary A. Frame

GAF: gj
cc: City of Post Falls

MICROFILMED

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. 95-7538

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

- (1) JP 6/4/75 In form to receipt
- (2) _____ _____ Send Copies to:
_____ Idaho State Health Department
_____ Idaho Fish and Game Department
_____ Bureau of Land Management
- (3) _____ _____ Request Special Use Permit from U.S.F.S.
_____ Request Easement from B.L.M.
_____ Request Information from Applicant
- (4) JP 6/4/75 In form for advertising
- (5) _____ _____ Platted on Map No. _____
- (6) _____ _____ Located within Water District No. _____
- (7) JP 7/14/75 Critical groundwater area: yes _____ no ☒
- (8) JP 7/14/75 Groundwater levels:
_____ Declining, ☒ Stable, _____ Increasing
(comment) _____
- (9) JP 7/14/75 Other rights on the same place of use (See map)
- (10) _____ _____ Comments: _____
- (11) CP 7/14 Affidavit of Publication received (date) July 9, 1975
- (12) CP 6/13 Final date for protests July 7, 1975
Protests received: yes _____ no ☒
- (13) JP 7/14/75 All requested information received from agencies or
applicant: yes ☒ no _____
- (14) JP 7/14/75 Action recommended:
☒ Approve _____ Deny
6/9/75 Proposed Priority
_____ Reason for Reduction _____
☒ Measuring device required
_____ See attached sheet for other conditions of
approval
_____ No special conditions for approval
- (15) District Snake By [Signature] Date 7/14/75

RECEIVED

Department of Water Resources

DEPARTMENT OF WATER RESOURCES

4055 Government Way - Suite #1

(208) 667-6484

October 29, 1975

Re: Application for Permit No. 95-7538

City of Post Falls
City Hall
Post Falls, ID 83854

Gentlemen:

Some time ago, I contacted the City of Post Falls regarding Application for Permit No. 95-7538. This water is to be used for lawn irrigation and restroom facilities at the City of Post Falls River Park.

The application asks for 0.50 cubic feet per second of water for the irrigation of 5 acres. Idaho law (Section 42-202) restricts the amount of water that can be permitted to 0.02 c.f.s. per acre, unless it can be shown to the Director of the Department that an amount exceeding that quantity is required.

I was referred to the firm of LePard and Frame, as they apparently designed the system. I contacted Mr. Gary Frame and explained the situation to him. He stated that he would provide the necessary justification. As of this date, we have not received the information.

This is to inform you that if a statement of justification regarding the excessive amount of water is not received within 30 days from the date of this letter, the Department will take action to reduce the amount for irrigation to 0.10 c.f.s., which is the amount allowed by law.

If there are any questions in this matter, please contact me.

Very truly yours,

ROBERT G. HAYNES, P.E.
District Supervisor

RGH:cp

cc: LePard and Frame
IDWR - Boise

MICROFILMED

Route 5, Box 203
Suite #1
4055 Government Way

XXXXXX
XXXXXXXXXXXX

July 8, 1975

Re: Application No. 95-7538 - City of Post Falls

Post Falls Tribune
Box 68
Post Falls, ID 83854

Gentlemen:

Could you please submit the affidavit of publication and bill in connection with the above referenced item. The legal notice was to have been published in your newspaper on June 19 and June 26, 1975.

Your assistance in this matter would be appreciated.

Very truly yours,

Corda M. Patterson
Secretary
Northern District

CP

RECEIVED
JUL 10 1975
FBI - POST FALLS

June 16, 1975

Re: Application for Permit No. 95-7538

City of Post Falls
City Hall
Post Falls, ID 83854

Gentlemen:

Attached is your receipt No. 907 in the amount of \$25 for the filing fee on the above referenced application which was received in this office.

Very truly yours,

FRED EISENBARTH
Northern District Supervisor

FE:CP

Attachment

RECEIVED
JUN 17 1975
CITY OF POST FALLS



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
NORTHERN DISTRICT

Cecil D. Andrus
Governor

R. Keith Higginson
Director

Room 209
401 Front Avenue
Coeur d'Alene, Idaho 83814
(208) 667-6484

June 13, 1975

Re: Application No. 95-7538 - City of Post Falls

Post Falls Tribune
Box 68
Post Falls, ID 83854

Gentlemen:

Enclosed is a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to our office along with the publication bill. Your cooperation in this matter is appreciated.

Very truly yours,

FRED EISENBARTH
Northern District Manager

FE:CP

Enc: Legal Notice(s)

Bill: 7-14-75. 8

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that City of Post Falls,
City Hall, Post Falls, Idaho
has on June 9, 1975 submitted Application No. 95-7538
for a permit to appropriate 0.50 cubic feet per second ~~acre feet per annum~~
of water from a ground water source
by means of well and pump
within the SE 1/4, Sec. 3, T. 50N, R. 5W, B.M., Kootenai County

to be used from April 1 to Oct. 1 for domestic (0.04 cfs) and the irrigation
~~for~~ of five acres (0.50 cfs)

within the SE 1/4, Sec. 3, T. 50N, R. 5W, B.M.

If issued, this permit will be subject to all prior water rights. Protests
against the granting of the permit must be filed with the Idaho Department of
Water Resources, 401 Front Ave., Coeur d'Alene, Idaho, 83814 on or before July 7, 1975.

R. KEITH HIGGINSON

Director

Published in the Post Falls Tribune, Post Falls, Idaho
on June 19 and June 26, 1975

NOTICE OF APPLICANTS
FOR WATER PERMIT

Notice is hereby given that City of Post Falls, City Hall, Post Falls, Idaho has on June 9, 1975 submitted Application No. 95-7538 for a permit to appropriate 0.50 cubic feet per second of water from a ground water source by means of well and pump within the SE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 3, T. 50N, R. 5W, B.M., Kootenai County to be used from April 1 to Oct. 1 for domestic (0.04 cfs) and the irrigation of five acres (0.50 cfs) within the SE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 3, T. 50N, R. 5W, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 401 Front Ave., Coeur d'Alene, Idaho 83814 on or before July 7, 1975.

R. KEITH HIGGINSON

Director

Published in the Post Falls Tribune, Post Falls, Idaho on June 19 and June 26, 1975

6-19-2tc

O.K.
6-25-75
J

RECEIVED
JUN 27 1975