


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Marilyn J. Fehling
(Applicant) City Clerk

Don Kamps
95 1436 Mayor

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

MAY 21 1979

PROOF OF APPLICATION
OF WATER TO BENEFICIAL USE

Department of Water Resources

1. a) Name of permit holder CITY OF POST FALLS, IDAHO
b) Post office address P.O. Box 789 POST FALLS, IDAHO 83854
2. Permit number 95-7436

3. Date of priority that you are prepared to establish MAY 14, 1974

4. a) Source from which water was appropriated GROUND WATER

b) Location of the point of diversion: NW $\frac{1}{4}$ SW $\frac{1}{4}$, Section 1
Township 50 N, Range 5 W Boise Meridian. Other points of diversion: NONE

5. a) The amount of water and use to which the water has been applied:

Amount 100,418,000 for DOMESTIC purposes from Jan. 1, 78. to Dec. 31, 78. incl.
(cfs &/or acre feet per annum) GALLONS (month-day) (month-day)
Amount 91,775,000 for DOMESTIC purposes from Jan. 1, 77. to Dec. 31, 77. incl.
(cfs &/or acre feet per annum) GALLONS (month-day) (month-day)
Amount 58,652,600 for DOMESTIC purposes from Jan. 1, 76. to Dec. 31, 76. incl.
(cfs &/or acre feet per annum) GALLONS (month-day) (month-day)

b) Total amount appropriated: 2000 GPM cfs and/or acre feet per annum

c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement

MCCROMETER FLOW METER

6. If the means of diversion and conveyance are owned by someone other than the permit holder:

a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use:

N/A

b) Describe the agreement of understanding by which you take water from the works: N/A

7. a) Briefly describe the works for diverting and conveying the water to the place of use, (if from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch):

200 HP 2000 GPM DEEP WELL TURBINE
16" CASING, 275 FEET DEEP. CONNECTED
TO 500,000 GALLON STORAGE TANK.

b) Describe the provision for making a measurement which you have at your point of diversion: (i.e., installed measuring device, access port, other)

INSTALLED MCCROMETER FLOW METER

MICROFILMED

WELL DRILLER'S REPORT

State law requires that this report be filed with the State Reclamation Engineer
within 30 days after completion or abandonment of the well.RECEIVED
JAN 8 1975Department of Water Resources
Northern District Office

1. WELL OWNER

Name CITY OF POST FALLS
Address POST FALLS IDAHO
Owner's Permit No. File -> 95-7436

7. WATER LEVEL

Static water level 177 feet below land surface
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Temperature 48° F. Quality GOOD
Artesian closed-in pressure _____ p.s.i.
Controlled by ☐ Valve ☐ Cap ☐ Plug

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe method of abandoning)

8. WELL TEST DATA

☐ Pump ☐ Bailer ☐ Other

Discharge G.P.M. Draw Down Hours Pumped

3. PROPOSED USE

☐ Domestic ☐ Irrigation ☐ Test
☒ Municipal ☐ Industrial ☐ Stock

4. METHOD DRILLED

☒ Cable ☐ Rotary ☐ Dug ☐ Other

5. WELL CONSTRUCTION

Diameter of hole 16 inches Total depth 275 feet
Casing schedule: ☒ Steel ☐ Concrete

Thickness	Diameter	From	To
<u>1.375</u> inches	<u>16</u> inches	<u>+2</u> feet	<u>235</u> feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet


Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☐ Yes ☒ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☒ Yes ☐ No
Manufacturer's name JOHNSON U.O.P.
Type STAINLESS STEEL Model No. STANDARD
Diameter 16 Slot size 50 Set from 235 feet to 240 feet
Diameter 16 Slot size 30 Set from 240 feet to 245 feet
16 45 245 255
16 50 255 275Gravel packed? ☐ Yes ☒ No Size of gravel _____
Placed from _____ feet to _____ feetSurface seal? ☒ Yes ☐ No To what depth 20 feet
Material used in seal ☒ Cement grout ☐ Puddling clay

6. LOCATION OF WELL

Sketch map location must agree with written location.

County KOOTENAI
NW 1/4 SW 1/4 Sec. 1, T. 50 N/S, R. 5 E/W

10.

Work started July 25-74 finished Aug 29-74

11. DRILLER'S CERTIFICATION

This well was drilled under my supervision and this report is
true to the best of my knowledge.Driller's or Firm's Name HOLMAN DRILLING CORP Number 108Address E 3410 9TH AVE SPOKANE WASHSigned By Arnold E. 9/1/74 Date 27-74

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
TRANSFER OF WATER RIGHT
TRANSFER NO. 70678

This is to certify that: CITY OF POST FALLS
408 N SPOKANE ST
POST FALLS ID 83854
(208)777-9857

has requested a change to the water right(s) listed below. This change in water right(s) is authorized pursuant to the provisions of Section 42-222, Idaho Code. A summary of the changes is also listed below. The authorized change for each affected water right, including conditions of approval, is shown on the following pages of this document.

Summary of Water Rights Before the Proposed Change

<u>Right</u>	<u>Origin/Basis</u>	<u>Priority</u>	<u>Rate</u>	<u>Volume</u>	<u>Acre Limit</u>	<u>Total Acres</u>	<u>Source</u>
95-4457	WR/Statutory Claim	01/01/1948	1.20 cfs	N/A	N/A	N/A	GROUND WATER
95-4458	WR/Statutory Claim	01/01/1945	1.69 cfs	N/A	N/A	N/A	GROUND WATER
95-4460	WR/Statutory Claim	01/01/1946	2.50 cfs	N/A	N/A	N/A	GROUND WATER
95-7436	WR/License	04/30/1974	4.00 cfs	N/A	N/A	N/A	GROUND WATER
95-8048	WR/License	08/11/1980	3.79 cfs	N/A	N/A	N/A	GROUND WATER
95-8862	WR/License	03/23/1994	4.68 cfs	N/A	N/A	N/A	GROUND WATER

Purpose of Transfer (Changes Proposed)

<u>Current Number</u>	<u>Split</u>	<u>POD</u>	<u>POU</u>	<u>Add POD</u>	<u>Period of Use</u>	<u>Nature of Use</u>
95-4457	NO	NO	NO	YES	NO	NO
95-4458	NO	NO	NO	YES	NO	NO
95-4460	NO	NO	NO	YES	NO	NO
95-7436	NO	NO	NO	YES	NO	NO
95-8048	NO	NO	NO	YES	NO	NO
95-8862	NO	NO	NO	YES	NO	NO

MICROFILMED

MAR 29 2004

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
TRANSFER OF WATER RIGHT
TRANSFER NO. 70678

Summary of Water Rights After the Approved Change

Existing Right	New No. (changed portion)	Transfer Rate	Transfer Volume	Acre Limit	Total Acres	New No. (remaining portion)	Remaining Rate	Remaining Volume	Remaining Acre Limit	Remaining Total Acres
95-4457	95-4457	1.20 cfs	N/A	N/A	N/A		N/A	N/A	N/A	N/A
95-4458	95-4458	1.69 cfs	N/A	N/A	N/A		N/A	N/A	N/A	N/A
95-4460	95-4460	2.50 cfs	N/A	N/A	N/A		N/A	N/A	N/A	N/A
95-7436	95-7436	4.00 cfs	N/A	N/A	N/A		N/A	N/A	N/A	N/A
95-8048	95-8048	3.79 cfs	N/A	N/A	N/A		N/A	N/A	N/A	N/A
95-8862	95-8862	4.68 cfs	N/A	N/A	N/A		N/A	N/A	N/A	N/A
COMBINED										
TOTALS		17.86 cfs	N/A	N/A	N/A		N/A	N/A	N/A	N/A

Detailed Water Right Description(s) attached

Dated this 22nd day of December, 2003



Chief, Water Allocation Bureau

MICROFILMED
MAR 29 2004

WATER RIGHT NO. 95-4457
As Modified by Transfer No. 70678

In accordance with the approval of Transfer No. 70678, Water Right No. 95-4457 is now described as follows.

Right Holder: CITY OF POST FALLS
408 N SPOKANE ST
POST FALLS ID 83854

Priority Date: August 16, 1961

Source: GROUND WATER

<u>BENEFICIAL USE</u>	<u>From</u>	<u>To</u>	<u>Diversion Rate</u>	<u>Volume</u>
MUNICIPAL	01/01	to 12/31	1.20 CFS	
			1.20 CFS	

LOCATION OF POINT(S) OF DIVERSION:

GROUND WATER	NWSW	Sec. 1 Twp 50N Rge 05W KOOTENAI County
GROUND WATER	NENE	Sec. 2 Twp 50N Rge 05W KOOTENAI County
GROUND WATER	SWSE	Sec. 27 Twp 51N Rge 05W KOOTENAI County
GROUND WATER	SWSE	Sec. 27 Twp 51N Rge 05W KOOTENAI County
GROUND WATER	NENE	Sec. 34 Twp 51N Rge 05W KOOTENAI County
GROUND WATER	NWNE	Sec. 34 Twp 51N Rge 05W KOOTENAI County
GROUND WATER	NWNE	Sec. 34 Twp 51N Rge 05W KOOTENAI County
GROUND WATER	NWNW	Sec. 34 Twp 51N Rge 05W KOOTENAI County

MICROFILMED

MAR 29 2004

WATER RIGHT NO. 95-4457
As Modified by Transfer No. 70678

CONDITIONS OF APPROVAL

1. Approval of Transfer 70678 does not confirm Claimed Right 95-4457.
2. The total instantaneous diversion of water from all points of diversion under Rights 95-4457, 95-4458, 95-4460, 95-7436, 95-8048 and 95-8862 shall not exceed 17.86 cfs.
3. Prior to diversion of water under this approval, the right holder shall provide a means of measurement acceptable to the Department from all authorized points of diversion which will allow determination of the total rate of diversion.
4. Rights 95-4458, 95-4460, 95-7436, 95-8048 and 95-8862 are also diverted through the points of diversion described above.
5. After specific notification by the Department, the right holder shall measure the diversion or shall enter into an agreement with the Department to determine the amount of water diverted from power records and shall annually report the information to the Department.
6. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code and applicable Well Construction Rules of the Department.
7. Place of use is within the service area of the City of Post Falls municipal water supply system as provided for under Idaho Law.
8. This right does not grant any right-of-way or easement across the land of another.
9. The right holder shall accomplish the change authorized by this transfer within one (1) year of the date of this approval.
10. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.

This water right is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources.

Dated this 22nd day of December, 2003


Chief, Water Allocation Bureau

MICROFILMED
MAR 29 2004

WATER RIGHT NO. 95-4458
As Modified by Transfer No. 70678

In accordance with the approval of Transfer No. 70678, Water Right No. 95-4458 is now described as follows.

Right Holder: CITY OF POST FALLS
408 N SPOKANE ST
POST FALLS ID 83854

Priority Date: July 01, 1947

Source: GROUND WATER

<u>BENEFICIAL USE</u>	<u>From</u>	<u>To</u>	<u>Diversion Rate</u>	<u>Volume</u>
MUNICIPAL	1/01	12/31	1.69 CFS	
			1.69 CFS	

LOCATION OF POINT(S) OF DIVERSION:

GROUND WATER	NWSW	Sec. 1 Twp 50N Rge 05W KOOTENAI County
GROUND WATER	NENE	Sec. 2 Twp 50N Rge 05W KOOTENAI County
GROUND WATER	SWSE	Sec. 27 Twp 51N Rge 05W KOOTENAI County
GROUND WATER	SWSE	Sec. 27 Twp 51N Rge 05W KOOTENAI County
GROUND WATER	NENE	Sec. 34 Twp 51N Rge 05W KOOTENAI County
GROUND WATER	NWNE	Sec. 34 Twp 51N Rge 05W KOOTENAI County
GROUND WATER	NWNE	Sec. 34 Twp 51N Rge 05W KOOTENAI County
GROUND WATER	NWNW	Sec. 34 Twp 51N Rge 05W KOOTENAI County

MICROFILMED
MAR 29 2004

WATER RIGHT NO. 95-4458
As Modified by Transfer No. 70678

CONDITIONS OF APPROVAL

1. Approval of Transfer 70678 does not confirm Claimed Right 95-4458.
2. The total instantaneous diversion of water from all points of diversion under Rights 95-4457, 95-4458, 95-4460, 95-7436, 95-8048 and 95-8862 shall not exceed 17.86 cfs.
3. Prior to diversion of water under this approval, the right holder shall provide a means of measurement acceptable to the Department from all authorized points of diversion which will allow determination of the total rate of diversion.
4. Rights 95-4457, 95-4460, 95-7436, 95-8048 and 95-8862 are also diverted through the points of diversion described above.
5. After specific notification by the Department, the right holder shall measure the diversion or shall enter into an agreement with the Department to determine the amount of water diverted from power records and shall annually report the information to the Department.
6. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code and applicable Well Construction Rules of the Department.
7. Place of use is within the service area of the City of Post Falls municipal water supply system as provided for under Idaho Law.
8. This right does not grant any right-of-way or easement across the land of another.
9. The right holder shall accomplish the change authorized by this transfer within one (1) year of the date of this approval.
10. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.

This water right is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources.

Dated this 22nd day of December, 20 03


Chief, Water Allocation Bureau

MICROFILMED

MAR 29 2004

WATER RIGHT NO. 95-4460
As Modified by Transfer No. 70678

In accordance with the approval of Transfer No. 70678, Water Right No. 95-4460 is now described as follows.

Right Holder: CITY OF POST FALLS
408 N SPOKANE ST
POST FALLS ID 83854

Priority Date: July 01, 1947

Source: GROUND WATER

<u>BENEFICIAL USE</u>	<u>From</u>	<u>To</u>	<u>Diversion Rate</u>	<u>Volume</u>
MUNICIPAL	1/01	to 12/31	2.50 CFS	
			2.50 CFS	

LOCATION OF POINT(S) OF DIVERSION:

GROUND WATER	NWSW	Sec. 1 Twp 50N Rge 05W KOOTENAI County
GROUND WATER	NENE	Sec. 2 Twp 50N Rge 05W KOOTENAI County
GROUND WATER	SWSE	Sec. 27 Twp 51N Rge 05W KOOTENAI County
GROUND WATER	SWSE	Sec. 27 Twp 51N Rge 05W KOOTENAI County
GROUND WATER	NENE	Sec. 34 Twp 51N Rge 05W KOOTENAI County
GROUND WATER	NWNE	Sec. 34 Twp 51N Rge 05W KOOTENAI County
GROUND WATER	NWNE	Sec. 34 Twp 51N Rge 05W KOOTENAI County
GROUND WATER	NWNW	Sec. 34 Twp 51N Rge 05W KOOTENAI County

MICROFILMED

MAR 29 2004

WATER RIGHT NO. 95-4460
As Modified by Transfer No. 70678

CONDITIONS OF APPROVAL

1. Approval of Transfer 70678 does not confirm Claimed Right 95-4460.
2. The total instantaneous diversion of water from all points of diversion under Rights 95-4457, 95-4458, 95-4460, 95-7436, 95-8048 and 95-8862 shall not exceed 17.86 cfs.
3. Prior to diversion of water under this approval, the right holder shall provide a means of measurement acceptable to the Department from all authorized points of diversion which will allow determination of the total rate of diversion.
4. Rights 95-4457, 95-4458, 95-7436, 95-8048 and 95-8862 are also diverted through the points of diversion described above.
5. After specific notification by the Department, the right holder shall measure the diversion or shall enter into an agreement with the Department to determine the amount of water diverted from power records and shall annually report the information to the Department.
6. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code and applicable Well Construction Rules of the Department.
7. Place of use is within the service area of the City of Post Falls municipal water supply system as provided for under Idaho Law.
8. This right does not grant any right-of-way or easement across the land of another.
9. The right holder shall accomplish the change authorized by this transfer within one (1) year of the date of this approval.
10. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.

This water right is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources.

Dated this 22nd day of December, 2003



Chief, Water Allocation Bureau

MICROFILMED

MAR 29 2004

WATER RIGHT NO. 95-7436
As Modified by Transfer No. 70678

In accordance with the approval of Transfer No. 70678, Water Right No. 95-7436 is now described as follows.

Right Holder: CITY OF POST FALLS
408 N SPOKANE ST
POST FALLS ID 83854

Priority Date: April 30, 1974

Source: GROUND WATER

<u>BENEFICIAL USE</u>	<u>From</u>	<u>To</u>	<u>Diversion Rate</u>	<u>Volume</u>
MUNICIPAL	1/01	to 12/31	4.00 CFS	
			4.00 CFS	

LOCATION OF POINT(S) OF DIVERSION:

GROUND WATER	NWSW	Sec. 1 Twp 50N Rge 05W KOOTENAI County
GROUND WATER	NENE	Sec. 2 Twp 50N Rge 05W KOOTENAI County
GROUND WATER	SWSE	Sec. 27 Twp 51N Rge 05W KOOTENAI County
GROUND WATER	SWSE	Sec. 27 Twp 51N Rge 05W KOOTENAI County
GROUND WATER	NENE	Sec. 34 Twp 51N Rge 05W KOOTENAI County
GROUND WATER	NWNE	Sec. 34 Twp 51N Rge 05W KOOTENAI County
GROUND WATER	NWNE	Sec. 34 Twp 51N Rge 05W KOOTENAI County
GROUND WATER	NWNW	Sec. 34 Twp 51N Rge 05W KOOTENAI County

MICROFILMED

MAR 29 2004

WATER RIGHT NO. 95-7436
As Modified by Transfer No. 70678

CONDITIONS OF APPROVAL

1. The total instantaneous diversion of water from all points of diversion under Rights 95-4457, 95-4458, 95-4460, 95-7436, 95-8048 and 95-8862 shall not exceed 17.86 cfs.
2. Prior to diversion of water under this approval, the right holder shall provide a means of measurement acceptable to the Department from all authorized points of diversion which will allow determination of the total rate of diversion.
3. Rights 95-4457, 95-4458, 95-4460, 95-8048 and 95-8862 are also diverted through the points of diversion described above.
4. After specific notification by the Department, the right holder shall measure the diversion or shall enter into an agreement with the Department to determine the amount of water diverted from power records and shall annually report the information to the Department.
5. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code and applicable Well Construction Rules of the Department.
6. Place of use is within the service area of the City of Post Falls municipal water supply system as provided for under Idaho Law.
7. This right does not grant any right-of-way or easement across the land of another.
8. The right holder shall accomplish the change authorized by this transfer within one (1) year of the date of this approval.
9. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.

This water right is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources.

Dated this 22nd day of December, 2003



Chief, Water Allocation Bureau

MICROFILMED

MAR 29 2004

WATER RIGHT NO. 95-8048
As Modified by Transfer No. 70678

In accordance with the approval of Transfer No. 70678, Water Right No. 95-8048 is now described as follows.

Right Holder: CITY OF POST FALLS
408 N SPOKANE ST
POST FALLS ID 83854

Priority Date: August 11, 1980

Source: GROUND WATER

<u>BENEFICIAL USE</u>	<u>From</u>	<u>To</u>	<u>Diversion Rate</u>	<u>Volume</u>
MUNICIPAL	1/01	to 12/31	3.79 CFS	
			3.79 CFS	

LOCATION OF POINT(S) OF DIVERSION:

GROUND WATER	NWSW	Sec. 1 Twp 50N Rge 05W KOOTENAI County
GROUND WATER	NENE	Sec. 2 Twp 50N Rge 05W KOOTENAI County
GROUND WATER	SWSE	Sec. 27 Twp 51N Rge 05W KOOTENAI County
GROUND WATER	SWSE	Sec. 27 Twp 51N Rge 05W KOOTENAI County
GROUND WATER	NENE	Sec. 34 Twp 51N Rge 05W KOOTENAI County
GROUND WATER	NWNE	Sec. 34 Twp 51N Rge 05W KOOTENAI County
GROUND WATER	NWNE	Sec. 34 Twp 51N Rge 05W KOOTENAI County
GROUND WATER	NWNW	Sec. 34 Twp 51N Rge 05W KOOTENAI County

MICROFILMED

MAR 29 2004

WATER RIGHT NO. 95-8048
As Modified by Transfer No. 70678

CONDITIONS OF APPROVAL

1. Approval of Transfer 70678 does not confirm Claimed Right 95-4457.
2. The total instantaneous diversion of water from all points of diversion under Rights 95-4457, 95-4458, 95-4460, 95-7436, 95-8048 and 95-8862 shall not exceed 17.86 cfs.
3. Prior to diversion of water under this approval, the right holder shall provide a means of measurement acceptable to the Department from all authorized points of diversion which will allow determination of the total rate of diversion.
4. Rights 95-4457, 95-4458, 95-4460, 95-7436 and 95-8862 are also diverted through the points of diversion described above.
5. After specific notification by the Department, the right holder shall measure the diversion or shall enter into an agreement with the Department to determine the amount of water diverted from power records and shall annually report the information to the Department.
6. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code and applicable Well Construction Rules of the Department.
7. Place of use is within the service area of the City of Post Falls municipal water supply system as provided for under Idaho Law.
8. This right does not grant any right-of-way or easement across the land of another.
9. The right holder shall accomplish the change authorized by this transfer within one (1) year of the date of this approval.
10. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.

This water right is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources.

Dated this 22nd day of December, 2003



Chief, Water Allocation Bureau

MICROFILMED

MAR 29 2004

WATER RIGHT NO. 95-8862
As Modified by Transfer No. 70678

In accordance with the approval of Transfer No. 70678, Water Right No. 95-8862 is now described as follows.

Right Holder: CITY OF POST FALLS
408 N SPOKANE ST
POST FALLS ID 83854

Priority Date: March 23, 1994

Source: GROUND WATER

<u>BENEFICIAL USE</u>	<u>From</u>	<u>To</u>	<u>Diversion Rate</u>	<u>Volume</u>
MUNICIPAL	01/01	to 12/31	4.68 CFS	
			4.68 CFS	

LOCATION OF POINT(S) OF DIVERSION:

GROUND WATER	NWSW	Sec. 1 Twp 50N Rge 05W KOOTENAI County
GROUND WATER	NENE	Sec. 2 Twp 50N Rge 05W KOOTENAI County
GROUND WATER	SWSE	Sec. 27 Twp 51N Rge 05W KOOTENAI County
GROUND WATER	SWSE	Sec. 27 Twp 51N Rge 05W KOOTENAI County
GROUND WATER	NENE	Sec. 34 Twp 51N Rge 05W KOOTENAI County
GROUND WATER	NWNE	Sec. 34 Twp 51N Rge 05W KOOTENAI County
GROUND WATER	NWNE	Sec. 34 Twp 51N Rge 05W KOOTENAI County
GROUND WATER	NWNW	Sec. 34 Twp 51N Rge 05W KOOTENAI County

MICROFILMED

MAR 29 2004

WATER RIGHT NO. 95-8862
As Modified by Transfer No. 70678

CONDITIONS OF APPROVAL

1. The total instantaneous diversion of water from all points of diversion under Rights 95-4457, 95-4458, 95-4460, 95-7436, 95-8048 and 95-8862 shall not exceed 17.86 cfs.
2. Prior to diversion of water under this approval, the right holder shall provide a means of measurement acceptable to the Department from all authorized points of diversion which will allow determination of the total rate of diversion.
3. Rights 95-4457, 95-4458, 95-4460, 95-7436 and 95-8048 are also diverted through the points of diversion described above.
4. After specific notification by the Department, the right holder shall measure the diversion or shall enter into an agreement with the Department to determine the amount of water diverted from power records and shall annually report the information to the Department.
5. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code and applicable Well Construction Rules of the Department.
6. Place of use is within the service area of the City of Post Falls municipal water supply system as provided for under Idaho Law.
7. This right does not grant any right-of-way or easement across the land of another.
8. The right holder shall accomplish the change authorized by this transfer within one (1) year of the date of this approval.
9. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.

This water right is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources.

Dated this 22nd day of December, 2003


Chief, Water Allocation Bureau

MICROFILMED

MAR 29 2004

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

(late proof)

License of Water Right No. 95-7436 Priority April 30, 1974 Amount 4.0 cfs

THIS IS TO CERTIFY, that CITY OF POST FALLS, IDAHO
of Post Falls, Idaho, has complied with the terms and conditions of Permit
No. 95-7436 issued pursuant to Application for Permit dated April 10, 1974,
and has submitted proof to the Department of Water Resources on May 21, 1979,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 4.0 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Municipal</u>	from <u>January 1</u> to <u>December 31</u> at <u>4.0</u> cfs and <u>N/A</u>		
	from _____ to _____ at _____ cfs and _____		
	from _____ to _____ at _____ cfs and _____		

(both dates inclusive)

Subject, however, to the condition that no more than 4.0 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
N/A acre feet per year, said waters to be diverted within the NW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 1, Twp. 50N,
Rge. 5W, B.M. in the County of Kootenai

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	

Total number of acres irrigated _____

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 27 day of
March, 19 80.

Director

BEFORE THE DEPARTMENT OF WATER ADMINISTRATION
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 95-7436)
IN THE NAME OF THE CITY OF POST FALLS)

ORDER OF REINSTATEMENT

WHEREAS, on April 10, 1974, The City of Post Falls filed with the Department of Water Resources an application for permit to appropriate 4 cubic feet per second of water from a ground water source to be diverted within the NW $\frac{1}{4}$ of SW $\frac{1}{4}$, Sec. 1, Twp 50N, Rge 5W, B.M., Kootenai County, for domestic purposes; and,

WHEREAS, on May 14, 1974, the Department approved said application and issued Permit No. 95-7436 with the condition that proof of construction of works and application of water to beneficial use be submitted to the Department on or before May 1, 1979; and,

WHEREAS, on February 28, 1979, the Department notified the permit holder by certified mail that proof of beneficial use was due and instructed the permit holder as to the steps to be taken to make said proof; and,

WHEREAS, on May 15, 1979, the Department notified the permit holder that Permit No. 95-7436 had lapsed for failure to submit proof of beneficial use of water; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within 60 days from the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing as to why said permit should be reinstated by submitting proof of beneficial use on May 21, 1979;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 95-7436 be REINSTATED and the priority advanced to April 30, 1974.

Dated this 25th day of June, 1979.

L. Glen Saxton

L. GLEN SAXTON
CHIEF, OPERATIONS BUREAU

RECEIVED

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. 95-7436 }

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,


WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows: "The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 18th day of August, 1978.


C. STEPHEN ALLRED
Director

Identification No. 95-7436

Application No. _____

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

APPROVED

1. Name of applicant CITY OF POST FALLS, IDAHO
post office address CITY HALL, POST FALLS, IDAHO 83854
2. Source of water supply Groundwater which is a tributary of _____
3. a. Location of point of diversion is NW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 1 Township 50N
Range 5W B.M. Kootenai County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into N.A. at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 4 cfs for domestic purpose from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 4 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. deep well and pump

b. Height of storage dam N.A. feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
c. Proposed well diameter is 16 inches; proposed depth of well is 250 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$ 35,000.00.
8. Description of proposed uses:
a. If water is **not** for irrigation: Corporate Limits of City of Post Falls, Idaho
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. (See map)
(2) Amount of power to be generated: N.A. hp under _____ feet of head.
(3) List number of each kind of livestock to be watered N.A.

(4) Name of municipality to be served Post Falls, Idaho, or number of families to be
supplied with domestic water _____
(5) If water is to be used for other purposes describe: _____

9874

Total number of acres to be irrigated N.A.


9. a. Who owns the property at the point of diversion City of Post Falls

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the

applicant to make this filing-

10. Remarks:

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Marilyn J. Fehling
(Applicant) City Clerk
Don Kamps
95 1436 Mayor

Proposed Priority 4-10-1974

Received by DF Date 4-10-74 Time 1:00 p.m.

Preliminary check by DF Fee \$ 55.00

Received by DF Date 4-10-74 # 14025

Publication prepared by CP Date 4-12-74

Published in Post Falls Tribune

Publication dates 4-18 & 4-25-74

Publication approved DF Date 5-6-74

Priority reduced to Reason

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by W GDF

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-7436, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before May 1, 1979.

c. Other: A measuring device of a type approved by this Department shall be

permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 14 day of May 19 74.

Director

DEPARTMENT OF WATER ADMINISTRATION
- STAFF ANALYSIS -

Item Initial Date

- (1) EP 4/10/74 Application No. 95-7436
- (2) EP 4/10/74
- ☒ Source
 - ☒ Point of Diversion
 - ☒ County
 - ☒ Quantity of Water and Period of Use
 - ☒ Description of Diverting Works
 - ☒ Time required for B/U of water
 - ☒ Place of Use or Acres Irrigated
 - ☒ Map
 - ☒ Signature
 - ☒ Fee
- (3) EP 4/10/74 In form to receipt
- EP 4/10/74 Send Copies to:
- ☒ Idaho State Health Department
 - ☒ Idaho Fish and Game Department
 - ☒ Bureau of Land Management
- (4) EP 4/10/74
- ☐ Request Special Use Permit from U.S.F.S.
 - ☐ Request Easement from B.L.M.
 - ☐ Request Information from Applicant
- (5) EP 4/10/74 In form for advertising
- (6) EP 4/10/74 Located within Water District No. _____
- (7) EP 5/14/74 Critical groundwater area: yes _____ no ☒
- (8) EP 5/14 Groundwater levels:
- ☐ Decline (comment) _____
 - ☒ Stable (comment) _____
 - ☐ Increasing (comment) _____
- (9) EP 5/14 Comments: _____
- (10) EP 5/16 Affidavit of Publication received (date) MAY 2, 1974
- (11) EP 4/12 Final date for protests MAY 6, 1974
- Protests received: yes _____ no ☒
- (12) EP 5/16 Date and Place of hearing _____
- Decision reached at hearing _____
- (13) EP 5/16 All requested information received from agencies or applicant
- yes ☒ no _____
- (14) EP 5/16 Action recommended:
- ☒ Approve Priority 4/10/74
 - ☐ Deny Reason for Reduction _____
 - ☒ Measuring device required
 - ☐ See attached sheet for additional conditions of approval
 - ☒ No additional conditions for approval
- (15) District Butte By Paul E. Smith Date 5/16/74

95 7436

RECEIVED

Department of Water Administration

**NOTICE OF APPLICATION
FOR WATER PERMIT**

Notice is hereby given that City of Post Falls, City Hall, Post Falls, Idaho, has on April 10, 1974, submitted Application No. 95-7436 for a permit to appropriate 4.0 cubic feet per second of water from a ground water source by means of well and pump within the NW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 1, T. 50N, R. 5W, B. M. Kootenai County, to be used from Jan. 1 to Dec. 31, for domestic purposes for the City of Post Falls.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, 401 Front Ave., Coeur d'Alene, Idaho, 83814 on or before May 6, 1974.

R. KEITH HIGGINSON
Director

Published in the Post Falls Tribune, Post Falls, Idaho, on April 18 and April 25, 1974.

4-18 2tc

AFFIDAVIT OF PUBLICATION

County of Kootenai }
STATE OF IDAHO } ss.

JEANNETTE S. ROSIN, being first duly sworn, deposes and says that she is the publisher of THE POST FALLS TRIBUNE, a newspaper published weekly at Post Falls, Kootenai County, Idaho, and of general circulation therein.

That the NOTICE OF APPLICATION FOR WATER PERMIT

#95-7436 City of Post Falls

a true printed copy of which is attached to the margin hereof, has been and was correctly printed and published in the regular and entire issue of every number of said newspaper and not in any supplement thereof or thereto for two consecutive issues, commencing

with the issue dated April 18, 19 74

and ending with the issue dated April 25, 19 74

Subscribed and sworn to before me, this 25th

day of April, 19 74

C. Agnes Luckin
Notary Public for the State of Idaho
Residing at Post Falls, Idaho

Publication Fee \$ 11.84

(32)

95 7436

Transfer 70678 Reference Sheet

DATE: December 23, 2003

TO: File(s) 95-4458, 4460, 7436, 8048, 8862

**Original Transfer Application form,
correspondence and review documents
regarding Transfer 70678 are located within
Water Right file 95-4457.**

Transfer 70678 Reference Sheet

**MICROFILMED
MAR 29 2004**



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

March 27, 1980

City of Post Falls
City Hall
Post Falls, Idaho 83854

Dear Sirs,

RE: License No. 95-7436

Enclosed is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

Jan Grover
JAN GROVER
Water Rights Supervisor

JG:lr


Enclosure

MICROFILMED

RECEIVED

TWP.	RANGE	SEC.	NE1/4				NW1/4				SW1/4				SE1/4				TOTALS
			NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	
51N	SW	34	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
		33				X													
		35							X				X						
		26												X					
50N	SW	1									X	X	X	X	X	X	X	X	
		2	X	X	X	X			X	X	X	X	X	X	X	X		X	
		3	X	X	X	X	X	X	X	X	X			X	X	X	X	X	
		4	X	X	X	X													
		10	X																
		11							X										
TOTAL ACREAGE																			

Diagram of System



DATE OF EXAM 10-8-79

ACREAGE

Found _____
Recommended _____

Irrigation Requirement _____ Ac Ft/Ac

USE

Irrigation Q=_____ c.f.s.	V=_____	AF/Ann. from _____	to _____
Domestic Q=_____ c.f.s.	V=_____	AF/Ann. from _____	to _____
Livestock Q=_____ c.f.s.	V=_____	AF/Ann. from _____	to _____

Municipal: 84.0 1-1 12-31

Is water co-mingled? yes ☒ no _____

Name source: F 95-7538
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Exchange? yes _____ no ☒

Name source exchanged with: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of injection:
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of exchange:
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Total Q measured 1800 gpm Method of measurement Meter

Total Q recommended 4.01 Meter No. 74-10-398 Type Flowmeter Condition Good

Total V recommended _____

Recommended Amendments:

P.D. _____
Place of Use _____
Other Domestic use should be changed to Municipal
None _____

MEASUREMENT CALCULATION:

1800 gpm
448.8 - 4.01

SYSTEM DESCRIPTION:

16" x 200' Well with H.E. 200 hp motor Model 5K 6272 XH 56A # JKJ934105
and Quora pump type 14PM # 174-03969 with pipe line
to storage tank & gravity flow to place of use.

REMARKS:

Accompanied by City Mechanic

Examiner's Signature J King Date 10-8-79

Checked by Bob Haynes Date 10-11-79

Approved by _____ Date _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
C. STEPHEN ALLRED
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

July 13, 1979

City of Post Falls
P. O. Box 789
Post Falls, Idaho 83854

RE: 95-7436


Gentlemen:

We acknowledge receipt of your statement of completion of water development and use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We do not know at this time when he will be able to conduct the examination, however, the examiner will try to contact you at the time he makes the examination so that you may show him the system. Your permit will remain valid until the examination is made.

If you have any questions concerning the field examination, please contact this office.

Very truly yours,


TOM D. KING
Senior Water Resource Agent

TDK/pms

cc: IDWR - State Office

enc. - Order of Reinstatement

RECEIVED
JUL 15 1979
IDWR

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
C. STEPHEN ALLRED
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

July 13, 1979

City of Post Falls
P. O. Box 789
Post Falls, Idaho 83854

RE: 95-7436


Gentlemen:

We acknowledge receipt of your statement of completion of water development and use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We do not know at this time when he will be able to conduct the examination, however, the examiner will try to contact you at the time he makes the examination so that you may show him the system. Your permit will remain valid until the examination is made.

If you have any questions concerning the field examination, please contact this office.

Very truly yours,



TOM D. KING
Senior Water Resource Agent

TDK/pms

cc: IDWR - State Office

MICROFILMED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 95-7436

Name(s) of Permit Holder: CITY OF POST FALLS, IDAHO

Post Office Address: P.O. Box 789

POST FALLS, IDAHO 83854

Source of Water: GROUND WATER

Extent of Use: ☒ Domestic 1500 ± (number of households)
☐ Stockwater _____ (number and type of stock)
☐ Irrigation _____ (acres)
☐ Other _____

Measuring Device: Required? OK ☒ Yes ☐ No Installed? ☒ Yes ☐ No
 Access Port: Required? ☒ Yes ☐ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.


5/17/79
 Date

WM. Stidham
 Signature of Permit Holder

CITY OF POST

P.O. Box 789

POST FALLS, IDAHO 83854



RECEIVED

MAY 21 1979



Department of Water Resources

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

PROOF OF APPLICATION
OF WATER TO BENEFICIAL USE

MAY 21 1979

Department of Water Resources

1. a) Name of permit holder CITY OF POST FALLS, IDAHO
b) Post office address P.O. Box 789 POST FALLS, IDAHO 83854
2. Permit number 95-7436
3. Date of priority that you are prepared to establish MAY 14, 1974
4. a) Source from which water was appropriated GROUND WATER
b) Location of the point of diversion: NW 1/4 SW 1/4, Section 1
Township 50N, Range 5W Boise Meridian. Other points of diversion: NONE

5. a) The amount of water and use to which the water has been applied:

Amount 100,418,000 for DOMESTIC purposes from Jan 1, 78 to Dec 31, 78 incl.
(cfs &/or acre-foot per annum) GALLONS (month-day) (month-day)
Amount 91,775,000 for DOMESTIC purposes from Jan 1, 77 to Dec 31, 77 incl.
(cfs &/or acre-foot per annum) GALLONS (month-day) (month-day)
Amount 58,652,600 for DOMESTIC purposes from Jan 1, 76 to Dec 31, 76 incl.
(cfs &/or acre-foot per annum) GALLONS (month-day) (month-day)

b) Total amount appropriated: 2000 GPM

c) Describe how and at what location the water is being used, and the quality of the water as it is used.

MCCROMETER FLOW METER

6. If the means of diversion and conveyance are owned by someone other than the permit holder:

a) Give the name or description of the canal, ditch or other works by which the water is conveyed to the place of use:

N/A

b) Describe the agreement of understanding by which you take water from the works: N/A

7. a) Briefly describe the works for diverting and conveying the water to the place of use, (if from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch):

200 HP 2000 GPM DEEP WELL TURBINE
16" CASING, 275 FEET DEEP. CONNECTED
TO 500,000 GALLON STORAGE TANK.

b) Describe the provision for making a measurement which you have at your point of diversion: (i.e., installed measuring device, access port, other)


* INSTALLED MCCROMETER FLOW METER

My commission expires Life

City of Post Falls

P. O. BOX 789
POST FALLS, IDAHO 83854

State of Idaho
Department of Water Resources
State Office
373 W. Franklin Street
Boise, Idaho 83720





State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 384-2215

May 15, 1979

City of Post Falls
City Hall
Post Falls, ID 83854

Gentlemen:

You are hereby notified that under the provisions of Section 42-218a of the Idaho Code, Permit No. 95-7436 has lapsed since you have not notified us that you have completed the project by the date required on your permit. You were provided forms for that purpose in our notice to you dated February 28, 1979.

Your permit cannot be reinstated unless you submit the proof of beneficial use affidavit, enclosed, or show other reasonable cause why the permit should be reinstated within 60 days from the date of this lapse notice.



C. STEPHEN ALLRED
Director

CSA:jfr

Encl.

CERTIFICATION OF MAILING

I hereby certify that on 5/13/79
a copy of an original of this document
deposited in the United States mail
postage prepaid addressed to the
individual(s) named above.



MICROFILMED



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

CERTIFIED MAIL

100683

February 28, 1979

Re: Permit No. 95-7436

City of Post Falls
City Hall
Post Falls, ID 83854

Gentlemen:

One of the conditions of approval of your water Permit No. 95-7436 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before May 1, 1979. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise, the permit will lapse and be of no further force or effect.


RITA FLECK
Water Rights

Encl: Proof affidavit

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:

Statehouse
Boise, Idaho 83720
(208) 384-2215

NOV 21 1979

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition should be less restrictive and provide more flexibility to you in the development of your water right system. The specifications related to the size and location of the access port will be available upon request from the Department, as soon as the Department's measuring equipment is obtained.

If you have questions regarding this matter, please contact this office or our regional offices.

Sincerely,

A handwritten signature in cursive script that reads "L. Glen Saxton".

L. GLEN SAXTON
Chief, Operations Bureau

LGS:JG:kw

Enclosure



State of Idaho
Department of Water Resources
WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name CITY OF POST FALLS
Address _____
Owner's Permit No. 95-7436

7. WATER LEVEL

Static water level 32 feet below land surface
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Temperature _____ F. Quality _____
Artesian closed-in pressure _____ p.s.i.
Controlled by ☐ Valve ☐ Cap ☐ Plug

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe method of abandoning) _____

8. WELL TEST DATA

☐ Pump ☐ Bailer ☒ Other AIR
Discharge G.P.M. 100 Draw Down 0 Hours Pumped 2

3. PROPOSED USE

☐ Domestic ☒ Irrigation ☐ Test ☐ Other (specify type) _____
☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection

9. LITHOLOGIC LOG

Hole Diam.	Depth		Material	Water	
	From	To		Yes	No
<u>8 1/2"</u>	<u>0</u>	<u>60'</u>	<u>SAND & GRAVEL</u>	☒	☐

4. METHOD DRILLED

☐ Cable ☒ Rotary ☐ Dug ☐ Other

5. WELL CONSTRUCTION


Diameter of hole 8 1/2 inches Total depth 60 feet
Casing schedule: ☒ Steel ☐ Concrete
Thickness .250 inches Diameter 8 1/2 inches From 2 feet To 58 feet
_____ inches _____ inches _____ feet _____ feet
_____ inches _____ inches _____ feet _____ feet
_____ inches _____ inches _____ feet _____ feet
_____ inches _____ inches _____ feet _____ feet
Was casing drive shoe used? ☐ Yes ☒ No
Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☐ Yes ☒ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation 4 inches by 2 inches
Number 20 perforations From 50 feet To 57 feet
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet

Well screen installed? ☐ Yes ☒ No
Manufacturer's name _____
Type _____ Model No. _____
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Gravel packed? ☐ Yes ☒ No Size of gravel _____
Placed from _____ feet to _____ feet

Surface seal depth 20 Material used in seal ☐ Cement grout
☒ Pudding clay ☐ Well cuttings
Sealing procedure used ☐ Slurry pit ☒ Temporary surface casing
☒ Overbore to seal depth

6. LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name _____
Lot No. _____ Block No. _____

County Kootenai
SE 1/4 SW 1/4 Sec. 3, T. 50 N. 1/2 R. 5 E. 1/2 W.

10.

Work started 5/23/75 finished 5/27/75

11. DRILLERS CERTIFICATION

Firm Name Associated Ropes Firm No. 105
Address Box 723 C.R.A. Date 5/29/75
Signed by (Firm Official) Bug Thompson
and Eugene Smith
(Operator)

State of Idaho
Department of Water Administration

RECEIVED

JAN 8 1975

[illegible]

USE ADDITIONAL SHEETS IF NECESSARY

FORWARD THE WHITE, BLUE, AND PINK COPIES TO THE DEPARTMENT

May 13, 1974

Re: Permit No. 95-7436

City of Post Falls Idaho
City Hall
Post Falls, Idaho 83854

Gentlemen:

Enclosed is a copy of your approved Application for Permit No. 95-7436 . We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

BDF/bjg

Enclosures

95 7436



PANHANDLE HEALTH DISTRICT I

P. O. Box 608 412 Lakeside Avenue Coeur d'Alene, Idaho 83814

April 18, 1974

RECEIVED

APR 18 1974

Department of Water Administration
Northern District Office

Fred Eisenbarth
Department of Water Administration
401 Front Avenue, Room 209
Coeur d'Alene, Idaho

Re: Application No.'s
95-7436 & 96-7270

Dear Mr. Eisenbarth:

The Panhandle Health District has no objections to the above applications for City of Post Falls located in NW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 1, Township 50 N, Range 5 W and for Geneva A. Peterson &/or Jean I. Lukens, Star Route, Silver Beach Resort, Spirit Lake located in Gov't Lot 1, Section 13, Township 53 N, Range 5 W, with the stipulation re letter attached.

The actual well site for the City of Post Falls should be approved by the Health District prior to drilling to insure compliance with all State Codes.

Sincerely,

Anthony P. Davis

Anthony P. Davis
Environmentalist

April 12, 1974

Re: Application for Permit No. 95-7436 - City of Post Falls
" " " " 96-7270 - Geneva A. Peterson &/or Jean I. Lukens

Ronald L. Donaly
Department of Health
P.O. Box 608
Coeur d'Alene, ID 83814

Dear Ron:

We are enclosing copies of applications that may be of interest to your agency. Please review these applications and if you have any comments, please submit them to our office as soon as possible. We normally complete the processing of an application within a four-week period and we are required to take final action shortly thereafter.

Please contact us if we may be of any further assistance.

Very truly yours,

FRED EISENBARTH
Northern District Manager

FE:cp

Enclosures

95 7436

April 12, 1974

Re: Application No. 95-7436 Claim No. 95-4247
 " " 96-7270 " " 95-4248
 Claim No. 95-4246 " " 95-4249

Post Falls Tribune
Box 68
Post Falls, ID 83854

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. ~~-In order to receive payment, the following certification must appear on the bill-~~

~~"I hereby certify that the foregoing account is just
and correct, that the amount claimed is legally due,
after allowing all just credits, and that no part of
the same has been paid."~~

(signature of claimant)

Very truly yours,

FRED EISENBARTH
Northern District Manager

Bill submitted 5-6-74 by CP

FE:cp

Enc: Legal Notices (6)

95 7436

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that City of Post Falls,

City Hall, Post Falls, Idaho

has on April 10, 1974 submitted Application No. 95-7436

for a permit to appropriate 4.0 cubic feet per second ~~and 400,000 gallons per annum~~

of water from a ground water source

by means of well and pump

within the NW 1/4, Sec. 1, T. 50N, R. 5W, B.M., Kootenai County

to be used from Jan. 1 to Dec. 31

for domestic purposes for the City of Post Falls

~~with the~~

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, 401 Front Ave., Coeur d'Alene, Idaho, 83814 on or before May 6, 1974.

R. KEITH HIGGINSON

Director

Published in the Post Falls Tribune, Post Falls, Idaho

on April 18 and April 25, 1974

95 7436

**NOTICE OF APPLICATION
FOR WATER PERMIT**

Notice is hereby given that City of Post Falls, City Hall, Post Falls, Idaho, has on April 10, 1974, submitted Application No. 95-7436 for a permit to appropriate 4.0 cubic feet per second of water from a ground water source by means of well and pump within the NW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 1, T. 50N, R. 5W, B. M. Kootenai County, to be used from Jan. 1 to Dec. 31, for domestic purposes for the City of Post Falls.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, 401 Front Ave., Coeur d'Alene, Idaho, 83814 on or before May 6, 1974.

R. KEITH HIGGINSON
Director

Published in the Post Falls Tribune, Post Falls, Idaho, on April 18 and April 25, 1974.

4-18 2tc

C.K.
4-19-74
P

95
7436

April 12, 1974

Re: Application for Permit No. 95-7436

City of Post Falls
City Hall
Post Falls, ID 83854

Gentlemen:

Attached is your receipt No. 14025 in the amount of \$55 for the filing fee on the above referenced application which was received in this office.

Very truly yours,

FRED EISENBARTH
Northern District Manager

FE:cp

Enclosure

95 7436