

[illegible]

Ralph Riefenberger
(Applicant)

95 7421

**NOTICE OF APPLICATION
FOR WATER PERMIT**

Notice is hereby given that Ralph Reifenberger, Fairfield, Washington, has on February 8, 1974, submitted Application No. 95-7421 for a permit to appropriate 1.0 cubic feet per second of water from a ground water source by means of well, pump, motor and pipeline within the SW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 19, T. 50N, R. 5W, B. M., Kootenai County, to be used from Jan. 1 to Dec. 31 for domestic purposes for 15 families (0.6 cfs); and from March 15 to Nov. 15 for the irrigation of 60 acres (1.0 cfs), both uses within the W $\frac{1}{2}$ NE $\frac{1}{4}$, E $\frac{1}{2}$ -NW $\frac{1}{4}$, Sec. 19, T. 50N, R. 5W, B. M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, 401 Front Ave., Coeur d'Alene, Idaho 83814 on or before March 4, 1974.

R. KEITH HIGGINSON
Director

Published in the Post Falls Tribune, Post Falls, Idaho, on Feb. 14 and Feb. 21, 1974.

2-14 2tc

AFFIDAVIT OF PUBLICATION

RECEIVED

MAR 1 1974

Department of Water Administration
Northern Idaho

County of Kootenai }
STATE OF IDAHO } ss.

JEANNETTE S. ROSIN, being first duly sworn, deposes and says that she is the publisher of THE POST FALLS TRIBUNE, a newspaper published weekly at Post Falls, Kootenai County, Idaho, and of general circulation therein.

That the NOTICE OF APPLICATION FOR WATER PERMIT

95-7421 Ralph Reifenberger a true printed copy of which is attached to the margin hereof, has been and was correctly printed and published in the regular and entire issue of every number of said newspaper and not in any supplement thereof or thereto for two consecutive issues, commenc-

ing with the issue dated February 14, 1974

and ending with the issue dated February 21, 1974

Jeannette S. Rosin

Subscribed and sworn to before me, this 21st

day of February, 1974

C. Agnes Luckin


Notary Public for the State of Idaho
Residing at Post Falls, Idaho

Publication Fee \$ 14.06

(38)

95 7421

250 - 1100
 250 - 1000
 220 - 1000
 1480



N 0° 26' 30\"

SOLD
REINDEER

SOLD
HOF

SOLD
JANKE

SOLD
K. HERMAN

SOLD
KOWLES

N 12° 51' 14"
 E 118° 1' 76"
 N 117° 07' 43"
 E 118° 44' 37"
 North
 E 1/2 NW 1/4 NE 1/4
 Section 19, T30N R5W
 Scale: 1 in = 200 ft.
 PRELIMINARY PLAT
 RALPH REIFENBERGER
 REVISED - 11/10/76
 4" Water Lines
 * 1 1/2" Stop & Wash
 N 107° 04' 54"
 E 118° 23' 16"
 N 10° 26' 57"
 E 118° 18' 57"
 N 97° 20' 23"
 E 118° 11' 91"
 Lot 4 11.3 AC
 Lot 5 10.7 AC
 Lot 6 10.7 AC
 Lot 11 13.1 AC
 Lot 12 13.9 AC
 Lot 13 10.7 AC
 Lot 14 10.7 AC
 Lot 15 10.6 AC
 Lot 16 10.7 AC
 Lot 17 10.7 AC
 Lot 18 10.7 AC
 Lot 19 10.7 AC
 Lot 20 10.7 AC
 Lot 21 10.7 AC
 Lot 22 10.7 AC
 Lot 23 10.7 AC
 Lot 24 10.7 AC
 Lot 25 10.7 AC
 Lot 26 10.7 AC
 Lot 27 10.7 AC
 Lot 28 10.7 AC
 Lot 29 10.7 AC
 Lot 30 10.7 AC
 Lot 31 10.7 AC
 Lot 32 10.7 AC
 Lot 33 10.7 AC
 Lot 34 10.7 AC
 Lot 35 10.7 AC
 Lot 36 10.7 AC
 Lot 37 10.7 AC
 Lot 38 10.7 AC
 Lot 39 10.7 AC
 Lot 40 10.7 AC
 Lot 41 10.7 AC
 Lot 42 10.7 AC
 Lot 43 10.7 AC
 Lot 44 10.7 AC
 Lot 45 10.7 AC
 Lot 46 10.7 AC
 Lot 47 10.7 AC
 Lot 48 10.7 AC
 Lot 49 10.7 AC
 Lot 50 10.7 AC
 Lot 51 10.7 AC
 Lot 52 10.7 AC
 Lot 53 10.7 AC
 Lot 54 10.7 AC
 Lot 55 10.7 AC
 Lot 56 10.7 AC
 Lot 57 10.7 AC
 Lot 58 10.7 AC
 Lot 59 10.7 AC
 Lot 60 10.7 AC
 Lot 61 10.7 AC
 Lot 62 10.7 AC
 Lot 63 10.7 AC
 Lot 64 10.7 AC
 Lot 65 10.7 AC
 Lot 66 10.7 AC
 Lot 67 10.7 AC
 Lot 68 10.7 AC
 Lot 69 10.7 AC
 Lot 70 10.7 AC
 Lot 71 10.7 AC
 Lot 72 10.7 AC
 Lot 73 10.7 AC
 Lot 74 10.7 AC
 Lot 75 10.7 AC
 Lot 76 10.7 AC
 Lot 77 10.7 AC
 Lot 78 10.7 AC
 Lot 79 10.7 AC
 Lot 80 10.7 AC
 Lot 81 10.7 AC
 Lot 82 10.7 AC
 Lot 83 10.7 AC
 Lot 84 10.7 AC
 Lot 85 10.7 AC
 Lot 86 10.7 AC
 Lot 87 10.7 AC
 Lot 88 10.7 AC
 Lot 89 10.7 AC
 Lot 90 10.7 AC
 Lot 91 10.7 AC
 Lot 92 10.7 AC
 Lot 93 10.7 AC
 Lot 94 10.7 AC
 Lot 95 10.7 AC
 Lot 96 10.7 AC
 Lot 97 10.7 AC
 Lot 98 10.7 AC
 Lot 99 10.7 AC
 Lot 100 10.7 AC
 Lot 101 10.7 AC
 Lot 102 10.7 AC
 Lot 103 10.7 AC
 Lot 104 10.7 AC
 Lot 105 10.7 AC
 Lot 106 10.7 AC
 Lot 107 10.7 AC
 Lot 108 10.7 AC
 Lot 109 10.7 AC
 Lot 110 10.7 AC
 Lot 111 10.7 AC
 Lot 112 10.7 AC
 Lot 113 10.7 AC
 Lot 114 10.7 AC
 Lot 115 10.7 AC
 Lot 116 10.7 AC
 Lot 117 10.7 AC
 Lot 118 10.7 AC
 Lot 119 10.7 AC
 Lot 120 10.7 AC
 Lot 121 10.7 AC
 Lot 122 10.7 AC
 Lot 123 10.7 AC
 Lot 124 10.7 AC
 Lot 125 10.7 AC
 Lot 126 10.7 AC
 Lot 127 10.7 AC
 Lot 128 10.7 AC
 Lot 129 10.7 AC
 Lot 130 10.7 AC
 Lot 131 10.7 AC
 Lot 132 10.7 AC
 Lot 133 10.7 AC
 Lot 134 10.7 AC
 Lot 135 10.7 AC
 Lot 136 10.7 AC
 Lot 137 10.7 AC
 Lot 138 10.7 AC
 Lot 139 10.7 AC
 Lot 140 10.7 AC
 Lot 141 10.7 AC
 Lot 142 10.7 AC
 Lot 143 10.7 AC
 Lot 144 10.7 AC
 Lot 145 10.7 AC
 Lot 146 10.7 AC
 Lot 147 10.7 AC
 Lot 148 10.7 AC
 Lot 149 10.7 AC
 Lot 150 10.7 AC
 Lot 151 10.7 AC
 Lot 152 10.7 AC
 Lot 153 10.7 AC
 Lot 154 10.7 AC
 Lot 155 10.7 AC
 Lot 156 10.7 AC
 Lot 157 10.7 AC
 Lot 158 10.7 AC
 Lot 159 10.7 AC
 Lot 160 10.7 AC
 Lot 161 10.7 AC
 Lot 162 10.7 AC
 Lot 163 10.7 AC
 Lot 164 10.7 AC
 Lot 165 10.7 AC
 Lot 166 10.7 AC
 Lot 167 10.7 AC
 Lot 168 10.7 AC
 Lot 169 10.7 AC
 Lot 170 10.7 AC
 Lot 171 10.7 AC
 Lot 172 10.7 AC
 Lot 173 10.7 AC
 Lot 174 10.7 AC
 Lot 175 10.7 AC
 Lot 176 10.7 AC
 Lot 177 10.7 AC
 Lot 178 10.7 AC
 Lot 179 10.7 AC
 Lot 180 10.7 AC
 Lot 181 10.7 AC
 Lot 182 10.7 AC
 Lot 183 10.7 AC
 Lot 184 10.7 AC
 Lot 185 10.7 AC
 Lot 186 10.7 AC
 Lot 187 10.7 AC
 Lot 188 10.7 AC
 Lot 189 10.7 AC
 Lot 190 10.7 AC
 Lot 191 10.7 AC
 Lot 192 10.7 AC
 Lot 193 10.7 AC
 Lot 194 10.7 AC
 Lot 195 10.7 AC
 Lot 196 10.7 AC
 Lot 197 10.7 AC
 Lot 198 10.7 AC
 Lot 199 10.7 AC
 Lot 200 10.7 AC
 Lot 201 10.7 AC
 Lot 202 10.7 AC
 Lot 203 10.7 AC
 Lot 204 10.7 AC
 Lot 205 10.7 AC
 Lot 206 10.7 AC
 Lot 207 10.7 AC
 Lot 208 10.7 AC
 Lot 209 10.7 AC
 Lot 210 10.7 AC
 Lot 211 10.7 AC
 Lot 212 10.7 AC
 Lot 213 10.7 AC
 Lot 214 10.7 AC
 Lot 215 10.7 AC
 Lot 216 10.7 AC
 Lot 217 10.7 AC
 Lot 218 10.7 AC
 Lot 219 10.7 AC
 Lot 220 10.7 AC
 Lot 221 10.7 AC
 Lot 222 10.7 AC
 Lot 223 10.7 AC
 Lot 224 10.7 AC
 Lot 225 10.7 AC
 Lot 226 10.7 AC
 Lot 227 10.7 AC
 Lot 228 10.7 AC
 Lot 229 10.7 AC
 Lot 230 10.7 AC
 Lot 231 10.7 AC
 Lot 232 10.7 AC
 Lot 233 10.7 AC
 Lot 234 10.7 AC
 Lot 235 10.7 AC
 Lot 236 10.7 AC
 Lot 237 10.7 AC
 Lot 238 10.7 AC
 Lot 239 10.7 AC
 Lot 240 10.7 AC
 Lot 241 10.7 AC
 Lot 242 10.7 AC
 Lot 243 10.7 AC
 Lot 244 10.7 AC
 Lot 245 10.7 AC
 Lot 246 10.7 AC
 Lot 247 10.7 AC
 Lot 248 10.7 AC
 Lot 249 10.7 AC
 Lot 250 10.7 AC
 Lot 251 10.7 AC
 Lot 252 10.7 AC
 Lot 253 10.7 AC
 Lot 254 10.7 AC
 Lot 255 10.7 AC
 Lot 256 10.7 AC
 Lot 257 10.7 AC
 Lot 258 10.7 AC
 Lot 259 10.7 AC
 Lot 260 10.7 AC
 Lot 261 10.7 AC
 Lot 262 10.7 AC
 Lot 263 10.7 AC
 Lot 264 10.7 AC
 Lot 265 10.7 AC
 Lot 266 10.7 AC
 Lot 267

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

(late proof)
License of Water Right No. 95-7421 Priority February 29, 1974 Amount .52 cfs

THIS IS TO CERTIFY, that RALPH REIFENBERGER
of Fairfield, Washington, has complied with the terms and conditions of Permit
No. 95-7421 issued pursuant to Application for Permit dated February 8, 1974,
and has submitted proof to the Department of Water Resources on March 22, 1979,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of .52 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Domestic (13 units)	from <u>January 1</u> to <u>December 31</u>	at <u>.52</u> cfs and	<u>15.6</u> acre feet
	from _____ to _____	at _____ cfs and	_____
	from _____ to _____	at _____ cfs and	_____
(both dates inclusive)			

Subject, however, to the condition that no more than .52 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
15.6 acre feet per year, said waters to be diverted within the SW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 19, Twp. 50N,
Rge. 5W, B.M. in the County of Kootenai

Description and location of place of use:

Twp.	Range	Sec.													Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
50N	5W	19	X				X		X						

Total number of acres irrigated _____

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho
Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use
herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 21 day of
August, 19 81.

Director

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 95-7421)
IN THE NAME OF RALPH REIFENBERGER)

ORDER OF REINSTATEMENT

WHEREAS, on February 8, 1974, Ralph Reifenger filed with the Department of Water Resources an application for permit to appropriate 1.00 cubic feet per second of water from a groundwater source to be diverted within the SW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 19, Twp. 50N, Rge. 5W B.M., Kootenai County, to be used for irrigation and domestic purposes; and,

WHEREAS, on March 11, 1974, the Department approved said application and issued Permit No. 95-7421 with the condition that proof of construction of works and application of water to beneficial use be submitted to the Department on or before March 1, 1979; and,

WHEREAS, on December 29, 1978, the Department notified the permit holder by certified mail that proof of beneficial use was due and instructed the permit holder as to the steps to be taken to make said proof; and,

WHEREAS, on March 20, 1979, the Department notified the permit holder that Permit No. 95-7421 had lapsed for failure to submit proof of beneficial use of water; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within 60 days from the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing as to why said permit should be reinstated by submitting proof of beneficial use on March 22, 1979;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 95-7421 be REINSTATED and the priority advanced to February 29, 1974.

Dated this 11 day of April, 1979.

L. Glen Saxton
L. GLEN SAXTON

Chief, Operations Bureau

MICROFILMED

Identification No. 95-7421

Application No. _____

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION
APPLICATION FOR PERMIT
To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

APPROVED

1. Name of applicant Ralph Reifenberger PH: 283-2185
post office address Fairfield, Washington 99012
2. Source of water supply Ground water which is a tributary of _____
3. a. Location of point of diversion is SW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 19 Township 50N
Range 5W B.M. Kootenai County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 1.0 for Irrigation purpose from March 15 to Nov. 15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.6 for Domestic purpose from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 1.0 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Well with pump and motor. Pipeline
to places of use.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
c. Proposed well diameter is 8 inches; proposed depth of well is 450 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$ 15,000.00.
8. Description of proposed uses:
a. If water is **not** for irrigation:
W $\frac{1}{2}$ of NE $\frac{1}{4}$ of Sec. 19
(1) Give the place of use of water: E $\frac{1}{2}$ ~~W $\frac{1}{2}$~~ NW $\frac{1}{4}$ of Section 19 Township 50N
Range 5W B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water 15.
(5) If water is to be used for other purposes describe: _____

95 7421

1000000

09

09

c. Describe any other water rights used for the same purposes as described above. None

9. a. Who owns the property at the point of diversion


b. Who owns the land to be irrigated or place of use _____ Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the

applicant to make this filing.

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Ralph B. Bisenberger
(Applicant)

95 7421

Proposed Priority 2-8-1974
Received by TS Date 2/8/74 Time 10:00
Preliminary check by TS Fee \$ 25.00
Received by TS Date 2/8/74 # 12355
Publication prepared by CP Date 2-8-74
Published in Post Falls Tribune
Publication dates 2-14 & 2-21-74
Publication approved CP Date 3-4-74
Priority reduced to _____ Reason _____
Protests filed by: _____
Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by WOLF

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-7421, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:
- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
 - b. Proof of construction of works and application of water to beneficial use shall be submitted on or before March 1, 19 79.
 - c. Other: A measuring device of a type approved by this department shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons:

Witness my hand this 11 day of March 19 74.

[Signature]
Director

DEPARTMENT OF WATER ADMINISTRATION
- STAFF ANALYSIS -

Item	Initial	Date	
(1)	<u>FE</u>	<u>2/8/74</u>	Application No. <u>95-7421</u>
(2)			☒ Source ☒ Point of Diversion ☒ County ☒ Quantity of Water and Period of Use ☒ Description of Diverting Works ☒ Time required for B/U of water ☒ Place of Use or Acres Irrigated ☒ Map ☒ Signature ☒ Fee
(3)	<u>FE</u>	<u>2/8/74</u>	In form to receipt
	<u>FE</u>	<u>2/8/74</u>	Send Copies to: ☒ Idaho State Health Department ☐ Idaho Fish and Game Department ☐ Bureau of Land Management
(4)			☐ Request Special Use Permit from U. S. F. S. ☐ Request Easement from B. L. M. ☐ Request Information from Applicant
(5)	<u>FE</u>	<u>2/8/74</u>	In form for advertising
(6)			Located within Water District No. _____
(7)	<u>FE</u>	<u>2/4/74</u>	Critical groundwater area: yes _____ no ☒
(8)	<u>FE</u>	<u>2/4/74</u>	Groundwater levels: ☐ Decline (comment) _____ ☒ Stable (comment) _____ ☐ Increasing (comment) _____
(9)			Comments: _____
(10)	<u>CP</u>	<u>3/4</u>	Affidavit of Publication received (date) <u>MARCH 1, 1974</u>
(11)	<u>CP</u>	<u>2/8</u>	Final date for protests <u>MARCH 4, 1974</u> Protests received: yes _____ no ☒
(12)			Date and Place of hearing _____ Decision reached at hearing _____
(13)	<u>FE</u>	<u>2/4/74</u>	All requested information received from agencies or applicant yes ☒ no _____
(14)	<u>FE</u>	<u>2/4/74</u>	Action recommended: ☒ Approve Priority <u>2/8/74</u> ☐ Deny Reason for Reduction _____ ☒ Measuring device required ☒ See attached sheet for additional conditions of approval ☐ No additional conditions for approval
(15)	District	<u>Northern</u>	By <u>[Signature]</u> Date <u>3/4/74</u>

**NOTICE OF APPLICATION
FOR WATER PERMIT**

Notice is hereby given that Ralph Reifenberger, Fairfield, Washington, has on February 8, 1974, submitted Application No. 95-7421 for a permit to appropriate 1.0 cubic feet per second of water from a ground water source by means of well, pump, motor and pipeline within the SW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 19, T. 50N, R. 5W, B. M., Kootenai County, to be used from Jan. 1 to Dec. 31 for domestic purposes for 15 families (0.6 cfs); and from March 15 to Nov. 15 for the irrigation of 60 acres (1.0 cfs), both uses within the W $\frac{1}{2}$ NE $\frac{1}{4}$, E $\frac{1}{2}$ NW $\frac{1}{4}$, Sec. 19, T. 50N, R. 5W, B. M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, 401 Front Ave., Coeur d'Alene, Idaho 83814 on or before March 4, 1974.

R. KEITH HIGGINSON
Director

Published in the Post Falls Tribune, Post Falls, Idaho, on Feb. 27, 1974.

\$14.06

AFFIDAVIT OF PUBLICATION

County of Kootenai }
STATE OF IDAHO } ss.

JEANNETTE S. ROSIN, being first duly sworn, deposes and says that she is the publisher of THE POST FALLS TRIBUNE, a newspaper published weekly at Post Falls, Kootenai County, Idaho, and of general circulation therein.

That the NOTICE OF APPLICATION FOR WATER PERMIT
95-7421 Ralph Reifenberger a true

printed copy of which is attached to the margin hereof, has been and was correctly printed and published in the regular and entire issue of every number of said newspaper and not in any supplement thereof or thereto for two consecutive issues, commencing

with the issue dated February 14, 1974
and ending with the issue dated February 21, 1974

Subscribed and sworn to before me, this 21st
day of February, 1974

Glenn E. Erickson
Notary Public for the State of Idaho
Residing at Post Falls, Idaho

Publication Fee \$ 14.06
(38)

95 7421

MEMORANDUM

DATE: June 4, 2003

TO: Water Right File 95-7421

FROM: Shelley W. Keen *SK*

RE: Priority Date

The priority date of Right 95-7421 was inadvertently advanced to February 29, 1974, which is a date that never occurred. February 29 occurs only in leap years – 1968, 1972, 1976, 1980, etc. The priority of this right is actually March 1, 1974. The water rights database has been updated.

MICROFILMED

OCT 20 2003



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

August 24, 1981

RE: Permit No. 95-7421

Ralph Reifenberger
Fairfield,
Washington 99012

Dear Mr. Reifenberger:

Enclosed is a copy of the Water Right License issued on the above
referenced Permit.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

Enclosure



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

July 21, 1981

Ralph Reifenberger
Fairfield,
Washington 99012

Dear Mr. Reifenberger

A representative of this Department has made an examination of the works covered by your Permit No. 95-7421, and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: .52 cfs Source: groundwater

The maximum quantity diverted shall not exceed 15.6 acre feet per year.

Point(s) of diversion: SW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 19, Twp. 50N, Rge. 5W, B.M.

Beneficial use: Domestic use for 13 units within the SW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 19,
Twp. 50N, Rge. 5W.


Priority date established: February 29, 1974 (late proof)

Conditions (if any):

If you do not concur with these findings please contact us within 10 days, otherwise a water license will be issued as set forth above.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor



MICROFILMED

Diagram of System

STRENGTH

DATE OF EXAM 3-31-80

ACREAGE

Found _____
Recommended _____

Irrigation Requirement _____ Ac Ft/Ac

USE

Irrigation Q= _____ c.f.s. ✓ V= _____ AF/Ann. from _____ to _____
Domestic Q= 0.52 c.f.s. ✓ V= 15.6 AF/Ann. from 1-1 to 12-31
Livestock Q= _____ c.f.s. V= _____ AF/Ann. from _____ to _____

Is water co-mingled? yes _____ no X

Name source: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Exchange? yes _____ no X

Name source exchanged with: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of injection: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of exchange: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Total Q measured None Method of measurement _____

Total Q recommended 0.52 cfs Meter No. _____ Type _____ Condition _____

Total V recommended 15.6 AF/Ann

Recommended Amendments:

P.D. _____
Place of Use _____
Other _____
None ✓

MEASUREMENT CALCULATION:

13 down $13(0.04) = 0.52 \text{ cfs}$ $13(12) = 15.6 \text{ AF/Ann}$

SYSTEM DESCRIPTION:

8" X 450' well, submersible pump & pipeline.

REMARKS:

contacted me R. by phone & mail. received attached plat showing 13 ~~of~~ look-ups.
No one accompanied during exam. found home of Coeman & Dickson under
construction. Appliances being delivered - no one living in home as yet.
Recommend removal of measuring device requirement.

Examiner's Signature [Signature] Date 3-31-80

Checked by Bob Haynes Date 5/2/80

Approved by Robyn Date 6/11/81

April 1, 1980

Mr. Ralph Reifenberger
Fairfield
Washington 99012

Dear Mr. Reifenberger:

I have completed the required examination of your water system as described by Permit No. 95-7421. Since there has not been any irrigation up to this time, I am unable to recommend the irrigation portion of the permit. There is, however, irrigation of up to one-half acre per household under the domestic portion.

I am recommending the domestic use for 13 homes and also the removal of the measuring device requirement.

If you disagree with any of my findings or have any questions concerning the exam or any other water-related questions, please contact me at this office.

Sincerely,

TOM D. KING
Senior Water Resource Agent

TDK/pms

cc: IDWR - State Office

January 25, 1980
Fairfield, Wash.
99012.

Tom D. King

Dear Mr. King: -

Enclosed is the map
showing the well site and water
line pertaining to permit # 95-7421
for R. + H. Development which you requested.

The property is located in the
Pleasant View area in Post Falls Idaho,
on Millsap loop road.

Yours very truly,

Ralph Rejzemberger
Fairfield, Washington.

RECEIVED

RECEIVED

RECEIVED

November 8, 1979

Mr. Ralph Reifenberger
Fairfield
Washington 99012

Dear Mr. Reifenberger:


I have several questions concerning your Permit No. 95-7421. I have been unable to find your phone number, so could you please contact me at this office.

Yours very truly ,

TOM D. KING
Senior Water Resource Agent

TDK/pms

250 - 1100
250 - 1000
220 - 1000
1480



N 123.61.84
E 11701.76

north

N 11707.73
E 11894.37

E 1/2 NW 1/4 W 1/2 NE 1/4
Section 19, T30N R5W
Scale: 1 in = 200 ft

PRELIMINARY PLAT
RALPH REIFENBERGER
REVISED - 11/10/76

4" water lines
* 1 1/2" STOP VALVES
N 10707.04
E 11883.16

N 10365.07
E 11878.07

N 9720.03
E 11871.91

RECEIVED

APR 3 1980



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

Suite No. 1
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 667-6484

April 1, 1980

Mr. Ralph Reifenberger
Fairfield
Washington 99012

Dear Mr. Reifenberger:

I have completed the required examination of your water system as described by Permit No. 95-7421. Since there has not been any irrigation up to this time, I am unable to recommend the irrigation portion of the permit. There is, however, irrigation of up to one-half acre per household under the domestic portion.

I am recommending the domestic use for 13 homes and also the removal of the measuring device requirement.

If you disagree with any of my findings or have any questions concerning the exam or any other water-related questions, please contact me at this office.

Sincerely,

TOM D. KING
Senior Water Resource Agent

TDK/pms

✓ cc: IDWR - State Office

please file

RECEIVED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

April 20, 1979

Ralph Reifenberger
Fairfield,
Washington 99012

Dear Mr. Reifenberger:

Re: Permit No. 95-7421

Enclosed is a copy of the order reinstating your permit and advancing the priority date to February 29, 1974.

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

If you have any questions regarding the field examination, please contact our regional office in Coeur d'Alene.

Sincerely,

RITA FLECK
Water Rights

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
**PROOF OF APPLICATION
OF WATER TO BENEFICIAL USE**

RECEIVED

Department of Water Resources

1. a) Name of permit holder Ralph Reifenger
b) Post office address Fairfield, WA 99012
2. Permit number _____
3. Date of priority that you are prepared to establish 12-1-78
4. a) Source from which water was appropriated Ground Water
b) Location of the point of diversion: SW 1/4 NE 1/4, Section 19
Township 50 N, Range 5W Boise Meridian. Other points of diversion:

5. a) The amount of water and use to which the water has been applied: one single family dwelling
Amount _____ for _____ purposes from 12-1-78 to present incl.
(cfs &/or acre-feet per annum) (month-day) (month-day)
Amount _____ for _____ purposes from _____ to _____ incl.
(cfs &/or acre-feet per annum) (month-day) (month-day)
Amount _____ for _____ purposes from _____ to _____ incl.
(cfs &/or acre-feet per annum) (month-day) (month-day)
b) Total amount appropriated _____ cfs and/or acre-feet per annum.
c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement:

6. If the means of diversion and conveyance are owned by someone other than the permit holder:
a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use:

b) Describe the agreement of understanding by which you take water from the works: _____

7. a) Briefly describe the works for diverting and conveying the water to the place of use, (if from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch):
6" well casing 350 ft. in depth
22 stage 5 HP submersible pump
2" and 4" plastic water main
b) Describe the provision for making a measurement which you have at your point of diversion: (i.e., installed measuring device, access port, other)

Access Port

Exam typed 4-9-79 by [signature]

My commission expires 3-20-79

WARNING

CANCELLED OR LAPSED

This permit has been officially CANCELLED or LAPSED.

Ninety days following the date of official action this file will be DESTROYED.



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

March 20, 1979

Ralph Reifenberger
Fairfield,
Washington 99012

Dear Mr. Reifenberger:

You are hereby notified that under the provisions of Section 42-218a of the Idaho Code, Permit No. 95-7421 has lapsed since you have not notified us that you have completed the project by the date required on your permit. You were provided forms for that purpose in our notice to you dated December 29, 1978.

Your permit cannot be reinstated unless you submit the proof of beneficial use affidavit, enclosed, or show other reasonable cause why the permit should be reinstated within 60 days from the date of this lapse notice.



C. STEPHEN ALLRED
Director

CSA:jfr

Encl.

CERTIFICATION OF MAILING

March 23, 1979 3/23/79



MICROFILMED



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

CERTIFIED MAIL

100583

December 29, 1978

Re: Permit No. 95-7421

Ralph Reiffenberger
Fairfield,
Washington 99012

Dear Mr. Reiffenberger:

One of the conditions of approval of your water Permit No. 95-7421 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before March 1, 1979. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise, the permit will lapse and be of no further force or effect.

RITA FLECK
Water Rights

Encl: Proof affidavit

MICROFILMED



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

Nov. 7, 1978

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition should be less restrictive and provide more flexibility to you in the development of your water right system. The specifications related to the size and location of the access port will be available upon request from the Department, as soon as the Department's measuring equipment is obtained.

If you have questions regarding this matter, please contact this office or our regional offices.

Sincerely,

L. Glen Saxton

L. GLEN SAXTON
Chief, Operations Bureau

LGS:JG:kw

Enclosure

[Faint, illegible stamp or text in the bottom right corner]

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. 95-7421

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,

WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows: "The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 18th day of August, 1978.


C. STEPHEN ALLRED
Director

RECEIVED
AUG 21 1978

1970

USE ADDITIONAL SHEETS IF NECESSARY FORWARD THE WHITE, BLUE, AND PINK COPIES TO THE DEPARTMENT

March 14, 1974

Re: Permit No. 95-7421.

Ralph Reifenberger
Fairfield,
Washington 99012

Dear Mr. Reifenberger:

Enclosed is a copy of your approved Application for Permit No. 95-7421. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

BDF/bjg

Enclosures

95 7421

~~95-7421~~



PANHANDLE HEALTH DISTRICT I

P. O. Box 608 412 Lakeside Avenue Coeur d'Alene, Idaho 83814

February 14, 1974

RECEIVED
FEB 15 1974

COEUR D'ALENE

Environmental Health Division
Coeur d'Alene, Idaho

Fred Eisenbarth
Department of Water Administration
401 Front Avenue, Room 209
Coeur d'Alene, Idaho 83814

Re: Application No.
95-7421

Dear Mr. Eisenbarth:

The Panhandle Health District has no objection to the above application for Ralph Reifenberger of Fairfield, Washington located at SW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 19, Township 50 N, Range 5 W, in Kootenai County.

The actual well site should be approved by the Health District prior to drilling to insure compliance with all State Codes.

Sincerely,

Ronald L. Donaly

Ronald L. Donaly
Environmentalist

95 7421

February 8, 1974

Re: Application No. 95-7421 - Ralph Reifenberger
" " 96-7249 - Richard J. &/or Claudia J. Herczog
" " 96-7252 - Joseph B. Finney

Post Falls Tribune
Box 68
Post Falls, ID 83854

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

~~"I hereby certify that the foregoing account is just
and correct, that the amount claimed is legally due,
after allowing all just credits, and that no part of
the same has been paid."~~

~~-(signature of claimant)~~

Very truly yours,

FRED EISENBARTH
Northern District Manager

Bill submitted 3-4-74 by CP

FE:CP

Enc: Legal Notices (3)

95 7421

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Ralph Reifenger,

Fairfield, Washington

has on February 8, 1974 submitted Application No. 95-7421

for a permit to appropriate 1.0 cubic feet per second ~~xxxxxx feet per second~~

of water from a ground water source

by means of well, pump, motor, and pipeline

within the SW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 19, T. 50N, R. 5W, B.M., Kootenai County

to be used from Jan. 1 to Dec. 31 for domestic purposes for 15 families (0.6 cfs);

~~xxxx~~ and from March 15 to Nov. 15 for the irrigation of 60 acres (1.0 cfs), both
uses

within the W $\frac{1}{2}$ NE $\frac{1}{4}$, E $\frac{1}{2}$ NW $\frac{1}{4}$, Sec. 19, T. 50N, R. 5W, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, 401 Front Ave., Coeur d'Alene, Idaho, 83814 on or before March 4, 1974.

R. KEITH HIGGINSON

Director

Published in the Post Falls Tribune, Post Falls, Idaho

on Feb. 14 and Feb. 21, 1974

55 7421

**NOTICE OF APPLICATION
FOR WATER PERMIT**

Notice is hereby given that Ralph Reifenberger, Fairfield, Washington, has on February 8, 1974, submitted Application No. 95-7421 for a permit to appropriate 1.0 cubic feet per second of water from a ground water source by means of well, pump, motor and pipeline within the SW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 19, T. 50N, R. 5W, B. M., Kootenai County, to be used from Jan. 1 to Dec. 31 for domestic purposes for 15 families (0.6 cfs); and from March 15 to Nov. 15 for the irrigation of 60 acres (1.0 cfs), both uses within the W $\frac{1}{2}$ NE $\frac{1}{4}$, E $\frac{1}{2}$ NW $\frac{1}{4}$, Sec. 19, T. 50N, R. 5W, B. M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, 401 Front Ave., Coeur d'

Alene, Idaho 83814 on or before March 4, 1974.

R. KEITH HIGGINSON
Director

Published in the Post Falls
Tribune, Post Falls, Idaho, on
Feb. 14 and Feb. 21, 1974.

2-14 2tc

February 8, 1974

Re: Application for Permit No. 95-7421 - Ralph Reifenberger

Ronald L. Donaly
PANHANDLE DISTRICT HEALTH DEPARTMENT
P.O. Box 608
Coeur d'Alene, ID 83814

Dear Ron:

We are enclosing a copy of an application that may be of interest to your agency. Please review the application and if you have any comments, please submit them to our office as soon as possible. We normally complete the processing of an application within a four-week period and we are required to take final action shortly thereafter.

If we may be of any further assistance, please contact us.

Very truly yours,

FRED EISENBARTH
Northern District Manager

FE:CP

Enclosure

95 7421