


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Roger Bacon
(Applicant)

RECEIVED

95 7380

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 95-7380 Priority October 3, 1973 Amount 0.08 cfs

THIS IS TO CERTIFY, that ROGER BACON
of Rathdrum, Idaho, has complied with the terms and conditions of Permit
No. 95-7380 issued pursuant to Application for Permit dated October 3, 1973,
and has submitted proof to the Department of Water Resources on October 24, 1978,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 0.08 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Domestic (2 homes)	from <u>January 1</u> to <u>December 31</u>	at <u>0.08</u> cfs and	<u>2.4</u> acre feet
	from _____ to _____	at _____ cfs and	_____
	from _____ to _____	at _____ cfs and	_____

(both dates inclusive)

Subject, however, to the condition that no more than 0.08 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
2.4 acre feet per year, said waters to be diverted within the SE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 17, Twp. 52N,
Rge. 4W, B.M. in the County of Kootenai

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
52N	4W	17							X						

MICROFILMED

Total number of acres irrigated _____

MAY 13 1987

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 31 day of
March, 19 80.

Director

95
Identification No. 95-7380

Application No. _____

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

APPLICATION FOR PERMIT **APPROVED**

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant Roger Bacon
post office address Route #2, Box 600, Rathdrum, Idaho
2. Source of water supply Ground water which is a tributary of _____
(2 points)
3. a. Location of point of diversion is SE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 17 Township 52N
Range 4W B.M. Kootenai County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 0.20 for Domestic purpose from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 0.20 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Two wells with pump, motor, and
pipeline to places of use. One well is already drilled, the other may be
drilled later.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) 390 (Mo. Day)
c. Proposed well diameter ~~(#1)~~ (#2) 6 inches; proposed depth of well is 150 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$ _____.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: NE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 17 Township 52N
Range 4W B.M.
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water nine.
(5) If water is to be used for other purposes describe: _____

95 7380

0882 95

TOTALS

c. Describe any other water rights used for the same purposes as described above. None

b. Who owns the land to be irrigated or place of use _____ Applicant

applicant to make this filing-

10. Remarks.

This is a detailed topographic map of the Twin Lakes area in Idaho. The map shows the following features:

- Geographical Features:** Twin Lakes, Spirit Lake, and Sturgeon are labeled. The map includes contour lines indicating elevation and a scale bar.
- Land Parcels and Owners:** Numerous land parcels are outlined and labeled with owner names, including R.M. Swanson, Inland Empire Paper Co., Percy L. Cochran, Baird Norndorff, H.F. Fredde, Kenneth Prafke, and various Scarcello family members (Josephine, Arthur, Paul, M.G. Whitney, Frank, and Judge).
- Roads and Infrastructure:** A network of roads is shown, including a main road running north-south and several local roads. A railroad line is also depicted.
- Other Labels:** The map includes various numerical labels (e.g., 40-32, 40-38, 40-40) and section numbers (e.g., 34, 41, 16, 18, 7, 40) that likely refer to land survey sections.

X Roger Bacon
(Applicant)

95 7380

Received by MR Date 10-3-73 Time 1:00 P
Preliminary check by MR Fee \$ 14.00
Received by MR Date 10/3/73 # 11987
Publication prepared by CP Date 10-5-73
Published in Coeur d'Alene Press
Publication dates 10-11 & 10-18-73
Publication approved CP Date 10-29-73
Priority reduced to _____ Reason _____
Protests filed by: _____
Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by MR

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-7380, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before November 1, 19 78.
- c. Other: _____

2. Denial of said application is for the following reasons: _____

Witness my hand this 6th day of November 1973.

Director

DEPARTMENT OF WATER ADMINISTRATION
- STAFF ANALYSIS -

Item	Initial	Date	
(1)	<u>ZE</u>	<u>10/3/73</u>	Application No. <u>95-7380</u>
(2)			☒ Source ☒ Point of Diversion ☒ County ☒ Quantity of Water and Period of Use ☒ Description of Diverting Works ☒ Time required for B/U of water ☒ Place of Use or Acres Irrigated ☒ Map ☒ Signature ☒ Fee
(3)	<u>ZE</u>	<u>10/3/73</u>	In form to receipt
	<u>ZE</u>	<u>10/3/73</u>	Send Copies to: ☒ Idaho State Health Department ☐ Idaho Fish and Game Department ☐ Bureau of Land Management
(4)	_____	_____	☐ Request Special Use Permit from U. S. F. S. ☐ Request Easement from B. L. M. ☐ Request Information from Applicant
(5)	<u>ZE</u>	<u>10/3/73</u>	In form for advertising
(6)	_____	_____	Located within Water District No. _____
(7)	<u>ZE</u>	<u>10/29/73</u>	Critical groundwater area: yes _____ no ☒
(8)	<u>ZE</u>	<u>10/29/73</u>	Groundwater levels: ☐ Decline (comment) <u>NO LOSS</u> ☒ Stable (comment) _____ ☐ Increasing (comment) _____
(9)	_____	_____	Comments: _____
(10)	<u>CP</u>	<u>10-29-73</u>	Affidavit of Publication received (date) <u>OCTOBER 25, 1973</u>
(11)	<u>CP</u>	<u>10-5-73</u>	Final date for protests <u>OCTOBER 29, 1973</u> Protests received: yes _____ no ☒
(12)	_____	_____	Date and Place of hearing _____ Decision reached at hearing _____
(13)	<u>ZE</u>	<u>10/29/73</u>	All requested information received from agencies or applicant yes ☒ no _____
(14)	<u>ZE</u>	<u>10/29/73</u>	Action recommended: ☒ Approve Priority <u>10-3-73</u> ☐ Deny Reason for Reduction _____ ☐ Measuring device required ☐ See attached sheet for additional conditions of approval ☒ No additional conditions for approval
(15)	District <u>Northern</u>	By <u>Paul C. [unclear]</u>	Date <u>10/29/73</u>

AFFIDAVIT OF PUBLICATION—COEUR D'ALENE PRESS

(WEEKLY)

STATE OF IDAHO, }
County of Kootenai, } ss.

Carol J. Hedge, being first duly sworn,
deposes and says:

That affiant is now, and at all times herein mentioned has been, a citizen of the United States and a resident of Kootenai County, State of Idaho, over the age of 21 years and not a party to, nor interested in the event of, the above entitled matter, and the printer (principal clerk) of the "Coeur d'Alene Press", during all of the times herein mentioned being a legal daily newspaper, of Coeur d'Alene, Kootenai County, Idaho, as defined by Idaho Code Sec. 60-106 to Sec. 60-108 both inclusive, and Chapter 121 Idaho Session Laws of 1949, and acts amendatory thereof and correlated thereto, and qualified thereunder to publish to the same effect as a weekly

newspaper on Wednesdays; and that the Application for water permit

95-7380 - Roger Bacon

of which a printed copy is annexed hereto, was published in all the regular Wednesday weekly issues of said newspaper for 2 consecutive weeks, commencing

on the 11th day of Oct., 19 73, and ending on the

18th day of Oct., 19 73.

Subscribed and sworn to, before me, this 21st day of Oct.

1973

Carol J. Hedge
Patrick King
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Roger Bacon, Route No. 2, Box 600, Rathdrum, Idaho has on October 3, 1973 submitted Application No. 95-7380 for a permit to appropriate 0.2 cubic feet per

second of water from a ground water source by means of wells, pump, motor, and pipeline within the SE $\frac{1}{4}$ NW $\frac{1}{4}$, (2 points), Sec. 17, T. 52N, R. 4W, B.M., Kootenai County to be used from Jan. 1 to Dec. 31 for domestic purposes for nine families within the E $\frac{1}{2}$ NW $\frac{1}{4}$, Sec. 17, T. 52N, R. 4W, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, 401 Front Ave., Coeur d'Alene, Idaho, 83814 on or before October 29, 1973.

R. KEITH HIGGINSON
Director

Oct. 11, 18, 1973

95 7380



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

April 9, 1980

Roger A. Bacon
Rt. 1 Box 600
Rathdrum, Idaho 83858

Dear Mr. Bacon,

RE: License No. 95-7380

Enclosed is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

Jan Grover
JAN GROVER
Water Rights Supervisor

JG:lr

Enclosure

MICROFILMED

MAY 13 1981



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

John V. Evans
Governor

C. Stephen Allred
Director

Statehouse
Boise, Idaho 83720
(208) 384-2215

March 19, 1980

Roger A. Bacon
Rt. 1 Box 600
Rathdrum, Idaho 83858

Dear Mr. Bacon,

A representative of this Department made an examination of the works covered by your Permit No. 95-7380 on April 2, 1979, and has found the following:

Amount of water that can be recognized as beneficially used under Idaho law: 0.08 cfs Source: groundwater

The maximum quantity diverted shall not exceed 2.4 acre feet per year.

Point of diversion: SE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 17, Twp. 52N, Rge. 4W, B.M.

Beneficial use: Domestic use for 2 homes within the SE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 17, Twp. 52N, Rge. 4W.

Priority date established: October 3, 1973.

If you do not concur with these findings please contact us within 10 days, otherwise a water license will be issued as set forth above.

Sincerely,

JAN GROVER
Water Rights Supervisor

JG/kw

MICROFILMED

MAY 13 1981

✓

TOTAL ACREAGE

[illegible]

DATE OF EXAM 4-2-79

ACREAGE
Found _____
Recommended _____

Irrigation Requirement _____ Ac Ft/Ac

USE
Irrigation Q=_____ c.f.s. V=_____ AF/Ann. from _____ to _____
Domestic Q= 0.08 c.f.s. V= 2.4 AF/Ann. from Jan 1 to Dec 31
Livestock Q=_____ c.f.s. V=_____ AF/Ann. from _____ to _____

Is water co-mingled? yes _____ no ☒

Name source: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Exchange? yes _____ no ☒

Name source exchanged with: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of injection:
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of exchange:
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Total Q measured None Method of measurement _____

Total Q recommended 0.08 cfs Meter No. _____ Type _____ Condition _____

Total V recommended 2.4 AF/Ann

Recommended Amendments:

P.D. _____
Place of Use _____
Other _____
None _____

MEASUREMENT CALCULATION:

2 lines @ 0.08 cfs & 2.4 AF/Ann

SYSTEM DESCRIPTION:

Well, pump, & pipe line to place of use

REMARKS: Roger Bacon & Leland Foster and only ones on system

MICROFILMED
MAY 13 1981

Examiner's Signature [Signature] Date 4-2-79

Checked by Bob Haynes Date 4-2-79

Approved by _____ Date _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
C. STEPHEN ALLRED
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

March 5, 1979

Mr. Roger A Bacon
Route 4 Box 600 665
Rathdrum, Idaho 83858

Leland Foster
687-1474
2 hours

RE: 95-7380

Dear Mr. Bacon:

I would like to examine your water system in the near future.

Please notify me of a place and time that I can contact someone to go with me on this examination. It will also be necessary to have a list or a plat showing the location of the houses on the system.

Thank you for your cooperation.

Sincerely,

TOM D. KING
Senior Water Resource Asent

TDK/pms

MICROFILMED

MAY 13 1987



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

November 13, 1978

Roger Bacon
Route 2, Box 600
Rathdrum, ID 83858

Dear Mr. Bacon:

Re: Permit No. 95-7380

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

If you have any questions regarding the field examination, please contact our regional office in Coeur d'Alene.

Sincerely,

RITA FLECK
Water Rights

MICROFILMED

MAY 13 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF APPLICATION
OF WATER TO BENEFICIAL USE

RECEIVED
MAY 13 1978

Department of Water Resources
Northern District Office

1. a) Name of permit holder Roger A Bacon
- b) Post office address RT 1 Box 600 Rathdrum, Idaho 83858
2. Permit number 95-7380
3. Date of priority that you are prepared to establish ~~Sept 1972~~ May, 1972
4. a) Source from which water was appropriated ~~Surface water~~ Ground water
- b) Location of the point of diversion: SE $\frac{1}{4}$ NW $\frac{1}{4}$, Section 17
Township 52N, Range 4W Boise Meridian.. Other points of diversion: _____
5. a) The amount of water and use to which the water has been applied:
- | | | | | |
|--|---------------------|--|---------------------------------|-------|
| Amount <u>0.20</u>
(cfs &/or acre-feet per annum) | for <u>Domestic</u> | purposes from <u>Jan. 1</u>
(month-day) | to <u>Dec 31</u>
(month-day) | incl. |
| Amount _____
(cfs &/or acre-feet per annum) | for _____ | purposes from _____
(month-day) | to _____
(month-day) | incl. |
| Amount _____
(cfs &/or acre-feet per annum) | for _____ | purposes from _____
(month-day) | to _____
(month-day) | incl. |
- b) Total amount appropriated 0.20 cfs and/or acre-feet per annum.
- c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: _____
6. If the means of diversion and conveyance are owned by someone other than the permit holder:
- a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: _____
- b) Describe the agreement of understanding by which you take water from the works: _____
7. a) Briefly describe the works for diverting and conveying the water to the place of use, (if from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch):
1 1/2 h.p. submersible pump in a 6" well casing, 380' deep. Well depth is 390ft.
- b) Describe the provision for making a measurement which you have at your point of diversion: (i.e., installed measuring device, access port, other)
Performance charts (factory) list 8.2 GPM @ 60 P.S.I.

11/13/78

L. J. Moore

Revised

[Handwritten signature]

[Handwritten signature]

[Signature]

(((

W. H. R.

D E M O N S T R A T I O N

85-72-01

(Signature)

Total number of acres irrigated

[illegible]

SE $\frac{1}{4}$ of NW $\frac{1}{4}$ of section 17, Township 52 N, Range 48 W

Completed May 20, 1972

Ford Star Route, Springdale, Wn. 99133

(c) Give well driller's name and address and the date the well was completed: James L. Hansen,



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

C. STEPHEN ALLRED
Director

CERTIFIED MAIL

100178

August 31, 1973

Re: Permit No. 95-7330

Roger Bacon
Route 1, Box 600
Preston, ID 83358

Dear Mr. Bacon:

One of the conditions of approval of your water Permit No. 95-7330 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before November 1, 1973. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise, the permit will lapse and be of no further force or effect.

RITA FLECK
Water Rights

Encl: Proof affidavit

MICROFILMED

MAY 13 1987

November 8, 1973

Re: Permit No. 95-7380

Roger Bacon
Route 2, Box 600
Rathdrum, Idaho 83858

Dear Mr. Bacon:

Enclosed is a copy of your approved Application for Permit No. 95-7380 . We direct your attention to the conditions of approval as listed on the fourth page.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

BDF:cd

Enclosure

95 7380



PANHANDLE HEALTH DISTRICT I

P. O. Box 608 412 Lakeside Avenue Coeur d'Alene, Idaho 83814

October 12, 1973

Fred Eisenbarth
Department of Water Administration
401 Front Avenue, Room 209
Coeur d'Alene, Idaho

Re: Application No.
95-7380

Dear Mr. Eisenbarth:

The Panhandle Health District has no objection to the above application for Roger Bacon.

The actual well site should be approved by the Health District prior to drilling to insure compliance with all State Codes.

Sincerely,

Ronald L. Donaly
Environmentalist

October 5, 1973

Re: Application No. 95-7378 95-7381
 " " 95-7379 96-7228
 " " 95-7380 95-4139

Coeur d'Alene Press
Second & Lakeside
Coeur d'Alene, ID 83814

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. ~~In order to receive payment, the following certification must appear on the bill:~~

~~"I hereby certify that the foregoing account is just
--and correct; that the amount claimed is legally due,
--after allowing all just credits; and that no part of
--the same has been paid."~~

~~-(signature of claimant)~~

Very truly yours,

Fred Eisenbarth
Northern District Manager

Bill submitted 10-29-73 by CP

FE:CP

Enc: Legal Notices (6)

95 7380

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Roger Bacon,

Route #2, Box 600, Rathdrum, Idaho

has on October 3, 1973 submitted Application No. 95-7380

for a permit to appropriate 0.2 cubic feet per second ~~acre feet per annum~~

of water from a ground water source

by means of wells, pump, motor, and pipeline

within the SE 1/4 (2 points), Sec. 17, T. 52N, R. 4W, B.M., Kootenai County

to be used from Jan. 1 to Dec. 31

for domestic purposes for nine families

within the E 1/4, Sec. 17, T. 52N, R. 4W, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, 401 Front Ave., Coeur d'Alene, Idaho, 83814 on or before October 29, 1973.

R. KEITH HIGGINSON

Director

Published in the Coeur d'Alene Press, Coeur d'Alene, Idaho

on Oct. 11 and Oct. 18, 1973

95 7380

**NOTICE OF APPLICATION
FOR WATER PERMIT**

Notice is hereby given that Roger Bacon, Route No. 2, Box 600, Rathdrum, Idaho has on October 3, 1973 submitted Application No. 95-7380 for a permit to appropriate 0.2 cubic feet per second of water from a ground water source by means of wells, pump, motor, and pipeline within the SE $\frac{1}{4}$ NW $\frac{1}{4}$, (2 points), Sec. 17, T. 52N, R. 4W, B.M., Kootenai County to be used from Jan. 1 to Dec. 31 for domestic purposes for nine families within the E $\frac{1}{2}$ NW $\frac{1}{4}$, Sec. 17, T. 52N, R. 4W, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, 401 Front Ave., Coeur d'Alene, Idaho, 83814 on or before October 29, 1973.

R. KEITH HIGGINSON
Director

Oct. 11, 18, 1973

OK.
10-16-73
CP

95 7380

October 5, 1973

Re: Application for Permit No. 95-7380 - Roger Bacon

Ronald L. Donaly
Department of Environmental and
Community Services
P.O. Box 608
Coeur d'Alene, ID 83814

Dear Ron:

We are enclosing a copy of an application that may be of interest to your agency. Please review the application and if you have any comments, please submit them to our office as soon as possible. We normally complete the processing of an application within a four-week period and we are required to take final action shortly thereafter.

Please contact us if we may be of any further assistance.

Very truly yours,

Fred Eisenbarth
Northern District Manager

FE:CP

Enclosure

95 7380

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION
NORTHERN DISTRICT OFFICE



Cecil D. Andrus
Governor
R. Keith Higginson
Director

401 Front Ave., Rm. 209
Coeur D'Alene, Idaho 83814
(208) 667-6484

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Waste Disposal Wells
Stream Channel Protection
Geothermal Resources

October 5, 1973

Re: Application for Permit No. 95-7379
" " " " 95-7380

Roger Bacon
Route #2, Box 600
Rathdrum, ID 83858

Dear Mr. Bacon:

Attached is your receipt No. 11987 in the amount of \$20 for the filing fees on the
above referenced applications which were received in this office.

Very truly yours,

Fred Eisenbarth
Northern District Manager

FE:CP

Enclosure

95 7380