

No Color
Documents
In File

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 95-7358 Priority Oct. 14, 1973 Amount 0.95 cfs

THIS IS TO CERTIFY, that Pinevilla Park and Water Association
of Post Falls, Idaho, has complied with the terms and conditions of Permit
No. 95-7358 issued pursuant to Application for Permit dated September 13, 1973,
and has submitted proof to the Department of Water Resources on December 2, 1974 (late proof),
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 0.95 cfs of water from a ground water source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Domestic</u>	from <u>Jan. 1</u> to <u>Dec. 31</u>	at <u>0.95</u> cfs and	<u>220.8</u> acre feet
	from _____ to _____	at _____ cfs and	_____
	from _____ to _____	at _____ cfs and	_____

(both dates inclusive)

Subject, however, to the condition that no more than 0.95 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
220.8 acre feet per year, said waters to be diverted within the SW $\frac{1}{4}$ SW $\frac{1}{4}$ of Sec. 6,
Twp. 50 N, Rge. 4 W, B.M. in the County of Kootenai

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
50 N	4 W	6											X	X	(184 families)				


Total number of acres irrigated _____

A measuring device of a type approved by this Department shall be permanently
maintained as part of the diverting works.

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho
Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use
herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 8 day of
August, 19 75.

Director 

BEFORE THE DIRECTOR OF THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT NO.'S 95-7358 & 95-7359)
in the name of PINEVILLA PARK AND WATER ASSOC.)

ORDER OF REINSTATEMENT

WHEREAS, on September 13, 1973, the Pinevilla Park and Water Association applied to the Department of Water Resources (formerly the Dept. of Water Administration) for permits to appropriate 1.0 cubic feet per second of groundwater within the SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 6, Twp. 50N, Rge. 4W, B.M., Kootenai County, to be used for domestic purposes; and,

WHEREAS, on October 15, 1973, the Department approved said applications and issued Permit No.'s 95-7358 & 95-7359 with the conditions that proof of construction of works and application of water to beneficial use be submitted to the Department on or before November 1, 1974; and,

WHEREAS, on August 30, 1974, the Department notified the permit holder that proof of beneficial use was due on the permits and instructed the permit holder as to the steps to be taken to make said proofs; and,

WHEREAS, on November 6, 1974, the Department notified the permit holder that Permit No.'s 95-7358 & 95-7359 had lapsed for failure to submit the required proofs of beneficial use; and,

WHEREAS, on December 2, 1974, the Department received the required proofs of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within 60 days from the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing as to why said permits should be reinstated;

IT IS, THEREFORE, HEREBY ORDERED that Permit No.'s 95-7358 and 95-7359 be REINSTATED and the priority for both advanced to October 14, 1973.

Dated this 23rd day of December, 1974.


A. KENNETH DUNN, Administrator
Operations Division

Identification No. 95-7359

Application No. _____

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

APPLICATION FOR PERMIT APPROVED

To appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant Pinevilla Park and Water Association
post office address c/o Larry Cunningham, Pinevilla Estates, Post Falls, Idaho ^{Box 767}
2. Source of water supply Ground water which is a tributary of _____
3. a. Location of point of diversion is SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 6 Township 50N
Range 4W B.M. Kootenai County; additional points of diversion if any: _____
- b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 1.0 for Domestic purpose from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 1.0 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Pump, motor, pipeline, and ground-water storage.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
c. Proposed well diameter is 10 inches; proposed depth of well is 205 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years.
b. Estimated construction cost is \$ _____.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: S $\frac{1}{2}$ ~~SW~~ of SW $\frac{1}{4}$ of Section 6 Township 50N
Range 4W B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 200.
(5) If water is to be used for other purposes describe: _____


c. Describe any other water rights used for the same purposes as described above. This well was drilled in July 9, 1969 by Zinkgraf, but was not covered by any permit at that time.

b. Who owns the land to be irrigated or place of use _____ Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Pineville Park & Water Association
By: *Harry S. Sweeney*
(Applicant) *Director*

95 7358

Received by FE Date 9/13/73 Time 9:00 a.
Preliminary check by FE Fee \$ 25.00
Received by FE Date 9/13/73 # 11941
Publication prepared by CP Date 9-14-73
Published in Coeur d'Alene Press
Publication dates 9-20 & 9-27-73
Publication approved CP Date 10-9-73
Priority reduced to _____ Reason _____
Protests filed by: _____
Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by syh

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-7358, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before November 1, 1974.
- c. Other: A measuring device of a type approved by this department shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons:

Witness my hand this 15th day of October 1973.

Director

DEPARTMENT OF WATER ADMINISTRATION
- STAFF ANALYSIS -

Item	Initial	Date	
(1)	<u>ZE</u>	<u>9/12/73</u>	Application No. <u>95-7358</u>
(2)			☒ Source ☒ Point of Diversion ☒ County ☒ Quantity of Water and Period of Use ☒ Description of Diverting Works ☒ Time required for B/U of water ☒ Place of Use or Acres Irrigated ☒ Map ☒ Signature ☒ Fee
(3)	<u>ZE</u>	<u>9/13/73</u>	In form to receipt
	<u>ZE</u>	<u>9/13/73</u>	Send Copies to: ☒ Idaho State Health Department ☐ Idaho Fish and Game Department ☐ Bureau of Land Management
(4)	---	---	☐ Request Special Use Permit from U.S. F. S. ☐ Request Easement from B. L. M. ☐ Request Information from Applicant
(5)	<u>ZE</u>	<u>9/13/73</u>	In form for advertising
(6)	---	---	Located within Water District No. _____
(7)	<u>ZE</u>	<u>9/19/73</u>	Critical groundwater area: yes _____ no ☒
(8)	<u>ZE</u>	<u>12/10/73</u>	Groundwater levels: ☐ Decline (comment) _____ ☒ Stable (comment) _____ ☐ Increasing (comment) _____
(9)	---	---	Comments: _____
(10)	<u>CL</u>	<u>10-9-73</u>	Affidavit of Publication received (date) <u>OCTOBER 3, 1973</u>
(11)	<u>CL</u>	<u>9-17-73</u>	Final date for protests <u>OCTOBER 8, 1973</u> Protests received: yes _____ no ☒
(12)	---	---	Date and Place of hearing _____ Decision reached at hearing _____
(13)	<u>ZE</u>	<u>10/10/73</u>	All requested information received from agencies or applicant yes ☒ no _____
(14)	<u>ZE</u>	<u>12/14/73</u>	Action recommended: ☒ Approve Priority <u>9/13/73</u> ☐ Deny Reason for Reduction _____ ☒ Measuring device required ☐ See attached sheet for additional conditions of approval ☐ No additional conditions for approval
(15)	District <u>Snake</u>	By <u>[Signature]</u>	Date <u>10/10/73</u>

AFFIDAVIT OF PUBLICATION - COEUR D'ALENE PRESS

(WEEKLY)

STATE OF IDAHO, }
County of Kootenai, } ss.

Carol J Hedge, being first duly sworn,
deposes and says:

That affiant is now, and at all times herein mentioned has been, a citizen of the United States and a resident of Kootenai County, State of Idaho, over the age of 21 years and not a party to, nor interested in the event of, the above entitled matter, and the printer (principal clerk) of the "Coeur d'Alene Press", during all of the times herein mentioned being a legal daily newspaper, of Coeur d'Alene, Kootenai County, Idaho, as defined by Idaho Code Sec. 60-106 to Sec. 60-108 both inclusive, and Chapter 121 Idaho Session Laws of 1949, and acts amendatory thereof and correlated thereto, and qualified thereunder to publish to the same effect as a weekly

newspaper on Wednesdays; and that the application for water permit
for Pineville Park & Water Assoc - Post Falls,
95-7358

of which a printed copy is annexed hereto, was published in all the regular Wednesday weekly issues of said newspaper for 2 consecutive weeks, commencing on the 20th day of Sept, 19 73, and ending on the 27th day of Sept, 19 73.

Subscribed and sworn to, before me, this 28th day of Sept, 19 73
Keith L. Neal
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Pineville Park and Water Association, Box 767, Pineville Estates, Post Falls, Idaho has on September 13, 1973 submitted Application No. 95-7358 for a permit to appropriate 1.0 cubic feet per second of water from a ground water source by means of pump, motor, and pipeline

within the SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 6, T. 50N, R. 4W, B.M., Kootenai County to be used from Jan. 1 to Dec. 31 for domestic purposes for 200 families within the S $\frac{1}{2}$ SW $\frac{1}{4}$, Sec. 6, 50N, R. 4W, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, 401 Front Ave., Coeur d'Alene, Idaho, 83814 on or before October 8, 1973.

R. KEITH HIGGINSON
Director

Sept. 20, 27, 1973.

95 7358

August 11, 1975

Re: Permit No. 95-7358 & 95-7359

Pinevilla Park and Water Association
Box 767
Post Falls, ID 83854

Gentlemen:

Enclosed herewith is a copy of the water license issued on the above referenced permits

Sincerely,

D. DARLENE REICH"
Water Rights Supervisor

DDR:rb

Enc.

RECEIVED
AUG 14 1975
POST FALLS, ID

July 25, 1975

Pinevilla Park and Water Association
Box 767
Post Falls, Idaho 83854

Re: Permits 95-7358 & 95-7359

Gentlemen:

A representative of this Department has made an examination of the works covered by the above referenced permits and has found the following:

Permit 95-7358

Quantity of water diverted: 0.95 cfs Source: ground water

Amount of water that can be recognized as beneficially used under
Idaho law: 0.95 cfs

The maximum quantity diverted shall not exceed 220.8 acre feet per
year.

Point of diversion: SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 6, Twp. 50 N, Rge. 4 W, B.M.

Beneficial use: Domestic purposes for 184 families within the S $\frac{1}{2}$ SW $\frac{1}{4}$,
Sec. 6, Twp. 50 N, Rge. 4 W, B.M.

Priority date established: October 14, 1973

Permit 95-7359

Quantity of water diverted: 0.42 cfs Source: ground water

Amount of water that can be recognized as beneficially used under
Idaho law: 0.42 cfs

The maximum quantity diverted shall not exceed 220.8 acre feet per
year when combined with License No. 95-7358.

Point of diversion: SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 6, Twp. 50 N, Rge. 4 W, B.M.

Beneficial use: Domestic purposes for 184 families within the S $\frac{1}{2}$ SW $\frac{1}{4}$,
Sec. 6, Twp. 50 N, Rge. 4 W, B.M.

Priority date established: October 14, 1973

If you do not concur with these findings please contact us within 10 days, otherwise
water licenses will be issued as set forth above.


Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF:DR

TOTAL ACREAGE

Diagram of System



DATE OF EXAM 2/9/75

ACREAGE
Found lawns and gardens for each family
Recommended _____

Irrigation Requirement _____ Ac Ft/Ac

** Not to exceed 220.8 when combined with 95-7359*

USE
Irrigation Q= _____ c.f.s. V= _____ AF/Ann. from _____ to _____
Domestic Q= .95 c.f.s. V= 220.8 AF/Ann. from 1/1 to 12/31
Livestock Q= _____ c.f.s. V= _____ AF/Ann. from _____ to _____

Is water co-mingled? yes _____ no ☒

Name source: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Exchange? yes _____ no ☒

Name source exchanged with: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of injection: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of exchange: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Total Q measured 0.95 cfs Method of measurement installed meter

Total Q recommended 0.95 Meter No. 744191 Type Flow Condition good

Total V recommended 220.8 (not to exceed 220.8 when combined with 95-7359)

Recommended Amendments:

P.D. _____
Place of Use _____
Other _____
None ☒

MEASUREMENT CALCULATION:

100 gal. in 14 sec.

Rate-a-Flow meter

Ser: 744191 $\frac{60 \times 100}{14} \div 448.8 = \underline{.95 \text{ cfs}}$

SYSTEM DESCRIPTION:

US Electric Motor Jacuzzi Pump (Booster)
30 h.p Ser: SVC 48906 10 h.p
Ser: 50BC02

REMARKS:

184 water users under this system
There are 2 wells under this system. the other well
is licensed under 95-7359.

Examiner's Signature [Signature] Date 2/9/75

Checked by [Signature] Date 7/11/75

Approved by _____ Date _____

January 2, 1975

Re: Permit No.'s 95-7358 & 95-7359

Pinevilla Park & Water Assoc.
c/o John Hotrock
Box 767
Post Falls, ID 83854

Gentlemen:

We acknowledge receipt of the affidavits submitted as proof of beneficial use for the above referenced permits. Enclosed is an Order of Reinstatement; please note that the priority has been advanced for both permits to October 14, 1973.

Before licenses can be issued, field examinations must be made by a representative of this Department. We cannot tell just when these examinations will be made, but our examiner will try to contact you at the time he makes the exams so that you may show him the systems.

If you have any questions concerning the field exams, please contact our Northern District Office at 401 Front Ave., Room 209, Coeur d'Alene.

Sincerely,

BOBBY D. FLEKNOR
Chief, Water Rights

BDF:JG
Enc: Reinstatement Order

MICROFILMED

Identification No. _____

Permit No. 95-7358

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

RECEIVED
DEC 2 1974
late
Department of Water Resources
Northern District Office

1. a) Name of Permit Holder Pineville Park and water Assoc.
b) Post Office Address % John Hatrock Box 767 Post Falls, Id.
2. Permit Number 95-7358
3. Date of Priority that you are prepared to establish 9/13/73
4. a) Source from which water was appropriated Groundwater
b) Location of the point of diversion: SW 1/4 Sec 6
Township 50N, Range 40W Boise Meridian, Other points of diversion: _____
5. a) The amount of water and use to which the water has been applied:
amount 1.0 for Domestic purposes from 1/1 to 12/31 incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
b) Total amount appropriated 1.0 cfs and/or acre feet per annum
c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: installed measuring device
6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:
a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: _____
b) Describe the agreement or understanding by which you take water from the works: _____
7. a) Briefly describe the works for diverting and conveying the water to the place of use, (If from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) 30 h.p pump & motor with pipeline to 50,000 gal storage tank.
b) Describe the type and size of measuring device which you have installed at your point of diversion: Flow meter 6"
c) Give well drillers name and address and date the well was completed ?

Exam typed 12/30/74 by js MICROFILMED

9. Irrigation uses: Describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivi-

10

TWP.	RANGE	SEC.	NE¼				NW¼				SE¼				SW¼			
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼
			NE¼				NW¼				SE¼				SW¼			
			TOWNSHIP TOTALS				RANGE TOTALS				SECTION TOTALS				TOTALS			

Total number of acres irrigated

10. Remarks:

The above information is a true statement of the extent to which the above numbered permit has been developed.

(Date)

(Signature)

State of INDIA)
County of BOONEN) ss.

On this 2ND day of DECEMBER, 1977, personally appeared before me the signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.

signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.

Notary Public residing at

~~My commission expires~~ ~~Sept. 11, 1976~~

Sept. 11, 1976



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Cecil D. Andrus
Governor

Statehouse
Boise, Idaho 83720
(208) 384-2215

R. Keith Higginson
Director

November 6, 1974


Re: Permit No.'s 95-7358 & 95-7359

Pineville Park & Water Association
c/o Larry Cunningham
Box 767, Pinevilla Estates
Post Falls, ID 83854

Dear Mr. Cunningham:

You are hereby notified that under the provisions of Section 42-218a of the Idaho Code, Permit No.'s 95-7358 & 95-7359 have lapsed.

You are further advised that the Department cannot reinstate the permit except upon a showing of reasonable cause within 60 days from the date of this notice of lapsing.


R. KEITH HIGGINSON
Director

RKH:jg

MICROFILMED

WATER RESOURCE BOARD:

John F. Streiff
Chairman

Franklin Jones

George L. Yost
Vice-Chairman

M. Reed Hansen

Donald R. Kramer
Secretary

Scott W. Reed

Edwin C. Schlender
Member

Joseph H. Nettleton
Member

PS - 3811 - 1973
RETR - 25
T -
JSTFRFEN
A -
3

● SENDER: Complete items 1 and 2.

Add your address in the "RETURN TO" space on reverse.

1. The following service is requested (check one).

- ☐ Show to whom and date delivered..... 15¢
☐ Show to whom, date, & address of delivery.. 35¢
☐ DELIVER ONLY TO ADDRESSEE and show to whom and date delivered..... 65¢
☐ DELIVER ONLY TO ADDRESSEE and show to whom, date, and address of delivery 85¢

2. ARTICLE ADDRESSED TO:

3. ARTICLE DESCRIPTION:

REGISTERED NO.

CERTIFIED NO.

INSURED NO.

26017

(Always obtain signature of addressee or agent)

I have received the article described above.

SIGNATURE

4. DATE OF DELIVERY

SEP 5 1974

POSTMARK

SEP 5 1974

5. ADDRESS (Complete only if requested)

6. UNABLE TO DELIVER BECAUSE:

CLERK'S INITIALS

UNITED STATES POSTAL SERVICE

OFFICIAL BUSINESS

PENALTY FOR PRIVATE
USE TO AVOID PAYMENT
OF POSTAGE, \$300



SENDER INSTRUCTIONS

Print your name, address, and ZIP Code in the space below.

- Complete items 1 and 2 on reverse side.
- Moisten gummed ends and attach to back of article.

**RETURN
TO**



*Department of Water Resources
Statehouse
Boise, Id 83720*

MICROFILMED

August 30, 1974

CERTIFIED MAIL

#26017

Re: Permit No. 95-7358 & 95-7359

Pineville Park & Water Association
c/o Larry Cunningham
Box 767, Pineville Estates
Post Falls, ID 83854

Dear Mr. Cunningham:

One of the conditions of approval of your water Permit No. 95-7358&95-7359 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before November 1, 1974. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.



R. KEITH HIGGINSON
Director

RKH:jg
Enc: Proof affidavit

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION



Cecil D. Andrus
Governor
R. Keith Higginson
Director

614 State Street
Statehouse - Annex 2
Boise, Idaho 83720
(208) 384-2190

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Waste Disposal Wells
Stream Channel Protection

October 16, 1973

Re: Permit Nos. 95-7358
95-7359

Pinevilla Park & Water Association
c/o Larry Cunningham
Box 767, Pinevilla Estates
Post Falls, Idaho 83854

Dear Mr. Cunningham:

Enclosed are copies of your approved Application for Permit Nos. 95-7358 and 95-7359. We direct your attention to the conditions of approval as listed on the fourth page of each permit.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your points of diversion has been placed upon each permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

BDF/bjg

Enclosures

95 7358

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION
NORTHERN DISTRICT OFFICE



Cecil D. Andrus
Governor
R. Keith Higginson
Director

401 Front Ave., Rm. 209
Coeur D'Alene, Idaho 83814
(208) 667-6484

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Waste Disposal Wells
Stream Channel Protection
Geothermal Resources

September 17, 1973

Re: Application No. 95-7358 - Pinevilla Park & Water Association
" " 95-7359 - " " " " " "

Ronald L. Donaly
PANHANDLE DISTRICT HEALTH DEPARTMENT
P.O. Box 608
Coeur d'Alene, ID 83814

Dear Ron:

We are enclosing copies of applications that may be of interest to your agency. Please review the applications and if you have any comments, please submit them to our office as soon as possible. We normally complete the processing of an application within a four-week period and we are required to take final action shortly thereafter.

Please contact us if we may be of any further assistance.

Very truly yours,

Fred Eisenbarth
Northern District Manager

FE:CP

Enclosures

95 7358

September 14, 1973

Re: Application No. 95-7358 Claim No. 95-4055
" " 95-7359 " " 95-4150
" " 95-7360 " " 95-4151
" " 96-7226

Coeur d'Alene Press
Second & Lakeside
Coeur d'Alene, ID 83814

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

~~"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid."~~

(signature of claimant)

Very truly yours,

Fred Eisenbarth
Northern District Manager

Bill submitted 10-9-73 by cl

FE:CP

Enc: Legal Notices (7)

95 7358

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Pinevilla Park and Water Association,
Box 767, Pinevilla Estates, Post Falls, Idaho
has on September 13, 1973 submitted Application No. 95-7358
for a permit to appropriate 1.0 cubic feet per second ~~above feet per annum~~
of water from a ground water source
by means of pump, motor, and pipeline
within the S1/4SW1/4, Sec. 6, T. 50N, R. 4W, B.M., Kootenai County

to be used from Jan. 1 to Dec. 31
for domestic purposes for 200 families

within the S1/4SW1/4, Sec. 6, T. 50N, R. 4W, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, 401 Front Ave., Coeur d'Alene, Idaho, 83814 on or before October 8, 1973.

R. KEITH HIGGINSON

Director

Published in the Coeur d'Alene Press, Coeur d'Alene, Idaho
on Sept. 20 and Sept. 27, 1973

95 7358

**NOTICE OF
APPLICATION FOR
WATER PERMIT**

Notice is hereby given that Pinevilla Park and Water Association, Box 767, Pinevilla Estates, Post Falls, Idaho has on September 13, 1973 submitted Application No. 95-7358 for a permit to appropriate 1.0 cubic feet per second of water from a ground water source by means of pump, motor, and pipeline within the SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 6, T. 50N, R. 4W, B.M., Kootenai County to be used from Jan. 1 to Dec. 31 for domestic purposes for 200 families within the S $\frac{1}{2}$ SW $\frac{1}{4}$, Sec. 6, 50N, R. 4W, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, 401 Front Ave., Coeur d'Alene, Idaho, 83814 on or before October 8, 1973.

R. KEITH HIGGINSON
Director

Sept. 20, 27, 1973.

O.K.
9-20-73
CP

95 7358