

No Color
Documents
In File

State of Idaho
Department of Water Resources

AMENDED WATER RIGHT LICENSE

License of Water Right No. 95-7294 Priority May 22, 1973 Amount 0.07 cfs

THIS IS TO CERTIFY, that VIRGIL K. CARROLL
of Spokane, Washington, has complied with the terms and conditions of Permit
No. 95-7294 issued pursuant to Application for Permit dated May 22, 1973,
and has submitted proof to the Department of Water Resources on May 8, 1978,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 0.07 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Domestic (24 homes)	from <u>January 1</u> to <u>December 31</u>	at <u>0.07</u> cfs and	<u>28.8</u> acre feet
	from _____ to _____	at _____ cfs and	_____
	from _____ to _____	at _____ cfs and	_____
(both dates inclusive)			

Subject, however, to the condition that no more than 0.07 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
28.8 acre feet per year, said waters to be diverted within the NE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 29, Twp. 47N,
Rge. 4W, B.M. in the County of Kootenai

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
47N	4W	29	X	X															

Total number of acres irrigated _____

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 30 day of

April, 19 80.

Director

MICROFILMED

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 95-7294 Priority May 22, 1973 Amount 0.07 cfs

THIS IS TO CERTIFY, that VIRGIL K. CARROLL
of Spokane, Washington, has complied with the terms and conditions of Permit
No. 95-7294 issued pursuant to Application for Permit dated May 22, 1973,
and has submitted proof to the Department of Water Resources on May 8, 1978,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 0.07 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Domestic (2 homes)	from <u>January 1</u> to <u>December 31</u>	at <u>0.07</u> cfs and	<u>2.4</u> acre feet
	from _____ to _____	at _____ cfs and	_____
	from _____ to _____	at _____ cfs and	_____
(both dates inclusive)			

Subject, however, to the condition that no more than 0.07 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
2.4 acre feet per year, said waters to be diverted within the NE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 29, Twp. 47N,
Rge. 4W, B.M. in the County of Kootenai

Description and location of place of use:

Twp.	Range	Sec.	Section												Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
47N	4W	29	X												


Total number of acres irrigated _____

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 31 day of

March, 19 80.


Director

RECEIVED
MAY 11 1980

Identification No. 95-7294

Application No. _____

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant VIRGIL K. CARROLL 6642945
post office address E. 11220 24TH SPOKANE, WASH. 99206
2. Source of water supply Ground water which is a tributary of _____
3. a. Location of point of diversion is NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 29 Township 47
Range 4 B.M. Kootenai County; additional points of diversion if any: _____

- b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 0.07 for domestic purpose from Jan. 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 0.07 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. System will have a 3 horse power submersible pump that will pump to a 20,000 gal. storage tank. All water mains will be 4 inch PVC plastic.

- b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
- c. Proposed well diameter is 8 inches; proposed depth of well is 315 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use is 1/2 years.
b. Estimated construction cost is \$ 15,000.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: NE $\frac{1}{2}$ NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 29 Township 47
Range 4 B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 24.
(5) If water is to be used for other purposes describe: _____

95 72

7229 95

TWP.	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼			
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼
TOTALS			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼

Total number of acres to be irrigated—

c. Describe any other water rights used for the same purposes as described above.

9. a. Who owns the property at the point of diversion Virgil K. Carroll

b. Who owns the land to be irrigated or place of use.


c. If the property is owned by a person other than the applicant, describe the arrangement enabling the

applicant to make this filing.

10. Remarks	Water is for a 24 lot subdivision on Conkling Park Road, about 2 miles from Worley, Idaho. The well has already been drilled. The driller was Wilmont Frederick of Spirit Lake.
-------------	---

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

SEC. 29, T. 47, R. 4 W. B.M.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Virgil K. Canale
(Applicant)

95 729.

Received by cc Date 5-22-73 Time 1:30 P

Preliminary check by cc Fee \$ 0.00

Received by cc Date May 14 1973 10:51

Publication prepared by cc Date 5-25-73

Published in Coeur d'Alene Press

Publication dates 5-31 & 6-7-73

Publication approved cc Date 6-11-73

Priority reduced to Reason

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by cc

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-7294, and said application is hereby APPROVED

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 19 78.

c. Other: _____

2. Denial of said application is for the following reasons: _____

Witness my hand this 26th day of June, 19 73.

Director

DEPARTMENT OF WATER ADMINISTRATION
- STAFF ANALYSIS -

Item	Initial	Date	
(1)	<u>FE</u>	<u>5/22/73</u>	Application No. <u>95-7294</u> Name <u>Virgil K. Carroll</u>
(2)	<u>FE</u>	<u>5/22/73</u>	Check: ☒ Signature ☒ Point of Diversion ☒ Quantity of Water and Period of Use ☒ Description of Diverting Works ☒ Time required for C/W and application of water to B/V ☒ Place of Use ☒ Map ☒ Fee
(3)	<u>FE</u>	<u>5/22/73</u>	Send copies to: ☒ Idaho State Health Department ☐ Idaho Fish and Game Department ☐ Bureau of Land Management
(4)			☐ Request Special Use Permit from U.S.F.S. ☐ Request Easement from B.L.M.
(5)	<u>FE</u>	<u>5/22/73</u>	In form for advertising <u>O.K.</u>
(6)	<u>CP</u>	<u>6-11-73</u>	Affidavit of Publication received <u>JUNE 8, 1973</u>
(7)	<u>CP</u>	<u>5-25-73</u>	Final date for protests <u>JUNE 18, 1973</u> Protests received: yes <u>no</u> ☒
(8)			Date and Place of hearing _____ Decision reached at hearing _____
(9)			Located within Water District No. _____
(10)	<u>FE</u>	<u>6/18/73</u>	Critical groundwater area: yes _____ no ☒
(11)	<u>FE</u>	<u>6/18/73</u>	Groundwater levels: ☐ Decline (comment) _____ ☒ Stable (comment) _____ ☐ Increasing (comment) _____
(12)			Comments: _____
(13)	<u>FE</u>	<u>6/14/73</u>	Action recommended: ☒ Approve Priority <u>5/22/73</u> ☐ Deny Reason for Reduction <u>Unacceptable App</u> See attached sheet for conditions of approval
(14)	<u>FE</u>	<u>6/14/73</u>	No conditions for approval District <u>Northern</u> By <u>Jeff E. Smith</u> Date <u>6/18/73</u> Title <u>Tech III</u>

AFFIDAVIT OF PUBLICATION—COEUR D'ALENE PRESS

RECEIVED
(WEEKLY)

STATE OF IDAHO,

County of Kootenai,

ss.

Callie Painter

1044

JUN 8 1973

being first duly sworn

deposes and says:

That affiant is now, and at all times herein mentioned has been, a citizen of the United States and a resident of Kootenai County, State of Idaho, over the age of 21 years and not a party to, nor interested in the event of, the above entitled matter, and the printer (principal clerk) of the "Coeur d'Alene Press", during all of the times herein mentioned being a legal daily newspaper, of Coeur d'Alene, Kootenai County, Idaho, as defined by Idaho Code Sec. 60-106 to Sec. 60-108 both inclusive, and Chapter 121 Idaho Session Laws of 1949, and acts amendatory thereof and correlated thereto, and qualified thereunder to publish to the same effect as a weekly

newspaper on Wednesdays; and that the

Notice of Application

of which a printed copy is annexed hereto, was published in all the regular Wednesday

weekly issues of said newspaper for *two* consecutive weeks, commencing

on the *31* day of *May*, 19*73*, and ending on the

7 day of *June*, 19*73*

Callie Painter

Subscribed and sworn to, before me, this *7* day of *June*

19*73*

Patrick King
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Virgil K. Carroll, E. 11220, 24th, Spokane, Washington has on May 22, 1973 submitted Application No. ~~195-7294~~ for a permit to appropriate 0.07 cubic feet per second of water from a ground water source by means of pump, pipelines, and storage tank within the NE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 29, T. 47N, R. 4W, B.M. to be used from Jan. 1 to Dec. 31 for domestic purposes for 24 families within the N $\frac{1}{2}$ NE $\frac{1}{4}$, Sec. 29, T. 47N, R. 4W, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, 401 Front Ave., Coeur d'Alene, Idaho, 83814 on or before June 18, 1973.

R. KEITH HIGGINSON
Director

May 31, June 7, 1973.

95 7294



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 384-2215

May 7, 1980

Virgil K. Carroll
620 W. 7th Apt. 103
Spokane, Washington 99214

Dear Mr. Carroll,

RE: License No. 95-7294

Enclosed is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

Jan Grover
JAN GROVER
Water Rights Supervisor

JG:lr

Enclosure

PROFILMED

CONVERSATION MEMORANDUM

DATE

7/22/80

FILE

95-7294

NAME OF PARTY

Brian Meckel P.E.

EMPLOYEE

Jan Grover

RE:

Amended License for 95-7294

I spoke with Mr. Meckel & he stated the pipe had been laid along the back of the lots it was to serve. He also stated that the system is set-up for 24 homes & will be serving all of them when the houses are built.

The examiner also found the system was able to serve the home, therefore, I recommend an amended license be issued for the same amt. for 24 homes.

ENCLOSURE

Jan
WINZLER & KELLY

CONSULTING ENGINEERS

BRIAN D. MECKEL - PE

A Corporation

2201 GOVERNMENT WAY

COEUR D'ALENE, IDAHO 83814

PHONE (208) 667-9687

RECEIVED

April 4, 1980

Refer to: 78-591

APR 9 1980

Department of Water Resources

Jan Grover
Water Rights Supervisor
State of Idaho, Department of
Water Resources
Statehouse
Boise, Idaho 83720

Dear Mr. Grover:

The water system for Permit No. 95-7294 was designed for .07 cfs, to serve a development of 24 homes. It is my understanding that the examination was done prior to the policy of recognizing or giving credit for homes not yet constructed. For this reason we request that the license be issued for the 0.07 cfs applied for.

Sincerely,

WINZLER AND KELLY

Brian D. Meckel
Brian D. Meckel, P.E./L.S.

BDM:jgg

cc: Virgil Carroll

MICROFILMED

CONSULTING ENGINEERS

INDUSTRIAL • MECHANICAL • ELECTRICAL • STRUCTURAL • CIVIL
REPORTS • DRAINAGE • ROADS • SURVEYS • PLANNING



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

April 9, 1980

Virgil Carroll
620 W. 7th Apt. 103
Spokane, Washington 99214

Dear Mr. Carroll,

RE: License No. 95-7294

Enclosed is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JAN GROVER
JAN GROVER
Water Rights Supervisor

JG:lr

Enclosure

MICROFILMED



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

John V. Evans
Governor

C. Stephen Allred
Director

Statehouse
Boise, Idaho 83720
(208) 384-2215

March 18, 1980

Virgil Carroll
620 W. 7th Apt. 103
Spokane, Washington 99214

Dear Mr. Carroll,

A representative of this Department made an examination of the works covered by your Permit No. 95-7294 on April 3, 1979, and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: 0.07 cfs Source: groundwater

The maximum quantity diverted shall not exceed 2.4 acre feet per
year.

Point of diversion: NE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 29, Twp. 47N, Rge. 4W, B.M.

Beneficial use: Domestic use for 2 homes within the NE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 29,
Twp. 47N, Rge. 4W.

Priority date established: May 22, 1973.

If you do not concur with these findings please contact us within 10 days, otherwise a water license will be issued as set forth above.

Sincerely,

JAN GROVER
Water Rights Supervisor

RECEIVED
JG

FIELD REPORT

TOTAL ACREAGE

RECEIVED
MAY 11 1978

Department of Water Resources
Northern District Office

Permit No. _____

95-7294
B14

MICROFILMED

[illegible]

DATE OF EXAM 4/3/79

ACREAGE
Found _____
Recommended _____

Irrigation Requirement _____ Ac Ft/Ac

USE
Irrigation Q= _____ c.f.s. V= 28.8 AF/Ann. from _____ to _____
Domestic Q= 0.07 c.f.s. V= 2.4 AF/Ann. from Jan 1 to Dec 31
Livestock Q= _____ c.f.s. V= _____ AF/Ann. from _____ to _____

Is water co-mingled? yes _____ no —

Name source: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Exchange? yes _____ no —

Name source exchanged with: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of injection:
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of exchange:
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Total Q measured None Method of measurement _____

Total Q recommended 0.07 cfs Meter No. _____ Type _____ Condition _____

Total V recommended 8.4 AF/Ann

Recommended Amendments: 28.8

P.D. _____
Place of Use _____
Other _____
None _____

MEASUREMENT CALCULATION:

24 homes - see cons. memo of 4/22/80, & letter of 7/9/80
 $24 \times 1.2 = 28.8$ & $1.98 \times 0.07 \times 365 = 50.6$

SYSTEM DESCRIPTION:

Well, pump & pipe line

REMARKS:

Set up originally for farm home, but F&H cancelled. several other sites apparent here. hydrants may be used for irrigation in future.

Examiner's Signature J. W. King Date 4/4/79

Checked by Bob Haynes Date 4.9.79

Approved by _____ Date _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
C. STEPHEN ALLRED
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

March 5, 1979

Mr. Virsil Carroll
P. O. Box 141016
Spokane, Washington 99214

RE: 95-7294

Dear Mr. Carroll:

I would like to examine your water system in the near future.

Please notify me of a place and time that I can contact someone to go with me on this examination. It will also be necessary to have a list or a plat showing the location of the houses on the system.

Thank you for your cooperation.

Sincerely,

TOM D. KING
Senior Water Resource Asent

TDK/pms

RECEIVED

May 9, 1978

Mr. Virgil Carroll
620 W. 7th Apt. 103
P.O. Box 141016
Spokane, WA 99214

RE: 96-7294

Dear Mr. Carroll:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

If you have any questions regarding the field examination, please contact our Regional Office in Coeur d'Alene, Idaho 83814.

Sincerely,

JANICE RENK
Water Rights

MICROFILMED

Identification No. 95-7294

Permit No. 95-7294

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

MAY 8 1978

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

Department of Water Resources

1. a) Name of Permit Holder Virgil K. Carroll
b) Post Office Address P.O. Box 141016 Spokane Wash. 99214
2. Permit Number 95-7294
3. Date of Priority that you are prepared to establish 5-22-1973
4. a) Source from which water was appropriated Well
b) Location of the point of diversion: N - $\frac{1}{2}$ $\frac{1}{4}$ NE $\frac{1}{4}$, Section 29
Township 47, Range 4 Boise Meridian, Other points of diversion:
5. a) The amount of water and use to which the water has been applied:
Amount 0.07 CFS for Domestic purposes from Jan 1 to Dec. 31 incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
Amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
Amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
b) Total amount appropriated 0.07 cfs and/or acre-feet per annum
c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: The Company I bought the pump from, and I filled the 20,000 gal tank in 6 hours
6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:
a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: 3 H.P. Submersible pump with 20,000 gal storage tank, with 4inch water mains.
b) Describe the agreement or understanding by which you take water from the works: domestic use
7. a) Briefly describe the works for diverting and conveying the water to the place of use, (if from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) 8 inch casing, 315 feet deep, 3HP submersible 20,000 gal storage, 4inch mains.
b) Describe the type and size of measuring device which you have installed at your point of diversion: NONE
c) Give well driller's name and address and the date the well was completed: Feb 20, 1973
Wilmot Fredrick Rt. 1 Worley, Idaho 83876
8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use:

Exam typed 5/10/78 by ff

MICROFILMED



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Cecil D. Andrus
Governor

Statehouse
Boise, Idaho 83720
(208) 384-2215

R. Keith Higginson
Director

March 31, 1978

CERTIFIED MAIL

108531

Re: Permit No. 95-7294

Virgil K. Carroll
E. 11220 24th
Spokane, Washington 99206

Dear Mr. Carroll:

One of the conditions of approval of your water Permit No. 95-7294 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before June 1, 1978. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.

Norman C. Young
NORMAN C. YOUNG
Administrator,
Resources Administration Division

NCY:jfr

Encl: Proof affidavit

June 28, 1973

Virgil K. Carroll
E. 11220 24th
Spokane, Washington 99206

Dear Mr. Carroll:

Enclosed is a copy of your approved Application for Permit No. 95-7294 . We direct your attention to the conditions of approval as listed on the fourth page.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

BDF: cd

Enclosure

95 7294

May 25, 1973

Re: Application No.	95-7292	95-7296
"	" 95-7293	95-7297
"	" 95-7294	96-7177
"	" 95-7295	

Coeur d'Alene Press
Second & Lakeside
Coeur d'Alene, ID 83814

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid."

(signature of claimant)

Very truly yours,

Fred Eisenbarth
Northern District Manager

Bill submitted 6-11-73 by CR

FE:CR

Enc: Legal Notices (7)

95 729*



PANHANDLE HEALTH DISTRICT I

P. O. Box 608 412 Lakeside Avenue Coeur d'Alene, Idaho 83814

May 31, 1973

RECEIVED

JUN 1 1973

Department of Water Administration
Northern District Office

Fred Eisenbarth
Department of Water Administration
401 Front Avenue, Room 209
Coeur d'Alene, Idaho

Re: Application Number
95-7294

Dear Mr. Eisenbarth:

The Panhandle Health District has no objection to the above mentioned application. The actual well site should be approved by the Health Department prior to drilling to insure compliance with all State Codes.

Sincerely,

Ronald L. Donaly
Environmentalist

95 7294

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION
NORTHERN DISTRICT OFFICE



Cecil D. Andrus
Governor
R. Keith Higginson
Director

401 Front Ave., Rm. 209
Coeur D'Alene, Idaho 83814
(208) 667-6484

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Waste Disposal Wells
Stream Channel Protection
Geothermal Resources

May 29, 1973

Re: Application for Permit No. 95-7294 - Virgil K. Carroll

Ronald L. Donaly
PANHANDLE DISTRICT HEALTH DEPARTMENT
P.O. Box 608
Coeur d'Alene, ID 83814

Dear Ron:

We are enclosing a copy of an application that may be of interest to your agency. Please review the application and if you have any comments, please submit them to our office as soon as possible. We normally complete the processing of an application within a four-week period and we are required to take final action shortly thereafter.

If we may be of any further assistance, feel free to contact us.

Very truly yours,

Fred Eisenbarth
Northern District Manager

FE:CR

Enc: copy

95 7294

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Virgil K. Carroll,
E. 11220, 24th, Spokane, Washington
has on May 22, 1973 submitted Application No. 95-7294
for a permit to appropriate 0.07 cubic feet per second ~~one foot per annum~~
of water from a ground water source
by means of pump, pipelines, and storage tank
within the NE1/4, Sec. 29, T. 47N, R. 4W, B.M.

to be used from Jan. 1 to Dec. 31
for domestic purposes for 24 families

within the NE1/4, Sec. 29, T. 47N, R. 4W, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, 401 Front Ave., Coeur d'Alene, Idaho, 83814 on or before June 18, 1973.

R. KEITH HIGGINSON

Director

Published in the Coeur d'alene Press, Coeur d'Alene, Idaho
on May 31 and June 7, 1973

95 7294

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION
NORTHERN DISTRICT OFFICE



Cecil D. Andrus
Governor
R. Keith Higginson
Director

401 Front Ave., Rm. 209
Coeur D'Alene, Idaho 83814
(208) 667-6484

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Waste Disposal Wells
Stream Channel Protection
Geothermal Resources

May 16, 1973

95-7294

Brian D. Meckel
MECKEL ENGINEERING & SURVEYING
2020 Sixth Place
Coeur d'Alene, ID 83814

Dear Mr. Meckel:

Enclosed is the application for permit you submitted in behalf of Virgil K. Carroll, and also your Check No. 92-27 in the amount of \$10.

Please complete those items which we discussed in our telephone conversation of May 15, return the application and the \$10 filing fee to our office, and we shall begin its processing.

If you have any questions in this matter, please contact us.

Very truly yours,

Ervin E. Ballou
Water Resource Technician
Northern District

EEB:cr

Enclosures

95 7294