

27

26

26
MICROFILMED

95-7234

WATER RIGHT LICENSE

THIS IS TO CERTIFY, that HACIENDA HILLS WATER COMPANY

Description and location of place of use:

Total number of acres irrigated _____


Director

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF REMOVAL OF THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. 95-7234
IN THE NAME OF HACIENDA HILLS WATER CO.

ORDER

WHEREAS, on January 29, 1973, Ronald E. Eggart filed with the Department of Water Resources for a permit to appropriate 0.50 cubic feet per second of groundwater to be diverted within the NW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 22, Twp. 51N, Rge. 4W, B.M., Kootenai County, to be used for domestic purposes; and,

WHEREAS, on March 2, 1973, the Department approved said application and issued Permit No. 95-7234 with the condition that proof of beneficial use and construction of works be submitted to the Department on or before March 1, 1978, and that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on February 24, 1978, the Department received the required proof of application of water; and,

WHEREAS, it has been determined by the Department that a measuring device is not required at this time for a determination of the quantity of water appropriated under said permit;

IT IS, THEREFORE, HEREBY ORDERED that the condition of approval that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works, be and is, REMOVED from Permit No. 95-7234.

Dated this 1 day of March, 1978.


BOBBY D. FLEENOR

MICROFILMED

State of Idaho
Department of Water Resources

ASSIGNMENT OF PERMIT

Department of Water Resources

JAN 30 1978

I, Ronald E. Eggart, hereby assign to Hacienda Hills Water Co.
of c/o Gary Wooley, Pres., Box 963, Hayden Lake, ID 83835
Address

CHECK ONE

☒ All my right, title, and interest in and to Permit No. 95-7234
to appropriate the public waters of the State of Idaho.

☐ The following described portion of my right, title, and interest in and to Permit
No. _____ to appropriate the public waters of the State of Idaho.

(Describe that portion of the permit being assigned by listing the acreage within
each 40 acre subdivision, the point of diversion and the amount of water in cubic
feet per second for direct diversion, or acre feet for storage)

Made this 27th day of January, 19 78.

Ronald E. Eggart
Permit Holder

Margaret A. Eggart
Spouse of Permit Holder

State of Idaho)
County of Shoshone) ss.

On this 27th day of January, 19 78, personally
appeared before me the signer(s) of the above instrument, who duly acknowledged to me
that he (she) (they) executed the same.

seal

Phyllis J. Kelly
Notary Public residing at

Ellington Idaho 83837

My commission expires:

1-12-82

ASSIGNED TO: HACIENDA HILLS WATER CO.

Identification No. 95-7234

Application No. _____

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

APPROVED

AMENDED **APPLICATION FOR PERMIT**

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant Ronald E. Eggart
post office address Box 660, Kellogg, ID 83837
2. Source of water supply Groundwater which is a tributary of _____
3. a. Location of point of diversion is NW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 22 Township 51N
Range 4W B.M. Kootenai County; additional points of diversion if any: _____

- b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 0.5 for Domestic purpose from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 0.5 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. 40 h.p. submersible pump (Sta-Rite),
6" & 4" mains with 2" feeder lines. See attached blue print.

- b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
- c. Proposed well diameter is 8 inches; proposed depth of well is 300 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$ 14,000.00
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: W $\frac{1}{2}$ $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 22 Township 51N
Range 4W B.M.
(2) Amount of power to be generated: 40 hp under 300 feet of head.
(3) List number of each kind of livestock to be watered _____


(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water 32.
(5) If water is to be used for other purposes describe: _____

95 7234

[Signature]
X *[Signature]* (Applicant)

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Scale: 2 inches equal 1 mile



11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

95-7234

Received by CB Date 29 Jan 73 Time 9:30 am
 Preliminary check by CB Fee \$ 10.00
 Receipted by CB #8529 Date 29 Jan 73
 Publication prepared by cr Date 2-2-73
 Published in Coeur d'Alene Press
 Publication dates 2-8 & 2-15-73
 Publication approved ce Date 2-22-73
 Priority ~~reduced~~ to 1-29-73 Reason Application was amended on (P.D. + Place of Use) on 1/29/73.
 Protests filed by: _____
 Copies of protests forwarded by _____
 Hearing held by _____ Date _____
 Recommended for approval denial by D

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION


This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-7234, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before March 1, 1978.
- c. Other: A measuring device of a type approved by this Department shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 2nd day of March, 1973.


 Deputy Director

Identification No. 95-7234

Application No. _____

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION
APPLICATION FOR PERMIT

To Appropriates the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

*Replaced
by Amended
Application
Dated Jan. 29-1973*

1. Name of applicant RONALD E. EGART
post office address Box 660 KELLOGG, IDAHO 83537

2. Source of water supply GROUND WATER which is a tributary of None from 26, 1973

3. a. Location of point of diversion is NW 1/4 of Section 22 Township 51 N
Range 4 W B.M. KOOTENAI County; additional points of diversion if any: NA

b. If water is not consumed, it will be discharged into NA at a point in _____ 1/4
of _____ 1/4 of Section _____ Township _____ Range _____ B.M. _____

4. Water will be used for the following purposes:
Amount 0.5 for Domestic purpose from JAN 1st to DEC 31st (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:
a. 0.5 cubic feet per second and/or
b. _____ acre feet per annum.

6. Proposed diverting works:

X a. Description of ditches, flumes, pumps, headgates, etc. NA
H190 P654 40 HP SUBMERSIBLE PUMP (STARITE) 6" 4" 21" MAINS 10/2" FEEDER
LINES SEE ATTACHED BLUE PRINT

b. Height of storage dam NA feet, active reservoir capacity NA acre feet; total reservoir
capacity NA acre feet, materials used in storage dam: NA
Period of year during which storage will occur NA to _____ inclusive.
(Mo. Day) (Mo. Day)

c. Proposed well diameter is 8 inches; proposed depth of well is 300 feet.

7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
X is 5 years.

b. Estimated construction cost is \$ 14,000.00.

8. Description of proposed uses:

a. If water is **not** for irrigation:
(1) Give the place of use of water: W 1/2 1/4 of NE 1/4 of Section 22 Township 51 N
Range 4 W B.M. _____
(2) Amount of power to be generated: 40 hp under 300 feet of head.
(3) List number of each kind of livestock to be watered NA
(4) Name of municipality to be served NA, or number of families to be
supplied with domestic water 32.
(5) If water is to be used for other purposes describe: Domestic -

95 7234

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TOTALS

NA

NON

- MR. ROY EGGART

- MR. DON HOGART

NA

applicant to make this filing-

Domestic usage to supply a possible 32 homes


~~YARDS GARBLENS + 10%~~

X 11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

SEE ATTACHED PRINT

Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


(Applicant)

Director

Witness my hand this _____ day of _____, 19____.

2. Denial of said application is for the following reasons:

c. Other: _____

before _____, 19____.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

1. Approval of said application is subject to the following limitations and conditions:

Idaho No. _____, and said application is hereby _____.

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION

Recommended for approval denial by _____

Hearing held by _____ Date _____

Copies of protests forwarded by _____

Protests filed by: _____

Priority reduced to _____ Reason _____

Publication approved at Date 1-2-73

Publication dates 1-18 & 1-25-73

Published in Coeur d'Alene Press

Publication prepared by CR Date 1-12-73

Received by at Date 1-3-73

Preliminary check by at Fee \$ 25.00

Received by at Date 11-17-72 Time 8:00 P

1-3-73 11:00-72 8:00 P

95 72334

DEPARTMENT OF WATER ADMINISTRATION
- STAFF ANALYSIS -

Item	Initial	Date	
(1)	<u>D</u>	<u>11-17-72</u>	Application No. <u>95-7234</u> Name <u>Ronald E Eggert</u>
(2)	<u>F.B.</u>	<u>1/12/73</u>	Check: ☒ Signature ☒ Point of Diversion <u>(2 maps)</u> ☒ Quantity of Water and Period of Use ☒ Description of Diverting Works <u>NO</u> ☒ Time required for C/W and application of water to B/U/V/O - <u>5 years</u> ☒ Place of Use <u>(2 maps)</u> ☒ Map <u>NO (Blue Print)</u> ☒ Fee <u>NO need 2500</u> <u>Return App.</u>
(3)	<u>F.B.</u>	<u>1/12/73</u>	Send copies to: ☒ Idaho State Health Department ☐ Idaho Fish and Game Department ☐ Bureau of Land Management
(4)			☐ Request Special Use Permit from U.S.F.S. ☐ Request Easement from B.L.M.
(5)	<u>F.B.</u>	<u>1/12/73</u>	In form for advertising <u>OK</u>
(6)	<u>CR</u>	<u>2-22-73</u>	Affidavit of Publication received <u>2-22-73</u> <u>JANUARY 29, 1973</u>
AMENDED:	<u>CR</u>	<u>2-2-73</u>	
(7)	<u>CR</u>	<u>1-12-73</u>	Final date for protests <u>2-26-73</u> <u>FEBRUARY 5, 1973</u> Protests received: yes <u>no</u> ☒
(8)			Date and Place of hearing _____ Decision reached at hearing _____
(9)			Located within Water District No. _____
(10)			Critical groundwater area: yes _____ no _____
(11)	<u>F.B.</u>	<u>2/26/73</u>	Groundwater levels: ☐ Decline (comment) _____ ☒ Stable (comment) _____ ☐ Increasing (comment) _____
(12)			Comments: <u>Amended Application (P.D. + Place of Use) on</u> <u>1/29/73</u>
(13)	<u>F.B.</u>	<u>2/26/73</u>	Action recommended: ☒ Approve Priority <u>1/29/73</u> ☐ Deny Reason for Reduction <u>(Amended Application)</u> <u>F.B.</u> <u>2/26/73</u> See attached sheet for conditions of approval No conditions for approval
(14)	<u>F.B.</u>	<u>2/26/73</u>	District <u>North</u> By <u>Paul B. Smith</u> Date <u>2/26/73</u> Title <u>Supervisor</u>

95 7234

RECEIVED
FEB 28 1973
Department of Water Administration

RECOMMENDED

CONDITIONS OF APPROVAL

☒ A measuring device of a type approved by this Department shall be permanently installed and maintained as part of the diverting works.

☐ Measuring devices of a type approved by this Department shall be permanently installed and maintained at the point of diversion and the point of effluent discharge.

☐ Use of water under this permit is supplemental to all existing water rights with the same purpose and place of use.

☐ Maximum rate of diversion shall not exceed _____ c.f.s.

☐ Settling ponds shall be installed which are capable of reducing the silt load in the return water to such a level that the quality of the waters of _____ Creek will not be impaired for other beneficial uses.

☐ Return water shall be treated to insure that the effluent meets (interstate) (intrastate) stream water quality standards.

☐ Use of water under this permit is subject to control by the watermaster of State Water District No. _____, _____ River.

☐ The proposed well shall not be drilled within _____ feet of another well.

☐ The issuance of this permit in no way grants any right-of-way or easement across the land of another person.

☐ The permit shall not be assigned or sold without first securing the written approval of the Department of Water Administration.

☐ This permit cannot be assigned, mortgaged, or conveyed without complying with Section 42-208, Idaho Code.

☐ Other: _____

AFFIDAVIT OF PUBLICATION—COEUR D'ALENE PRESS

(WEEKLY)

RECEIVED

JAN 25 1973

STATE OF IDAHO,

County of Kootenai,

ss.

Callie Pontner

....., being first duly sworn,
deposes and says:

That affiant is now, and at all times herein mentioned has been, a citizen of the United States and a resident of Kootenai County, State of Idaho, over the age of 21 years and not a party to, nor interested in the event of, the above entitled matter, and the printer (principal clerk) of the "Coeur d'Alene Press", during all of the times herein mentioned being a legal daily newspaper, of Coeur d'Alene, Kootenai County, Idaho, as defined by Idaho Code Sec. 60-106 to Sec. 60-108 both inclusive, and Chapter 121 Idaho Session Laws of 1949, and acts amendatory thereof and correlated thereto, and qualified thereunder to publish to the same effect as a weekly

newspaper on Wednesdays; and that the

Notice of Application

of which a printed copy is annexed hereto, was published in all the regular Wednesday

weekly issues of said newspaper for *two* consecutive weeks, commencing

on the *18* day of *January*, 19*73*, and ending on the

25 day of *January*, 19*73*

Callie Pontner

Subscribed and sworn to, before me, this *25* day of *January*,

19*73*

Patrick King

Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Ronald E. Eggart, Box 660, Kellogg, Idaho has on January 3, 1973 submitted Application No. 95-7234 for a permit to appropriate 0.5 cubic feet per second of water from a ground water source by means of pump and pipeline within the NW¼NW¼, Sec. 22, T. 51N, R. 4W, B.M., Kootenai County to be used from Jan. 1 to Dec. 31 for domestic purposes for 32 families within the NW¼NW¼, Sec. 22, T. 51N, R. 4W, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, 401 Front Ave., Coeur d'Alene, Idaho, 83814, on or before February 5, 1973.

R. KEITH HIGGINSON
Director

January 18, 25, 1973.

95 7234

AFFIDAVIT OF PUBLICATION—COEUR D'ALENE PRESS

(WEEKLY)

STATE OF IDAHO,

County of Kootenai,

ss.

Callie Painter

deposes and says:

That affiant is now, and at all times herein mentioned has been, a citizen of the United States and a resident of Kootenai County, State of Idaho, over the age of 21 years and not a party to, nor interested in the event of, the above entitled matter, and the printer (principal clerk) of the "Coeur d'Alene Press", during all of the times herein mentioned being a legal daily newspaper, of Coeur d'Alene, Kootenai County, Idaho, as defined by Idaho Code Sec. 60-106 to Sec. 60-108 both inclusive, and Chapter 121 Idaho Session Laws of 1949, and acts amendatory thereof and correlated thereto, and qualified thereunder to publish to the same effect as a weekly

newspaper on Wednesdays; and that the

Notice of Amended Application

of which a printed copy is annexed hereto, was published in all the regular Wednesday

weekly issues of said newspaper for *two* consecutive weeks, commencing

on the *8* day of *February*, 19*73*, and ending on the

15 day of *February*, 19*73*.

Callie Painter

Subscribed and sworn to, before me, this *15* day of *February*,

19*73*.

Clarence King

Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

NOTICE OF AMENDED APPLICATION FOR WATER PERMIT

Notice is hereby given that Application for Permit No. 95-7234 in the name of Ronald E. Eggart, was filed for the diversion of 0.5 c.f.s. of water from a ground water source with point of diversion in the NW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 22, T. 51N, R. 4W, B.M., Kootenai County, to be used for domestic purposes from Jan. 1 to Dec. 31 within the NW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 22, T. 51N, R. 4W, B.M.

The applicant now proposes to amend Application No. 95-7234, requesting 0.5 c.f.s. of water from a ground water source, to be diverted within the NW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 22, T. 51N, R. 4W, B.M., Kootenai County from Jan. 1 to Dec. 31 for domestic purposes for 32 families within the W $\frac{1}{2}$ NE $\frac{1}{4}$, Sec. 22, T. 51N, R. 4W, B.M.

Any protest to the proposed amending of the application may be filed with the Idaho Department of Water Administration, 401 Front Ave., room 209, Coeur d'Alene, Idaho 83814.

R. KEITH HIGGINSON
Director

Feb. 8, 15, 1973 X

95 7234



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

April 9, 1980

Hacienda Hills Water Co.
P.O. Box 963
Hayden Lake, Idaho 83835

Dear Sirs,

RE: License No. 95-7234

Enclosed is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

Jan Grover
JAN GROVER
Water Rights Supervisor

JG:lr

Enclosure

MICROFILMED



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

John V. Evans
Governor

C. Stephen Allred
Director

Statehouse
Boise, Idaho 83720
(208) 384-2215

March 18, 1980

Hacienda Hills Water Co.
P.O. Box 963
Hayden Lake, Idaho 83835

Dear Sirs,

A representative of this Department made an examination of the works covered by your Permit No. 95-7234 on April 2, 1979, and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: 0.50 cfs Source: groundwater

The maximum quantity diverted shall not exceed 16.8 acre feet per
year.

Point of diversion: NW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 22, Twp. 51N, Rge. 4W, B.M.

Beneficial use: Domestic use for 14 homes within the NW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 22,
Twp. 51N, Rge. 4W.

Priority date established: January 29, 1973

If you do not concur with these findings please contact us within 10 days, otherwise a
water license will be issued as set forth above.

Sincerely,

JAN GROVER
Water Rights Supervisor

JG/kw

RECEIVED

MAR 21 1978

3. Water will be used for the following purposes:

TOTAL ACREAGE _____

[illegible]

DATE OF EXAM 4-2-79

ACREAGE

Found _____
Recommended _____

Irrigation Requirement _____ Ac Ft/Ac

USE

Irrigation Q=_____ c.f.s.	V=_____	AF/Ann. from _____	to _____
Domestic Q= <u>0.50</u> c.f.s.	V= <u>16.8</u>	AF/Ann. from <u>Jan 1</u>	to <u>Dec 31</u>
Livestock Q=_____ c.f.s.	V=_____	AF/Ann. from _____	to _____

Is water co-mingled? yes _____ no _____

Name source: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Exchange? yes _____ no _____

Name source exchanged with: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of injection:
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of exchange:
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Total Q measured 250 gpm Method of measurement Meter

Total Q recommended 0.50 cfs Meter No. 73-4-252 Type McCrometer Condition Good

Total V recommended 16.8 AF/Ann

Recommended Amendments:

P.D. _____
Place of Use _____
Other _____
None _____

MEASUREMENT CALCULATION:

250 gpm 256 14 homes @ 1.2 AF/Ann = 16.8 AF/Ann
448.8

SYSTEM DESCRIPTION:

25hp submersible pump in 8" x 500ft well with pipeline

REMARKS:

C.H. Best with accompanied me & pointed out 14 homes on system

Examiner's Signature [Signature] Date 4-2-79

Checked by Bob Haynes Date 4-5-79

Approved by _____ Date _____

250 gmu

14 gmu



Done file

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

Suite No. 1
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 667-6484

May 8, 1979

Board of Directors
Hacienda Hills Water Assn.
P. O. Box 963
Hayden Lake, Idaho 83835

Re: 95-7234

Gentlemen:

I have been requested by Ms. Martinez and Mr. Clint Beckwith to inform you as to the necessity of my examination of your water system and to verify Mr. Beckwith's assistance.

As to the necessity, Section 42-202, Idaho Code, states in part, "...any person, association, or corporation...intending to acquire the right to the beneficial use of the waters of...lakes or ground-water, or other public waters in the State of Idaho, shall, before the construction, enlargement, or extension of the ditch, ...well, or other distributing works...make an application to the Department of Water Resources for a permit to make such appropriation..."

Section 42-204, Idaho Code, states, "...In its endorsement of approval on any application, the department shall require that actual construction work and application of the water to full beneficial use shall be completed within a period of five (5) years from the date of such approval..."

Section 42-217, Idaho Code, continues the process with "...On or before the date set for the beneficial use of waters diverted under the provisions of this chapter, the person or persons using such water shall submit proof that they have used such water for the beneficial purpose for which the diversion of such water was intended...Upon receipt of such proof by the Department of Water Resources, the department shall examine, or cause to be examined:

1. The place where such water is used,...
2. ...the quantity of water which has been beneficially applied for irrigation or other purposes."

RECEIVED
MAY 10 1979

Board of Directors
Hacienda Hills Water Assn.
Page Two
May 8, 1979

The evidence found in my examination results in the issuance of a license according to Section 42-219, Idaho Code. "Upon receipt by the Department of Water Administration of all the evidence in relation to such final proof, it shall be the duty of the Department to carefully examine the same, and if the Department is satisfied that the law has been fully complied with and that the water is being used at the place claimed and for the purpose for which it was originally intended, the Department shall issue to such user or users a license confirming such use. Such license shall be issued under the seal of the office of the Department of Water Administration, and shall state the name and post-office address of such user, the purpose for which such water is used, the quantity of water which may be used, which in no case shall be an amount in excess of the amount that has been beneficially applied...Such license shall bear the date of the application for, and the number of, the permit under which the works from which such water is taken were constructed; the capacity of such works; the date when proof of beneficial use of such water was made, and also the date of the priority of the right confirmed by such license, which shall be the date of the application for the permit for the construction of the works from which such water is taken..."

The effect of this license is described in Section 42-220, Idaho Code. "Such license shall be binding upon the state as to the right of such licensee to use the amount of water mentioned therein, and shall be prima facie evidence as to such right..."


To facilitate the required examination of the system, I contacted Mr. Gary Wooley who referred me to Mr. Beckwith. On April 2, 1979, I contacted Mr. Beckwith, who provided me with access to the pump house, ran the pump to enable me to make the necessary water measurement, and acquainted me with the method of conveyance of the water and which homes were actually using the water.

I hope this information answers your questions; if not, please feel free to contact me at this office.

Sincerely,

TOM D. KING
Senior Water Resource Agent

TDK/ps



28
MICROFILMED

95-7234

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
C. STEPHEN ALLRED
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

March 5, 1979

Hacienda Hills Water Company
P. O. Box 963
Hayden Lake, Idaho 83835

11176 *Shelton*

RE: 95-7234

Gentlemen:

I would like to examine your water system in the near future.

Please notify me of a place and time that I can contact someone to go with me on this examination. It will also be necessary to have a list or a plat showing the location of the houses on the system.

Thank you for your cooperation.

Sincerely,

TOM D. KING
Senior Water Resource Agent

TDK/pms

MICROFILMED

March 16, 1978

Re: Permit No. 95-7234

Gary Wooley, President
Hacienda Hills Water Co.
P. O. Box 963
Hayden Lake, Idaho 83835

Dear Mr. Wooley:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

If you have any questions regarding the field examination, please contact our Regional Office in Coeur d'Alene.

Sincerely,

JANICE RENK
Water Rights

MICROFILMED

RECEIVED

MAR 8 1978

Department of Water Resources

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Identification No. 95-7234

Permit No. 95-7234

RECEIVED

FEB 24 1978

Department of Water Resources

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

1. a) Name of Permit Holder HACIENDA HILLS WATER CO
 b) Post Office Address PO BOX 963 HAYDEN LAKE IDAHO 83835
2. Permit Number 95-7234
3. Date of Priority that you are prepared to establish 3-1-78
4. a) Source from which water was appropriated GROUNDWATER
 b) Location of the point of diversion: NW 1/4 NE 1/4, Section 22
 Township S1N, Range 4W Boise Meridian, Other points of diversion: KOOTENAI CO.
5. a) The amount of water and use to which the water has been applied:
 Amount 0.5 for DOMESTIC purposes from JAN. 1 to DEC 31 incl.
 (cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
 Amount _____ for _____ purposes from _____ to _____ incl.
 (cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
 Amount _____ for _____ purposes from _____ to _____ incl.
 (cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
 b) Total amount appropriated 0.5 cfs and/or acre-feet per annum
 c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: _____
6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:
 a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: NA
 b) Describe the agreement or understanding by which you take water from the works: MEMBERSHIP IN WATER CO. INCLUDED IN PURCHASE OF HOME.
7. a) Briefly describe the works for diverting and conveying the water to the place of use, (if from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) SEE ATTACH SPECIFICATIONS
 b) Describe the type and size of measuring device which you have installed at your point of diversion: _____
 c) Give well driller's name and address and the date the well was completed: AQUA DRILLING
COEUR D'ALENE IDAHO 83835

If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use:

21 FAMILY HOMES; GARDEN, LAWN'S, LIVESTOCK ETC.

Exam. time 2/16/78

If you are irrigating 15 or more acres, please submit an aerial photo of the property with this affidavit.

9. Irrigation uses: describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision:

W 1/2 of NE 1/4 of SECT. 22 T1N. 51N
RANGE 4W B.M.

T	R	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTAL
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
51N	4W	22																	

Total number of acres irrigated _____

10. Remarks: _____

The above information is a true statement of the extent to which the above numbered permit has been developed.

3-4-78

(Date)

Bary X Woolley
(Signature)
Bary X Woolley

State of Idaho)

County of Kootenai) ss.

On this 4th day of March, 19 78, personally appeared before me the signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.

Larry L. Larkins
Notary Public residing at Coeur d'Alene, Idaho

My commission expires 2 May 1980



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

RECEIVED

MAR 8 1978

Department of Water Resources

Mailing address:

Statehouse
Boise, Idaho 83720
(208) 384-2215

March 3, 1978

Re: Permit No. 95-7234

Hacienda Hills Water Co.
c/o Gary Wooley, President
Box 963
Hayden Lake, Idaho 83835

Dear Mr. Wooley:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit. We cannot, however, process this affidavit as your signature is not notarized.

Please have your signature notarized and return the affidavit to us as soon as possible. Enclosed is an Order which removes the measuring device requirement from this permit.

If you have any questions, please contact us.

Sincerely,

JANICE RENK
Water Rights

Encls.

S. We have photo copied the map and are returning it to you.

MICROFILMED

March 3, 1978

Re: Permit No. 95-7234

Hacienda Hills Water Co.
c/o Gary Wooley, President
Box 963
Hayden Lake, Idaho 83835

Dear Mr. Wooley:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit. We cannot, however, process this affidavit as your signature is not notarized.

Please have your signature notarized and return the affidavit to us as soon as possible. Enclosed is an Order which removes the measuring device requirement from this permit.

If you have any questions, please contact us.

Sincerely,

JANICE RENK
Water Rights

Encls.

CC: Gary Wooley
Wash. Public Power Supply System
3000 George Washington Way
P.O. Box 968
Richland, WA 99352

MAIL ROOM

RECEIVED

FEB 24 1978

Department of Water Resources

Dear Sir

Jonnie
95-7234

Hacienda Hills Water Co has made a substantial addition to our present water system.

This addition has not increased the amount of water diverted from the ground, but made the old system much more efficient (see specifications)

I personally work out of town and travel extensively, so have not had enough time to put this paperwork together properly.

If this information does not suffice in cutting all the red tape and bureaucracy, please grant me a extension in time.

Sincerely

Berry H Woolley
PO Box 963

Hayden Lake
Idaho

83835

MICROFILMED

IDAHO, WASHINGTON
& MONTANA

K. A. DURTSCHI & ASSOCIATES, INC.

RT. 5, BOX 778D

COEUR D'ALENE, IDAHO 83814

December 15, 1977

RECEIVED

FEB 24 1978

Department of Water Resources

Mr. Clint Beckwith
P. O. Box 1214
Coeur d'Alene, Idaho 83814


Re: Final Inspection
Hacienda Hills Water
System Improvements

Dear Clint:

This is to advise that on December 1, 1977, I made a final inspection of the installation of improvements for Hacienda Hills. The system seemed to be installed in accordance with our Plans and Specifications and everything appeared to be satisfactory as near as I could determine.

At the time of my inspection, the pressure limits on the system were set between 25 p.s.i. and 70 p.s.i. according to the pressure gauge on the tank. As we have subsequently discussed, it is my understanding that you have narrowed these limits. We would recommend that the system be operated between 45 and 65 p.s.i. I also noted that it will be necessary to backfill around the storage reservoir in order to close up the opening at the bottom of the cover protecting the pipelines between the pump house and the tank. I assume this will be done when the weather allows.

Very truly yours,



K. A. DURTSCHI, P. E.

KAD:wh



FEB 06 1978

December 5, 1977

Hacienda Hills Water Co.

Department of Water Resources

Specifications and Directions for Water System

1. Submersible pump, 450 ft. depth. 35 h.p., 56 AMPS 440 V. AC, 3-phase.
Produces 270 GPM at 0 pressure with 4" line.
2. Centrifugal pump 15 h.p., 22 AMPS 440 V. AC, 3-phase produces
250 GPM at 0 pressure, 2" output, 3" suction, mechanical seals.
(Rated continuous operation.)
3. Well 8" cased to bottom, 500 ft., 350 ft. standing water.
4. C.P.O. Valve 3" bushed to 2", adjusted to maintain 60 lb. pressure with
continuous pump run (supplied by Worst Pump Co., CDA).
5. Reservoir 12' x 2' x 8', 9,000 gallon capacity adjusted to supply
8,000 gallon reserve water.
6. Pressure tank 1,000 gallon, liquid level controlled to maintain
60% water level, 40% air volume. Air pressure maintained by
separate air compressor, controlled by air switch adjusted to
maintain 45 to 65 lb. pressure.

* * * * *

The new system is designed to deliver 45 to 65 lbs. of water pressure when less than 25 gpm of water is being consumed, by cycling the centrifugal pump. If water demand is in excess of 25 gpm -- up to 200 gpm -- 60 lb. of water pressure will be maintained and the centrifugal pump will operate continuously. The submersible pump will automatically maintain reservoir water level, in 30 minutes of run time, at not less than 1,000 gallons and not more than 9,000 gallons. If the submersible pump fails to start, all systems will shut down automatically when reservoir reaches 500-gallon level, and must be re-started manually after repairs.

In case of emergency call:

Gary Wooley	772-4849
or	
C. H. Beckwith	667-7359
	667-7680

February 3, 1978

Re: Permit No. 95-7234

Hacienda Hills Water Co.
c/o Gary Wooley, Pres.
Box 963
Hayden Lake, Idaho 83835

Gentlemen:

We acknowledge receipt of the assignment conveying the above referenced permit to you. The assignment has been entered into the Department's records.

Please note that proof of application of water to beneficial use is due on March 1, 1978. We have enclosed a copy of the permit and a proof of beneficial use form for your use in completing this. Also enclosed is a copy of the letter sent to Mr. Eggart notifying him that proof was due.

If you have any questions, please do not hesitate to contact us.

Sincerely,

JAN GROVER
Supervisor,
Water Rights

SG-JFR

Encls.



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Cecil D. Andrus
Governor

R. Keith Higginson
Director

Statehouse
Boise, Idaho 83720
(208) 384-2215

December 30, 1977

CERTIFIED MAIL

Re: Permit No. 95-7234

Ronald E. Eggart
Box 660
Kellogg, Idaho 83837

Dear Mr. Eggart:

One of the conditions of approval of your water Permit No. 95-7234 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before March 1, 1978. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.

C. STEPHEN ALLRED
Director

CSA:jfr

Encl: Proof affidavit

January 20, 1978

Re: Permit No. 95-7234

Ronald E. Eggart
Box 660
Kellogg, Idaho 83837

Dear Mr. Eggart:

We acknowledge receipt of your January 17, 1978, letter notifying us that you no longer have any interest in the above referenced permit.

We have enclosed an assignment of permit form for your use in assigning this water right permit to the Hacienda Hills Water Company so that they can take over the completion of this permit by submitting proof of beneficial use of water. Please sign and return the enclosed assignment form if you wish to give your water right to the Hacienda Hills Water Co.

If you have any questions, please let us know.

Sincerely,

JANICE RENK
Water Rights

Encl.

cc: Hacienda Hills Water Co.

RECEIVED

JAN 18 1978

Department of Water Resources

*Joined
95-7234*

January 17, 1978

State of Idaho
Department of Resources
Statehouse
Boise, Idaho 83720


Dear sir:

The water system covered by the permit No. 95-7234 was transferred to Hacienda Hills Water Co. about 1974. I am returning the papers you sent to me.

Please send information pertaining to this permit and system to the following:

Hacienda Hills Water Co.
Mr. Gary Wooley, President
Box 963
Hayden Lake, Idaho 83835

Yours very truly,

By 
Ronald E. Eggart

REE:prm

Encl: 9/30/77 Certified letter

MAIL ROOM

December 30, 1977

CERTIFIED MAIL

138191

Re: Permit No. 95-7234

Ronald E. Eggard
Box 660
Kellogg, Idaho 83837

Dear Mr. Eggart:

One of the conditions of approval of your water Permit No. 95-7234 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before March 1, 1978. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.



C. STEPHEN ALLRED
Director

CSA:jfr

Enc: Proof affidavit

MICROFILMED

March 2, 1973

Re. Permit No.: 95-7234

Ronald E. Eggart
Box 660
Kellogg, Idaho 83837

Dear Mr. Eggart:

Enclosed is a copy of your approved Application for Permit No. 95-7234 . We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Very truly yours,

BOBBY D. FLEENOR
Assistant Director

BDF: cd

Enclosures

95 7234

LE PARD & FRAME

CONSULTING ENGINEERS

206 North 4th St. - Phone 664-2211

COEUR D'ALENE, IDAHO 83814

February 12, 1973

Mr. Ron Eggart
110 South Division
Kellogg, Idaho 83837

Dear Ron:

I contacted Ron Donaly today as per your request and informed him that we are in the process of drawing up Plans and Specifications for the well and water system.

He advised me that, knowing this, he would not object to the Water Permit that is now being advertised and that he would contact Mr. Fred Eisenbarth of the Idaho Water Administration.

The Permit is being requested for the West Half of the Northeast Quarter of Section 22, Township 51 North, Range 4 West, Boise Meridian.

I believe that this will clear up the matter regarding the objection of the Health Department.

Very truly yours,

James O. Le Pard

JOL:gj

cc: Mr. Ron Donaly
Mr. Fred Eisenbarth

95 7224



PANHANDLE HEALTH DISTRICT I

P. O. Box 608 412 Lakeside Avenue Coeur d'Alene, Idaho 83814

February 9, 1973

Fred Eisenbarth
Department of Water Administration
401 Front, Room 209
Coeur d'Alene, Idaho

Re: Permit Application
95-7234 (Amended)
Ronald E. Eggart

Dear Mr. Eisenbarth:

The Health District requests that due to the lack of information the above amended permit application be denied.

If the Health District receives the necessary information we will then reassess our position.

Sincerely,

Ronald L. Donaly
Ronald L. Donaly
Environmentalist

cc: Ronald E. Eggart
James Kimball

*Phone Call 2/12/73 from Mr. Donaly stated that
the Health Department with draws there comments
F.E. 2/12/73*

95 7234

STATE OF IDAHO

DEPARTMENT OF WATER ADMINISTRATION

NORTHERN DISTRICT OFFICE



Cecil D. Andrus
Governor

R. Keith Higginson
Director

401 Front Ave., Rm. 209
Coeur D'Alene, Idaho 83814
(208) 667-6484

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Waste Disposal Wells
Stream Channel Protection
Geothermal Resources

February 5, 1973

Re: Application for Permit No. 95-7234 - Ronald E. Eggart (Amended)
" " " " 95-7242 - Glenn W. Boling
" " " " 95-7243 - " " "
" " " " 95-7244 - Richard Waller

Ronald L. Donaly
PANHANDLE DISTRICT HEALTH DEPARTMENT
P.O. Box 608
Coeur d'Alene, ID 83814

Dear Mr. Donaly:

We are enclosing copies of applications that may be of interest to your agency. Please review the applications and if you have any comments, please submit them to our office as soon as possible. We normally complete the processing of an application within a six-week period and we are required to take final action shortly thereafter.

If we may be of further assistance, please contact us.

Very truly yours,

Fred Eisenbarth
Water Resource Supervisor
Northern District

FE:CR

Enc: copies

95 7234

February 2, 1973

Re: Application No. 95-7234 (Amended) 95-7244
" " 95-7241 95-7245
" " 95-7242 95-7246
" " 95-7243

Coeur d'Alene Press
Second & Lakeside
Coeur d'Alene, ID 83814

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid."

(signature of claimant)

Very truly yours,

Fred Eisenbarth
Water Resource Supervisor
Northern District

Bill submitted 2-22-73 by cl

95 7234

FE:CR

Enc: Legal Notices (7)

NOTICE OF AMENDED
APPLICATION FOR WATER PERMIT

Notice is hereby given that Application for Permit No. 95-7234 in the name of Ronald E. Eggart, was filed for the diversion of 0.5 c.f.s. of water from a ground-water source with point of diversion in the NW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 22, T. 51N, R. 4W, B.M., Kootenai County, to be used for domestic purposes from Jan. 1 to Dec. 31 within the NW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 22, T. 51N, R. 4W, B.M.

The applicant now proposes to amend Application No. 95-7234, requesting 0.5 c.f.s. of water from a ground water source, to be diverted within the NW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 22, T. 51N, R. 4W, B.M., Kootenai County from Jan. 1 to Dec. 31 for domestic purposes for 32 families within the W $\frac{1}{2}$ NE $\frac{1}{4}$, Sec. 22, T. 51N, R. 4W, B.M.

Any protest to the proposed amending of the application may be filed with the Idaho Department of Water Administration, 401 Front Ave., room 209, Coeur d'Alene, Idaho 83814.

R. KEITH HIGGINSON

Director

Published in the Coeur d'Alene Press, Coeur d'Alene, ID on Feb. 8 and Feb. 15, 1973.

95 7234

**NOTICE OF AMENDED
APPLICATION FOR
WATER PERMIT**

Notice is hereby given that Application for Permit No. 95-7234 in the name of Ronald E. Eggert, was filed for the diversion of 0.5 c.f.s. of water from a ground water source with point of diversion in the NW¼NW¼, Sec. 22, T. 51N, R. 4W, B.M., Kootenai County, to be used for domestic purposes from Jan. 1 to Dec. 31 within the NW¼NW¼, Sec. 22, T. 51N, R. 4W, B.M. The applicant now proposes to amend Application No. 95-7234, requesting 0.5 c.f.s. of water from a ground water source, to be diverted within the NW¼NW¼, Sec. 22, T. 51N, R. 4W, B.M., Kootenai County, from Jan. 1 to Dec. 31 for domestic purposes for 32 families within the NW¼NW¼, Sec. 22, T. 51N, R. 4W, B.M. Any protest to the proposed amending of the application may be filed with the Idaho Department of Water Administration, 401 Front Ave., Room 209, Coeur d'Alene, Idaho 83814.

R. KEITH HIGGINSON
Director

Feb. 8, 15, 1973

c.f.s. of water from a ground water source, to be diverted within the NW¼NW¼, Sec. 22, T. 51N, R. 4W, B.M., Kootenai County, from Jan. 1 to Dec. 31 for domestic purposes for 32 families within the NW¼NW¼, Sec. 22, T. 51N, R. 4W, B.M. Any protest to the proposed amending of the application may be filed with the Idaho Department of Water Administration, 401 Front Ave., Room 209, Coeur d'Alene, Idaho 83814.

55

3-13-73
O.K.



PANHANDLE HEALTH DISTRICT I

P. O. Box 608 412 Lakeside Avenue Coeur d'Alene, Idaho 83814

January 15, 1973

RECEIVED

JAN 15 1973

Department of Water Administration
Bozeman District Office


Fred Eisenbarth
Department of Water Administration
401 Front Avenue, Room 209
Coeur d'Alene, Idaho 83814

Re: Application Nos. 95-7234
95-7235
95-7236
95-7233

Dear Mr. Eisenbarth:

The Panhandle Health District has no objection to the above mentioned applications. The actual well sites should be approved by the Health Department prior to drilling to insure compliance with all State Codes.

Sincerely,


Ronald L. Donaly
Environmentalist

95 7234

STATE OF IDAHO

DEPARTMENT OF WATER ADMINISTRATION

NORTHERN DISTRICT OFFICE



Cecil D. Andrus
Governor
R. Keith Higginson
Director

401 Front Ave., Rm. 209
Coeur D'Alene, Idaho 83814
(208) 667-6484

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Waste Disposal Wells
Stream Channel Protection
Geothermal Resources

January 12, 1973

Re: Application for Permit No. 95-7234 - Ronald E. Eggart
" " " " 95-7235 - Rodney L. Fisher
" " " " 95-7236 - Hughes Construction, Inc.

Ronald L. Donaly
PANHANDLE DISTRICT HEALTH DEPARTMENT
P.O. Box 608
Coeur d'Alene, ID 83814

Dear Mr. Donaly:

We are enclosing copies of applications that may be of interest to your agency. Please review the applications and if you have any comments, please submit them to our office as soon as possible. We normally complete the processing of an application within a six-week period, and we are required to take final action shortly thereafter.

If we may be of further assistance, please contact us.

Very truly yours,

Fred Eisenbarth
Water Resource Supervisor
Northern District

FE:CR

Enc: copies

P.S. The Blueprint on Application No. 95-7234 was not reproducible. If you have any questions on this application, please feel free to contact us.

95 7234

January 12, 1973

Re: Application No. 95-7234 - Ronald E. Eggart
" " 95-7235 - Rodney L. Fisher

Coeur d'Alene Press
Second & Lakeside
Coeur d'Alene, ID 83814

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid."

(signature of claimant)

Very truly yours,

Fred Eisenbarth
Water Resource Supervisor
Northern District

Bill submitted _____ by _____

FE:CR

95 7234

Enc: Legal Notices (2)

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Ronald E. Eggart,

Box 660, Kellogg, Idaho

has on January 3, 1973 submitted Application No. 95-7234

for a permit to appropriate 0.5 cubic feet per second ~~acre feet per annum~~

of water from a ground water source

by means of pump and pipeline

within the NW¹4, Sec. 22, T. 51N, R. 4W, B.M., Kootenai County

to be used from Jan. 1 to Dec. 31

for domestic purposes for 32 families

within the NW¹4, Sec. 22, T. 51N, R. 4W, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, 401 Front Ave., Coeur d'Alene, Idaho, 83814 on or before February 5, 1973.

R. KEITH HIGGINSON

Director

Published in the Coeur d'Alene Press, Coeur d'Alene, Idaho

on Jan. 18 and Jan. 25, 1973

95 7234

NOTICE OF APPLICATION
FOR WATER PERMIT

Notice is hereby given that Ronald E. Eggart, Box 660, Kellogg, Idaho has on January 3, 1973 submitted Application No. 95-7234 for a permit to appropriate 0.5 cubic feet per second of water from a ground water source by means of pump and pipeline within the NW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 22, T. 51N, R. 4W, B.M., Kootenai County to be used from Jan. 1 to Dec. 31 for domestic purposes for 32 families within the NW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 22, T. 51N, R. 4W, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, 401 Front Ave., Coeur d'Alene, Idaho. 83814 on or before February 5, 1973.

R. KEITH HIGGINSON
Director

January 18, 25, 1973.

95 7234

OK
1-17-73
C

January 12, 1973

Re: Application for Permit No. 95-7234

Ronald E. Eggart
Box 660
Kellogg, ID 83837

Dear Mr. Eggart:

Attached is your receipt No. 9174 in the amount of \$25 for the filing fee on the above referenced application, which was received in this office.

Very truly yours,

Fred Eisenbarth
Water Resource Supervisor
Northern District

FE:CR

Enc: Receipt

95 7234

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION
NORTHERN DISTRICT OFFICE



Cecil D. Andrus
Governor
R. Keith Higginson
Director

401 Front Ave., Rm. 209
Coeur D'Alene, Idaho 83814
(208) 667-6484

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Waste Disposal Wells
Stream Channel Protection
Geothermal Resources

November 28, 1972

Aqua Drilling & Development, Inc.
P.O. Box 1002
Coeur d'Alene, ID 83814

ATTN: Marlene Braun

Gentlemen:

Enclosed please find the application for permit you submitted in behalf of Mr. Ronald Eggart and also your personal money order No. 92-1 in the amount of \$10. We cannot accept an application unless it is completed correctly and accompanied by the proper filing fee.

Please complete the following items and return the application to our office along with the proper fee. The required fee for 0.5 cubic feet per second is \$25.

- ✓ Item #6a: Please describe your proposed diversion works.
- ✓ Item #7a: We can allow up to 5 years for the completion of your proposed project, unless storage is used.
- ✓ Item #11: Please draw a map showing the location of your point of diversion and also your place of use by 40-acre tract.

If you should have any questions, or if we can be of further assistance, please feel free to contact this office.

Very truly yours,

Ervin E. Ballou

Ervin E. Ballou
Water Resource Examiner
Northern District

EEB:cr

Enclosures

SEND ADDITIONAL 15¢
WITH PRINT *OK*

95 7274

November 28, 1972

Aqua Drilling & Development, Inc.
P.O. Box 1002
Coeur d'Alene, ID 83814

ATTN: Marlene Braun

Gentlemen:

Enclosed please find the application for permit you submitted in behalf of Mr. Ronald Eggart and also your personal money order No. 92-1 in the amount of \$10. We cannot accept an application unless it is completed correctly and accompanied by the proper filing fee.

Please complete the following items and return the application to our office along with the proper fee. The required fee for 0.5 cubic feet per second is \$25.

Item #6a: Please describe your proposed diversion works.

Item #7a: We can allow up to 5 years for the completion of your proposed project, unless storage is used.

Item #11: Please draw a map showing the location of your point of diversion and also your place of use by 40-acre tract.

If you should have any questions, or if we can be of further assistance, please feel free to contact this office.

Very truly yours,

Ervin E. Ballou
Water Resource Examiner
Northern District

EEB:cr

Enclosures

95 7224

WATER RIGHT NUMBER 95-7234

OWNER LAST NAME - EGART
OWNER LAST NAME - HACIENDA HILLS WATER CO.FIRST NAME - RONALD E.
FIRST NAME -ORIG OWNER - 0
ORIG OWNER -

ADDRESS LINE 1 - C/O GARY WOOLLEY

ADDRESS LINE 2 - P.O. BOX 963

ADDRESS LINE 3 -

CITY - HAYDEN LAKE

STATE - ID ZIP CODE - 83835

SOURCE - GROUNDWATER

TRIBUTARY OF -

STAGE - LICENSE

STATUS -

PRIORITY - 01-29-1973

COUNTY - KOOTENAI

TOTAL DIV. RATE - .5000 CFS

TOTAL DIV. VOLUME -

16.80 AFA

TRFR/AMEND -

WATER DIST. -

DUE/CAREY ACT -

RIGHT BASIS -

DIVERSION POINT - NWNE 22 51N 04W LOT

REDIV -

FROM - 01-01 TO - 12-31 USE - DOMESTIC

USE DIV. RATE -

.5000 CFS

USE DIV. VOLUME -

16.80 AFA

USE - DOMESTIC

PLACE OF USE - TWN 51N RING 04W SEC 22

TRACT NWNE LOT

AC

TRACT SWNE LOT

AC

DEGREE NAME -

DATE -

TOTAL ACRES

0

REMARKS -

NON IRRIG USE - D/14 HOMES.

OTHER RIGHTS FOR SAME USE -

PROOF DUE - 03-01-1978 PERMIT/DENIED - 03-02-1973 PROTESTED -

HEARING -

OLD NO. -

PROOF MADE - P FLD EXAM - F COND. OF APPROVAL -

DIVERSION MEANS - WELL, PUMP & PIPELINE.

IDENT. NO. 95-7234

ID A H O D E P A R T M E N T O F W A T E R R E S O U R C E S

WATER RIGHT
DATA ENTRY LOG[illegible]