

No Color
Documents
In File

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 95-7208 Priority September 1, 1972 Amount .04 cfs

THIS IS TO CERTIFY, that RANDALL W. HENRY
of Spokane, Washington, has complied with the terms and conditions of Permit
No. 95-7208 issued pursuant to Application for Permit dated September 1, 1972,
and has submitted proof to the Department of Water Resources on October 3, 1977,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of .04 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Domestic (14 units)	from <u>January 1</u> to <u>December 31</u>	at <u>.04</u> cfs and	<u>8.4</u> acre feet
	from _____ to _____	at _____ cfs and	_____
	from _____ to _____	at _____ cfs and	_____
	(both dates inclusive)		

Subject, however, to the condition that no more than .04 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
8.4 acre feet per year, said waters to be diverted within the NE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 3, Twp. 51N,
Rge. 3W, B.M. in the County of Kootenai

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
51N	3W	3								X									

Total number of acres irrigated _____

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 30 day of
January, 19 81.

Director

Identification No. 95-7208

Application No. _____

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION
APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant Randa11 W. Henry
post office address 971 Paulsen Bldg., Spokane, Washington
2. Source of water supply Ground water which is a tributary of _____
3. a. Location of point of diversion is NE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 3 Township 51N
Range 3W B.M. Kootenai County; additional points of diversion if any: _____

- b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 0.42 for Domestic purpose from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 0.42 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Well

- b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
- c. Proposed well diameter is 8 inches; proposed depth of well is 900 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$ 3,000.00.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: NE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 3 Township 51N
Range 3W B.M.
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water 14.
(5) If water is to be used for other purposes describe: _____

95-7208

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

Total number of acres to be irrigated-

c. Describe any other water rights used for the same purposes as described above.

From Hayden Lake

9. a. Who owns the property at the point of diversion

b. Who owns the land to be irrigated or place of use

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the

applicant to make this filing-

10. Remarks _____
Water system to supply 14 cabins to replace lake water now used.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

Handwritten annotations on the map grid:

- S1N
- 3
- Point of Diversion
- Place of Use
- 3W
- 3

Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Russell W. Henry
(Applicant)

95-7208

Received by 76 Date 9/1/72 Time 1:20
Preliminary check by 76 Fee \$ 25.00
Received by 76 Date 9/1/72 with # 8436
Publication prepared by CR Date 9-1-72
Published in Coeur d'Alene Press
Publication dates 9-7 & 9-14-72
Publication approved CR Date 9-27-72
Priority reduced to 9/1/72 Reason _____
Protests filed by: _____
Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by DDF

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-7208, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before October 1, 19 77.

c. Other: ~~A measuring device of a type approved by this Department shall be permanently installed and maintained as part of the diverting works.~~

2. Denial of said application is for the following reasons: _____

Witness my hand this 18 day of October 19 72.

Director

AFFIDAVIT OF PUBLICATION—COEUR D'ALENE PRESS
(WEEKLY)

STATE OF IDAHO,

County of Kootenai,

ss.

Callie Painter

deposes and says:

That affiant is now, and at all times herein mentioned has been, a citizen of the United States and a resident of Kootenai County, State of Idaho, over the age of 21 years and not a party to, nor interested in the event of, the above entitled matter, and the printer (principal clerk) of the "Coeur d'Alene Press", during all of the times herein mentioned being a legal daily newspaper, of Coeur d'Alene, Kootenai County, Idaho, as defined by Idaho Code Sec. 60-106 to Sec. 60-108 both inclusive, and Chapter 121 Idaho Session Laws of 1949, and acts amendatory thereof and correlated thereto, and qualified thereunder to publish to the same effect as a weekly

newspaper on Wednesdays; and that the

Notice of Application -

of which a printed copy is annexed hereto, was published in all the regular Wednesday weekly issues of said newspaper for *two* consecutive weeks, commencing

on the *7* day of *Sept*, 19*72*, and ending on the

14 day of *Sept*, 19*72*.

Callie Painter

Subscribed and sworn to, before me, this *14* day of *Sept*, 19*72*.

1972

Patrick King

Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

**NOTICE OF APPLICATION
FOR WATER PERMIT**

Notice is hereby given that Randall W. Henry, 971 Paulsen Bldg., Spokane, Washington has on September 1, 1972 submitted Application No. 95-7208, for a permit to appropriate 0.42 cubic feet per second of water from a ground water source by means of well within the NE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 3, T. 51N, R. 3W, B.M., Kootenai County to be used from Jan. 1 to Dec. 31 for domestic purposes for 14 families within the NE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 3, T. 51N, R. 3W, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, 401 Front Ave., Coeur d'Alene, Idaho, 83814 on or before September 25, 1972.

R. KEITH HIGGINSON
Director

Sept. 7, 14, 1972

RECEIVED

SEP 18 1972

95-7208

DEPARTMENT OF WATER ADMINISTRATION
- STAFF ANALYSIS -

Item	Initial	Date	
(1)	<u>FE</u>	<u>9/1/72</u>	Application No. <u>95-7208</u> Name <u>Randall W. Henry</u>
(2)	<u>FE</u>	<u>9/1/72</u>	Check: ☒ Signature ☒ Point of Diversion ☒ Quantity of Water and Period of Use ☒ Description of Diverting Works ☒ Time required for C/W and application of water to B/U ☒ Place of Use ☒ Map ☒ Fee
(3)			Send copies to: ☒ Idaho State Health Department ☒ Idaho Fish and Game Department ☐ Bureau of Land Management
(4)			☐ Request Special Use Permit from U.S.F.S. ☐ Request Easement from B.L.M.
(5)	<u>FE</u>	<u>9/1/72</u>	In form for advertising <u>OK. 9/1/72</u>
(6)	<u>FE</u>	<u>9/1/72</u>	Affidavit of Publication received <u>9/18/72</u>
(7)	<u>FE</u>	<u>9/25/72</u>	Final date for protests <u>9/25/72</u> Protests received: yes <u> </u> no <u>✓</u>
(8)			Date and Place of hearing <u> </u> Decision reached at hearing <u> </u>
(9)			Located within Water District No. <u> </u>
(10)			Critical groundwater area: yes <u> </u> no <u>✓</u>
(11)	<u>FE</u>	<u>9/27/72</u>	Groundwater levels: ☐ Decline (comment) <u> </u> ☒ Stable (comment) <u>-1</u> ☐ Increasing (comment) <u> </u>
(12)			Comments: <u>None</u>
(13)	<u>FE</u>	<u>9/27/72</u>	Action recommended: ☒ Approve Priority <u>9/1/72</u> ☐ Deny Reason for Reduction <u> </u> <u>FE</u> <u>9/27/72</u> See attached sheet for conditions of approval <u> </u> No conditions for approval
(14)	<u>FE</u>	<u>9/27/72</u>	District <u>Nathan</u> By <u>Fred Greenblatt</u> Date <u>9/27/72</u> Title <u>W. R. Supervisor</u>

95-7208

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Statehouse
Boise, Idaho 83720


RECEIVED

FEB 20 1981

Department of Water Resources

Randall W. Henry
971 Paulsen Bldg.
Spokane, Washington

unable to locate





State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

February 4, 1981

Randall W. Henry
971 Paulsen Bldg.
Spokane, Washington

Dear Mr. Henry,

RE: License No. 95-7208

Enclosed is a copy of the Water Right License issued on the above referenced Permit.

Please be advised that one of the conditions of your permit was that a measuring device be installed as part of your diversion works. That requirement has been waived with issuance of the enclosed license. However, in the event that water supply shortages become a problem installation of measuring devices may be required.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:mr
Enclosure

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 95-7208 Priority September 1, 1972 Amount .04 cfs

THIS IS TO CERTIFY, that RANDALL W. HENRY
of Spokane, Washington, has complied with the terms and conditions of Permit
No. 95-7208 issued pursuant to Application for Permit dated September 1, 1972,
and has submitted proof to the Department of Water Resources on October 3, 1977,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of .04 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Domestic (14 units)	from <u>January 1</u> to <u>December 31</u>	at <u>.04</u> cfs and	<u>8.4</u> acre feet
	from _____ to _____	at _____ cfs and	_____
	from _____ to _____	at _____ cfs and	_____

(both dates inclusive)

Subject, however, to the condition that no more than .04 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
8.4 acre feet per year, said waters to be diverted within the NE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 3, Twp. 51N,
Rge. 3W, B.M. in the County of Kootenai

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
51N	3W	3								X									

Total number of acres irrigated _____

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho
Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use
herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 30 day of
January, 19 81.


Director



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

February 4, 1981

Randall W. Henry
971 Paulsen Bldg.
Spokane, Washington

Dear Mr. Henry,

RE: License No. 95-7208

Enclosed is a copy of the Water Right License issued on the above referenced Permit.

Please be advised that one of the conditions of your permit was that a measuring device be installed as part of your diversion works. That requirement has been waived with issuance of the enclosed license. However, in the event that water supply shortages become a problem installation of measuring devices may be required.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:mr
Enclosure

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

January 13, 1980

Randall W. Henry
971 Paulsen Bldg.
Spokane, Washington

Dear Mr. Henry,
A representative of this Department has made an examination of the works covered by your Permit No. 95-7208, and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: .04 cfs Source: groundwater

The maximum quantity diverted shall not exceed 8.4 acre feet per year.

Point(s) of diversion: NE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 3, Twp. 51N, Rge. 3W, B.M.

Beneficial use: Domestic use for 14 units within the NE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 3, Twp. 51N, Rge. 3W.

Priority date established: September 1, 1972.

Conditions (if any):

If you do not concur with these findings please contact us within 10 days, otherwise a water license will be issued as set forth above.

Sincerely,

JAN GROVER
JIM JOHNSON
Water Rights Supervisor

DECLASSIFIED

State of Idaho
DEPARTMENT OF WATER RESOURCES
FIELD REPORT

NOV 20 1980

Department of Water Resources

95-7208

Permit No.
28-1

CONTACT WITH PERMIT HOLDER

	DATE	INITIALS	REMARKS
☐ Appointment letter mailed:	3-79	JK	UTL
	3-5-79	JK	Letter
☐ Telephone call made:	3-8-79	JK	"
(List Telephone No. used)	4-12-79	JK	307-578-1322 & letter
	10-15-79	JK	Letter
☐ Appointment scheduled for:	10-23-80	JK	message 307-578-1322 / 587-3445/
(Date, time, location)			

EXAMINATION

Date 10-29-80 Accompanied by Total Q measured
If source is surface water, estimate total flow of source
Methods of measurement Est./Calc Meets Permit requirements? NO

Measurement calculations:

ement calculations:

$$14 \text{ homes} \times \frac{.6 \text{ AF}}{\text{home}} = 8.4 \frac{189 \text{ gm}}{448.8} = .0425$$

(2 year round)
(12 in summer)

[illegible]

System Description

*Code with map on reverse side. Disregard code if only one.

RECOMMENDED AMOUNTS

Irrigation requirement = _____ AFA/Acre

USE

Domestic

Q (cfs)

0.04

V (afa)

8.4

FROM

1-1

TO:

12-31

Total

0.04

8.4

29

Remarks Mrs. Nielson sez contact Bill Henry - Spokane - 509-6248764 drinking
water only - ^{system} not winterized - 14 homes one faucet each - Taking
water from lake - check for Adj. filing 95-0301 for all water
except drinking - sez water more than 18 gpm Well log indicates
6 gpm Air test **RAH** / Allow. 04 DET
New Address for James E. NIELSON
PO Box 2850
Cody Wyo. 82414

MICROFILMS

Bo. 6th Avenue
New York, N.Y.

[Signature]

[Signature]

18131
08/9/11
2-62-0

08/9/11
2-62-0

8-10-0

☐ Other☒ None☒ None[illegible]

Place(s) of Use

Point(s) of diversion: NESW, 800 3, 151N, 163W

(Include distance from pump to measuring device, if applicable.)

SCHEMATIC DIAGRAM OF SYSTEM

[illegible]

MAP (Attach Aerial Photo)

RECEIVED

WATER PUMPS and SUPPLIES
SEWAGE PUMPS and SUPPLIES
SEWAGE TREATMENT EQUIPMENT
WATER TREATMENT EQUIPMENT
MOTORS and DEPARTMENT OF Water Resources
AIR COMPRESSORS

OCT 5 1977



R. C. WORST & Company, Inc.

(208) 664-2133 / 625 Best Avenue / Coeur d'Alene, Idaho 83814

October 1, 1977

Idaho Department of Water Resources
State House
Boise, Idaho 83720

Gentlemen:

We have ordered a water meter for Randall W. Henry to be installed on his well pump at Henry Point, Hayden Lake, Idaho, water permit number 9507208. It was to be installed by the first of October but we have not received the meter as yet. We will install the meter as soon as it arrives.

Sincerely,

R. C. Worst, President

October 4, 1977

Re: Permit No. 95-7208

Randall W. Henry
4223 South Helena
Spokane, WA 99203

Dear Mr. Henry:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell during which part of the irrigation season this examination will be made, but our examiner will try to contact you at the time he makes the exam so that you may show him the system.

If you have any questions regarding the field examination, please contact our Regional Office in Coeur d'Alene.

Sincerely,

JANICE RENK
Water Rights Bureau

/jr

10/11/77
✓

Identification No. _____

Permit No. _____

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

Department of Water Resources

RECEIVED

OCT 3 1977

019

1. a) Name of Permit Holder Randall W. Henry
b) Post Office Address 4223 South Helena
2. Permit Number 95-7208 Spokane, Wash
3. Date of Priority that you are prepared to establish Oct 1, 1977 99203
4. a) Source from which water was appropriated well
b) Location of the point of diversion: NE 1/4 SW 1/4, Section 3
Township 51N, Range 3W Boise Meridian, Other points of diversion: _____
5. a) The amount of water and use to which the water has been applied:
Amount 0.42 for Domestic purposes from Jan 1 to Dec 31 incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
Amount for for _____ purposes from _____ to _____ incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
Amount for for _____ purposes from _____ to _____ incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
b) Total amount appropriated 0.42 cfs and/or acre-feet per annum
c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: time clock
6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:
a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: _____
b) Describe the agreement or understanding by which you take water from the works: _____
7. a) Briefly describe the works for diverting and conveying the water to the place of use, (if from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) _____
b) Describe the type and size of measuring device which you have installed at your point of diversion: water is turned off until April 1, 1978 to be installed, affidavit enclosed
c) Give well driller's name and address and the date the well was completed: 1973
driller's name unknown
8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use: none

Exam typed 10/11/77

✓

67

noal

10. Remarks: _____

Sept 9 1977
(Date)

Randall W Henry
(Signature)

On this 9th day of Sept, 1977, personally appeared before me the signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.

My commission expires July 29, 1979

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Statehouse
Boise, Idaho 83720


RECEIVED

AUG 5 1977

Department of Water Resources

NOT DELIVERABLE AS ADDRESSED
UNABLE TO FORWARD

Randall W. Henry
971 Paulsen Bldg.
Spokane, WA 99201



*Present
8/10/77
1930 S.E. Blvd.
Spokane WA
99203*



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Cecil D. Andrus
Governor

R. Keith Higginson
Director

Statehouse
Boise, Idaho 83720
(208) 384-2215

July 29, 1977

CERTIFIED MAIL

RECEIVED

JUL 31 1977

Department of Water Resources

Re: Permit No. 95-7208

Randall W. Henry
~~971 Paulsen Bldg.~~
~~Spokane, Washington 99201~~

4223 South Helena
Spokane, WA
99203

Dear Mr. Henry:

One of the conditions of approval of your water Permit No. 95-7208 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before October 1, 1977. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.

C. STEPHEN ALLRED
Director

CSA:jfr

Encl: Proof affidavit

(Bob Woot) Pump Co
Sending you a letter
stating that we
ordered a measuring
device. Our well is
turned off until
(over)

Hayden Lake, Idaho

April. He said he
would complete
the job in next few
days. Thanks

Dr. Henry
P.S. we hope this is OK

July 29, 1977

CERTIFIED MAIL

138845

Re: Permit No. 95-7208

Randall W. Henry
971 Paulsen Bldg.
Spokane, Washington 99201

Dear Mr. Henry:

One of the conditions of approval of your water Permit No. 95-7208 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before October 1, 1977. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.



C. STEPHEN ALLRED
Director

CSA:jfr

Enc: Proof affidavit

RECEIVED
MICHIGAN
1977

✓

RECOMMENDED

CONDITIONS OF APPROVAL

☒ A measuring device of a type approved by this Department shall be permanently installed and maintained as part of the diverting works.

☐ Measuring devices of a type approved by this Department shall be permanently installed and maintained at the point of diversion and the point of effluent discharge.

☐ Use of water under this permit is supplemental to all existing water rights with the same purpose and place of use.

☐ Maximum rate of diversion shall not exceed _____ c.f.s.

☐ Settling ponds shall be installed which are capable of reducing the silt load in the return water to such a level that the quality of the waters of _____ Creek will not be impaired for other beneficial uses.

☐ Return water shall be treated to insure that the effluent meets (interstate) (intrastate) stream water quality standards.

☐ Use of water under this permit is subject to control by the watermaster of State Water District No. _____, _____ River.

☐ The proposed well shall not be drilled within _____ feet of another well.

☐ The issuance of this permit in no way grants any right-of-way or easement across the land of another person.

☐ The permit shall not be assigned or sold without first securing the written approval of the Department of Water Administration.

☐ This permit cannot be assigned, mortgaged, or conveyed without complying with Section 42-208, Idaho Code.

☐ Other: _____



PANHANDLE HEALTH DISTRICT I

P. O. Box 608 412 Lakeside Avenue Coeur d'Alene, Idaho 83814

November 10, 1972

RECEIVED
NOV 13 1972
Department of Water Administration

Randall W. Henry, M.D.
971 Paulsen Building
Spokane, Washington 99201

Re: Water Administration Appli-
cation No. 95-7208

Dear Dr. Henry:

The Panhandle Health District has received a copy of the above application. We will require before this system is installed that the plans for the entire system, including well depth, cross-section of well house if any, storage tank and the distribution system showing size of lines and type of material pipes made of, must be submitted to our office for approval.

This is a requirement under existing regulations concerning community water systems.

We request your co-operation in this matter.

Sincerely,

Ronald L. Donaly
Ronald L. Donaly
Environmentalist

RLD:ah

cc: Donald W. McEldowney
James Kimball

November 8, 1972

Re: Permit No. 95-7208

Kootenai County Office
District Health Department
Courthouse
Coeur d'Alene, Idaho 83814

Gentlemen:

We are enclosing a copy of the approved Permit No. 95-7208 which may be of interest to your agency. Please review the application and if you have any comments, please submit them to our office.

If you have any questions on the matter, please contact us.

Very truly yours,

Donald W. McEldowney
Water Rights Administrator

DWM/cd

Enc:

95-7208

October 24, 1972

Re: 95-7208

Randall W. Henry
971 Paulsen Bldg.,
Spokane, Washington

Dear Mr. Henry:

Enclosed is a copy of your approved Application for Permit No. 95-7208. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Very truly yours,

BOBBY D. FLEENOR
Assistant Director

BDF: cd

Enclosures

95-7208

September 1, 1972

Re: Application No. 95-7207 - Amex, Inc.
Claim No. 94-4006 - John Burmeister
" " 96-4032 - Leland F. Peterson
Application No. 95-7208 - Randall W. Henry

Coeur d'Alene Press
Second & Lakeside
Coeur d'Alene, ID 83814

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid."

(signature of claimant)

Very truly yours,

Fred Eisenbarth
Water Resource Examiner
Northern District

Bill submitted 9-27-72 by EC

FE:CR

Enc: Legal Notices (4)

95-7208

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Randall W. Henry,

971 Paulsen Bldg, Spokane, Washington

has on September 1, 1972 submitted Application No. 95-7208

for a permit to appropriate 0.42 cubic feet per second ~~acre feet per annum~~ xxxxxxxxxxxxxxxxxxxx

of water from a ground water source

by means of well

within the NE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 3, T. 51N, R. 3W, B.M., Kootenai County

to be used from Jan. 1 to Dec. 31

for domestic purposes for 14 families

within the NE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 3, T. 51N, R. 3W, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, 401 Front Ave., Coeur d'Alene, Idaho, 83814 on or before September 25, 1972.

R. KEITH HIGGINSON

Director

Published in the Coeur d'Alene Press, Coeur d'Alene, Idaho

on Sept. 7 and Sept. 14, 1972

95-7208

LEGAL

NOTICE OF APPLICATION

FOR WATER PERMIT

Notice is hereby given that Randall W. Henry, 971 Paulsen Bldg., Spokane, Washington has

on September 1, 1972 submitted Application No.

96-7208 for a permit to appropriate 0.42 cubic feet per

second of water from a ground water source by means of well

within the NE¼SW¼, Sec. 3, T. 51N, R. 3W, B.M., Kootenai

County to be used from Jan. 1 to Dec. 31 for domestic

purposes for 14 families within the NE¼SW¼, Sec. 3, T. 51N,

R. 3W, B.M. If issued, this permit will be

subject to all prior water rights. Protests against the granting of

the permit must be filed with the Idaho Department of Water

Administration, 401 Front Ave., Coeur d'Alene, Idaho,

83814 on or before September 26, 1972.

R. KEITH HIGGINSON

Director

Sept. 7, 14, 1972

80CL-56

d
9-6-72
d.f.