

No Color
Documents
In File

2

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 95-7191 Priority July 5, 1972 Amount 0.12 cfs

THIS IS TO CERTIFY, that Douglas L. Ruger & Argyll L. Hollinshead
of Rathdrum, Idaho, have ~~not~~ complied with the terms and conditions of Permit
No. 95-7191 issued pursuant to Application for Permit dated July 5, 1972,
and has submitted proof to the Department of Water Resources on May 15, 1975,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 0.12 cfs of water from a ground water source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Domestic</u>	from <u>Jan. 1</u> to <u>Dec. 31</u>	at <u>0.08</u> cfs and	<u>1.2 acre feet</u>
<u>Irrigation</u>	from <u>March 15</u> to <u>Nov. 15</u>	at <u>0.04</u> cfs and	<u>7.0 acre feet</u>
	from _____ to _____	at _____ cfs and	_____
(both dates inclusive)			

Subject, however, to the condition that no more than 0.12 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
8.2 acre feet per year, said waters to be diverted within the NE $\frac{1}{4}$ SE $\frac{1}{4}$ of Sec. 21,
Twp. 52 N, Rge. 4 W, B. M. in the County of Kootenai

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
52 N	4 W	21									(2 families)				X				Two

Total number of acres irrigated Two

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 18 day of
August, 19 75.

Director

BEFORE THE DIRECTOR OF THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF REMOVAL OF THE MEASURING DEVICE
REQUIREMENT IN CONNECTION WITH PERMIT NO. 95-7191
in the name of DOUGLAS L. RUGER &/or ARGYLL L. HOLLINSHEAD

ORDER

WHEREAS, on July 5, 1972, Douglas L. Ruger & Argyll L. Hollinshead applied to the Department of Water Resources (formerly the Department of Water Administration) for a permit to appropriate .20 cubic feet per second of groundwater within the NE1/4SE1/4, Sec. 21, Twp. 52N, Rge. 4W, B.M., Kootenai County, to be used for domestic and irrigation purposes; and,


WHEREAS, on August 31, 1972, the Department approved said application and issued Permit No. 95-7191 with the condition that proof of construction of works and application of water to beneficial use be submitted to the Department on or before August 1, 1977, and that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on May 15, 1975, the Department received the required proof of beneficial use along with a request for removal of the measuring device requirement from said permit; and

WHEREAS, it has been determined by the Department that a measuring device is not required at this time for a determination of the quantity of water appropriated under said permit;

IT IS, THEREFORE, HEREBY ORDERED that the condition of approval that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works, be and is, REMOVED from Permit No. 95-7191.

Dated this 3/5th day of May, 1975.


A. KENNETH DUNN, Administrator
Operations Division

Identification No. _____

Application No. 95-7191

LICENSE ISSUED FOR .12 SEC. FT.
LICENSE PAGE NO. _____

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

APPROVED

APPLICATION FOR PERMIT

To Appropriation the Public Waters of the State of Idaho

(TYPE OR PRINT IN INK)

Phone 664-9785

1. Name of applicant DOUGLAS L. RUBER and ARBYLL L. HOLLINSHED
post office address P.O. Box 117 Hayden Lake Idaho
2. Source of water supply GROUND WATER which is a tributary of _____
3. a. Location of point of diversion is NE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 21 Township 52N
Range 4W B.M. MOOTENAI County; additional points of diversion if any: _____

- b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____

4. Water will be used for the following purposes:

Amount 1-20 for DOMESTIC purpose from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 120 for IRRIGATION purpose from 3-15 to 11-15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

- a. .20 cubic feet per second and/or
- b. _____ acre feet per annum.

6. Proposed diverting works:

- a. Description of ditches, flumes, pumps, headgates, etc. Well with Pump
2" MAIN LINE

- b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____

Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)

- c. Proposed well diameter is 8 inches; proposed depth of well is 270 feet.

7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is Five years.

- b. Estimated construction cost is \$ 4000.00.

8. Description of proposed uses:

- a. If water is **not** for irrigation:

- (1) Give the place of use of water: NE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 21 Township 52N
Range 4W B.M.

- (2) Amount of power to be generated: _____ hp under _____ feet of head.

- (3) List number of each kind of livestock to be watered _____

- (4) Name of municipality to be served _____, or number of families to be
supplied with domestic water Four.

- (5) If water is to be used for other purposes describe: _____

95 7191

20.0

52N	442	21
-----	-----	----

20.0	
------	--

Total number of acres to be irrigated 20,0

c. Describe any other water rights used for the same purposes as described above.

[Signature]

9. a. Who owns the property at the point of diversion *Boyle/As L. Rucker*

b. Who owns the land to be irrigated or place of use ~~Burglar L. Rager and 18836 L. Williams~~

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing N/A

[Signature]

applicant to make this filing-

10. Remarks
 Irrigation water is for large yard
 and garden plot water uses

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Douglas L. Ruge
(Applicant)
Angela L. Hollinshead

95 7191

95 7191

Received by TS Date 7/5/72 Time 9:00
Preliminary check by TS Fee \$ 10.00
Received by TS Date 7/5/72
Publication prepared by SS Date July 13, 1972
Published in Coeur d'Alene Press
Publication dates 7-20 & 27, 1972
Publication approved CE Date 8-2-72
Priority reduced to 7/5/72 Reason _____
Protests filed by: _____
Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by TS

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-7191, and said application is hereby APPROVED

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 1977.

c. Other: A measuring device of a type approved by this Department shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 31 day of August 1972.

Director

AFFIDAVIT OF PUBLICATION—COEUR D'ALENE PRESS

RECEIVED
(WEEKLY) AUG 1 1972

STATE OF IDAHO,

County of Kootenai,

ss.

Department of Water Administration
Northern District Office

Callie Painter

being first duly sworn,
deposes and says:

That affiant is now, and at all times herein mentioned has been, a citizen of the United States and a resident of Kootenai County, State of Idaho, over the age of 21 years and not a party to, nor interested in the event of, the above entitled matter, and the printer (principal clerk) of the "Coeur d'Alene Press", during all of the times herein mentioned being a legal daily newspaper, of Coeur d'Alene, Kootenai County, Idaho, as defined by Idaho Code Sec. 60-106 to Sec. 60-108 both inclusive, and Chapter 121 Idaho Session Laws of 1949, and acts amendatory thereof and correlated thereto, and qualified thereunder to publish to the same effect as a weekly

newspaper on Wednesdays; and that the

Notice of Application

of which a printed copy is annexed hereto, was published in all the regular Wednesday

weekly issues of said newspaper for *two* consecutive weeks, commencing

on the *20* day of *July*, 19*72*, and ending on the

27 day of *July*, 19*72*

Callie S. Painter

Subscribed and sworn to, before me, this *27* day of *July*,

19*72*

Patrick King

Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Douglas L. Ruger and Argyll L. Hollinshead, P. O. Box 117, Hayden Lake, Idaho, have on July 5, 1972, submitted Application No. 95-7191 for a permit to appropriate 0.02 cubic feet per second of water from a ground water source by means of well & pump within the NE $\frac{1}{4}$ SE $\frac{1}{4}$, sec. 21, twp. 52 N, rge. 4 W, B.M., Kootenai County, to be used from January 1 to December 31 for domestic purposes; and from March 15 to November 15 for irrigation purposes within the NE $\frac{1}{4}$ SE $\frac{1}{4}$, sec. 21, twp. 52 N, rge. 4 W, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, 401 Front Ave., Room 209, Coeur d'Alene, Idaho 83814 or or before August 7, 1972.

R. Keith Higginson
Director

July 20, 27, 1972

95 7191

August 20, 1975

Re: Permit No. 95-7191

Douglas L. Ruger & Argyll L. Hollinshead
Route 1, Box 134
Wathdrum, ID 83858

Gentlemen:

Enclosed herewith is a copy of the water license issued on the above referenced permit.

Sincerely,

D. DARLENE REICH
Water Rights Supervisor

DDR:rb

Enc.

August 6, 1975

Douglas L. Ruger & Argyll L. Hollinshead
Route 1 - Box 134
Rathdrum, Idaho 83858

Gentlemen:

A representative of this Department has made an examination of the works covered by your Permit No. 95-7191 and has found the following:

Quantity of water diverted: 0.12 cfs Source: ground water

Amount of water that can be recognized as beneficially used under
Idaho law: 0.12 cfs

The maximum quantity diverted shall not exceed 8.2 acre feet per
year.

Point of diversion: NE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 21, Twp. 52 N, Rge. 4 W, B.M.

Beneficial use: Domestic purposes for two families and the irrigation
of two acres within the NE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 21, Twp. 52 N, Rge. 4 W, B.M.

Priority date established: July 5, 1972

If you do not concur with these findings please contact us within 10 days, otherwise a
water license will be issued as set forth above.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF:DR

RECEIVED

1. Name of permit holder Douglas L. Ruger &/or Argyll L. Hollinshead Department of Water Resources
Post office address Route 1, Box 134 Rathdrum, ID Phone Northern District Office
Person to contact _____ Phone _____

2. Source of water supply: Groundwater ☒ Surface water ☐ _____
(name spring, stream, etc.)
Tributary to _____

Permit No. 95-7191
Examination for b/u

[illegible]

20

Diagram of System

T
52
N

R 4 W

*

2 1

DATE OF EXAM 7/8/75

ACREAGE
Found 2 acres of lawn and garden
Recommended 2

Irrigation Requirement 3.5 Ac Ft/Ac

USE
Irrigation Q= .04 c.f.s. V= 7.0 AF/Ann. from 3/15 to 11/15
Domestic Q= .08 c.f.s. V= 2.4 AF/Ann. from 1/1 to 12/31
Livestock Q= _____ c.f.s. V= _____ AF/Ann. from _____ to _____

Is water co-mingled? yes _____ no ☒

Name source: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Exchange? yes _____ no ☒

Name source exchanged with: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of injection: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of exchange: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Total Q measured 0.12 cfs Method of measurement estimated

Total Q recommended 0.12 cfs Meter No. _____ Type _____ Condition _____

Total V recommended 9.4 a.f./season

Recommended Amendments:

P.D. _____
Place of Use _____
Other _____
None ☒

MEASUREMENT CALCULATION:

estimated by pump capacity

SYSTEM DESCRIPTION:

Sta Rite Submersible Pump and Motor
2hp
2" line to Mr. Hollinshead's house

REMARKS:

Well furnishes water to 2 households and
approx 2 acres of irrigation (lawn and garden)
Well is located on Mr. Ruger's Property

Examiner's Signature Edmund J. [Signature] Date 7/8/75

Checked by [Signature] Date 7/8/75

Approved by _____ Date _____

June 6, 1975

Re: Permit No. 95-7191

Douglas L. Ruger &/or
Argyll L. Hollinshead
Route 1, Box 134
Rathdrum, Idaho 83858

Gentlemen:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit. We are enclosing an Order for the removal of the measuring device requirement from the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell during which part of the irrigation season this examination will be made, however, our examiner will try to contact you at the time he makes the exam so that you may show him the system.

If you have any questions concerning the field exam, please contact this Department's District Office in Coeur d'Alene, Idaho.

Sincerely,

D. DARLENE REICH
Water Rights Supervisor

DDR:JFR

Enclosure

Identification No. _____

Permit No. 95-7191

**STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION**

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

RECEIVED

MAY 15 1975

Department of Water Resources
Northern District Office

1. a) Name of Permit Holder Douglas L. Ruger and/or Argyll L. Hollinshead

b) Post Office Address Route 1, Box 134, Rathdrum, Idaho

2. Permit Number 95-7191

3. Date of Priority that you are prepared to establish July 5, 1972

4. a) Source from which water was appropriated Ground water

b) Location of the point of diversion: NE 1/4 SE 1/4, Section 21

Township 52N, Range 4W Boise Meridian, Other points of diversion: _____

5. a) The amount of water and use to which the water has been applied:

amount 0.20 for Irrigation purposes from March 15 to Nov. 15 incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)

amount 0.12 for Domestic purposes from Jan. 1 to Dec. 31 incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)

amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)

b) Total amount appropriated 0.20 cfs and/or acre feet per annum

c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: Estimated.

6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:

a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: _____

b) Describe the agreement or understanding by which you take water from the works: _____

7. a) Briefly describe the works for diverting and conveying the water to the place of use, (If from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) Well with 2 h.p. pump and 2" mainline.

b) Describe the type and size of measuring device which you have installed at your point of diversion: None

c) Give well drillers name and address and date the well was completed James Hansen, Hansen Drilling. Well completed in 1972.

RECEIVED

Exam typed 15-6-75 by jg

Sept. 11, 1976 My commission expires

Carla M. Roberts
Notary Public residing at 1011 F.

On this 15th day of May, 1975, personally appeared before me the
signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.

State of IDAHO)
County of BOOTEN)
ss.)

(Date) 1/10/19

(Signature)

The above information is a true statement of the extent to which the above numbered permit has been developed.

10. Remarks:

Total number of acres irrigated

[illegible]

Notes:

9. Irrigation uses: Describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivi-

8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use _____ Domestic purposes for four families in the NE¹/₄ Sec. 21, T. 52N, R. 4W, B.M.

XXXX Box 134
Rathdrum, Idaho
May 15, 1975

RECEIVED

MAY 19 1975

Department of Water Resources
Northern District Office


Department of Water Resources
Statehouse
Boise, ID 83720

Gentlemen:


I am writing to request the removal of the requirement to install a measuring device for my system in connection with Permit No. 95-7191. Since my permit is for such a small amount of water, I feel that a measuring device is not needed.

Thank you for your assistance and cooperation in this matter.

Very truly yours,



ARGYLL L. HOLLINSHEAD



DOUGLAS L. RUGER

OK. 38 5/19/75

RECEIVED

WELL DRILLER'S REPORT

State law requires that this report be filed with the State Reclamation Engineer within 30 days after completion or abandonment of the well.

RECEIVED

1. WELL OWNER

Name DOUGLAS L. RUEGER
Address ROUTE #1 BOX 72-K BATHURST, IDAHO
Owner's Permit No. *File* 95-7191

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement

☐ Abandoned (describe method of abandoning)

3. PROPOSED USE

☒ Domestic ☐ Irrigation ☐ Test
☐ Municipal ☐ Industrial ☒ Stock

4. METHOD DRILLED

☒ Cable ☐ Rotary ☐ Dug ☐ Other

5. WELL CONSTRUCTION

Diameter of hole 6 inches Total depth 320 feet
Casing schedule: ☒ Steel ☐ Concrete

Thickness		Diameter		From	To
0.250	inches	6	inches	0	feet 300
0.280	inches	6	inches	300	feet 320
	inches		inches		feet
	inches		inches		feet
	inches		inches		feet

Was a packer or seal used? ☒ Yes ☐ No

Perforated? ☐ Yes ☒ No

How perforated? ☐ Factory ☐ Knife ☐ Torch

Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet


Well screen installed? ☒ Yes ☐ No
 Manufacturer's name Johnson
 Type Telescoping Model No. 090
 Diameter 6 Slot size 030 Set from 317 feet to 320 feet
 Diameter Slot size Set from feet to feet

Gravel packed? ☒ Yes ☐ No Size of gravel _____
Placed from _____ feet to _____ feet

Surface seal? ☒ Yes ☐ No To what depth 18 feet
Material used in seal ☐ Cement grout ☒ Puddling clay

6. LOCATION OF WELL

Sketch map location must agree with written location.



95 71.91

County KOOTENAI

NE 1/4 SE 1/4 Sec. 21 T. 52 N/S. R. 4 E/W

7. WATER LEVEL

Static water level 275 feet below land surface
Flowing? ☐ Yes ☐ No G.P.M. flow _____
Temperature _____ ° F. Quality _____
Artesian closed-in pressure _____ p.s.i.
Controlled by ☐ Valve ☐ Cap ☐ Plug

8. WELL TEST DATA

☒ Pump ☐ Bailer ☐ Other

Discharge G.P.M.	Draw Down	Hours Pumped
15	10'	4

9. LITHOLOGIC LOG

[illegible]

10.

Work started March 6, 1973 finished April 10, 1973

11. DRILLER'S CERTIFICATION

This well was drilled under my supervision and this report is true to the best of my knowledge.

HANSEN WELL DRILLING
Driller's or Firm's Name
Route #1 Box 100-H Newman Lake, Wn.
Address
Signed By *James L. Hansen* Date *12-9-61*

September 6, 1972

Douglas L. Ruger & Argyll L. Hollinshead
P. O. Box 117
Hayden Lake, Idaho

Dear Gentlemen:

Enclosed is a copy of your approved Application for Permit No. 95-7191 . We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Very truly yours,

BOBBY D. FLEENOR
Assistant Director

BDF: cd

Enclosures

95 7191

RECOMMENDEDCONDITIONS OF APPROVAL

☒ A measuring device of a type approved by this Department shall be permanently installed and maintained as part of the diverting works.

☐ Measuring devices of a type approved by this Department shall be permanently installed and maintained at the point of diversion and the point of effluent discharge.

☐ Use of water under this permit is supplemental to all existing water rights with the same purpose and place of use.

☐ Maximum rate of diversion shall not exceed .2 c.f.s.

☐ Settling ponds shall be installed which are capable of reducing the silt load in the return water to such a level that the quality of the waters of _____ Creek will not be impaired for other beneficial uses.

☐ Return water shall be treated to insure that the effluent meets (interstate) (intrastate) stream water quality standards.

☐ Use of water under this permit is subject to control by the watermaster of State Water District No. _____, _____ River.

☐ The proposed well shall not be drilled within _____ feet of another well.

☐ The issuance of this permit in no way grants any right-of-way or easement across the land of another person.

☐ The permit shall not be assigned or sold without first securing the written approval of the Department of Water Administration.

☐ This permit cannot be assigned, mortgaged, or conveyed without complying with Section 42-208, Idaho Code.

☐ Other:
8/15/22

Environmental Protection
Services Unit



1337 G Street
Lewiston, Idaho 83501

July 24, 1972

RECEIVED

JUL 25 1972

Department of Water Administration
Northern District Office

Mr. Fred Eisenbarth
Water Resource Examiner
Department of Water Administration
Statehouse - Annex 2
Boise, Idaho 83707

RE: 95-7191

Dear Mr. Eisenbarth:

The above application for appropriation of
water should present no problem to this office.

We recommend that the well construction be
done under the auspices of the environmentalist from the Panhandle
Health District at Coeur d'Alene, Ron Donaly. Mr. Donaly will
offer recommendations and approval of the well site and construction.

Sincerely,

Michael J. McMaster

Michael J. McMaster
Aquatic Biologist

MJM/eel

cc: Vaughn Anderson

88 7191

July 13, 1972

Re: Application No. 95-7191-Ruger & 96-7094- McDevitt

Department of Health
1337 "G" Street
Lewiston, Idaho 83501
ATTN: Arthur W. Van't Hul, P.E.
Regional Public Health Examiner

Dear Mr. Van't Hul:

Enclosed please find copies for the above referenced applications for a permit.

We would appreciate any comments you may have regarding these applications.

Thank you for your cooperation in this matter.

Very truly yours,

Fred Eisenbarth
Water Resource Examiner

FE:sds

Enclosures (2)

xxxxxxxxxxxxxxxx
xxxxxxxxxxxxxxxx
xxxxxxxxxxxx

401 Front Ave., Room 209
Coeur d'Alene, Idaho 83814

July 13, 1972

Re: Application No. 95-7191 - Douglas L. Ruger
Coeur d'Alene Press
Second & Lakeside
Coeur d'Alene, Idaho 83814

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

" I hereby certify that the foregoing account is just and correct,
that the amount claimed is legally due, after allowing all just
credits, and that no part of the same has been paid. "

(signature of claimant)

Very truly yours,

Fred Eisenbarth
Water Resource Examiner II

Bill submitted 8-2-72 by cl

FE:sds
Enc: Legal notice

95 7191

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Douglas L. Ruger and Argyll L. Hollinshead,
P.O. Box 117, Hayden Lake, Idaho,
have
has on July 5, 1972, submitted Application No. 95-7191
for a permit to appropriate 0.02 cubic feet per second ~~acre-feet-per-annum~~
of water from a ground water source
by means of well & pump
within the NE $\frac{1}{4}$ SE $\frac{1}{4}$, sec. 21, twp. 52 N, rge. 4 W, B.M., Kootenai County,

to be used from January 1 to December 31 for domestic purposes; and
~~for~~ from March 15 to November 15 for irrigation purposes

within the NE $\frac{1}{4}$ SE $\frac{1}{4}$, sec. 21, twp. 52 N, rge. 4 W, B.M.

If issued, this permit will be subject to all prior water rights. Protests
against the granting of the permit must be filed with the Idaho Department of Water
Administration, 401 Front Av., Room 209, Coeur d'Alene, Idaho 83814
~~Statehouse, Boise, Idaho, 83707,~~ on or before August 7, 1972.

R. KEITH HIGGINSON

Director

Published in the Coeur d'Alene Press, Coeur d'Alene, Idaho
on July 20, 1972 and July 27, 1972

95 7191