


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Interstate Plastic, Inc.
by: John A. Link
(Applicant) President

95 7187

RECEIVED

AFFIDAVIT OF PUBLICATION

JUN 5 1972

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Interstate Plastic, Inc., P. O. Box 398, Post Falls, Idaho, has on May 11, 1972, submitted Application No. 95-7187 for a permit to appropriate 0.23 cubic feet per second of water from a ground water source by means of well and pump within the SW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 1, T. 50N, R. 5W, B. M., Kootenai County, to be used from Jan. 1 to Dec. 31 for industrial purposes within the SW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 1, T. 50N, R. 5W, B. M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, Statehouse, Boise, Idaho, 83707 on or before June 12, 1972.

R. KEITH HIGGINSON

Director

Published in the Post Falls Tribune, Post Falls, Idaho, on May 25 and June 1, 1972.

5-25 2tc

County of Kootenai }
STATE OF IDAHO } ss.

Department of Water Administration

JEANNETTE S. ROSIN, being first duly sworn, deposes and says that she is the publisher of THE POST FALLS TRIBUNE, a newspaper published weekly at Post Falls, Kootenai County, Idaho, and of general circulation therein.

That the Application For Water Permit
95-7187 Interstate Plastic, Inc. a true

printed copy of which is attached to the margin hereof, has been and was correctly printed and published in the regular and entire issue of every number of said newspaper and not in any supplement thereof or thereto for two consecutive issues, commencing

with the issue dated May 25, 1972

and ending with the issue dated June 1, 1972

Subscribed and sworn to before me, this 1st

day of June, 1972

C. Agnes Lechini
Notary Public for the State of Idaho
Residing at Post Falls, Idaho

Publication Fee \$ 11.84

95 7187

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 95-7187 Priority May 12, 1972 Amount 0.09 cfs

THIS IS TO CERTIFY, that INTERSTATE PLASTIC, INC.
of Post Falls, Idaho, has complied with the terms and conditions of Permit
No. 95-7187 issued pursuant to Application for Permit dated May 11, 1972,
and has submitted proof to the Department of Water Resources on August 2, 1974 (late proof),
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 0.09 cfs of water from a ground water source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Industrial</u>	from <u>Jan. 1</u> to <u>Dec. 31</u>	at <u>0.09</u> cfs and	<u>19</u> acre feet
	from _____ to _____	at _____ cfs and	_____
	from _____ to _____	at _____ cfs and	_____

(both dates inclusive)

Subject, however, to the condition that no more than 0.09 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
19 acre feet per year, said waters to be diverted within the SW $\frac{1}{4}$ NE $\frac{1}{4}$ of Sec. 1,
Twp. 50 N, Rge. 5 W, B.M. in the County of Kootenai

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
50 N	5 W	1			X														

Total number of acres irrigated _____

A measuring device of a type approved by this Department shall be permanently
maintained as part of the diverting works.

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho
Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use
herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 23 day of
December, 19 74.

Director

Identification No. _____

Application No. 95 7187

STATE OF IDAHO

DEPARTMENT OF WATER ADMINISTRATION

APPLICATION FOR PERMIT **APPROVED**

To Appropriate the Public Waters of the State of Idaho

(TYPE OR PRINT IN INK)

LICENSE ISSUED FOR 0.09 SEC. FL.
LICENSE PAGE NO. _____

1. Name of applicant Interstate Plastic, Inc.
post office address P.O. Box 398, Post Falls, Idaho 83854
2. Source of water supply underground which is a tributary of _____
3. a. Location of point of diversion is S.W. $\frac{1}{4}$ of N.E. $\frac{1}{4}$ of Section one Township 50 N
Range 5 W B.M. Kootenai County; additional points of diversion if any: none
- b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount .23 cfs for Industrial purpose from January 1 to December 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. .23 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. well - pump
- b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
- c. Proposed well diameter is 8 inches; proposed depth of well is 230 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use is 2 years.
b. Estimated construction cost is \$ 6,000.00.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: S.W. $\frac{1}{4}$ of N.E. $\frac{1}{4}$ of Section one Township 50 N
Range 5 W B.M.
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____
(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____
(5) If water is to be used for other purposes describe: Cooling process in production of plastic pipe.

95 7187

Total number of acres to be irrigated-

c. Describe any other water rights used for the same purposes as described above.

9. a. Who owns the property at the point of diversion _____ Interstate Plastic, Inc.


b. Who owns the land to be irrigated or place of use.

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the

applicant to make this filing.

10. Remarks.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Interstate Plastic, Inc.
by: John A. Link
(Applicant) President

05 7187

Received by WJ Date 5-11-72 Time 10:30 AM
Preliminary check by WJ Fee \$ 25.00

Received by WJ Date 5-11-72
Publication prepared by CR Date 5-19-72
Published in Post Falls Tribune
Publication dates 5-25 & 6-1-72
Publication approved CR Date 6-1-72
Priority reduced to 5-11-72 Reason _____

Protests filed by: _____
Copies of protests forwarded by _____
Hearing held by _____ Date _____

Recommended for approval denial by WJ

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-7187, and said application is hereby APPROVED

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
b. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 1974.
c. Other: A measuring device of a type approved by this Department shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 25 day of July, 1972.

Director

BEFORE THE DIRECTOR OF THE DEPARTMENT OF WATER RESOURCES

OF THE

STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 95-7187)

in the name of INTERSTATE PLASTIC, INC.)

ORDER OF REINSTATEMENT

WHEREAS, on May 11, 1972, Interstate Plastic, Inc. applied to the Department of Water Resources (formerly the Department of Water Administration) for a permit to appropriate .23 cubic feet per second of groundwater within the SW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 1, Twp. 50N, Rge. 5W, B.M., Kootenai County, to be used for industrial purposes; and,

WHEREAS, on July 25, 1972, the Department approved said application and issued Permit No. 95-7187 with the condition that proof of construction of works and application of water to beneficial use be submitted to the Department on or before August 1, 1974; and,

WHEREAS, on May 31, 1974, the Department notified the permit holder by certified mail that proof of beneficial use of water was due and instructed the permit holder as to the steps to be taken to make said proof; and,

WHEREAS, on August 1, 1974, Permit No. 95-7187 automatically lapsed for failure to submit proof of beneficial use of water; and,


WHEREAS, on August 2, 1974, the Department received the required proof of beneficial use of water; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within 60 days from the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing as to why said permit should be reinstated;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 95-7187 be REINSTATED and the priority advanced to May 12, 1972.

Dated this 12 day of August, 1974.


R. KEITH HIGGINSON
Director

JG

95-7187

AFFIDAVIT OF PUBLICATION

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Interstate Plastic, Inc., P. O. Box 398, Post Falls, Idaho, has on May 11, 1972, submitted Application No. 95-7187 for a permit to appropriate 0.23 cubic feet per second of water from a ground water source by means of well and pump within the SW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 1, T. 50N, R. 5W, B. M., Kootenai County, to be used from Jan. 1 to Dec. 31 for industrial purposes within the SW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 1, T. 50N, R. 5W, B. M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, Statehouse, Boise, Idaho, 83707 on or before June 12, 1972.

R. KEITH HIGGINSON
Director

Published in the Post Falls Tribune, Post Falls, Idaho, on May 25 and June 1, 1972.

5-25 2tc

County of Kootenai }
STATE OF IDAHO } ss.

JEANNETTE S. ROSIN, being first duly sworn, deposes and says that she is the publisher of THE POST FALLS TRIBUNE, a newspaper published weekly at Post Falls, Kootenai County, Idaho, and of general circulation therein.

That the Application For Water Permit
95-7187 Interstate Plastic, Inc. a true printed copy of which is attached to the margin hereof, has been and was correctly printed and published in the regular and entire issue of every number of said newspaper and not in any supplement thereof or thereto for two consecutive issues, commencing with the issue dated May 25, 1972 and ending with the issue dated June 1, 1972

Subscribed and sworn to before me, this 1st
day of June, 19 72

C. Agnes Leuchner
Notary Public for the State of Idaho
Residing at Post Falls, Idaho

Publication Fee \$ 11.84

95 7187

December 27, 1974

Re: Permit No. 95-7187

Interstate Plastic, Inc.
P. O. Box 398
Post Falls, Idaho 83854

Gentlemen:

Enclosed herewith is a copy of the Water License issued on the above referenced permit.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF:DR
Enclosure

December 11, 1974

p.O. Interstate Plastics, Inc.
Box 398
Post Falls, Idaho 83854

Gentlemen:

A representative of this Department has made an examination of the works covered by your Permit No. 95-7187 and has found the following:

Quantity of water diverted: 0.09 cfs

Amount of water that can be recognized as beneficially used under Idaho law: 0.09 cfs

The maximum quantity diverted shall not exceed 19 acre feet per year.

Beneficial use: For industrial uses within the SW 1/4, Sec. 1, Twp. 50N, Rge. 5W

Point of diversion: SW 1/4, Sec. 1, Twp. 50N, Rge. 5W, B.M.

Priority date established: May 12, 1972

If you do not concur with these findings, please advise us within 10 days; otherwise a license will be issued as set forth in this letter.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF:jr

RECEIVED

FIELD REPORT

3. Water will be used for the following purposes:

TOTAL ACREAGE

Permit No. 95-7187

Examination for b/u

[illegible]

DATE OF EXAM 8/28/74

ACREAGE
Found 0
Recommended 0

Irrigation Requirement _____ Ac Ft/Ac

USE
Irrigation Q= _____ c.f.s. V= _____ AF/Ann. from _____ to _____
Domestic Q= _____ c.f.s. V= _____ AF/Ann. from _____ to _____
Livestock Q= _____ c.f.s. V= _____ AF/Ann. from _____ to _____
Industrial Q= .09 cfs V= 19.3 af 1/1 to 12/31

Is water co-mingled? yes _____ no ✓

Name source: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Exchange? yes _____ no ✓

Name source exchanged with: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of injection: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of exchange: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Total Q measured 0.09 Method of measurement METER

Total Q recommended 0.09 Meter No. 514560 Type CARLON Condition GOOD

Total V recommended _____

Recommended Amendments:

P.D. _____
Place of Use _____
Other _____
None ✓

MEASUREMENT CALCULATION:

10 gals in 15 second = 40 gpm ÷ 448.8 gpm/cfs = .09 cfs
Carlton meter model 100-F #514560
runs 10 hrs/day 5 days/week = 260 days/year
260 days x .09 cfs x 1.98 x 10 hrs/day = 19.3 af/year
24

SYSTEM DESCRIPTION:

Submersible pump 1 motor
10 hp.

REMARKS:

Water is used to cool the plastic pipe as it is processed.

Examiner's Signature [Signature] Date 8/28/74

Checked by [Signature] Date 9/4/74

Approved by _____ Date _____

August 13, 1974

Re: Permit No. 95-7187

Interstate Plastic, Inc.
P. O. Box 398
Post Falls, ID 83854

Gentlemen:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit. Enclosed is an Order of Reinstatement; please note that the priority has been advanced to May 12, 1972.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

If you have any questions concerning the field exam, please contact our Northern District Office at 401 Front Ave., Room 209, Coeur d'Alene.

Sincerely,

D. Darlene Reich
Water Rights Supervisor

DDR:JG
Enclosure

95-7187

Identification No. _____

Permit No. _____

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION
PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

RECEIVED
AUG 2 1974
late
jg
Department of Water Resources

1. a) Name of Permit Holder INTERSTATE PLASTIC, INC.
b) Post Office Address P.O. Box 398, POST FALLS, IDAHO 83854
2. Permit Number 95-7187
3. Date of Priority that you are prepared to establish JUNE 6, 1972
4. a) Source from which water was appropriated UNDERGROUND
b) Location of the point of diversion: S. W. 1/4 N. E. 1/4, Section ONE
Township 50 N, Range 5 W, Boise Meridian, Other points of diversion:

5. a) The amount of water and use to which the water has been applied:
amount .23 CFS for INDUSTRIAL purposes from JANUARY 1 to DECEMBER 31 incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
b) Total amount appropriated 1,116,720 GAL. PER YEAR cfs and/or acre feet per annum
c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: JACK SCOLES, MANAGER

6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:
a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: _____

b) Describe the agreement or understanding by which you take water from the works: _____

7. a) Briefly describe the works for diverting and conveying the water to the place of use, (If from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) A DRILLED WELL CASED 8 IN. HOLE 243 FEET DEEP, PUMPED WITH A 10 H P MONITOR SUBMERSIBLE PUMP.

b) Describe the type and size of measuring device which you have installed at your point of diversion: _____
1" CARBON METER - MEASURED IN US GALLONS
c) Give well drillers name and address and date the well was completed # 105
E H HOLMAN DRILLING CO., 601 S. PINES ROAD, SPOKANE, WASHINGTON
COMPLETED JUNE 6, 1972

Exam typed 8/13/74 by jg

95-7187

8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use. WATER USED AT INTERSTATE PLASTIC, INC. MANUFACTURER OF PLASTIC PIPE XXXXXX TO COOL PLASTIC PIPE DURING THE MANUFACTURING PROCESS.

PIPE XXXXXX TO COOL PLASTIC PIPE DURING THE MANUFACTURING PROCESS.

9. Irrigation uses: Describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision: _____

[illegible]

Total number of acres irrigated -

10. Remarks:

The above information is a true statement of the extent to which the above numbered permit has been developed.

July 30, 1974 (Date)

(Signature) JACK W. SCOLES, VICE PRESIDENT

State of Illinois)
County of Kane) ss.

On this 30 day of July, 1974, personally appeared before me the
signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.

Notary Public residing at 1000 1st Avenue

My commission expires 12/1/77

SENDER: Be sure to follow instructions on other side

PLEASE FURNISH SERVICE(S) INDICATED BY CHECKED BLOCK(S)

(Additional charges required for these services)

☐ Show address
where delivered

☐ Deliver ONLY
to addressee

RECEIPT

Received the numbered article described below

REGISTERED NO.

CERTIFIED NO.

INSURED NO.

DATE DELIVERED

SIGNATURE OR NAME OF ADDRESSEE *(Must always be filled in)*

SIGNATURE OF ADDRESSEE'S AGENT, IF ANY

SHOW WHERE DELIVERED *(Only if requested, and include ZIP Code)*

JUN 3 1974

95-7187

U.S. POSTAL SERVICE
OFFICIAL BUSINESS



PENALTY FOR PRIVATE
USE TO AVOID PAYMENT
OF POSTAGE, \$300



Postmark of Delivering Office

SENDER INSTRUCTIONS

Print in the space below your name, address, including ZIP Code.

- If special services are desired, check block(s) on other side.
- Moisten gummed ends and attach to back of article.

RETURN
TO

DEPARTMENT OF SOCIAL SECURITY
ST. LOUIS, MO. BOX #2
CITY, STATE 63707

PS Form 3811
June 1973

95-7187

May 31, 1974 CERTIFIED MAIL

#25460

Re: Permit No. 95-7187

Interstate Plastic, Inc.
P.O. Box 398
Post Falls, Idaho 83854

Gentlemen:

One of the conditions of approval of your water Permit No. 95-7187 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before August 1, 1974. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.



R. KEITH HIGGINSON
Director

Enc: Proof affidavit

95-7187

WELL DRILLER'S REPORT

State law requires that this report be filed with the State Reclamation Engineer within 30 days after completion or abandonment of the well.

1. WELL OWNER

Name Finter Steel Pipe Inc

Address Post Falls, Ida

Owner's Permit No. 95-7187

2. NATURE OF WORK

☒ New well

☐ Deepened

☐ Replacement

☐ Abandoned (describe method of abandoning)

3. PROPOSED USE

☐ Domestic☐ Irrigation☐ Test

☐ Municipal☒ Industrial☐ Stock

4. METHOD DRILLED

☒ Cable

☐ Rotary

☐ Dug

☐ Other

5. WELL CONSTRUCTION

Diameter of hole 8 inches

Total depth 243 feet

Casing schedule: ☒ Steel

☐ Concrete

Thickness	Diameter	From	To
<u>.277</u> inches	<u>8</u> inches	<u>12</u> feet	<u>243</u> feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was a packer or seal used? ☐ Yes ☒ No

Perforated? ☐ Yes ☒ No

How perforated? ☐ Factory ☐ Knife ☐ Torch

Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☒ Yes ☐ No

Manufacturer's name WCP Johnson

Type Slotless Steel Model No. 304

12" Diameter 7/8" Slot size 45 Set from 121 feet to 243 feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☒ No Size of gravel _____

Placed from _____ feet to _____ feet

Surface seal? ☒ Yes ☐ No To what depth 198 feet

Material used in seal ☐ Cement grout ☒ Puddling clay

6. LOCATION OF WELL

Sketch map location must agree with written location.

N

W

E

S

</

July 27, 1972

Interstate Plastic, Inc.
P. O. Box 398
Post Falls, Idaho 83854

Gentlemen:

Enclosed is a copy of your approved Application for Permit No. 95-7187. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Very truly yours,

BOBBY D. FLEENOR
Assistant Director

BDF:cr

Enclosures

RECOMMENDEDCONDITIONS OF APPROVAL

D ☒ A measuring device of a type approved by this Department shall be permanently installed and maintained as part of the diverting works.

☐ Measuring devices of a type approved by this Department shall be permanently installed and maintained at the point of diversion and the point of effluent discharge.

☐ Use of water under this permit is supplemental to all existing water rights with the same purpose and place of use.

☐ Maximum rate of diversion shall not exceed _____ c.f.s.

☐ Settling ponds shall be installed which are capable of reducing the silt load in the return water to such a level that the quality of the waters of _____ Creek will not be impaired for other beneficial uses.

☐ Return water shall be treated to insure that the effluent meets (interstate) (intrastate) stream water quality standards.

☐ Use of water under this permit is subject to control by the watermaster of State Water District No. _____, _____ River.

☐ The proposed well shall not be drilled within _____ feet of another well.

☐ The issuance of this permit in no way grants any right-of-way or easement across the land of another person.

☐ The permit shall not be assigned or sold without first securing the written approval of the Department of Water Administration.

☐ This permit cannot be assigned, mortgaged, or conveyed without complying with Section 42-208, Idaho Code.

☐ Other: _____

Fred E. Smith 7/10/72

May 19, 1972

Re: Application No. 95-7187 - Interstate Plastic, Inc.

Post Falls Tribune
Box 68
Post Falls, Idaho 83854

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid.

(signature of claimant)

Very truly yours,

Fred Eisenbarth
Water Resource Examiner
Northern District

FE:CR

Enc: Legal Notice

Bill submitted 6-7-72 -cl

95-7187

POST FALLS, IDAHO

83854

**NOTICE OF APPLICATION
FOR WATER PERMIT**

Notice is hereby given that Interstate Plastic, Inc., P. O. Box 398, Post Falls, Idaho, has on May 11, 1972, submitted Application No. 95-7187 for a permit to appropriate 0.23 cubic feet per second of water from a ground water source by means of well and pump within the SW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 1, T. 50N, R. 5W, B. M., Kootenai County, to be used from Jan. 1 to Dec. 31 for industrial purposes within the SW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 1, T. 50N, R. 5W, B. M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, Statehouse, Boise, Idaho, 83707 on or before June 12, 1972.

R. KEITH HIGGINSON

Director

Published in the Post Falls Tribune, Post Falls, Idaho, on May 25 and June 1, 1972.

5-25 2tc

*9.6.
5-30-72
ck*

95-7187

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Interstate Plastic, Inc.,

P.O. Box 398, Post Falls, Idaho

has on May 11, 1972 submitted Application No. 95-7187

for a permit to appropriate 0.23 cubic feet per second ~~above base flow~~

of water from a ground water source

by means of well and pump

within the SW 1/4 NE 1/4, Sec. 1, T. 50N, R. 5W, B.M., Kootenai County

to be used from Jan. 1 to Dec. 31

for industrial purposes

within the SW 1/4 NE 1/4, Sec. 1, T. 50N, R. 5W, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, Statehouse, Boise, Idaho, 83707, on or before June 12, 1972.

R. KEITH NICHOLSON

Director

Published in the Post Falls Tribune, Post Falls, Idaho

on May 25 and June 1, 1972.

95 7187

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION



Cecil D. Andrus
Governor
R. Keith Higginson
Director

Statehouse - Annex 2
Boise, Idaho 83707
(208) 384-2215

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Waste Disposal Wells
Stream Channel Protection

May 11, 1972

Interstate Plastic, Inc.
Box 398
Post Falls, Idaho 83854

Gentlemen:

Attached herewith is your Receipt No. 9211 in the amount of \$ 25.00

for your application for permit

which was received in this office under the above date.

Very truly yours,

M. RUSSELL BOSCH
Administrative Assistant

95 7187

MRB:ejw

Enclosure