


MICROFILMED

FOR SALE BY
METSKER MAPS
111 SOUTH 3RD ST. SEATTLE, WASHINGTON
1020 THIRD AVE. SEATTLE, WASHINGTON

TOWNSHIP 51 N., RANGE 56 W. B. M.
KOOTENAI COUNTY, IDAHO

R. 6 W. R. 5 W.



TO POST FALLS

TO SPokane

COPYRIGHT BY THOS. C. METSKER

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 95-7183 Priority March 29, 1972 Amount 0.07 cfs

THIS IS TO CERTIFY, that Richard L. Van Sickle
of Camerillo, California, has complied with the terms and conditions of Permit
No. 95-7183 issued pursuant to Application for Permit dated March 29, 1972,
and has submitted proof to the Department of Water Resources on March 22, 1982,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 0.07 cfs of water from springs,
tributary to sinks, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Domestic (3 units)	from <u>January 1</u> to <u>December 31</u>	at <u>0.07</u> cfs and	<u>3.6</u> acre feet
	from _____ to _____	at _____ cfs and	_____
	from _____ to _____	at _____ cfs and	_____
(both dates inclusive)			

Subject, however, to the condition that no more than 0.07 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
3.6 acre feet per year, said waters to be diverted within the (3 points) SW $\frac{1}{4}$ NE $\frac{1}{4}$, Section
8, Twp. 51N, Rge. 5W in the County of Kootenai

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
51N	5W	8		X															

Total number of acres irrigated _____

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 27th day of
October, 19 82.

Acting for the Director

Norman C. Young

WATER RIGHT SPLIT

SUMMARY

ACTION	RIGHT NO.	NAME	AMOUNT C.F.S.
Orginial Permit	95-7183	John William Van Sickle	.2 cfs
Full Assignment	95-7183	Richard L. Van Sickle	.2 cfs

MICROFILMED

State of Idaho
Department of Water Resources

ASSIGNMENT OF PERMIT

MAR 29 1982

MAR 22 1982

Department of Water Resources

Department of Water Resources
Northern District Office

OK to proceed
RC 4/6/82

I, John William Van Sickle, hereby assign to Richard L. Van Sickle
of 2263 Glenbrook Camerillo, Cal. 93010
Address

CHECK ONE

☒ All my right, title, and interest in and to Permit No. 95-7183
to appropriate the public waters of the State of Idaho.

☐ The following described portion of my right, title, and interest in and to Permit
No. _____ to appropriate the public waters of the State of Idaho.

(Describe that portion of the permit being assigned by listing the acreage within
each 40 acre subdivision, the point of diversion and the amount of water in cubic
feet per second for direct diversion, or acre feet for storage)

Made this 22nd day of March, 19 82.

Ellen Van Sickle
Permit Holder

Executrix of the Estate of John William Van Sickle

Spouse of Permit Holder

State of Idaho)
County of Kootenai) ss.

On this 22nd day of March, 19 82, personally
appeared before me the signer(s) of the above instrument, who duly acknowledged to me
that ~~he~~ (she) (they) executed the same.

Robert D. Haynes
Notary Public residing at
cdp

seal

My commission expires:

UNRECORDED

STATE OF IDAHO
COUNTY OF KOOTENAI
FILED

RECEIVED

MAR 20 1982

Department of Water Resources

1981 FEB 26 PM 3:30

CLERK DISTRICT COURT

LINDA M. WILLIAMS
DEPUTY

ATWOOD & AYERS
Attorneys at Law
STEPHEN M. AYERS
P.O. Box 576
Coeur d'Alene, ID 83814
(208) 664-2195

IN THE DISTRICT COURT OF THE FIRST JUDICIAL DISTRICT OF THE
STATE OF IDAHO, IN AND FOR THE COUNTY OF KOOTENAI

IN THE MATTER OF THE ESTATE OF) PROBATE CASE NO. 47987
)
)
JOHN W. VAN SICKLE,) LETTERS: TESTAMENTARY
)
Deceased.)

1. ELLEN R. VAN SICKLE was duly appointed and qualified as General personal representative of the estate of the above named decedent on the 13th day of February, 1981, by the Magistrate acting as Registrar with all authority pertaining thereto.
2. Administration of the estate is unsupervised.

These letters are issued to evidence the appointment, qualification, and authority to the said personal representative.

WITNESS, my signature and the Seal of this Court, this
24th day of February, 1981.

CRAIG C. KOSONEN
Magistrate

MICROFILMED

RECEIVED

MAR 24 1982

Department of Water Resources
Northern District Office

LETTERS: TESTAMENTARY

RECEIVED

MAR 14 1977

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR EXTENSION OF TIME

RECEIVED

MAR 17 1977

Department of Water Resources
Northern District Office

Department of Water Resources

State of Idaho)
County of Kootenai)

Permit No. 95-7183

JOHN WILLIAM VAN SICKLE of RT 3 BOX 163 RATHORUM, ID 83855
(name) (address)

State of IDAHO, being first duly sworn, upon his oath deposes and says:

That he is the holder, or the duly authorized agent of the holder *, of Permit to Appropriate the Public Waters of the State of Idaho No. 95-7183.

That under the terms and conditions of said permit, work thereunder was required to be completed on or before _____, 19____.

That he has heretofore performed the following work described under said permit:

*300
174
520
500
11*
Installed a 12 foot Black Cribbed to decimeter well with wing turbine
40' & 70' respectively to Collection. Installed Pump and Pump house
and am pumping water thru 7 inch pipe 1020 feet. Installed
man holes at head & main lines etc. Costing \$8000.00 and more

That he is unable to complete the remainder of the work within the required time for the following reasons, to-wit: from a few more usages of
the water to be installed.

Wherefore, he asks that the Department of Water Resources extend the time for the completion of obligations under said permit to May 1, 1982.

John W. Van Sickle
(signature) *

Subscribed and sworn before me this 14 day of March, 1977.

seal

Robert G. Haynes
Notary Public residing at
CH

My commission expires Lifetime

ACTION OF THE DIRECTOR OF THE DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above application for extension of time be APPROVED and the time within which to submit proof of beneficial use of water be extended to May 1, 1982.

Witness my hand this 25 day of March, 1977.

Billy D. Flemer

* IF OTHER THAN HOLDER, Power of Attorney must be supplied. Forms are available through the Department of Water Resources, Statehouse, Boise, Idaho 83720.

RECEIVED

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF REMOVAL OF THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. 95-7183

ORDER

WHEREAS, it has been determined by the Department of Water Resources that a measuring device is not required at this time for a determination of the quantity of water appropriated under said permit;

IT IS, THEREFORE, HEREBY ORDERED that the condition of approval that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works, be and is, REMOVED from said permit.

Dated this 28th day of August, 1978.

L. Glen Saxton

L. GLEN SAXTON

Chief, Operations Bureau

MICROFILMED

Identification No. 95-7183
Application No. _____

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION
APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant John William Van Sickle
post office address Route #1, Rathdrum, Idaho
2. Source of water supply Unnamed Springs which is a tributary of _____
(3 pts)
3. a. Location of point of diversion is SW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 8 Township 51N
Range 5W B.M. Kootenai County; additional points of diversion if any: _____
NE $\frac{1}{4}$ SW $\frac{1}{4}$ (1 pt), Sec. 8, T. 51N, R. 5W, B.M.
- b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 0.2 for Domestic purpose from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 0.2 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. 2" line to clear well.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years.
b. Estimated construction cost is \$ 5,000.00.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: N $\frac{1}{2}$ $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 8 Township 51N
Range 5W B.M.
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered 10 head ponies and calves

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 10.
(5) Water is to be used for other purposes describe: Mobile homes and trailer homes

MICROFILMED

95-7183

100

10. Remarks ~~The developed springs will run into a clear well where the water will be~~

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the


Applicant

Applicant

Total number of acres to be irrigated-

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

John William Ch. Smith
(Applicant)

95-7-82

MICROFILMED

Director

[Signature]

Witness my hand this 17 day of May, 1972.

2. Denial of said application is for the following reasons:

c. Other: Measuring devices of a type approved by this Department shall be permanently installed and maintained as part of the diverting works.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before May 1, 1977.

1. Approval of said application is subject to the following limitations and conditions:

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-7183, and said application is hereby APPROVED.

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION

Recommended for approval denial by RDE

Hearing held by _____ Date _____

Copies of protests forwarded by _____

Protests filed by: _____

Priority reduced to 3-29-72 Reason _____

Publication approved at Date 5-4-72

Publication dates 4-13 & 4-20-72

Published in Coeur d'Alene Press

Publication prepared by CR Date 4-7-72

Received by 4 Date 3-31-72

Preliminary check by 73 Fee \$ 10.00

Received by 4 Date 3-29-72 Time 9:30 AM

AFFIDAVIT OF PUBLICATION—COEUR D'ALENE PRESS

(WEEKLY)

STATE OF IDAHO, }
County of Kootenai, } ss.

Callie Painter, being first duly sworn,
deposes and says:

That affiant is now, and at all times herein mentioned has been, a citizen of the United States and a resident of Kootenai County, State of Idaho, over the age of 21 years and not a party to, nor interested in the event of, the above entitled matter, and the printer (principal clerk) of the "Coeur d'Alene Press", during all of the times herein mentioned being a legal daily newspaper, of Coeur d'Alene, Kootenai County, Idaho, as defined by Idaho Code Sec. 60-106 to Sec. 60-108 both inclusive, and Chapter 121 Idaho Session Laws of 1949, and acts amendatory thereof and correlated thereto, and qualified thereunder to publish to the same effect as a weekly

newspaper on Wednesdays; and that the

Notice of Application
for Water Permit - Van Sickle

of which a printed copy is annexed hereto, was published in all the regular Wednesday weekly issues of said newspaper for two consecutive weeks, commencing on the 13 day of April, 1972, and ending on the 20 day of April, 1972

Subscribed and sworn to, before me, this 20 day of April

19 72

Patrick King
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that John William Van Sickle, Route No. 1, Rathdrum, Idaho has on March 29, 1972 submitted Application No. 95-7183 for a permit to appropriate 0.2 cubic feet per second of water from Unnamed Springs by means of well and pipe within the SW $\frac{1}{4}$ NE $\frac{1}{4}$ (3 points), NE $\frac{1}{4}$ SW $\frac{1}{4}$, (1 point), Sec. 8, T. 51N, R. 5W, B.M., Kootenai County to be used from Jan. 1 to Dec. 31 for domestic purposes for 10 families within the N $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 8, T. 51N, R. 5W, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, Statehouse, Boise, Idaho, 83707, on or before May 1, 1972.

R. KEITH HIGGINSON
Director

April 13, 20, 1972

15-7183

November 26, 1982


RE: PermittNo. 95-7183

Richard L. Van Sickle
2263 Glenbrook
Camarillo, CA 93010

Dear Mr. Van Sickle:

Enclosed herewith is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,



JIM JOHNSON
Water Distribution Supervisor

JJ:kw
Enclosure

RECEIVED
NOV 27 1982
WATER DIVISION



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

October 8, 1982

RE: Permit No. 95-7183

Richard L. Van Sickle
2263 Glenbrook
Camarillo, CA 93010

Dear Mr. Van Sickle:

A representative of this Department has made an examination of the works covered by your Permit No. 95-7183, and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: 0.07 cfs Source: springs trib. to sinks

The maximum quantity diverted shall not exceed 3.6 acre feet
per year.

Point(s) of diversion: (3 points) SW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 8, Twp. 81N, Rge. 5W,
Kootenai County

Beneficial use: Domestic use for three units within the NW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 8,
Twp. 81N, Rge. 5W

Priority date established: March 29, 1972

Conditions (if any):

If you do not concur with these findings please contact us within 10 days, otherwise a water license will be issued as set forth above.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:kw

State of Idaho
DEPARTMENT OF WATER RESOURCES
FIELD REPORT

NOV 20 1982

Department of Water Resources

95-7183

Permit No.

CONTACT WITH PERMIT HOLDER

	DATE	INITIALS	REMARKS
☐ Appointment letter mailed:			
☐ Telephone call made: (List Telephone No. used)			
☐ Appointment scheduled for: (Date, time, location)			

EXAMINATION

Date 8/18/82 Accompanied by Mrs Van Sickle Total Q measured _____
If source is surface water, estimate total flow of source _____
Methods of measurement Estimate Meets Permit requirements? Yes

Measurement calculations:
 $H \approx 30'$
 $HP = 1$
 $P \approx 35 \text{ psi}$
 $\% \approx 80\%$
 $Q_{max} = \frac{8.8(1)(0.8)}{2.33(35) + 2.5} = 0.07 \text{ cfs}$ capacity
 $V_{max} = (0.07)(3600)(24)(365)(1/43,560) = 50 \text{ AFA}$
 $Q_{max} (3 \text{ homes}) = (0.04)(3) = 0.12$
 $V = (1.2)(3) = 3.6 \text{ AFA}$

WELL/DIVERSION* NO.	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEV.	REMARKS
	1	Century	8-1519920	Berkley				

System Description 3 springs interconnected with pump to 3 domestic uses

*Code with map on reverse side. Disregard code if only one.

RECOMMENDED AMOUNTS	Irrigation requirement =		AFA/Acre	
USE	Q (cfs)	V (afa)	FROM	TO
<u>Domestic</u>	<u>0.07</u> ✓	<u>3.6</u> ✓	<u>1/1</u>	<u>12/31</u>
Total	<u>0.07</u> ✓	<u>3.6</u> ✓		

Remarks _____

Signature

28/01/6
28/61/2
28/81/8

Eliminate Pd in NE SW

~~Place(s) of Use~~

Point(s) of diversion: (3^{pts}) SWNE sec 8 T5N R5W


(Include distance from pump to measuring device, if applicable.)

MAP (Attach Aerial Photo)

RECEIVED

TOWNSHIP 51 N., RANGE 56 W. B. M.
KOOTENAI COUNTY, IDAHO

MEISNER MAPS
111 SOUTH 4TH ST., SEATTLE, WASHINGTON
1020 THIRD AVE., SEATTLE, WASHINGTON



POST FALLS

Spokane

COMPARED BY W. C. MEISNER

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
A. KENNETH DUNN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

May 27, 1982

Mr. John Van Sickle
Rt. 3 Box 153
Rathdrum, Id. 83858

RE: 95-7183

Dear Mr. Van Sickle:

We acknowledge receipt of your statement of completion of water development and use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We do not know at this time when he will be able to conduct the examination, however, the examiner will try to contact you at the time he makes the examination so that you may show him the system. If you will not be available to show the system, please provide this office with the name and address of someone who will be able to do so. Your permit will remain valid until the examination is made.

If you have any questions concerning the field examination, please contact this office. Please be sure to use the above-referenced permit number in all future correspondence concerning this examination.

Very truly yours,

TOM D. KING
Senior Water Resource Agent

TDK/pms

cc: IDWR - State Office

MICROFILMED

May 6, 1982

Richard L. Van Sickle
2263 Glenbrook
Camarillo, CA 93010

Dear Mr. Van Sickle:

Re: Permit No. 95-7183

This office acknowledges receipt of the assignment conveying this permit to you. The assignment has been entered into the department's records. A copy of the permit is enclosed for your records.

Also this office acknowledges receipt of the statement of beneficial use submitted for this permit. Before a license can be issued, a field examination must be made by a representative of this department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you or a representative may show him the system.

If you have any questions regarding the field examination, please contact our Northern Regional office at 667-6484.

Sincerely,

RITA I. FLECK
Sr. Secretary

Enclosure

cc: Estate of John William Van Sickle

MICROFILMED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 95-7183

Name(s) of Permit Holder: John William Van Sickle

Post Office Address: Route 3 Box 163

Rathdrum, Id. Tel. No. 687-1386

Source of Water: Springs

Extent of Use:

☒ Domestic	<u>2</u>	(number of households)
☐ Stockwater		(number and type of stock)
☐ Irrigation		(acres)
☐ Other		

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

Access Point: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.


Executrix of the Estate of John William Van Sickle

Ellen Van Sickle
Signature of Permit Holder

3/22/82
Date

PLACE
TEN CENT
STAMP
HERE

RECEIVED



MAR 22 1982

IDAHO DEPARTMENT OF WATER RESOURCES

Department of Water Resources
STATEHOUSE

Northern District Office
BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

#138417

VAN SICKLE, JOHN WILLIAM
RT. 1
RATHDRUM, ID 83858

FEBRUARY 28, 1982

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 95-7183 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE MAY 01, 1982. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENC: 1

RECEIVED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

FEB 28 1982

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

Dear Water user:

The enclosed Order removes the measuring device requirement as a condition of approval from your permit.

If you have already installed the measuring device, the field examination can be more quickly conducted by the Department's field examiner. You will also derive benefit from water management information which may be obtained from the installed meter.

If you have questions regarding this matter, please contact this office or one of our regional offices.

Sincerely,

DAVID R. TUTHILL JR., P. E.
Supervisor, Water Allocations Section

DRT:jg

Enclosure

NORTHERN REGION OFFICE
Route #5, Box 203, Government Way
Coeur d'Alene, Idaho 83814
Telephone 667-6484

EASTERN REGION OFFICE
150 Shoup Avenue
Idaho Falls, Idaho 83401
Telephone 525-7161

SOUTHERN REGION OFFICE
1041 Blue Lake Boulevard North
Twin Falls, Idaho 83301
Telephone 734-3578

WESTERN REGION OFFICE
92 South Cole Road
Boise, Idaho 83709
Telephone 334-2190

MICROFILMED

March 25, 1977

Re: Permit No. 95-7183

John William Van Sickle
Route 3, Box 163
Rathdrum, Idaho 83858

Dear Mr. Van Sickle:

Enclosed is a copy of the approved application for extension of time in connection with the above referenced permit.

The time within which to submit proof of beneficial use of water has been extended to

May 1, 1982.

Sincerely,

Jan Grover
Water Rights Supervisor

RECEIVED

February 28, 1977

CERTIFIED MAIL

138363

Re: Permit No. 95-7183 & 95-7184

John William Van Sickle
Route 1
Rathdrum, Idaho 83858

Dear Mr. Van Sickle:

One of the conditions of approval of your water Permit No. 95-7184,
95-7183 (see last
page of your approved permit) was that evidence of the extent of development be sub-
mitted as proof of application of water to beneficial use to this office on or before
May 1, 1977. Enclosed is an affidavit form which must be used to sub-
mit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.



R. KEITH HIGGINSON
Director

RKH:jg
Enc: Proof affidavit

RECEIVED

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION



Cecil D. Andrus
Governor
R. Keith Higginson
Director

Statehouse -- Annex 2
Boise, Idaho 83707
(208) 384-2215

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Waste Disposal Wells
Stream Channel Protection

March 30, 1972

Mr. John William Van Sickle
Route #1
Rathdrum, Idaho 83858

Dear Mr. Van Sickle:

Attached herewith is your Receipt No. 8232 in the amount of \$ 10.00
for your application for permit

which was received in this office under the above date.

Very truly yours,

M. RUSSELL BOSCH
Administrative Assistant

MRB:ejw

Enclosure

95-7183

May 25, 1972

Re: Permit No. 95-7183 & 95-7184

Mr. John William Van Sickle
Route # 1
Rathdrum, Idaho 83858

Dear Mr. Van Sickle:

Enclosed is a copy of your approved Application for Permit No. 95-7183 and 95-7184. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at the points of diversion has been placed upon your permits. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

BDF:DR
Enc: Copy of permit (2)
Information letter

bc: Northern District Office

95-7183

April 12, 1972

Re: Application Nos. 95-7183 & 95-7184 - John William Van Sickle

Mr. Larry M. Belmont, Director
Panhandle District Health Dept.
412 Lakeside - P. O. Box 608
Coeur d'Alene, Idaho 83814

Dear Mr. Belmont:

We are enclosing copies of two applications that may be of interest to your agency. Please review the applications and if you have any comments, please submit them to our Department as soon as possible. We normally complete the processing of an application within a 6-week period and we are required to take final action shortly thereafter.

If we may be of further assistance, please contact us.

Very truly yours,

Donald W. McEldowney
Appropriation Supervisor

DWM/BL

Enclosures

April 7, 1972

Re: Application No. 94-7024 - Merlin J. Hymas
" " 95-7183 - John William Van Sickle
" " 95-7184 - " " "
" " 95-7185 - The Washington Water Power Company

Coeur d'Alene Press
Second & Lakeside
Coeur d'Alene, Idaho 83814

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid.

(signature of claimant)

Very truly yours,

Donald W. McEldowney
Appropriation Supervisor

DWM:CR

Enc: Legal Notices (4)

Bill submitted 5-4-72. ch
95-7183

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that John William Van Sickle,

Route #1, Rathdrum, Idaho

has on March 29, 1972 submitted Application No. 95-7183

for a permit to appropriate 0.2 cubic feet per second ~~acre feet per annum~~

of water from Unnamed Springs

by means of well and pipe

within the SW $\frac{1}{4}$ NE $\frac{1}{4}$ (3 points), NE $\frac{1}{4}$ SW $\frac{1}{4}$ (1 point), Sec. 8, T. 51N, R. 5W, B.M.,

Kootenai County

to be used from Jan. 1 to Dec. 31

for domestic purposes for 10 families

within the NE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 8, T. 51N, R. 5W, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, Statehouse, Boise, Idaho, 83707, on or before May 1, 1972.

R. KEITH HIGGINSON

Director

Published in the Coeur d'Alene Press, Coeur d'Alene, Idaho

on April 13 and April 20, 1972.

95-7183

LEGAL

**NOTICE OF APPLICATION
FOR WATER PERMIT**

Notice is hereby given that John William Van Sickle, Route No. 1, Rathdrum, Idaho has on March 29, 1972 submitted Application No. 95-7183 for a permit to appropriate 0.2 cubic feet per second of water from Unnamed Springs by means of well and pipe within the SW $\frac{1}{4}$ NE $\frac{1}{4}$ (3 points), NE $\frac{1}{4}$ SW $\frac{1}{4}$, (1 point), Sec. 8, T. 51N, R. 5W, B.M., Kootenai County to be used from Jan. 1 to Dec. 31 for domestic purposes for 10 families within the N $\frac{1}{2}$ NE $\frac{1}{4}$, Sec. 8, T. 51N, R. 5W, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, Statehouse, Boise, Idaho, 83707, on or before May 1, 1972.

R. KEITH HIGGINSON
Director

April 13, 20, 1972

OK
4-12-72
DK

95-7183