


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Edwin Snook
(Applicant)
Mary M. Snook

95-7171

State of Idaho
Department of Water Administration

LICENSE OF WATER RIGHT

License of Water Right No. 95-7171 Priority Jan. 17, 1972 Amount 0.03 cfs

THIS IS TO CERTIFY, that EDWIN &/or MARY MARGARET SNOOK
of Coeur d'Alene, Idaho, has complied with the terms and conditions of Permit
No. 95-7171 issued pursuant to Application for Permit dated January 17, 1972,
and has submitted proof to the Department of Water Administration on January 22, 1973,
that he has applied water to a beneficial use; an examination by the Department indicates that the
works have a capacity of 0.03 cfs, and that the water has in fact been applied to a
beneficial use; a right to the use of water from the Spokane River
tributary of the Columbia River, is hereby confirmed in the following amounts:

Amount 0.03 cfs for Domestic from Jan. 1 to Dec. 31 (both dates inclusive)

Amount _____ for _____ from _____ to _____ (both dates inclusive)

Amount _____ for _____ from _____ to _____ (both dates inclusive)

Subject, however, to the condition that no more than 0.03 cfs of water be diverted at
any one time, said waters to be diverted within the _____

SE $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 7, Twp. 50 N, Rge. 4 W, B.M.

in the county of Kootenai; and that the amount of water so diverted and to which such
right is entitled and confirmed is for the purposes aforesaid and is limited to the amount which can
actually be beneficially used and shall not exceed 1.8 acre feet per year ~~or~~

~~more feet per year.~~


Description and location of place of use:

TWP.	RANGE	SEC.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				TOTALS
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
50 N	4 W	7				X													

Total number of acres irrigated _____

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands
or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 7 day of
May, 19 73.


Director

95-7171

Identification No. 95-7171

Application No. _____

LICENSE ISSUED FOR 0.03 SEC. FT.

LICENSE PAGE NO. _____ DEPARTMENT OF WATER ADMINISTRATION

APPLICATION FOR PERMIT

APPROVED

To Appropriation the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant EDWIN and/or MARY MARGARET SNOOK
post office address Route #1 Box # 87 H Coeur d'Alene, Idaho 83814

2. Source of water supply Spokane River which is a tributary of Columbia River

3. a. Location of point of diversion is SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 7 Township 50 N
Range 4 W B.M. Kootenai County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____

4. Water will be used for the following purposes:

Amount 0.03 for domestic purpose from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.03 cubic feet per second and/or

b. _____ acre feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. _____
pump 1 HP 60 gpm

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____

Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 1 years.

b. Estimated construction cost is \$ 100.00

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water: SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 7 Township 50 N
Range 4 W B.M. Kootenai Co

(2) Amount of power to be generated: _____ hp under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water 1

(5) If water is to be used for other purposes describe: _____

95-7171

10. Remarks

applicant to make this filing-

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the

b. Who owns the land to be irrigated or place of use.

x 9. a. Who owns the property at the point of diversion Edwin & Mary Margaret Shook
b. Who owns the land to be irrigated or place of use same as above

c. Describe any other water rights used for the same purposes as described above.


Total number of acres to be irrigated.

TWP.	RANGE	SEC.	NE¼				NW¼				SE¼				SW¼			
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼
TOTALS			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

1212-56

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

x Edwin Snook
(Applicant)
x Mary M. Snook

95-7171

Received by Date 1/17/72 Time 10:20 AM
Preliminary check by Fee \$ 1-17-72 \$10.00
Received by Date 1-17-72
Publication prepared by bb Date 1-20-72
Published in Coeur d'Alene Press
Publication dates 1-27 & 2-3-72
Publication approved OK Date 2-8-72
Priority reduced to 1-17-72 Reason
Protests filed by:

Copies of protests forwarded by

Hearing held by Date
Recommended for approval denial by

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-7171, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before March 1, 19 73.
- c. Other:

2. Denial of said application is for the following reasons:

Witness my hand this 16 day of February, 19 72.

 Director

AFFIDAVIT OF PUBLICATION—COEUR D'ALENE PRESS
(WEEKLY)

STATE OF IDAHO,

County of Kootenai, }

ss.

Callie Painter 10 44 /
being first duly sworn,
deposes and says:

That affiant is now, and at all times herein mentioned has been, a citizen of the United States and a resident of Kootenai County, State of Idaho, over the age of 21 years and not a party to, nor interested in the event of, the above entitled matter, and the printer (principal clerk) of the "Coeur d'Alene Press", during all of the times herein mentioned being a legal daily newspaper, of Coeur d'Alene, Kootenai County, Idaho, as defined by Idaho Code Sec. 60-106 to Sec. 60-108 both inclusive, and Chapter 121 Idaho Session Laws of 1949, and acts amendatory thereof and correlated thereto, and qualified thereunder to publish to the same effect as a weekly

newspaper on Wednesdays; and that the

Notice of Application

of which a printed copy is annexed hereto, was published in all the regular Wednesday weekly issues of said newspaper for *two* consecutive weeks, commencing

on the *27* day of *January*, 19*72*, and ending on the

3 day of *February*, 19*72*

Callie Painter

Subscribed and sworn to, before me, this _____ day of _____

19 _____

C. Patrick King

Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Edwin &/or Mary Margaret Snook, Route No. 1, Box 87 H, Coeur d'Alene, Idaho have on January 17, 1972 submitted Application No. 95-7171 for a permit to appropriate 0.03 cubic feet per second of water from Spokane River by means of pump within the SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 7, T. 50N, R. 4W, B.M., Kootenai County to be used from Jan. 1 to Dec. 31 for domestic purposes within the SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 7, T. 50N, R. 4W, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, Statehouse, Boise, Idaho, 83707, on or before February 14, 1972.

R. KEITH HIGGINSON

Director

Jan. 27, Feb. 3, 1972

95-7171

May 8, 1973

Re: License No. 95-7171

Edwin &/or Mary Margaret Snook
Route 1, Box 87-H
Coeur d'Alene, Idaho 83814

Dear Mr. & Mrs. Snook:

Enclosed please find a copy of the Water License issued on the above referenced permit.

Sincerely,

Bobby D. Fleenor
Assistant Director

kss

Enclosure

95-7171

DEPARTMENT OF WATER ADMINISTRATION
FIELD REPORT

1. Name of permit holder Edwin &/or Mary Margaret Snook
Post office address Route 1 - Box 87H, Coeur d'Alene, Idaho Phone _____
Person to contact _____ Phone _____

2. Source of water supply: Groundwater ☐ Surface water ☒ Spokane River
(name spring, stream, etc.)
Tributary to Columbia River

3. Water will be used for the following purposes:

Amount 0.03 c.f.s. for Domestic (1 household)
_____ AF/Annum (nature of use)

Period of Use: from _____ to _____
(mo.-day) inclusive (mo.-day)

Amount _____ c.f.s. for _____
_____ AF/Annum (nature of use)

Period of Use: from _____ to _____
(mo.-day) inclusive (mo.-day)

Amount _____ c.f.s. for _____
_____ AF/Annum (nature of use)

Period of Use: from _____ to _____
(mo.-day) inclusive (mo.-day)

Other uses: _____

Permit No. 95-7171
Examination for b/u

4. Total amount to be appropriated:

Max Rate of Diversion 0.03 cubic feet per second and annual volume _____ AF/Annum.

5. Location of Point(s) of Diversion:

Township 50 N N/S, Range 4 W E/W, B.M., Section 7, Subdivision SE $\frac{1}{4}$ NE $\frac{1}{4}$, Kootenai
County

Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ $\frac{1}{4}$ _____ $\frac{1}{4}$, _____
County

Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ $\frac{1}{4}$ _____ $\frac{1}{4}$, _____
County

Other Points of Diversions: _____

Description of diverting works: 1-hp pump

Measuring device required: yes ☐ no ☒

6. Lands to be irrigated or place of use.

TWP.	RANGE	SEC.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				TOTALS
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
50N	4W	7				X													

95-7171

TOTAL ACREAGE _____






Diagram of System





LAWN AND TURF PUMPS



**Motor Driven
High Head – Self Priming
Centrifugals**

**Heads to 40 PSI
Capacities to 90 GPM**

**Ideally suited for Lawn and Turf Sprinkling – Swimming Pools
Booster Service – Garden Irrigation – Circulation**

QUALITY FEATURES

IMPELLER: Enclosed design, accurately balanced. Provides high capacity and ample pressure for sprinkling needs.

MOTOR: NEMA threaded shaft style, designed to meet rigid pumping requirements. Ball bearing construction, 3450 RPM, capacitor type, with built-in overload protection.


CHECK VALVE: Built-in rapid action check eliminates back flow, retains prime in suction line. External check and foot valves are not required.

MECHANICAL SEAL: All units are constructed with time-tested, high quality rotary mechanical seals.

PERFORMANCE

MODEL	HP	DISCHARGE PRESSURE		PUMPING LEVEL (FEET)					
		FEET	PSIG	0	5	10	15	20	25
LT-75	$\frac{3}{4}$	46.2	20	43	41	39	37	34	31
		69.3	30	32	29	26	22	17	
LT-100	1	46.2	20	47	45	44	42	39	37
		69.3	30	38	36	33	30	27	23
		92.4	40	25	20	11			
LT-150	$1\frac{1}{2}$	46.2	20	70	66	62	58	54	20
		69.3	30	52	46	40	37	28	24
		92.4	40	24	16				
LT-200	2	46.2	20	89	85	79	74	68	60
		69.3	30	64	58	52	46	38	30
		92.4	40	34	26	16			

DIMENSIONS (inches)



MODEL	A	B	C	D	E	F	G
LT-75	17 $\frac{3}{8}$	9 $\frac{3}{8}$	8 $\frac{3}{4}$	6	6 $\frac{3}{4}$	1 $\frac{1}{2}$	1 $\frac{1}{2}$
LT-100	18	9 $\frac{3}{8}$	8 $\frac{3}{8}$	6	6 $\frac{3}{4}$	1 $\frac{1}{2}$	1 $\frac{1}{2}$
LT-150	21 $\frac{1}{2}$	14 $\frac{1}{4}$	9 $\frac{1}{2}$	6	7 $\frac{1}{8}$	2	2
LT-200	21 $\frac{1}{2}$	14 $\frac{1}{4}$	9 $\frac{1}{2}$	6	7 $\frac{1}{8}$	2	2

BERKELEY PUMP COMPANY

P. O. BOX 7, STATION A



2740 Northwest 22nd Place, Portland, Oregon 97210
556 Tift Street, S. W., Atlanta, Georgia 30310
P. O. Box 1117, Grand Island, Nebraska 68801
P. O. Box 5558, Phoenix, Arizona 85010
P. O. Box 5518, Amarillo, Texas 79107

BERKELEY, CALIF. 94712

6027 Crescent Blvd., Pennsauken, New Jersey 08105
1417 Spring Lawn Avenue, Cincinnati, Ohio 45223
2934 Congressman Lane, Dallas, Texas 75220
115 McMaster St., Ajax, Ontario, Canada
P. O. Box 7211, Denver, Colorado 80207

95-7171

LAWN AND TURF PERFORMANCE CURVES



1214-5b

DATE OF EXAM April 26, 1973

ACREAGE
Found 0.5
Recommended 0.5

Irrigation Requirement _____ Ac Ft/Ac

USE
Irrigation Q= 0.03 c.f.s. V= 1.75 AF/Ann. from March 15 to Nov. 15
Domestic Q= _____ c.f.s. V= _____ AF/Ann. from _____ to _____
Livestock Q= _____ c.f.s. V= _____ AF/Ann. from _____ to _____

Is water co-mingled? yes _____ no ☒

Name source: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Exchange? yes _____ no ☒

Name source exchanged with: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of injection:
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of exchange:
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Total Q measured 18.9 g.p.m. Method of measurement Calulated (pressure)

Total Q recommended 0.03 cfs Meter No. _____ Type Pressure Condition Good

Total V recommended 1.75 AF/A

Recommended Amendments:

P.D. _____
Place of Use _____
Other _____
None ☒

MEASUREMENT CALCULATION:

10 sprinklers, 7/64" nozzles at 30 lbs. per sq. inch lead
pressure. $1.89 \times 10 = 18.9$ gpm

SYSTEM DESCRIPTION:

Pumped from river, foot valve at end of pipe in river. Pump above
high water line, runs 18.9 g.p.m. with maximum 10 sprinklers on line.

REMARKS:

System used for lawn and garden irrigation.

Examiner's Signature Orvin E. Ballan Date April 26, 1973

Checked by Fred E. Smith Jr. Date 4/26/73

Approved by Fred E. Smith Jr. Date 4/26/73

95-7171

February 2, 1973

Re: Permit No. 95-7171

Edwin &/or Mary Margaret Snook
Route 1, Box 87-H
Coeur d'Alene, Idaho 83814

Dear Mr. & Mrs. Snook:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

If you have any questions regarding the field exam, please contact our Northern District Office at 401 Front Avenue, Room 209, Coeur d'Alene, Idaho.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

BDF:DR

95-7171

RECEIVED

JAN 22 1973

Identification No. 95-7171
Permit No. 95-7171

Department of Water Administration

STATE OF IDAHO
DEPARTMENT OF RECLAMATION

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

1. a) Name of Permit Holder Edwin and/or Mary Margaret Snook
b) Post Office Address RT 1 Box 87 H Coeur d'Alene, Ida 83814
2. Permit Number 95-7171
3. Date of Priority that you are prepared to establish 1-17-72
4. a) Source from which water was appropriated Spokane River
b) Location of the point of diversion: SE $\frac{1}{4}$ NE $\frac{1}{4}$, Section 7
Township 50 N, Range 4 W Boise Meridian, Other points of diversion: _____
5. a) The amount of water and use to which the water has been applied:
amount 0.03 for domestic purposes from Jan 1 to Dec 31 incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
b) Total amount appropriated 0.03 cfs and/or acre feet per annum
c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: Edwin Snook, Registered Professional Engineer- State of Washington
6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:
a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: _____
b) Describe the agreement or understanding by which you take water from the works: _____
7. a) Briefly describe the works for diverting and conveying the water to the place of use, (If from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) Pump 1 HP 60 gpm
b) Describe the type and size of measuring device which you have installed at your point of diversion: Berkeley Pump Model 2T100 (See attached rating table)
c) Give well drillers name and address and date the well was completed _____

Exam typed 2-2-73 by HW

95-7171

8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use None

9. Irrigation uses: Describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision:
 Lot 12 Harbor Island 15 Acre Rootenai County

Lot 12 Harbor Island 1st Add Rooster and County

State of Idaho

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
50N	4W	6													X				88' approx

Total number of acres irrigated.

10. Remarks:

The above information is a true statement of the extent to which the above numbered permit has been developed.

(Date)

24-15-73

(Signature)

Mary M. Jones

State of Florida)
County of Volusia) ss.

On this 15 day of Jan, 1973, personally appeared before me the
signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.

Notary Public residing at _____ (1000 m. from _____)

My commission expires _____

£23/- 11/2

SENDER: Be sure to follow instructions on other side

PLEASE FURNISH SERVICE(S) INDICATED BY CHECKED BLOCK(S)

(Additional charges required for these services)

☐

Show to whom, date and address
where delivered

☐

Deliver ONLY
to addressee

RECEIPT

Received the numbered article described below

REGISTERED NO.

SIGNATURE OR NAME OF ADDRESSEE *(Must always be filled in)*

CERTIFIED NO.

29232

1

Mrs E. Anoff

INSURED NO.

2

SIGNATURE OF ADDRESSEE'S AGENT, IF ANY

DATE DELIVERED

SHOW WHERE DELIVERED *(Only if requested, and include ZIP Code)*

3

95-7174

7 1-2-73

U.S. POSTAL SERVICE
OFFICIAL BUSINESS



PENALTY FOR PRIVATE USE TO AVOID
PAYMENT OF POSTAGE, \$300

Postmark of Delivering Office

SENDER INSTRUCTIONS

Print in the space below your name, address, including ZIP Code.



- If special services are desired, check block(s) on other side.
- Moisten gummed ends and attach to back of article.



**RETURN
TO**

DEPARTMENT OF WATER ADMINISTRATION
STATEHOUSE - ANNEX #2
BOISE, IDAHO 83707

December 29, 1972

CERTIFIED MAIL

#24231

Re: Permit No. 95-7171

Edwin &/or Mary Margaret Snook
Route 1, Box 87-H
Coeur d'Alene, Idaho 83814

Dear Mr. & Mrs. Snook:

One of the conditions of approval of your water Permit No. 95-7171 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before March 1, 1973. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.



R. KEITH HIGGINSON
Director

Enc: Proof affidavit

95-7171

STATE OF IDAHO

DEPARTMENT OF WATER ADMINISTRATION

Statehouse - Annex 2

Boise, Idaho 83707

(208) 384-2215



R. Keith Higginson
Director

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Flood Plain Management
Irrigation and
Flood Control Districts

February 22, 1972

Re: Permit No. 95-7171 - Edwin &/or Mary Margaret Snook

Edwin Snook
Route 1, Box 87 H
Coeur d'Alene, Idaho 83814

Dear Mr. Snook:

Enclosed is a copy of your approved Application for Permit No. 95-7171. We direct your attention to the conditions of approval as listed on the fourth page.

Very truly yours,

BOBBY D. FLEENOR
Assistant Director

BDF:cr

Enclosure

95-7171

January 10, 1972

Mr. Edwin Snook
Route #1
Post Office Box # 87 H
Coeur d'Alene, Idaho 83814

Dear Mr. Snook:

We are returning your application for permit and check # 92-323, in the amount of \$10.00, in order that you may make some corrections. We have taken the liberty of re-typing your application for your convenience.

Item #4 must show the location of the point of diversion to the nearest 40 acre subdivision, section, township and range, or government survey lot that it would lie within. We cannot accept the subdividers lot number, as there is no general reference available to us that would indicate this location. Please enter the description of your place of use under item #8a,1, using the 40 acre tract, rather than the subdividers designation.

Item #4 on your application indicates 0.20 cubic feet per second for irrigation and 0.05 cubic feet per second for domestic use. We normally allow 0.03 cubic feet per second for domestic use. This includes irrigation of one half acre and watering of livestock appurtenant to the household. In your case, we feel that 0.03 cubic feet per second should be sufficient. Item #5 should show the total quantity of water that you wish to appropriate - probably 0.03 cubic feet per second.

The map under item #11 should be drawn to a 2" to the mile scale and should show a section corner, the point of diversion and the 40 acre tract where the water will be used.

Please complete these items mentioned above on the re-typed application and sign and return the application to this Department so that we may continue its processing. If we may be of any further assistance in this matter, please do not hesitate to contact this Department.

Very truly yours,

James Booker
Appropriation Examiner

JB:cs

Enc: check #92-323 (\$10.00)
application for permit (original)
re-typed application for permit

95-7171

January 20, 1972

Re: Application No. 95-7171 - Edwin &/or Mary Margaret Snook

Coeur d'Alene Press
Second & Lakeside
Coeur d'Alene, Idaho 83814

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid.

(signature of claimant)

Very truly yours,

Fred Eisenbarth
Appropriation Examiner

FE/BB
Enc: legal notice

Bill submitted 2-8-72. CR

95-7171

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Edwin &/or Mary Margaret Snook, Route No. 1, Box 87 H, Coeur d'Alene, Idaho have on January 17, 1972 submitted Application No. 95-7171 for a permit to appropriate 0.03 cubic feet per second of water from Spokane River by means of pump within the SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 7, T. 50N, R. 4W, B.M., Kootenai County to be used from Jan. 1 to Dec. 31 for domestic purposes within the SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 7, T. 50N, R. 4W, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, Statehouse, Boise, Idaho, ~~83707~~, on or before February 14, 1972.

R. KEITH HIGGINSON
Director

Jan. 27, Feb. 3, 1972

2-1-72
J. J.

95-7171

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Edwin &/or Mary Margaret Snook,

Route #1, Box 87 H, Coeur d'Alene, Idaho

have

~~has~~ on January 17, 1972 submitted Application No. 95-7171

for a permit to appropriate 0.03 cubic feet per second ~~zero feet per annum~~

of water from Spokane River

by means of pump

within the SE 1/4, Sec. 7, T. 50N, R. 4W, B.M., Kootenai County

to be used from Jan. 1 to Dec. 31

for domestic purposes

within the SE 1/4, Sec. 7, T. 50N, R. 4W, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, Statehouse, Boise, Idaho, 83707, on or before February 14, 1972.

R. KEITH HIGGINSON

Director

Published in the Coeur d'Alene Press, Coeur d'Alene, Idaho

on Jan. 27 and XXI Feb. 3, 1972.

95-7171

STATE OF IDAHO

DEPARTMENT OF WATER ADMINISTRATION

Statehouse — Annex 2

Boise, Idaho 83707

(208) 384-2215



R. Keith Higginson
Director

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Flood Plain Management
Irrigation and
Flood Control Districts

January 10, 1972

Mr. Edwin Snook
Route #1
Post Office Box # 87 H
Coeur d'Alene, Idaho 83814

Dear Mr. Snook:

We are returning your application for permit and check # 92-323, in the amount of \$10.00, in order that you may make some corrections. We have taken the liberty of re-typing your application for your convenience.


Item #4 must show the location of the point of diversion to the nearest 40 acre subdivision, section, township and range, or government survey lot that it would lie within. We cannot accept the subdividers lot number, as there is no general reference available to us that would indicate this location. Please enter the description of your place of use under item #8a,1, using the 40 acre tract, rather than the subdividers designation.

Item #4 on your application indicates 0.20 cubic feet per second for irrigation and 0.05 cubic feet per second for domestic use. We normally allow 0.03 cubic feet per second for domestic use. This includes irrigation of one half acre and watering of livestock appurtenant to the household. In your case, we feel that 0.03 cubic feet per second should be sufficient. Item #5 should show the total quantity of water that you wish to appropriate - probably 0.03 cubic feet per second.

The map under item #11 should be drawn to a 2" to the mile scale and should show a section corner, the point of diversion and the 40 acre tract where the water will be used.


Please complete these items mentioned above on the re-typed application and sign and return the application to this Department so that we may continue its processing. If we may be of any further assistance in this matter, please do not hesitate to contact this Department.

Very truly yours,


James Booker
Appropriation Examiner

JB:cs

Enc: check #92-323 (\$10.00)
application for permit (original)
re-typed application for permit

Corrections made as noted


95-7171

January 17, 1972

Edwin Snook
Route #1, Box 87-H
Coeur d'Alene, Idaho 83814

Dear Mr. Snook:

Attached herewith is your receipt No. 8700 in the amount of \$ 10.00
for your application for permit
which was received in this office.

Very truly yours,

M. RUSSELL BOSCH
Administrative Assistant

MRB:ejw

Enclosure: Receipt

95-7171