


SCALE 2 IN. = 1 MILE
 FOR SALE BY
METSKER MAPS
 111 SOUTH 10TH ST., TACOMA, WASHINGTON
 1020 THIRD AVE., SEATTLE, WASHINGTON

TOWNSHIP 51 N., RANGE 3 W. B. M.
 KOOTENAI COUNTY, IDAHO

25



UNRECORDED

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 95-7166 Priority December 23, 1971 Amount 0.08 cfs

THIS IS TO CERTIFY, that Stephen F. &/or Judith C. Meyer
of Coeur d'Alene, Idaho, has complied with the terms and conditions of Permit
No. 95-7166 issued pursuant to Application for Permit dated December 23, 1971,
and has submitted proof to the Department of Water Resources on March 18, 1982,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 0.08 cfs of water from Hayden Lake,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Domestic (2 units)	from <u>January 1</u> to <u>December 31</u> at <u>0.08</u> cfs and <u>2.4</u> acre feet		
	from _____ to _____ at _____ cfs and _____		
	from _____ to _____ at _____ cfs and _____		

(both dates inclusive)

Subject, however, to the condition that no more than 0.08 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
2.4 acre feet per year, said waters to be diverted within the SW $\frac{1}{4}$ NW $\frac{1}{4}$, Section 16, Twp.
51N, Rge. 3W in the County of Kootenai

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
51N	3W	16					X												

Total number of acres irrigated _____

Use of water under this license is subject to control by the watermaster of
State Water District No. 95A, Hayden Lake.

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho
Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use
herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 21 day of
October, 19 82.

Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR EXTENSION OF TIME

Department of Water Resources

State of Idaho)

County of KOOTENAI)

Permit No. 95-7166

JUDITH & DR STEPHEN MEYER of RT 2 Box 162; HAYDEN LAKE, ID 83835
(name) (address)

State of IDAHO, being first duly sworn, upon his oath deposes and says:

That he is the holder, or the duly authorized agent of the holder *, of Permit to
Appropriate the Public Waters of the State of Idaho No. 95-7166.

That under the terms and conditions of said permit, work thereunder was required
to be completed on or before MAY 1, 1977.

That he has heretofore performed the following work described under said permit:

THE LOCATION OF THE WATER LINES AND STORAGE TANKS
HAS BEEN SURVEYED MOST OF THE WATER LINES HAVE
BEEN INSTALLED ALONG WITH STORAGE TANKS.

Costing \$ 3,500

That he is unable to complete the remainder of the work within the required time for
the following reasons, to-wit: HAVE NOT HAD FINANCIAL RESOURCES
TO COMPLETE THE ENTIRE PROJECT. MORE HOUSES HAVE
TO BE HOOKED UP TO THE SYSTEM.

Wherefore, he asks that the Department of Water Resources extend the time for the
completion of obligations under said permit to MAY 1, 1982.

Judith C. Meyer
(signature) *

Subscribed and sworn before me this 19 day of April, 1977.

seal

Robert D. Haynes
Notary Public residing at
Ed A

My commission expires life

ACTION OF THE DIRECTOR OF THE DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above application for extension of time be APPROVED
and the time within which to submit proof of beneficial use of water be extended
to May 1, 1982.

Witness my hand this 26TH day of April, 1977.

Norman C. Young
NORMAN C. YOUNG, Administrator,
Resources Administration Division

* IF OTHER THAN HOLDER, Power of Attorney must be supplied. Forms are available
through the Department of Water Resources, Statehouse, Boise, Idaho 83720.

MICROFILMED

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF REMOVAL OF THE MEASURING DEVICE
REQUIREMENT FOR PERMIT NO'S. 95-7166 and 95-7167
IN THE NAME OF STEPHEN F. &/or JUDITH C. MEYER

ORDER

WHEREAS, on December 23, 1971, Stephen F. &/or Judith C. Meyer filed with the Department of Water Resources (formerly the Department of Water Administration) two applications for permit to appropriate 0.20 cubic feet per second of water from Hayden Lake, to be diverted within the SW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 16, Twp. 51N, Rge. 3W, (Permit No. 95-7166) and to appropriate 0.20 cubic feet per second of water from unnamed springs, to be diverted within the NW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 16, Twp. 51N, Rge. 3W, B.M., (Permit No. 95-7167), both to be used for domestic purposes; and,


WHEREAS, on February 11, 1972, Permit No. 95-7167 was issued with the condition of approval that proof of construction of works and application of water to beneficial use be submitted to the Department on or before February 1, 1977, and on May 17, 1972, Permit No. 95-7166 was approved and issued with the condition that proof of construction of works and application of water to beneficial use be submitted to the Department on or before May 1, 1977. Both permits had the additional condition of approval that a measuring device of a type approved by the Department shall be installed and maintained as part of the diverting works; and,

WHEREAS, on February 3, 1977, the Department received a request that the measuring device requirements be removed from said permits; and,

WHEREAS, it has been determined by the Department that a measuring device is not required at this time for a determination of the quantity of water appropriated under said permit;

IT IS, THEREFORE, HEREBY ORDERED that the conditions of approval that measuring devices of types approved by the Department be permanently installed and maintained as part of the diverting works, be and are, REMOVED from Permit No's. 95-7166 and 95-7167.

Dated this 9 day of February, 1977.


A. KENNETH DUNN
Administrator, Operations Division

Identification No. 95-7166
Application No. _____

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION
APPLICATION FOR PERMIT

APPROVED

To appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant Stephen F. and/or Judith C. Meyer
post office address Route 1, Box 451-C2 Coeur d'Alene, Idaho
2. Source of water supply Hayden Lake which is a tributary of (no outlet)
3. a. Location of point of diversion is SW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 16 Township 51N
Range 3W B.M. Kootenai County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 0.2 for domestic purpose from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 0.2 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Pipeline with electric pump from lake
to place of use.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$ 4,000.00.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: NW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 16 Township 51N
Range 3W B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water 10.
(5) If water is to be used for other purposes describe: 10 Homesteads are subdivided
Acres. JFB

95-7166

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

Total number of acres to be irrigated _____

C. R. Denniston
C. R. Denniston

b. Who owns the land to be irrigated or place of use-

9. a. Who owns the property at the point of diversion—

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the


~~Applicant will buy the land with an easement across present~~

owners land from the lake to the place of use.

10. Remarks -

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

R 3 W



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Stephen F. Meyer
(Applicant)

Frederick C. Meyer

95-7166

95-7166

Received by TER Date 23 Dec 71 Time 3:30 pm
Preliminary check by TER Fee \$ 10.00 # 8228
Received by TER Date 12-23-71
Publication prepared by CR Date 1-7-72
Published in Coeur d'Alene Press
Publication dates 1-13 & 1-20-72
Publication approved CR Date 2-8-72
Priority reduced to _____ Reason _____
Protests filed by: _____
Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by TER 28

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-7166, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before May 1, 19 77.

c. Other: A measuring device of a type approved by this Department shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 17 day of May, 19 72.

Director

AFFIDAVIT OF PUBLICATION—COEUR D'ALENE PRESS

(WEEKLY)

STATE OF IDAHO,

County of Kootenai, } ss.

Callie Pontner, being first duly sworn,
deposes and says:

That affiant is now, and at all times herein mentioned has been, a citizen of the United States and a resident of Kootenai County, State of Idaho, over the age of 21 years and not a party to, nor interested in the event of, the above entitled matter, and the printer (principal clerk) of the "Coeur d'Alene Press", during all of the times herein mentioned being a legal daily newspaper, of Coeur d'Alene, Kootenai County, Idaho, as defined by Idaho Code Sec. 60-106 to Sec. 60-108 both inclusive, and Chapter 121 Idaho Session Laws of 1949, and acts amendatory thereof and correlated thereto, and qualified thereunder to publish to the same effect as a weekly

newspaper on Wednesdays; and that the

Notice of Application
Stephen & Judith Meyer

of which a printed copy is annexed hereto, was published in all the regular Wednesday

weekly issues of said newspaper for *two* consecutive weeks, commencing

on the *13* day of *January*, 19*72*, and ending on the

20 day of *January*, 19*72*

Subscribed and sworn to, before me, this *20* day of *January*

19 *72*

Callie Pontner
E. Patrick King
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Stephen F. and/or Judith C. Meyer, Route 1, Box 451-C2, Coeur d'Alene, Idaho have on December 23, 1971 submitted Application No. 95-7166 for a permit to appropriate 0.2 cubic feet per second of water from Hayden Lake by means of Pipe and pump within the SW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 16, T. 51N, R. 3W, B.M., Kootenai County to be used from Jan. 1 to Dec. 31 for domestic purposes for 10 families within the NW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 16, T. 51N, R. 3W, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, Statehouse, Boise, Idaho, 83707, on or before January 31, 1972.

R. KEITH HIGGINSON
Director

Jan. 13, 20, 1972

95-7166

October 25, 1982

RE: Permit No. 95-7166

Stephan F. &/or Judith C. Meyer
Route #2, Box 162
Hayden Lake, ID 83835

Dear Mr. and Mrs. Meyer:

Enclosed herewith is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,



JIM JOHNSON
Water Distribution Supervisor

JJ:kw
Enclosure

10/25/82



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

September 14, 1982

RE: Permit No. 95-7166

Stephen F. &/or Judith C. Meyer
Route #2, Box 162
Hayden Lake, ID 83835

Dear Mr. and Mrs. Meyer:

A representative of this Department has made an examination of the works covered by your Permit No. 95-7166, and has found the following:

Amount of water that can be recognized as beneficially used under Idaho law: 0.08 cfs Source: Hayden Lake

The maximum quantity diverted shall not exceed 2.4 acre feet per year.

Point(s) of diversion: SW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 16, Twp. 51N, Rge. 3W, Kootenai County

Beneficial use: Domestic use for two units within the NW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 16, Twp. 51N, Rge. 3W

Priority date established: December 23, 1971

Conditions (if any): Use of water under this license is subject to control by the watermaster of State Water District No. 95A, Hayden Lake.

If you do not concur with these findings please contact us within 10 days, otherwise a water license will be issued as set forth above.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:kw

State of Idaho
DEPARTMENT OF WATER RESOURCES
FIELD REPORT

RECEIVED

JUL 29 1982
Department of Water Resources

95-7166
Permit No.

CONTACT WITH PERMIT HOLDER

	DATE	INITIALS	REMARKS
☐ Appointment letter mailed:			
☐ Telephone call made: (List Telephone No. used)			
☐ Appointment scheduled for: (Date, time, location)			

EXAMINATION

Date 6-23-82 Accompanied by App Total Q measured -
If source is surface water, estimate total flow of source -
Methods of measurement Est. Meets Permit requirements? -

Measurement calculations:

2 homes - 0.08 cfs 2.4 AF
Irrigation of lawns & gardens only

WELL/DIVERSION* NO.	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEV.	REMARKS
	1	Redjacket	158C					546
Booster	3/4	Jacuzzi	RM2					

System Description 1Hp pump & motor to with 1 1/2" line to 3000 gal storage & 3/4" booster pump to place of use

*Code with map on reverse side. Disregard code if only one.

RECOMMENDED AMOUNTS

USE	Irrigation requirement =		AFA/Acre	
	Q (cfs)	V (afa)	FROM	TO
<u>Domestic</u>	<u>0.08</u> ✓	<u>2.4</u> ✓	<u>1-1</u>	<u>12.31</u>
Total	<u>0.08</u>	<u>2.4</u>		

Remarks _____

[Signature]

Checked by

Examiner's Signature

7 km

Date

Date _____

Date _____

28/2/16
7/5/12
28-2-16

7/5/82

28/2/16

Recommended Amendments:

- ☐ Change P.D. as reflected above
- ☐ Change P.D. as reflected above

[illegible]

Place(s) of Use

Point(s) of diversion: ~~SWNN-16-SIN-30~~

SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)


[illegible]

MAP (Attach Aerial Photo)

SCALE 2 IN. = 1 MILE
FOR SALE BY
METSKE MAPS
111 SOUTH 10TH ST., TACOMA, WASHINGTON
1030 THIRD AVE., SEATTLE, WASHINGTON

TOWNSHIP 51 N., RANGE 3 W. B. M.
KOOTENAI COUNTY, IDAHO

25



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
A. KENNETH DUNN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

May 27, 1982

Mr. Stephen F. Meyer
Rt. 2 Box 162
Hayden Lake, Id. 83835

RE: 95-7166

Dear Mr. Meyer:

We acknowledge receipt of your statement of completion of water development and use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We do not know at this time when he will be able to conduct the examination, however, the examiner will try to contact you at the time he makes the examination so that you may show him the system. If you will not be available to show the system, please provide this office with the name and address of someone who will be able to do so. Your permit will remain valid until the examination is made.

If you have any questions concerning the field examination, please contact this office. Please be sure to use the above-referenced permit number in all future correspondence concerning this examination.

Very truly yours,

TOM D. KING
Senior Water Resource Agent

TDK/pms

cc: IDWR - State Office

MICROFILMED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. ~~95-7823~~

Name(s) of Permit Holder: Stephen F. or Judith C. Meyer ~~95-7166~~
~~95-7167~~

Post Office Address: Rt. 2, Box 162
Hayden Lake, Id. Tel. No. 772-2797

Source Water: Hayden Lake

Extent of Use:


☒ Domestic	<u>2</u>	(number of households)
☐ Stockwater		(number and type of stock)
☒ Irrigation	<u>4</u>	(acres)
☐ Other		

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No


Access Point: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

3/15/82
Date


Signature of Permit Holder

Meyer
Rt 2 Box 162
Hayden Lake, ID 83426



RECEIVED

MICROFILMED



MAR 18 1982

Department of Water Resources

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

DEPARTMENT OF WATER RESOURCES

STATEHOUSE

BOISE, IDAHO 83720

POSTAGE CHECK

459275

PAID

DATE

3-3

POSTAGE

POSTAGE

POSTAGE

MICROFILMED

NO SUCH STREET NUMBER
RETURN TO SENDER
DATE 3-3-82 CARRIER

NO SUCH STREET NUMBER
RETURN TO SENDER
DATE 3-3-82 CARRIER



3-11-82 aep
per nos gc.
B-2 Bx 162
Haydon dk
8 3835

138415

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

#138415

MEYER, STEPHEN F. & JUDITH C.
RT. 1 BOX 451-C2
COEUR D'ALENE, ID 83814

FEBRUARY 28, 1982

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 95-7166 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE MAY 01, 1982. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENC: 1

MICROFILMED

May 2, 1977

Re: Permit No. 95-7166

Judith &/or Stephen Meyer
Route 2, Box 162
Hayden Lake, ID 83835

Dear Mr. & Mrs. Meyer:

Enclosed is a copy of the approved application for extension of time in connection with the above referenced permit.

The time within which to submit proof of beneficial use of water has been extended to May 1, 1982.

Sincerely,

Jan Grover
Water Rights Supervisor

RECEIVED

February 28, 1977

CERTIFIED MAIL

1388359

Re: Permit No. 95-7166

Judith &/or Stephen F. Meyer
Route 2, box 162
Hayden Lake, Idaho 83835

Dear Mr. & Mrs. Meyer:

One of the conditions of approval of your water Permit No. 95-7166 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before May 1, 1977. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.



R. KEITH HIGGINSON
Director

RKH:jg
Enc: Proof affidavit

MICROFILMED

February 10, 1977

Re: Permit No's. 95-7166 & 95-7167

Stephen F. &/or Judith Meyer
Route 2, Box 162
Hayden Lake, Idaho 83835

Dear Mr. & Mrs. Meyer:

Enclosed is an Order which removes the measuring device requirements from Permit No's. 95-7166 and 95-7167.

Also enclosed is a copy of the approved application for extension of time which extends the time within which to submit proof of beneficial use to February 1, 1982. Please note that the priority has been advanced to December 25, 1971, and Permit No. 95-7167 has been reinstated.

Permit # 95-7167
Sincerely,

JANICE RENK
Water Rights

Encls.

February 3, 1977

Re: Permit No. 95-7166 and 95-7167

Idaho Department of Water Resources
Northern Region
4055 Government Way - Suite #1
Coeur d'Alene, ID 83814

Gentlemen:

Regarding the condition of approval of the above referenced permit for a measuring device, we understand that in cases similar to ours, the requirement for a measuring device is no longer made because circumstances have changed. If circumstances have changed so that a measuring device on our system is no longer needed, we would request that the requirement be waived.

Your assistance in this matter is appreciated.

Very truly yours,


JUDITH C. MEYER

Route 2, Box 162
Hayden Lake, ID 83835

RECEIVED

FEB 3 1977

Department of Water Resources
Northern District Office

OK
BDF

MAILED
FEB 10 1977

May 30, 1972

Re: Permit No. 95-7166 - Stephen F. &/or Judith C. Meyer

Stephen F. Meyer
Route #1, Box 451-C2
Coeur d'Alene, Idaho 83814

Dear Mr. Meyer:

Enclosed is a copy of your approved application for permit to beneficially use the water from Hayden Lake. Please be sure to note the conditions of approval listed on Page 4, especially the condition that requires the installation of a measuring device.

The water rights on Hayden Lake are in the final stage of being adjudicated and when the final decree is issued, the priority of each water right will be determined. The availability of water to fill your right is subject to all prior water rights being filled as determined according to their priority. We expect the diversion of water to be controlled by a watermaster; therefore, you should be aware of the possibility of water not being available for your use during periods of short water supply.

If you have any questions, please let us know.

Very truly yours,

BOBBY D. FLEENOR
Assistant Director
State Office.

BDF:cr

Enclosure

bcc: Northern District Office
Coeur d'Alene, Idaho

95-7166


Put in staff Review

14 April 72

95-7166 - This filing was filed as a back up for the system described in App 95-7169 from a spring.

Applicant states that water will be available year round from the other source but this application was filed as a security measure. All 10 lots may not be developed. That would be the maximum.

1873



February 3, 1972

Re: Application No. 95-7166 - Stephen F. &/or Judith C. Meyer

Coeur d'Alene Press
Second & Lakeside
Coeur d'Alene, Idaho

Gentlemen:

Would you please submit an affidavit of publication and certified bill in connection with the above referenced item. The legal notice was to have been published in your paper on January 13th and January 20th, 1972.

Your cooperation in this matter is greatly appreciated.

Very truly yours,

Y
Donald W. McEldowney
Appropriation Supervisor

DWM/BB

95-7166

STATE OF IDAHO

DEPARTMENT OF WATER ADMINISTRATION

Statehouse -- Annex 2

Boise, Idaho 83707

(208) 384-2215



R. Keith Higginson
Director

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Flood Plain Management
Irrigation and
Flood Control Districts

January 10, 1972

Re: Application No. 95-7166 & 95-7167 - Stephen F. &/or Judith C. Meyer

Department of Health
412 Lakeside, P.O. Box 608
Coeur d'Alene, Idaho

ATTENTION: Robert M. Ehrlich

Dear Mr. Ehrlich:

We are enclosing a copy of an application that may be of interest to your agency. Please review the application and if you have any comments, please submit them to our Department as soon as possible. We normally complete the processing of an application within a 6-week period and we are required to take final action shortly thereafter.

If we may be of further assistance, please contact us.

Very truly yours,

Donald W. McEldowney
Appropriation Supervisor

DWM/BB

Enclosure

95-7166

January 7, 1972

Re: Application No. 95-7166 - Stephen F. &/or Judith C. Meyer
" " 95-7167 - " " " " " "
Claim No. 95-4036 - Edward Hayn

Coeur d'Alene Press
Second & Lakeside
Coeur d'Alene, Idaho 83814

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid.

(signature of claimant)

Very truly yours,

Fred Eisenbarth
Appropriation Examiner

FE:cr

Enc: Legal Notices

95-7166

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Stephen F. and/or Judith C. Meyer,
Route 1, Box 451-C2, Coeur d'Alene, Idaho
have ~~xxx~~ on December 23, 1971 submitted Application No. 95-7166
for a permit to appropriate 0.2 cubic feet per second ~~xxxxxx feet per second~~
of water from Hayden Lake
by means of Pipe and pump
within the SW 1/4, Sec. 16, T. 51N, R. 3W, B.M., Kootenai County

to be used from Jan. 1 to Dec. 31
for domestic purposes for 10 families

within the NW 1/4, Sec. 16, T. 51N, R. 3W, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, Statehouse, Boise, Idaho, 83707, on or before January 31, 1972.

R. KEITH HIGGINSON

Director

Published in the Coeur d'Alene Press, Coeur d'Alene, Idaho
on Jan. 13 and Jan. 20, 1972.

95-7166