


Sec 3

Sec 2

R5W



Irrigation area

Commercial area

Point of diversion

Identification No. 95-7141
Application No. _____

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION
APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant IDAHO VENEER COMPANY
post office address Post Falls, Kootenai County, Idaho 83854
2. Source of water supply Subterranean which is a tributary of Rathdrum Prairie
3. a. Location of point of diversion is SW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 2 Township 50 North
Range 5 W. B.M. Kootenai County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into S 1/2 at a point in NW $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section 2 Township 50 N. Range 5 W. B.M. _____
4. Water will be used for the following purposes:
Amount 673 for irrigation purpose from 4/1 to 9/30 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 6.7 for commercial purpose from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 7.37 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Drilled 12" Well - 6" column pump and motor

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
c. Proposed well diameter is 12" inches; proposed depth of well is 250' feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use is 2 years.
b. Estimated construction cost is \$ 25,000.00.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 3 Township 50 North
(Commercial) Range 5 W. B.M. Not for Power Generation 2nd phone with Alton Miller
(2) Amount of power to be generated: 100 hp under 400 feet of head.
(3) List number of each kind of livestock to be watered N/A

(4) Name of municipality to be served N/A, or number of families to be supplied with domestic water _____
(5) If water is to be used for other purposes describe: Commercial use in Idaho Veneer Plant for plywood manufacture

95 7141

AFFIDAVIT OF PUBLICATION

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Idaho Veneer Company, Post Falls, Idaho, has on April 29, 1971, submitted Application No 95-7141 for a permit to appropriate 7.37 cubic feet per second of water from a ground water source by means of well, pump, and motor within the SW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 2, T. 50N, R. 5W, B. M., Kootenai County to be used from Jan. 1 to Dec. 31 for Commercial purposes within the SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 3, T. 50N, R. 5W, B. M.; and from April 1 to Sept. 30 for the irrigation of 43 acres within the S $\frac{1}{2}$ NW $\frac{1}{4}$, Sec. 2, T. 50N, R. 5W, B. M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, Statehouse, Boise, Idaho, 83707, on or before July 5, 1971.

R. KEITH HIGGINSON
Director

Published in the Post Falls Tribune, Post Falls, Idaho, on June 17 and June 24, 1971.

6-17 2tc

County of Kootenai }
STATE OF IDAHO } ss.

JEANNETTE S. ROSIN, being first duly sworn, deposes and says that she is the publisher of THE POST FALLS TRIBUNE, a newspaper published weekly at Post Falls, Kootenai County, Idaho, and of general circulation therein.

That the Notice of Application For Water Permit
No. 95-7141 Idaho Veneer Company a true printed copy of which is attached to the margin hereof, has been and was correctly printed and published in the regular and entire issue of every number of said newspaper and not in any supplement thereof or thereto for two consecutive issues, commencing with the issue dated June 17, 1971 and ending with the issue dated June 24, 1971

Subscribed and sworn to before me, this 25th
day of June, 1971

C. Agnes Luchini
Notary Public for the State of Idaho
Residing at Post Falls, Idaho

Publication Fee \$ 13.32

95 7141

WELL DRILLER'S REPORT

State law requires that this report be filed with the State Reclamation Engineer within 30 days after completion or abandonment of the well.

1. WELL OWNER

Name Idaho Veneer
Address Post Falls, Idaho 83854
Owner's Permit No. 95-7141

2. NATURE OF WORK

- ☐ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe method of abandoning)

3. PROPOSED USE

- ☐ Domestic ☒ Irrigation ☐ Test
☐ Municipal ☒ Industrial ☐ Stock

4. METHOD DRILLED

- ☐ Cable ☐ Rotary ☐ Dug ☐ Other

5. WELL CONSTRUCTION

Diameter of hole 12 inches Total depth 210 feet
Casing schedule: ☒ Steel ☐ Concrete

Thickness	Diameter	From	To
<u>.375</u> inches	<u>12</u> inches	<u>171</u> feet	<u>191</u> feet
<u>.330</u> inches	<u>12</u> inches	<u>0</u> feet	<u>171</u> feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was a packer or seal used? ☒ Yes ☐ No
Perforated? ☐ Yes ☒ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☒ Yes ☐ No


Manufacturer's name Johnson
Type SS Model No. _____
Diameter 10 Slot size 30 Set from 186 feet to 91 feet
Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☒ No Size of gravel _____
Placed from _____ feet to _____ feet

Surface seal? ☒ Yes ☐ No To what depth 19 feet
Material used in seal ☐ Cement grout ☒ Puddling clay

6. LOCATION OF WELL

Sketch map location must agree with written location.



County Kootenai
SW $\frac{1}{4}$ N $\frac{1}{4}$ Sec. 2, T. 50 N/S, R. 5 E/W

7. WATER LEVEL

Static water level 175 feet below land surface
Flowing? ☐ Yes ☐ No G.P.M. flow _____
Temperature _____ ° F. Quality _____
Artesian closed-in pressure _____ p.s.i.
Controlled by ☐ Valve ☐ Cap ☐ Plug

8. WELL TEST DATA

☐ Pump ☐ Bailer ☐ Other
Discharge G.P.M. Draw Down Hours Pumped

9. LITHOLOGIC LOG

Hole Diam.	Depth		Material	Water	
	From	To		Yes	No
<u>16</u>	<u>0</u>	<u>3</u>	<u>Fill dirt</u>		
	<u>3</u>	<u>8</u>	<u>Clean pee gravel</u>		
	<u>8</u>	<u>34</u>	<u>Clean gravel</u>		
<u>12</u>	<u>34</u>	<u>170</u>	<u>Dirty gravel, sand & cobbles</u>		
	<u>170</u>	<u>191</u>	<u>Clean, coarse sand & gravel</u>		
	<u>191</u>	<u>210</u>	<u>Granite</u>		
			<u>10" pipe size stainless steel screen</u>		
			<u>with 10' of 10" pipe for tail pipe plugged</u>		
			<u>on bottom, 30 inches of 10" pipe for</u>		
			<u>ripple above screen and figure K packer</u>		
			<u>was installed. Total length 17' 10"</u>		
			<u>Pull back & develop = 12 hrs.</u>		

10. Work started Aug. 3, 1971 finished Sept. 1, 1971

11. DRILLER'S CERTIFICATION

This well was drilled under my supervision and this report is true to the best of my knowledge.

D. E. BARTHOLOMEW WELL DRILLING 52
Driller's or Firm's Name Number
Nine Mile Falls, Wash. 99026
Address
D. E. Bartholomew 9/21/71
Signed By Date

State of Idaho

Department of Water Administration

WATER RIGHT LICENSE

License of Water Right No. 95-7141 Priority April 29, 1971 Amount 0.69 cfs

THIS IS TO CERTIFY, that IDAHO VENEER COMPANY

of Post Falls, Idaho, has complied with the terms and conditions of Permit No. 95-7141 issued pursuant to Application for Permit dated April 29, 1971, and has submitted proof to the Department of Water Administration on July 23, 1973, that he has applied water to a beneficial use; an examination by the Department indicates that the works have a capacity for the diversion of 0.69 cfs of water from a ground water source, tributary to _____, and that the permit holder has applied to a beneficial use & established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Commercial</u> from	<u>Jan. 1</u> to <u>Dec. 31</u>	at <u>0.69</u> cfs and	<u>294 acre feet</u>
_____ from	_____ to _____	at _____ cfs and	_____
_____ from	_____ to _____	at _____ cfs and	_____

(both dates inclusive)

Subject, however, to the condition that no more than 0.69 cfs of water be diverted at any one time, and that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed 294 acre feet per year, said waters to be diverted within the SW¹/₄NW¹/₄ of Sec. 2, Twp. 50 N, Rge. 5 W, B. M. in the County of Kootenai

Description and location of place of use:

Twp.	Range	Sec.	NE ¹ / ₄				NW ¹ / ₄				SW ¹ / ₄				SE ¹ / ₄				Totals
			NE ¹ / ₄	NW ¹ / ₄	SW ¹ / ₄	SE ¹ / ₄	NE ¹ / ₄	NW ¹ / ₄	SW ¹ / ₄	SE ¹ / ₄	NE ¹ / ₄	NW ¹ / ₄	SW ¹ / ₄	SE ¹ / ₄	NE ¹ / ₄	NW ¹ / ₄	SW ¹ / ₄	SE ¹ / ₄	
50 N	5 W	3				X													

Total number of acres irrigated _____

A measuring device of a type approved by this Department shall be permanently maintained as part of the diverting works.

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 2 day of April, 19 74.

Director

95-7141

Identification No. 95-7141
Application No. _____

LICENSE ISSUED FOR 0.69 SEC. 11,
LICENSE PAGE NO. _____

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION
APPLICATION FOR PERMIT

APPROVED

To appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant IDAHO VENEER COMPANY
post office address Post Falls, Kootenai County, Idaho 83854
2. Source of water supply Subterranean which is a tributary of Rathdrum Prairie
3. a. Location of point of diversion is SW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 2 Township 50 North
Range 5 W. B.M. Kootenai County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into S 1/2 at a point in NW $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section 2 Township 50 N. Range 5 W. B.M. _____
4. Water will be used for the following purposes:
Amount 673 for irrigation purpose from 4/1 to 9/30 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 6.7 for commercial purpose from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 7.37 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Drilled 12" Well - 6" column pump and motor

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
c. Proposed well diameter is 12" inches; proposed depth of well is 250' feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use is 2 years.
b. Estimated construction cost is \$ 25,000.00.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 3 Township 50 North
(Commercial) Range 5 W. B.M. Not for Power Generation Do phone with Attorney Miller.
(2) Amount of power to be generated: 100 hp under 400 feet of head.
(3) List number of each kind of livestock to be watered N/A

(4) Name of municipality to be served N/A, or number of families to be supplied with domestic water _____
(5) If water is to be used for other purposes describe: Commercial use in Idaho Veneer Plant for plywood manufacture

95 7141

95 7141

43 AC.

c. Describe any other water rights used for the same purposes as described above. None


- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the

10. Remarks.

Sec 3

Sec 2

R5W



Irrigation area

Commercial area

Point of diversion

T 50 N

[illegible]

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Idaho Veneer Co.
by Hugh M Kinneller
(Applicant)
Ronald A Malloy
President

95 7144

11:30 A
11:30

Received by 4 Date 4-29-71 Time 11:30

Preliminary check by 24 Fee \$ 55.00

Received by 44 Date 5-3-71

Publication prepared by cr Date 6-8-71

Published in Post Falls Tribune

Publication dates 6-17- & 6-24-71

Publication approved 44 Date 7-8-71

Priority reduced to Reason

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by 24

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-7141, and said application is hereby APPROVED

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 19 73.

c. Other: The permit holder shall permanently install and maintain as part of the diverting works a measuring device at the point of diversion of a type approved by this Department.

2. Denial of said application is for the following reasons: _____

Witness my hand this 13TH day of July, 19 71.

Director

Identification No. 95-7141
Application No. _____

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION
APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant IDAHO VENEER COMPANY
post office address Post Falls, Kootenai County, Idaho 83854
2. Source of water supply Subterranean which is a tributary of Rathdrum Prairie
3. a. Location of point of diversion is SW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 2 Township 50 North
Range 5 W. B.M. Kootenai County; additional points of diversion if any: _____
- b. If water is not consumed, it will be discharged into S $\frac{1}{2}$ at a point in NW $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section 2 Township 50 N. Range 5 W. B.M. _____
4. Water will be used for the following purposes:
Amount .673 for irrigation purpose from 4/1 to 9/30 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 6.7 for commercial purpose from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 7.37 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Drilled 12" Well - 6" column pump and motor

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
c. Proposed well diameter is 12" inches; proposed depth of well is 250' feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use is 2 years.
b. Estimated construction cost is \$25,000.00
8. Description of proposed uses:
a. If water is not for irrigation:
(1) Give the place of use of water: SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 3 Township 50 North
(Commercial) Range 5 W. B.M. Not for Power Generation Ref/Phone with them
(2) Amount of power to be generated: 100 hp under 400 feet of head.
(3) List number of each kind of livestock to be watered N/A

(4) Name of municipality to be served N/A, or number of families to be supplied with domestic water _____
(5) If water is to be used for other purposes describe: Commercial use in Idaho Veneer Plant for plywood manufacture

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated.


c. Describe any other water rights used for the same purposes as described above. None

9. a. Who owns the property at the point of diversion Idaho Veneer Company
b. Who owns the land to be irrigated or place of use Idaho Veneer Company
c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

T 50 N



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Idaho Veneer Co.
by Hugh M. Kiffin
(Applicant)
Harold A. Malloy
President

05 44 4

Received by 4 Date 4-29-71 Time 11:30 A
Preliminary check by 2 Fee \$ 55.00
Receipted by 4 Date 5-3-71
Publication prepared by _____ Date _____
Published in _____
Publication dates _____
Publication approved _____ Date _____
Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by _____

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19____.
- c. Other: _____

2. Denial of said application is for the following reasons: _____

Witness my hand this _____ day of _____, 19____.

Director

AFFIDAVIT OF PUBLICATION

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Idaho Veneer Company, Post Falls, Idaho, has on April 29, 1971, submitted Application No 95-7141 for a permit to appropriate 7.37 cubic feet per second of water from a ground water source by means of well, pump, and motor within the SW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 2, T. 50N, R. 5W, B. M., Kootenai County to be used from Jan. 1 to Dec. 31 for Commercial purposes within the SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 3, T. 50N, R. 5W, B. M.; and from April 1 to Sept. 30 for the irrigation of 43 acres within the SW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 2, T. 50N, R. 5W, B. M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, Statehouse, Boise, Idaho, 83707, on or before July 5, 1971.

R. KEITH HIGGINSON
Director

Published in the Post Falls Tribune, Post Falls, Idaho, on June 23 and June 24, 1971.

6-17 2tc

County of Kootenai }
STATE OF IDAHO } ss.

JEANNETTE S. ROSIN, being first duly sworn, deposes and says that she is the publisher of THE POST FALLS TRIBUNE, a newspaper published weekly at Post Falls, Kootenai County, Idaho, and of general circulation therein.

That the Notice of Application For Water Permit

No. 95-7141 Idaho Veneer Company a true printed copy of which is attached to the margin hereof, has been and was correctly printed and published in the regular and entire issue of every number of said newspaper and not in any supplement thereof or thereto for two consecutive issues, commencing

with the issue dated June 17, 1971

and ending with the issue dated June 24, 1971

Jeannette S. Rosin

Subscribed and sworn to before me, this 25th

day of June, 1971

C. Eugene Luchini

Notary Public for the State of Idaho
Residing at Post Falls, Idaho

Publication Fee \$ 13.32

April 5, 1974

Re: Permit No. 95-7141

**Kaho Veneer Company
Post Falls,
Idaho 83854**

Gentlemen:

Enclosed is a copy of the Water License issued on the above referenced permit.

Sincerely,

**BOBBY D. FLEENOR
Assistant Director**

**BDF:DR
Enclosure**

95-7141

March 15, 1974

Idaho Veneer Company
Post Falls,
Idaho 83854

Gentlemen:

A representative of this Department has made an examination of the works covered by your Permit No. 95-7141 and has found the following:

Quantity of water diverted: 0.69 cfs

Amount of water that can be recognized as beneficially used under Idaho law: 0.69 cfs

The maximum quantity diverted shall not exceed 294 acre feet per year.

Beneficial use: For commercial purposes within the SE 1/4 NE 1/4, Sec. 3, Twp. 50 N, Rge. 5 W

Point of diversion: SW 1/4 NW 1/4, Sec. 2, Twp. 50 N, Rge. 5 W, B.M.

Priority date established: April 29, 1971

If you do not concur with these findings, please advise us within 10 days; otherwise, a license will be issued as set forth in this letter.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

jfr

95-7141

DATE OF EXAM 9/27/73

ACREAGE

Found 0
Recommended 0

Irrigation Requirement 0 Ac Ft/Ac

USE

Irrigation Q = c.f.s. V = AF/Ann. from to
Domestic Q = c.f.s. V = AF/Ann. from to
Livestock Q = c.f.s. V = AF/Ann. from to
(Commercial?) Industrial Q = .69 cfs V = 498.7 AF/year 1/1 12/31

Is water co-mingled? yes no ✓

Name source:
twp. N/S, Rge E/W, B.M., Sec. , Sub. 1/4 1/4 County

Exchange? yes no ✓

Name source exchanged with:
twp. N/S, Rge E/W, B.M., Sec. , Sub. 1/4 1/4 County

Point of injection:
twp. N/S, Rge E/W, B.M., Sec. , Sub. 1/4 1/4 County

Point of exchange:
twp. N/S, Rge E/W, B.M., Sec. , Sub. 1/4 1/4 County

Total Q measured .69 cfs Method of measurement Mcrometer

Total Q recommended .69 cfs Meter No. 734233 Type Mcrometer Condition Good

Total V recommended 498.7 a.f./year

Recommended Amendments:

P.D.
Place of Use
Other
None ✓

MEASUREMENT CALCULATION:

(310 gpm)
 $\frac{310}{498.8} = .69 \text{ cfs}$ $.69 \times 1.98 \times 365 = 498.7 \text{ a.f./year}$

SYSTEM DESCRIPTION:

Submersible Pump Franklin Motor
Ser: 7100204 H.P. 30
Ser: BL546

REMARKS:

water is used for sprinkling of the log deck.
water is also used for standby of plant use.
(boilers)
No irrigation completed at time of exam.

Examiner's Signature Fred E. Smith Date 9/27/73

Checked by R. H. H. H. H. Date 11/2/73

Approved by Date

95-7141

Rge - 5W

T
50
N




Diagram of System

FIELD REPORT

4161 00 700

Idaho Veneer Company

1. Name of permit holder

Post office address Post Falls, Idaho 83854
Department of Water Administration
Phone Northern District Office

Post Falls, Idaho 83854

Post office address

Phone

Northern District Office

Person to contact _____
Phone _____

2. Source of water supply: Groundwater ☒ Surface water ☐

☐ Surface water ☒

(name spring, stream, etc.)

Tributary to

3. Water will be used for the following purposes:

Amount 673.

AF/Annunum

Information

(nature of use)

Sept. 30

April 1

(mo-day) inclusive (mo-day)

AF/Annunum

Commercial

(nature of use)

Dec. 31

Jan. 1

(mo-day) inclusive (mo-day)

c.f.s. for —

(nature of use)

04

(mo-day) inclusive (mo-day)

Other uses:

4. Total amount to be appropriated:

Max Rate of Diversion 7.37 cubic feet per second and annual volume _____ Af/Annum.

5. Location of Point(s) of Diversion:

Township 50N N/S, Range 5W E/W, B.M., Section 2, Subdivision SW NW 1/4 1/4 Kootenai County

Township N/S, Range E/W, B.M., Section Subdivision 1/4 1/4 County

Township N/S, Range E/W, B.M., Section Subdivision 1/4 1/4 County

Other Points of Diversions:

30 hp submersible pump, 12" cased well, 210' deep.

Measuring device required: ☒ yes ☐ no

6. Lands to be irrigated or place of use.

[illegible]**TOTAL ACREAGE**

43

July 24, 1973

Re: Permit No. 95-7141

**Idaho Veneer Company
Post Falls,
Idaho 83854**

Gentlemen:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

If you have any questions regarding the field exam, please contact our Northern District Office at 401 Front Ave., Room 209, Coeur d'Alene, Idaho.

Sincerely,

**D. Darlene Reich
Water Rights Supervisor**

**DDR:jc
cc: Miller & Knudson**

95 7141

Identification No. _____

Permit No. _____

RECEIVED

JUL 23 1973

Department of Water Administration

**STATE OF IDAHO
DEPARTMENT OF RECLAMATION**

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

1. a) Name of Permit Holder Idaho Veneer Company
b) Post Office Address Post Falls, Idaho 83854
2. Permit Number 95-7141
3. Date of Priority that you are prepared to establish 4-29-71
4. a) Source from which water was appropriated subterranean
b) Location of the point of diversion: SW $\frac{1}{4}$ NW $\frac{1}{4}$, Section 2
Township 50 N, Range 5 W Boise Meridian, Other points of diversion: _____
5. a) The amount of water and use to which the water has been applied:
amount .8 CFS for Comm purposes from 1/1 to 12/31 incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
b) Total amount appropriated _____ cfs and/or acre feet per annum
c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: by R.C. Worst & Co.
propeller type meter
6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:
a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: _____
b) Describe the agreement or understanding by which you take water from the works: _____
7. a) Briefly describe the works for diverting and conveying the water to the place of use, (If from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) _____
30 HP submersible pump 12" cased well, 210' deep
b) Describe the type and size of measuring device which you have installed at your point of diversion: _____
4" propeller type meter dial reading in Gal. per Min.
c) Give well drillers name and address and date the well was completed Completed 9-1-71
D.E. Bartholomew Well Drilling
Nine Mile Falls, Washington 99026

95 7141

Exam typed 7/24/73 by jc2

8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use Commercial use in log preservation and plywood manufacture

9. Irrigation uses: Describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivi-

tion:

TWP.	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼			
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼
			NE¼				NW¼				SW¼				SE¼			
TOTALS			SE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼

Total number of acres irrigated.

10. Remarks:

The above information is a true statement of the extent to which the above numbered permit has been developed.

July 18 1973 (Date)

(Signature)

State of Idaho)
County of Boone) ss.

On this 18th day of July, 1993, personally appeared before me the
signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.

My commission expires 7-10-76

Notary Public Residing at:

IDAHO



veneer COMPANY

POST FALLS, IDAHO 83854

Manufacturers of FINE VENEERS, specializing in KNOTTY PINE

July 19, 1973

Mr. R. Keith Higginson, Director
State of Idaho
Dept. of Water Administration
Statehouse - Annex 2
Boise, Idaho 83707

Dear Mr. Higginson:

Attached is our completed application for license of
water rights as per your letter of notification June 1,
1973.

Yours very truly,

IDAHO VENEER COMPANY

Leonard A. Malloy
Leonard A. Malloy
President

LAM/scm

cc: Miller & Knudson
P.O. Box E
Coeur d'Alene

RECEIVED

JUL 23 1973

Department of Water Administration

95 7441

SENDER: Be sure to follow instructions on other side

PLEASE FURNISH SERVICE(S) INDICATED BY CHECKED BLOCK(S)
(Additional charges required for these services)

☐ Show to whom, date and address
where delivered

☐ Deliver ONLY
to addressee

RECEIPT

Received the numbered article described below

REGISTERED NO.

SIGNATURE OR NAME OF ADDRESSEE (Must always be filled in)

CERTIFIED NO.

①

Idaho News Co.

24572

②

SIGNATURE OF ADDRESSEE'S AGENT, IF ANY

INSURED NO.

By [Signature]

DATE DELIVERED

③

SHOW WHERE DELIVERED (Only if requested, and include ZIP Code)

95 7141

U.S. POSTAL SERVICE
OFFICIAL BUSINESS



Postmark of Delivering Office

SENDER INSTRUCTIONS

- ↑
- Print in the space below your name, address, including ZIP Code.
 - If special services are desired, check block(s) on other side.
 - Moiston gummed ends and attach to back of article.

**RETURN
TO**



DEPARTMENT OF WATER ADMINISTRATION

STATEHOUSE - ANNEX #2

BOISE, IDAHO 83703 95 7141



PERMIT NO. 100 PRIVATE
USE TO AVOID PAYMENT
OF POSTAGE, 50M

June 1, 1973

CERTIFIED MAIL

#24572

Re: Permit No. 95-7141


Mahe Vencer Company
Post Falls,
Mahe 83884

Gentlemen:

One of the conditions of approval of your water Permit No. 95-7141 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before August 1, 1973. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.



R. KEITH HIGGINSON
Director

Enc: Proof affidavit

cc: Miller & Knudson
P. O. Box E
Coeur d'Alene

95 7141

**State of Idaho
Department of Reclamation**

State law requires that this report be filed with the State Reclamation Engineer within 30 days after completion or abandonment of the well.

[illegible]

USE ADDITIONAL SHEETS IF NECESSARY

July 14, 1971

Re: Permit No. 95-7141 - Idaho Veneer Company

Idaho Veneer Company
Post Falls,
Idaho 83854

Gentlemen:

Enclosed is a copy of your approved Application for Permit No. 95-7141. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Very truly yours,

BOBBY D. FLENNOR
Assistant Director

EDF:cr

Enclosures

cc: Miller & Knudson
P.O. Box E
Coeur d'Alene, Idaho

95 7141

95-7141

April 20, 1971

MILLER & KNUDSON
Attorneys at Law
P.O. Box E
Coeur D'Alene, Idaho

ATTENTION: E. L. Miller

Dear Mr. Miller:

We are returning the application for permit and check in the amount of \$55.00, submitted in the behalf of Idaho Veneer Company as there are some questions that need clarification before we can process it.

Under item 4 of the application, you have listed 6.7 cfs for irrigational use. Under normal conditions, the maximum quantity of water that we could approve for irrigational purposes would be 1 inch or .02 cfs per irrigated acre.

We also wish to advise you that the application must be signed by an elected official of the company. If Mr. Hugh Kitzmiller is an official, please state his office.

As soon as you resubmit the application with the necessary clarifications, we shall begin its processing.

Very truly yours,

Dorian Clay
Appropriation Examiner

DC/bb
Enc: application
check

95 7141

MILLER & KNUDSON

ATTORNEYS AT LAW

COEUR D'ALENE PROFESSIONAL CENTER - P.O. BOX E

COEUR D'ALENE, IDAHO 83814

PHONE 208/664-8115

E. L. MILLER
J. T. KNUDSON

April 15, 1971

RECEIVED

Idaho Department of Water Administration
Statehouse - Annex # 2
Boise, Idaho 83707

RE: IDAHO VENEER COMPANY


Dear Sir:

Enclosed herewith are the following:

1. Application for Permit
2. Check in the amount of \$55.00 as filing fee.

Please advise if any further information is needed.

Very truly yours,


E. L. MILLER

ELM/aap
Enclosures

95 7181

June 8, 1971

Re: Application No. 95-7141 - Idaho Veneer Company

Post Falls Tribune
Box 68
Post Falls, Idaho 83854

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for our review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted assuming the notice is correct. If we have any corrections, we will notify you before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid."

(signature of claimant)

Very truly yours,

Donald W. McKidowney
Appropriation Supervisor

DWM:er

Enclosure

*Bill submitted
7-8-71
ds*

95 7141

**NOTICE OF APPLICATION
FOR WATER PERMIT**

Notice is hereby given that Idaho Veneer Company, Post Falls, Idaho, has on April 29, 1971, submitted Application No. 95-7141 for a permit to appropriate 7.37 cubic feet per second of water from a ground water source by means of well, pump, and motor within the SW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 2, T. 50N, R. 5W, B. M., Kootenai County to be used from Jan. 1 to Dec. 31 for Commercial purposes within the SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 3, T. 50N, R. 5W, B. M.; and from April 1 to Sept. 30 for the irrigation of 43 acres within the SW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 2, T. 50N, R. 5W, B. M. *6-25-71*

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, Statehouse, Boise, Idaho, 83707, on or before July 5, 1971.

R. KEITH HIGGINSON
Director

Published in the Post Falls Tribune, Post Falls, Idaho, on June 17 and June 24, 1971.

6-17 2tc

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Idaho Veneer Company, Post Falls, Idaho

has on April 29, 1971 submitted Application No. 95-7141
for a permit to appropriate 7.37 cubic feet per second ~~surface water~~
of water from a ground water source
by means of well, pump, and motor
within the SW 1/4, Sec. 2, T. 50N, R. 3W, B.M., Kootenai County

to be used from Jan. 1 to Dec. 31 for Commercial purposes within the SW 1/4, Sec. 3,
and T. 50N, R. 3W, B.M.; and from April 1 to Sept. 30 for the irrigation of 43 acres
within the SW 1/4, Sec. 2, T. 50N, R. 3W, B.M.
~~intake~~

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, Statehouse, Boise, Idaho, 83707, on or before July 5, 1971.

R. KEITH HIGGINSON

Director

Published in the Post Falls Tribune, Post Falls, Idaho
on June 17 and June 24, 1971.

95 7141

MILLER & KNUDSON

ATTORNEYS AT LAW

COEUR D'ALENE PROFESSIONAL CENTER - P.O. BOX 8

COEUR D'ALENE, IDAHO 83814

PHONE MO 4-8115

E. L. MILLER

J. T. KNUDSON

June 1, 1971

Mr. Donald W. McEldowney
Appropriation Supervisor
State of Idaho
Department of Water Administration
Statehouse - Annex 2
Boise, Idaho 83707

RE: Application for Permit No. 95-7141

Dear Mr. McEldowney:

Mr. Malloy has brought to my office your letter relative to the application of Idaho Veneer Company for commercial application and water irrigation pursuant to its application no. 95-7141 filed with your department.

The amount of commercial water to be employed will be utilized by Idaho Veneer as follows:

(1) A portion will be used in the generation of steam in the plant for the purposes of heating logs prior to peeling. None of this water is polluted or in any way returned in a condition that would affect ecology.

(2) The balance of the water will be used by Idaho Veneer Company in the purposes of keeping wet its deck of logs in the yard for the purposes of preventing deterioration, checking, bluing and other aspects of this operation. This water will return to the surface of the ground in the same condition that it is taken therefrom and certainly can have

95 7141

Mr. Donald W. McEldowney
Re: Application No. 95 -7141

June 1, 1971
Page Two

no effect upon ecology or upon the water table per se.
Approximately 90% of the water asked for for commercial
use will be used in the spraying and wetting of logs and
10% will be used as stated in generation of steam for the
purposes of the heating of the logs.

Certainly we are not going to be discharging in this
operati on any pollutants whatsoever into any watershed.

We are returning herewith our application with this explanation
and do desire proceedings of notice be given as soon as possible
in that there is a contemplation of immediately commencing
this construction.

Very truly yours,

E. L. Miller,
ap
E. L. MILLER

ELM/pp

Enclosure

95 7141

May 20, 1971

Re: Application for Permit No. 95-7141

Mr. Leonard A. Malloy, Pres.
IDAHO VENEER COMPANY
Post Falls, Idaho 83854

Dear Mr. Malloy:

We are reviewing your application to appropriate ground water in the State of Idaho. It is noted under item 4 of the application, that you are requesting 6.7 cubic feet per second for commercial use on a year-round basis. Your explanation under item 8a(S) states that the use is to be for commercial use in Idaho Veneer plant for plywood manufacture.

We will need your assistance in justifying the quantity of water you have claimed. If you could give us a brief explanation as to the nature of use and capacity of the system proposed, it would be greatly appreciated. We would also request information as to the water quality when it is discharged as described under item 3b of the application.

Your assistance in this matter is most appreciated.

Very truly yours,

Donald W. McEldowney
Appropriation Supervisor

95 7141

May 10, 1971

Idaho Veneer Company
Post Falls,
Idaho 83854

Gentlemen:

Returned herewith is your receipt No. 5966 in the amount of \$55.00
for your application for permit,
which was received in this office under the above date.

Very truly yours,

M. RUSSELL BOSCH
Administrative Assistant

MRB:ejw

Enclosure

95 7141

MILLER & KNUDSON

ATTORNEYS AT LAW

COEUR D'ALENE PROFESSIONAL CENTER - P.O. BOX 8

COEUR D'ALENE, IDAHO 83814

PHONE MO 4-8115

E. L. MILLER

J. T. KNUDSON

April 28, 1971

Mr. Dorin Clay, Appropriation Examiner
Department of Water Administration
State of Idaho
Boise, Idaho

RE: IDAHO VENEER COMPANY

Dear Sir:

We are returning herewith the application and check in the amount of \$55.00 on behalf of Idaho Veneer Company.

The total appropriation right is 7.37 cubic feet per second.


6.7 cubic feet per second will be employed yearly in the commercial operation of the Idaho Veneer Plywood Plant; .673 cubic feet per second will be employed on the irrigation of 34 acres of land from April 1 to September 30.

The total appropriation shown, therefore, is in the amount of 7.37 cubic feet per second.

Your rule of thumb is .02 cubic feet per second per acre.

The application has been signed by Leonard A. Malloy, president of Idaho Veneer, as requested.

Very truly yours,


E. L. MILLER

ELM/pp

Enclosure

95 7141