


R3w



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 95-7139 Priority April 15, 1971 Amount .04 cfs

THIS IS TO CERTIFY, that ROBERT L. HOPP
of Worley, Idaho, has complied with the terms and conditions of Permit
No. 95-7139 issued pursuant to Application for Permit dated April 15, 1971,
and has submitted proof to the Department of Water Resources on May 31, 1977,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of .04 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Domestic (23 units)	from January 1 to December 31	at .04 cfs and	27.6 acre feet
	from _____ to _____	at _____ cfs and	
	from _____ to _____	at _____ cfs and	

(both dates inclusive)

Subject, however, to the condition that no more than .04 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
27.6 acre feet per year, said waters to be diverted within the Lot 5 (SE $\frac{1}{4}$ SE $\frac{1}{4}$), Sec. 19,
Twp. 47N, Rge. 3W, B.M. in the County of Kootenai

Description and location of place of use:


Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
47N	3W	19																	LT5 X

Total number of acres irrigated _____

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 31 day of
March, 19 81.


Director

BEFORE THE DEPARTMENT OF WATER ADMINISTRATION
OF THE
STATE OF IDAHO

In the Matter of Extending the Proof Due)
Date under Permit No. 95-7139 in the name) ORDER
of ROBERT L. HOPP)
_____)

WHEREAS, on April 15, 1971, Robert L. Hopp applied to the Department of Water Administration for an application to appropriate 0.20 cubic feet per second of water from a ground water source within Gov't. Lot 5, Sec. 19, Twp. 47N, Rge. 3W, B.M., Kootenai County, to be used for domestic purposes; and,

WHEREAS, on August 18, 1971, the Department approved said application and issued Permit No. 95-7139 with the condition that proof of construction of works and application of water to beneficial use be submitted to the Department on or before September 1, 1972; and,

WHEREAS, on August 25, 1972, the time within which to submit proof of beneficial use of water was extended to September 1, 1973; and,

WHEREAS, on July 2, 1973, the Department notified the permit holder by certified mail that proof of beneficial use was due and instructed the permit holder as to the steps to be taken to make said proof; and,

WHEREAS, on July 31, 1973, the Department received a letter from the permit holder requesting an extension of time within which to make proof of beneficial use; and,


WHEREAS, it has been determined that the permit holder has been prevented from proceeding with his work by his failure to obtain the necessary approval from the Idaho Department of Environmental and Community Services; and,

WHEREAS, it has been determined by the Department that the permit holder has provided sufficient reason to grant an extension of time;

IT IS, THEREFORE, HEREBY ORDERED that the time within which to submit proof of beneficial use of water under Permit No. 95-7139 be extended to September 1, 1977.

Dated this 16 day of August, 1973.

95 7139


R. KEITH HIGGINSON
Director

BEFORE THE DEPARTMENT OF WATER ADMINISTRATION
OF THE
STATE OF IDAHO

In the Matter of Extending the Proof Due)
Date under Permit No. 95-7139 in the name)
of ROBERT L. HOPP)

ORDER

WHEREAS, on April 15, 1971, Robert L. Hopp applied to the Department of Water Administration for an application to appropriate 0.20 cubic feet per second of water from a ground water source within Gov't. Lot 5, Sec. 19, Twp. 47N, Rge. 3W, B.M., Kootenai County, to be used for domestic purposes; and,

WHEREAS, on August 18, 1971, the Department approved said application and issued Permit No. 95-7139 with the condition that proof of construction of works and application of water to beneficial use be submitted to the Department on or before September 1, 1972; and,


WHEREAS, on June 30, 1972, the Department notified the permit holder by certified mail that proof of beneficial use was due and instructed the permit holder as to the steps to be taken to make said proof; and,

WHEREAS, on August 14, 1972, the Department received a letter from the permit holder requesting an extension of time within which to make proof of beneficial use; and,

WHEREAS, it has been determined by the Department that the permit holder has provided sufficient reason to grant an extension of time,

IT IS, THEREFORE, HEREBY ORDERED that the time within which to submit proof of beneficial use of water under Permit No. 95-7139 be extended to September 1, 1973.

Dated this 25 day of August, 1972.


C. STEPHEN ALLRED
Deputy Director

95 7139

Identification No. 95-7139
Application No. _____

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant ROBERT L. HOPP
post office address RT #1 CONKLING PARK, WORLEY, IDAHO 83876
2. Source of water supply GROUND WATER which is a tributary of NA
3. a. Location of point of diversion is Gov Lot #5 $\frac{1}{4}$ of 19 of Section 19 Township 47N
Range 3W B.M. KOOTENAI County; additional points of diversion if any: _____
- b. If water is not consumed, it will be discharged into SINKA SYSTEM at a point in Gov Lot #5
of 19 $\frac{1}{4}$ of Section 19 Township 47N Range R3W B.M. _____
4. Water will be used for the following purposes:
Amount .20 for DOMESTIC purpose from JAN. 1st to DEC 31st (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. .20 cubic feet per second and/or
b. 146 acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. NA
- b. Height of storage dam NA feet, active reservoir capacity NA acre feet; total reservoir capacity NA acre feet, materials used in storage dam: NA
Period of year during which storage will occur NA to NA inclusive.
(Mo. Day) (Mo. Day)
- c. Proposed well diameter is 6 inches; proposed depth of well is 100-200 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use is 6 ~~years~~ 1 year
b. Estimated construction cost is \$ UNDER \$5000
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: Gov Lot #5 $\frac{1}{4}$ of 19 of Section 19 Township 47N
Range 3W B.M.
(2) Amount of power to be generated: ? hp under ? feet of head.
(3) List number of each kind of livestock to be watered NA
(4) Name of municipality to be served NA, or number of families to be supplied with domestic water 50
(5) If water is to be used for other purposes describe: _____

95 7139

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	

Total number of acres to be irrigated _____

c. Describe any other water rights used for the same purposes _____

9. a. Who owns the property at the point of diversion Robert L Hopp

b. Who owns the land to be irrigated or place of use NA

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks This well to be used to supply SUMMER CABINS + HOMES


Govt Lot 5, Sec. 19, T. 47 N. R. 3 W

→ 22

JANICE

Well sight → *

DRIVE



SNYDER

DRIVE

NELSON

ROAD

Lake Coeur d'Alene

TANBARK LANE

6812 56


N. Line Govt Lot 5



19 20

30
29
20

11. Map of proposed project:



Gov't Lot 5, Sec. 19 T. 47 N. R. 3 W.

Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Robert L. Stopp
(Applicant)

72

95 7139
N.E. 1/4 S.E. 1/4 Sec 19

Director
State Reclamation Engineer

Witness my hand this 18th day of August, 1971.

2. Denial of said application is for the following reasons:
- 28 Acre Feet per annum.
- approved by this Department. The maximum volume per season not to exceed the diverting works a measuring device at the point of diversion of a type
- c. Other: The permit holder shall permanently install and maintain as part of before September 1, 1972.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or
- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
1. Approval of said application is subject to the following limitations and conditions:

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-7139, and said application is hereby APPROVED.

ACTION OF STATE RECLAMATION ENGINEER

Received by K.L. Date 4-15-71 Time 10:00 a.m.
Preliminary check by R.L. Fee \$ 10.00
Received by K.L. Date 4-15-71
Publication prepared by dr. Date 4-28-71
Published in Coeur d'Alene Press
Publication dates 5-6 & 5-13, 1971
Publication approved by Date 5-19-71
Priority reduced to Reason
Protests filed by:
Copies of protests forwarded by:
Hearing held by Date
Recommended for approval denial by BDF

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, }
County of Kootenai, } ss.

19

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Robert L. Hopp, Route 1, Conkling Park, Worley, Idaho, has on April 15, 1971, submitted Application No. 95-7139 for a permit to appropriate 0.20 cubic feet per second of water from a groundwater source by means of well within Gov't. Lot 5, Sec. 19, T. 47N, R. 3W, B.M., Kootenai County, to be used from Jan. 1 to Dec. 31 for domestic purposes for 50 families within Gov't. Lot 5, Sec. 19, T. 47N, R. 3W, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, Statehouse, Boise, Idaho, 83707, on or before May 24, 1971.

R. KEITH HIGGINSON
Director

May 6, 13, 1971

Ruby Jacobson being first duly sworn upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The Notice of Application

of which the annexed is a printed copy, was published in the regular daily issue of said newspaper for 2 consecutive Thursdays commencing on the 6th day of May, 1971, and ending on the 13th day of May, 1971, and such publication was made as often during said period as said Thursday newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Ruby Jacobson of Application

Subscribed and sworn to before me this 13th day of May

1971.

E. Patrick King

Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 334-4440

April 7, 1981

Robert L. Höpp
Rt. 1, Box 20
Worley, Idaho 83876

Dear Mr. Höpp,

RE: License No. 95-7139

Enclosed is a copy of the Water Right License issued on the above referenced Permit.

Please be advised that one of the conditions of your permit was that a measuring device be installed as part of your diversion works. That requirement has been waived with issuance of the enclosed license. However, in the event that water supply shortages become a problem installation of measuring devices may be required.

Sincerely,

JIM JOHNSON

Water Distribution Supervisor

JJ:mr

Enclosure



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 334-4440

March 9, 1981

Robert L. Hopp
Rt. 1, Box 20
Worley, Idaho 83876

Dear Mr. Hopp,

A representative of this Department has made an examination of the works covered by your Permit No. 95-7139, and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: .04 cfs Source: groundwater

The maximum quantity diverted shall not exceed 27.6 acre feet per year.

Point(s) of diversion: Lot 5 (SE $\frac{1}{4}$ SE $\frac{1}{4}$), Sec. 19, Twp. 47N, Rge. 3W, B.M.

Beneficial use: Domestic use for 23 units within the SE $\frac{1}{4}$ SE $\frac{1}{4}$ (Lot 5), Sec. 19,
Twp. 47N, Rge. 3W.

Priority date established: April 15, 1971

Conditions (if any):

If you do not concur with these findings please contact us within 10 days, otherwise a water license will be issued as set forth above.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor


RECEIVED

TOTAL ACREAGE

R. Hopp 686-1409
Meter House not locked

H. Coon - 686-1209

Diagram of System



Worley, Idaho
April 24, 1979

Mr. Tom D. King,
Senior Water Resource Agent,
State of Idaho Department of Water Resources,
Northern Region
Suite No. 1,
4055 Government Way,
Coeur d' Alene, Idaho 83814

Dear Mr. King,

I apologize for my delay in responding to your earlier letter. We were away when your first letter arrived and have had several prior commitments that have interfered with my setting of a place and time for your examination of my water system.

If convenient for you, I shall plan to be at home from Tuesday, May 1st through Friday, May 4th and any time of day will be fine with me.

Sincerely,

Robert L. Hopp

Robert L. Hopp
Conkling Park,
Rt. 1, Box #24,
Worley, Idaho 83876

RECEIVED

APR 26 1979

Department of
Northern District Office



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

Suite No. 1
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 667-6484

April 3, 1979

Mr. Robert L. Hopp
Route 1, Box 20
Worley, Idaho 83876

Re: 95-7139

Dear Mr. Hopp:

The final stage in perfecting a water right under the permit process requires an examination by a representative of this Department. I have tried to contact you previously in an effort to conduct the examination with no results.

If I have not received word from you within thirty days of the above date, I will be forced to recommend that your permit be cancelled.

Sincerely,

TOM D. KING
Senior Water Resource Agent

TDK/pms

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
C. STEPHEN ALLRED
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

March 5, 1979

Mr. Robert L. Hopp
Route 1, Box 20
Worley, Idaho 83876

RE: 95-7139

Dear Mr. Hopp:

I would like to examine your water system in the near future.

Please notify me of a place and time that I can contact someone to go with me on this examination. It will also be necessary to have a list or a plat showing the location of the houses on the system.

Thank you for your cooperation.

Sincerely,

TOM D. KING
Senior Water Resource Agent

TDK/pms

$$Q = \frac{1.5(.8)(8.8)}{2.3(40) = \cancel{92}} = \frac{10.56}{92}$$

$$\underline{\underline{= 0.11 \text{ cfs}}}$$

Max Q w/o 0' left

DATE OF EXAM 4-27-79 / 6-11-79

ACREAGE

Found _____
Recommended _____

Irrigation Requirement _____ Ac Ft/Ac

USE

Irrigation Q= _____ c.f.s. V= _____ AF/Ann. from _____ to _____
Domestic Q= 0.04 c.f.s. V= 28.95 AF/Ann. from Jan 1 to Dec 31
Livestock Q= _____ c.f.s. V= _____ AF/Ann. from _____ to _____

Is water co-mingled? yes _____ no ☒

Name source: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Exchange? yes _____ no ☒

Name source exchanged with: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of injection: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of exchange: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Total Q measured 200 gal = 1'10" Method of measurement Meter

Total Q recommended 0.04 cfs Meter No. 2351702 Type Rockwell Condition good

Total V recommended 28.95 AF/Ann

Recommended Amendments:

P.D. _____
Place of Use _____
Other _____
None ☒

MEASUREMENT CALCULATION:

$\frac{200 \text{ gal}}{1'10"} = 0.04 \text{ cfs} (1.983) 365 = 28.95$

$V = 23 \text{ units} \times 1.2 = 27.6 \checkmark$

SYSTEM DESCRIPTION:

160' x 8" Well with 1 1/2 hp Sub pump & pipe line

REMARKS:

The Hoff Assoc. W/H. Coon in process of installing Conc Collar
3' x 4" around casing to comply w/ Health Dept.
6 on line, 2 under Const. 15 more stubbed in total 23 homes.


Examiner's Signature Paul King Date 6-11-79

Checked by Bob Haynes Date 7-5-79

Approved by Rollin Date 3/6/1981

T47N

R3W



June 16, 1977

Re: Permit No. 95-7139

Robert L. Hopp
Route 1, Box 20
Worley, Idaho 83876

Dear Mr. Hopp:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

If you have any questions regarding the field examination, please contact our Regional Office in Coeur d'Alene.

Sincerely,

JANICE RENK
Water Rights



Identification No. _____

Permit No. 95-7139

STATE OF IDAHO
DEPARTMENT OF RECLAMATION

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

REGISTRATION OF PERMIT HOLDERS

1. a) Name of Permit Holder Robert L. Hopp
b) Post Office Address Rte. 1, Box #20, Worley, Idaho 83876
2. Permit Number 95-7139
3. Date of Priority that you are prepared to establish April 15, 1971
4. a) Source from which water was appropriated Well
b) Location of the point of diversion Gov't Lot 5 1/4 1/4, Section 19
Township 47 N., Range 3 West Boise Meridian, Other points of diversion: None

5. a) The amount of water and use to which the water has been applied:
amount 63,830 Gals. for Domestic purposes from 11/30/75 to 5/30/76 (6 Mos.)
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
amount 113,120 Gals for Domestic purposes from 5/30/76 to 5/27/77 incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)

amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
Total: 176,950 Gals.

b) Total amount appropriated 63,830 Gallons Plus 113,20 ~~as and for the use of the permit holder~~

c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: Made by Robert L. Hopp from actual readings of the diversion meter.

6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:

a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: Not applicable

b) Describe the agreement or understanding by which you take water from the works: Not applicable

7. a) Briefly describe the works for diverting and conveying the water to the place of use, (If from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) a 1 1/2 Horsepower pump located in an eight inch steel cased well of 160' depth & pumped into 2" PVC main.

b) Describe the type and size of measuring device which you have installed at your point of diversion: One inch, Rockwell sealed register G.P.V. meter #23451702

c) Give well drillers name and address and date the well was completed Aqua Drilling & Development, Inc., Rte. 1, Orofino, Idaho. Completed drilling, April 22, 1971.

MICROFILMED

Exam type

6/14/77

04/04/79

Spokane

On this 24th day of May, 1977, personally appeared before me the signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.

State of Washington)
County of Spokane) ss.

(Date)

May 24, 1977 (Date)

(Signature)

(Signature)

The above information is a true statement of the extent to which the above numbered permit has been developed.

10. Remarks:

Total number of acres irrigated _____ None _____

[illegible]

9. Irrigation uses: Describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision: None used for irrigation purposes.

8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use. Presently supplying domestic water to six families including permit holder.

August 7, 1973

Re: Permit No. 95-7139

Robert L. Hopp
Route #1, Conkling Park
Worley, Idaho 83876

Dear Mr. Hopp:

Enclosed please find an Order which approves the application for extension of time in connection with the above referenced permit.

The time within which to submit proof of beneficial use of water has been extended to September 1, 1977.

Sincerely,

D. Darlene Reich
Water Rights Supervisor

DDR:JC
Enclosure

95 7139

Route 1, Box 20
Worley, Idaho 83876
July 28 1973

RECEIVED

JUL 31 1973

Department of Water Administration

Mr. R. Keith Higginson, Director
State of Idaho
Department of Water Administration
Statehouse - Annex 2
Boise, Idaho 83707

Dear Mr. Higginson,


Thank you for reminding me in your letter of July 2nd of my obligation to furnish your office with proof of beneficial use.

My attorney, Mr. Jerrold Park of St. Maries, Idaho, advised me well over one year ago that he felt I had a legitimate claim against the party who drilled my well. Mr. Park further advised me to do whatever was necessary to satisfy the requirements of the health department relative to the site of the well. When I had all of the costs totalled, he suggested that we would then know the amount to claim in damages.

The well location did not permit the bulldozer operator to accomplish his portion of the work until recently, and at this time, I am waiting for the surveyor, Mr. Fred Meckel, to survey the area and file an ammended plat.

Please consider an extension which I trust will be our final request.

Sincerely,


Robert L. Hopp

cc: Mr. Jerrold Park
720 College Avenue
St. Maries, Idaho 83861

Order Extend to Sept. 1 1977

95 7139

PLEASE FURNISH SERVICE(S) INDICATED BY CHECKED BLOCK(S).
REQUIRED FEE(S) PAID.



Show to whom, date and address
where delivered



Deliver ONLY
to addressee

RECEIPT

Received the numbered article described below.

REGISTERED NO.

SIGNATURE OR NAME OF ADDRESSEE (*Must always be filled in*)

CERTIFIED NO.

24641

1

Robert L. Dapp

2

SIGNATURE OF ADDRESSEE'S AGENT, IF ANY

INSURED NO.

DATE DELIVERED

SHOW WHERE DELIVERED (*only if requested*)

7-3-73

3

POST OFFICE DEPARTMENT
OFFICIAL BUSINESS



POSTMARK OF DELIVERING OFFICE

Print your name and address below. If you want to restrict delivery, or to have the address of delivery shown on this receipt, check block(s) on other side. Moistened gummed ends and attach this card to back of article.

RETURN
TO



DEPARTMENT OF WATER ADMINISTRATION

STATEHOUSE - ANNEX #2

BOISE, IDAHO 83707

95 7139

July 2, 1973

Certified Mail # 24641

Re: Permit No. 95-7139


Robert L. Hopp
Route #1, Conkling Park
Worley, Idaho 83876

Dear Mr. Hopp:

One of the conditions of approval of your water Permit No. 95-7139 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before September 1, 1973. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.


R. KEITH HIGGINSON
Director

Enc: Proof affidavit

95 7139

August 30, 1972

Re: Permit No. 95-7139

Mr. Robert L. Hopp
Route 1, Conkling Park
Worley, Idaho 83878

Dear Mr. Hopp:

Enclosed please find an Order which extends the time within which to submit proof of beneficial use under Permit No. 95-7139 to September 1, 1973.

The Department will notify you sixty days in advance of the proof due date and forward the required form for making said proof.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

BDF:DR
Enc: Order

95 7139

Worley, Idaho
August 10, 1972

State of Idaho
Department of Water Administration
State House ANNEX 2
Boise, Idaho 83707

Department of State Administration
SDF

Re: Permit No. 95-7139

Gentlemen,

With Reference to my permit Number
shown Above, would you please consider
Granting an extension of time?

Unfortunately for us, our well driller
assured us that the location of our
well, which he chose, was acceptable. This
was not true as we learned after the
drilling that the Health Department would
not accept a well drilled in the center
of the street.

A couple of letters have been written
by my attorney Mr. Gerald Park of
St. Maries to the driller with no reply
received to date.

My estimate is that it will take about
one year for me to comply with Mr.
Vant Huls requirements.

Sincerely

Robert L. Hopp

95 7139

SENDER: Be sure to follow instructions on other side

PLEASE FURNISH SERVICE(S) INDICATED BY CHECKED BLOCK(S)
(Additional charges required for these services)

☐ Show to whom, date and address
where delivered

☐ Deliver ONLY
to addressee

RECEIPT

Received the numbered article described below

REGISTERED NO.

SIGNATURE OR NAME OF ADDRESSEE (Must always be filled in)

CERTIFIED NO.

23779

①

②

SIGNATURE OF ADDRESSEE'S AGENT, IF ANY

INSURED NO.

DATE DELIVERED

SHOW WHERE DELIVERED (Only if requested, and include ZIP Code)

③

95

7188

7/5/72

Robert L. Hopp

Mrs. Robert L. Hopp

U.S. POSTAL SERVICE
OFFICIAL BUSINESS



Postmark of Designating Office

SENDER INSTRUCTIONS

Print in the space below your name, address, including ZIP Code.

- If special services are desired, check block(s) on other side.
- Moisten gummed ends and attach to back of article.

RETURN
TO



PENALTY FOR PRIVATE USE TO AVOID
PAYMENT OF POSTAGE, \$300

DEPARTMENT OF WATER ADMINISTRATION
STATEHOUSE • ANNEX #2
BOISE, IDAHO 83707

65 7139

June 30, 1972 CERTIFIED MAIL #23779

Re: Permit No. 95-7139

Robert L. Hopp
Route 1, Conkling Park
Worley, Idaho 83876

Dear Mr. Hopp:

One of the conditions of approval of your water Permit No. 95-7139 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before September 1, 1972. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.



R. KEITH HIGGINSON
Director

Enc: Proof affidavit
dr

95 7139

Environmental Improvement
Division



1337 G Street
Lewiston, Idaho 83501

April 1970 RECEIVED

Department of Water Administration

Department of Water Administration
Statehouse Annex 2
Boise, Idaho 83707

RE: Water Permit Application
No. 95-7139, Robert L. Hopp

Gentlemen:

Enclosed is a letter from Environmentalist Ron Donaly of the
Panhandle Health District I who has inspected the well for
Mr. Hopp at Conkling Park.

They have arrived at a satisfactory means of construction
which will remove any restriction we previously put on the
application.

Sincerely,

Arthur W. Van't Hul, P. E.
Regional Public Health Engineer

AVH/eel

Enclosure

cc: Vaughn Anderson

95 7139



PANHANDLE HEALTH DISTRICT I

P. O. Box 608 412 Lakeside Avenue Coeur d'Alene, Idaho 83814

April 4, 1972

RECEIVED

Department of Health Administration

Arthur Vant Hul
1337 G. Street
Lewiston, Idaho 83501

Re: Water Permit Application
No. 95-7139
Robert L. Hopp

Dear Art:

I inspected the well for Mr. Hopp at Conkling Park. He agreed to have the roadway routed to the west of the well site at least 50 feet. He also said he would bring the well casing up above the surface of the ground, put grouting down at least 10 feet, pour a concrete slab around the casing and to divert any surface and shallow ground water away from the well.

If all of these things are done then the well will meet the approval of the Panhandle Health District.

Sincerely,

Ronald L. Donaly

Ronald L. Donaly
Environmentalist

RLD:ejs

cc: Robert L. Hopp
Route 1
Worley, Idaho

95 7139

APR 5 1972

September 9, 1971

Re: Permit No. 95-7139

Robert L. Hopp
Route #1, Konkling Park
Worley, Idaho 83876

Dear Mr. Hopp:

We recently received the enclosed letter from the Department of Health concerning your Permit No. 95-7139. I would suggest that you contact the Department of Health for their approval of your water supply system.

The location of the well may be changed without modifying your permit as long as it remains within Government Lot #5, Section 19, Township 47 North, Range 3 West, Boise Meridian.

If you have any questions concerning this matter, please contact us.

Very truly yours,

BOBBY D. FLEENOR
Assistant Director

BDF:cr

Enc: Copy of letter

95 7139

Environmental Improvement
Division



1337 G Street
Lewiston, Idaho 83501

September 8, 1971

RECEIVED

Mr. R. Keith Higginson, Director
Department of Water Administration
Statehouse - Annex 2
Boise, Idaho 83707

Department of Health

Re: Permit No. 95-7139
Robert L. Hopp

Dear Mr. Higginson:

The above mentioned application with site map shows a well in the middle of a street on Janice Drive of Konkling Park near Worley, Idaho.

The well in this site would be unacceptable to us. If they intend to serve water to the number of spaces which they show, it will be necessary for our environmentalist or myself to inspect the water system plans prior to construction as well as making an on-site inspection of the well location.

The application is not approved by this department until the well site is found to be satisfactory.

Sincerely,

Arthur W. Van't Hul, P. E.
Regional Public Health Engineer

AVH/eel

cc: Vaughn Anderson
Don Boughton

95 7139

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

Statehouse -- Annex 2
Boise, Idaho 83707
(208) 384-2215



R. Keith Higginson
Director

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Flood Plain Management
Irrigation and
Flood Control Districts

August 20, 1971

Re: Permit No. 95-7139

Robert L. Hopp
Route #1, Conkling Park
Worley, Idaho 83876

Dear Mr. Hopp:

Enclosed is a copy of your approved Application for Permit No. 95-7139. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Very truly yours,

BOBBY D. FLEENOR
Assistant Director

BDF:cr

Enclosures

95 7139

August 24, 1971

Re: Permit No. 95-7139 - Robert L. Hopp

Mr. Vaughn Anderson
Dept. of Health
Boise, Idaho

Dear Mr. Anderson:

Enclosed please find copy of the above referenced permit. We wish to advise you of the existence of this permit pursuant to our agreement.

If you should have any questions, please contact us.

Very truly yours,

BOBBY D. FLEENOR
Assistant Director

HDF:cr

Enc: copy

95 7139

June 28, 1971

Re: Application for Permit No. 95-7139

Mr. Robert L. Hopp
Route #1
Conkling Park
Worley, Idaho 83871

Dear Mr. Hopp:

In the final analysis of your application for permit, we find that the acre feet per annum that you have requested appears to be somewhat excessive. Under normal conditions, the Department would consider 0.57 acre feet per annum to be a sufficient volume per family. As you have indicated that the system will supply 50 separate families, the most that we could approve this application for would be 28 acre feet. Unless you can submit additional justification within thirty days for a requirement of more than that amount, we will process the application for 28 acre feet per annum.

If you should have any questions in this matter, please do not hesitate to contact this Department.

Very truly yours,

Dorian Clay
Appropriation Examiner

DC:cm

95 7139

April 28, 1971

Re: Application No. 95-7139 - Robert L. Hopp

Coeur d'Alene Press
2nd & Lakeside
Coeur d'Alene, Idaho 83814

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for our review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted assuming the notice is correct. If we have any corrections, we will notify you before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid."

(signature of claimant)

Very truly yours,

Donald W. McEldowney
Appropriation Supervisor

*Bill submitted
5-19-71
ds*

DDM:DR
Enc: Legal notice

95 7139

TWO (2) copies please

NOTICE OF
APPLICATION FOR
WATER PERMIT

Notice is hereby given that Robert L. Hopp, Route 1, Conkling Park, Worley, Idaho, has on April 15, 1971, submitted Application No. 95-7139 for a permit to appropriate 0.20 cubic feet per second of water from a groundwater source by means of well within Gov't. Lot 5, Sec. 19, T. 47N, R. 3W, B.M., Kootenai County, to be used from Jan. 1 to Dec. 31 for domestic purposes for 50 families within Gov't. Lot 5, Sec. 19, T. 47N, R. 3W, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, Statehouse, Boise, Idaho, 83707, on or before May 24, 1971.

R. KEITH HIGGINSON
Director

May 6, 13, 1971

O.K.
5-2-71
B.B.

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Robert L. Hopp, Route 1, Conkling Park,
Mark Worley, Idaho,
has on April April 15, 1971, submitted Application No. 95-7139
for a permit to appropriate 0.20 cubic feet per second ~~some feet per annum~~
of water from a groundwater source
by means of well
within ~~the~~ Gov't. Lot 5, Sec. 19, T. 47N, R. 3W, B.M., Kootenai County,
to be used from Jan. 1 to Dec. 31
for domestic purposes for 50 families
within the Gov't. Lot 5, Sec. 19, T. 47N, R. 3W, B.M.

issued
If ~~used~~, this permit will be subject to all prior water rights. Protests
against the granting of the permit must be filed with the Idaho Department of Water
Administration, Statehouse, Boise, Idaho, 83707, on or before May 24, 1971.

R. KEITH HIGGINSON
Director

Published in the Coeur d'Alene Press, Coeur d'Alene, Idaho,
on May 6 and May 13, 1971.

April 16, 1971

Robert L. Hogg
Route #1, Conkling Park
Wesley, Idaho 83876

Dear Mr. Hogg:

Returned herewith is your receipt No. 3898 in the amount of \$10.00

for your application for permit

which was received in this office under the above date.

Very truly yours,

M. RUSSELL BOSCH
Administrative Assistant

MRB:ejv

Enclosure

95 7139

April 16, 1971

Robert L. Hopp
Route #1, Conkling Park
Worley, Idaho 83876

Dear Mr. Hopp:

Returned herewith is your receipt No. 5895 in the amount of \$10.00
for your application for permit,
which was received in this office under the above date.

Very truly yours,

M. RUSSELL BOSCH
Administrative Assistant

MRB:ejw

Enclosure

95 7139