


11. Map of proposed project:



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Idaho Irrigation, Inc.
by Roy C. Peninger, Pres.
(Applicant)

R. 5W.

R. 4W.




Diagram of System

DATE

EXAMINATION RECORDS

by:

by:

by:

by:



USE TYPEWRITER OR
BALL POINT PEN.

State of Idaho
Department of Water Administration
WELL DRILLER'S REPORT

State law requires that this report be filed with the State Reclamation Engineer
within 30 days after completion or abandonment of the well.

1. WELL OWNER

Name IDAHO IRRIGATION INC
RT 1, Box 77
Address RATHDRUM IDAHO 95-7130
Owner's Permit No. 95-5430

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe method of abandoning)

3. PROPOSED USE

☐ Domestic ☒ Irrigation ☐ Test
☐ Municipal ☐ Industrial ☐ Stock

4. METHOD DRILLED

☒ Cable ☐ Rotary ☐ Dug ☐ Other

5. WELL CONSTRUCTION

Diameter of hole 16 inches Total depth 305 feet
Casing schedule: ☒ Steel ☐ Concrete

Thickness	Diameter	From	To
<u>375</u> inches	<u>16</u> inches	<u>+2</u> feet	<u>276</u> feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was a packer or seal used? ☒ Yes ☐ No
Perforated? ☐ Yes ☒ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet


Well screen installed? ☒ Yes ☐ No
Manufacturer's name JOHNSON
Type ARMCO IRON Model No. IRRIGATOR
Diameter 2 1/2 Slot size 35 Set from 275 feet to 285 feet
Diameter 2 1/2 Slot size 50 Set from 285 feet to 305 feet

Gravel packed? ☐ Yes ☒ No Size of gravel _____
Placed from _____ feet to _____ feet

Surface seal? ☐ Yes ☐ No To what depth 49 feet
Material used in seal ☐ Cement grout ☒ Puddling clay

6. LOCATION OF WELL

Sketch map location must agree with written location.



County KOOTENAI IDAHO
14 1/4 SW 1/4 Sec. 12, T. 51 N/S, R. 5 E/W

7. WATER LEVEL

Static water level 225 feet below land surface
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Temperature _____ ° F. Quality GOOD
Artesian closed-in pressure _____ p.s.i.
Controlled by ☐ Valve ☐ Cap ☐ Plug

8. WELL TEST DATA

☐ Pump ☐ Bailer ☐ Other

Discharge G.P.M.	Draw Down	Hours Pumped

9. LITHOLOGIC LOG

Hole Diam.	Depth		Material	Water	
	From	To		Yes	No
16"	0	1	TOPSOIL		X
16"	1	128	GRAVEL 3" MINUS		X
16"	128	183	GRAVEL 6" MINUS		X
16"	183	225	GRAVEL 3" MINUS		X
16"	225	241	GRAVEL 2" MINUS	X	
16"	241	260	RED GRAVEL, SAND + SILT	X	
16"	260	305	GRAVEL 4" MINUS	X	

10.

Work started DEC 15 1970 finished MARCH 15 1971

11. DRILLER'S CERTIFICATION

This well was drilled under my supervision and this report is
true to the best of my knowledge.

HOLMAN DRILLING CORP 108
Driller's or Firm's Name Number

E 3410 9TH AVE SPOKANE WASH
Address

Arnold & Holman MARCH 14 1971
Signed By Date

State of Idaho
Department of Water Administration

LICENSE OF WATER RIGHT

License of Water Right No. 95-7130 Priority Dec. 16, 1970 Amount 1.0 cfs
(late proof)

THIS IS TO CERTIFY, that IDAHO IRRIGATION, INC.
of Rathdrum, Idaho, has complied with the terms and conditions of Permit
No. 95-7130 issued pursuant to Application for Permit dated December 7, 1970,
and has submitted proof to the Department of Water Administration on March 10, 1972,
that he has applied water to a beneficial use; an examination by the Department indicates that the
works have a capacity of 4.75 cfs, and that the water has in fact been applied to a
beneficial use; a right to the use of water from a ground water source
tributary of _____, is hereby confirmed in the following amounts:

Amount 1.0 cfs for Irrigation from April 1 to Oct. 31 (both dates inclusive)

Amount _____ for _____ from _____ to _____ (both dates inclusive)

Amount _____ for _____ from _____ to _____ (both dates inclusive)

Subject, however, to the condition that no more than * 1.0 cfs of water be diverted at
any one time, said waters to be diverted within the _____

NE¹/₄SE¹/₄ Sec. 25, Twp. 51 N, Rge. 5 W, B.M.
in the county of Kootenai; and that the amount of water so diverted and to which such
right is entitled and confirmed is for the purposes aforesaid and is limited to the amount which can
actually be beneficially used and shall not exceed 172 acre feet per year or _____
3.5 acre feet per acre.

Description and location of place of use:

TWP.	RANGE	SEC.	NE ¹ / ₄				NW ¹ / ₄				SW ¹ / ₄				SE ¹ / ₄				TOTALS
			NE ¹ / ₄	NW ¹ / ₄	SW ¹ / ₄	SE ¹ / ₄	NE ¹ / ₄	NW ¹ / ₄	SW ¹ / ₄	SE ¹ / ₄	NE ¹ / ₄	NW ¹ / ₄	SW ¹ / ₄	SE ¹ / ₄	NE ¹ / ₄	NW ¹ / ₄	SW ¹ / ₄	SE ¹ / ₄	
51 N	4 W	30									39	10							49


Total number of acres irrigated 49

A measuring device of a type approved by this Department shall be permanently
maintained as part of the diverting works.

* Subject to the condition that the maximum rate of diversion shall not exceed 4.58 cfs
when combined with License No. G-25472/95-2110.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands
or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 22 day of
September, 19 73.


Director

95 7130


M E M O

TO: File # 95-7130

DATE: 8/16/73

In reviewing the above numbered permit, it has been determined that an amendment will not be required to change the point of diversion before issuance of the water license. It appears that the Department was in error in requesting the p.d. to be changed when the application was submitted in Dec., 1970.

Therefore, a water license will be issued with the point of diversion in the NE $\frac{1}{4}$ SE $\frac{1}{4}$ of Sec. 25, Twp. 51 N, Rge. 5 W, B.M. as originally listed on the application at the time it was submitted.



BOBBY D. FLEENOR

Assistant Director

95 7130

Identification No. 95-7130

Application No. _____

STATE OF IDAHO
DEPARTMENT OF RECLAMATION

APPLICATION FOR PERMIT

APPROVED

LICENSE ISSUED FOR 10 SEC. FT.,
LICENSE PAG NO. _____

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant IDAHO IRRIGATION INC.
post office address ROUTE 1 Box 77 Rathdrum Idaho 83858
2. Source of water supply Drilled Well which is a tributary of Subterranean Flow
3. a. Location of point of diversion is ~~SE~~ NW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 25 Township 51N
Range 5 W B.M. Kootenai County; additional points of diversion if any: _____


b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 1.0 cfs for Irrigation purpose from April 1st to Oct. 31st (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 1.0 c.f.s. cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Deep well Turbine pump. Under Ground
Main Line. Lateral sprinkler line.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
c. Proposed well diameter is 16 inches; proposed depth of well is _____ feet.
Well is licensed G-25472. Would like to license for 1.0 cfs on new land.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 1 years.
b. Estimated construction cost is \$ 10,000.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M.
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.
(5) If water is to be used for other purposes describe: _____

95 7130

11. Map of proposed project:



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Idaho Irrigation, Inc.
by Roy P. Peninger, Pres.
 (Applicant)

CS 7130

State Reclamation Engineer

Witness my hand this 1st day of February 19 71.

2. Denial of said application is for the following reasons:

c. Other: The permit holders shall permanently install and maintain as part of the diverting works a measuring device at the point of diversion of a type approved by this department.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before March 1, 19 72.

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

1. Approval of said application is subject to the following limitations and conditions:

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-7130, and said application is hereby APPROVED.

ACTION OF STATE RECLAMATION ENGINEER

APPROVED

Recommended for approval denial by *W. J. Smith*

Hearing held by Date

Copies of protests forwarded by

Protests filed by:

Priority reduced to Reason

Publication approved Date 1-6-71

Publication dates 12-24 & 12-31, 1970

Published in Post Falls Tribune

Publication prepared by d8 Date 12-15-70

Received by Date

Preliminary check by Fee \$ 20.00

Received by Date 2-7-70 Time 2:15

DEPARTMENT OF WATER ADMINISTRATION

STAFF ANALYSIS

Application No.	95-7130	Name	Idaho Irrigation, Inc.
Source	ground water		
Point of Diversion	NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 25, T. 51N, R. 5W, B.M., Kootenai County		
Quantity	1.0	Use	irrigation
		Period	Apr. 1 - Oct. 31
Quantity		Use	
		Period	
Quantity		Use	
		Period	
Well Size		Diameter	16"
		Proposed Depth	?
		Feet	
Use	49 acres		
Date Forwarded	12-15-70	Date Returned	
		Received by	

COMMENTS: Major aquifer is sand and gravel. First water about 200 feet below LSD. Water levels show fluctuations, but no net decline may reflect influence of total water budget of drainage. Well development is moderately light. Aquifer should be capable of supporting additional development.

RECOMMENDED:

Applied: Qty.	1.0	Use	IRR.	Period	4/1-10/31	AF/A	3.5	AF	150
Qty.		Use		Period		AF/A		AF	
Qty.		Use		Period		AF/A		AF	
Maximum: Qty.	0.98	Use	IRR.	Period	3/15-11/15	AF/A	3.5	AF	172
Qty.		Use		Period		AF/A		AF	
Qty.		Use		Period		AF/A		AF	

ACTION: Approved ☒ Denied ☐

Conditions of approval or reason for denial:

INVESTIGATION	By	Paul M. Casteln	Title	W.R.I. - I
			Date	Dec. 23, 1970

**NOTICE OF APPLICATION
FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF IDAHO**

Notice is hereby given that the Idaho Irrigation, Inc., Route No. 1, Box 77, Rathdrum, Idaho, has on December 7, 1970, submitted Application No. 95-7130 to appropriate the public waters of a ground water source.

The application proposes a maximum diversion and appropriation of 1.0 cubic feet per second of water to be diverted by well, pump, mainline, and laterals within the NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 25, T. 51N, R. 5W, B. M., Kootenai County, and is to be used within the W $\frac{1}{2}$ SW $\frac{1}{4}$, Sec. 30, T. 51N, R. 4W, B. M. for the irrigation of 49 acres from April 1 to October 31.

Any permit issued pursuant to this application will be subject to ALL PRIOR WATER RIGHTS and subject to the CONTROL OF A STATE WATERMASTER. Any protest against this application must be filed with the Idaho Department of Water Administration, Statehouse, Boise, Idaho, on or before January 11, 1971.

R. KEITH HIGGINSON

Director

Published in the Post Falls Tribune, Post Falls, Idaho, on December 24 and December 31, 1970.

12-24 2tc

AFFIDAVIT OF PUBLICATION

County of Kootenai }
STATE OF IDAHO } ss.

JEANNETTE S. ROSIN, being first duly sworn, deposes and says that she is the publisher of THE POST FALLS TRIBUNE, a newspaper published weekly at Post Falls, Kootenai County, Idaho, and of general circulation therein.

That the Notice of Application for Water Permit
No. 95-7130 Idaho Irrigation, Inc. a true
printed copy of which is attached to the margin hereof, has been and
was correctly printed and published in the regular and entire issue of
every number of said newspaper and not in any supplement thereof
or thereto for two consecutive issues, commenc-

ing with the issue dated December 24, 1970
and ending with the issue dated December 31, 1970

Subscribed and sworn to before me, this 31st

day of December, 1970

C. Appleby
Notary Public for the State of Idaho
Residing at Post Falls, Idaho

Publication Fee \$ 10.12

July 20, 1972

Re: Application #95-7130 (Amendment)

Idaho Irrigation, Inc.
%Bill Dole
Route #1 Box 77
Rathdnum, Idaho

Dear Mr. Dole:

Enclosed is an amendment form which is needed to correct permit #95-7130 and a license issued. We have taken the liberty of typing the amendment for your convenience. Please check all items and if you are in agreement, sign and return to our office with the required 10.00 dollar fee. After we receive the amendment, we will be able to issue the license.

We have also included an Application to Alter a Stream Channel which you requested.

If you should have any questions, please feel free to contact us.

Yours very truly,

Fred Eisenbarth
Water Resource Examiner II

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

Cecil D. Andrus
Governor

R. Keith Higginson
Director

614 State Street
Statehouse -- Annex 2
Boise, Idaho 83720
(208) 384-2190



Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Waste Disposal Wells
Stream Channel Protection

September 24, 1973

Re: Permit Nos. 95-7128 95-7130
95-7129 95-7041

Idaho Irrigation, Inc.
Route 1, Box 77
Rathdrum, Idaho 83858

Gentlemen:

Enclosed herewith are copies of the Water Licenses issued on the above referenced permits.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

bjg

Enclosures (4)

95 7130

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION



Cecil D. Andrus
Governor
R. Keith Higginson
Director

614 State Street
Statehouse -- Annex 2
Boise, Idaho 83720
(208) 384-2190

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Waste Disposal Wells
Stream Channel Protection

September 5, 1973

Re: Permit Nos. 95-7128 95-7130
95-7129 95-7041

Idaho Irrigation, Inc.
Route 1, Box 77
Rathdrum, Idaho 83858

Gentlemen:

A representative of this Department has made an examination of the works covered by the above referenced permits and has found the following:

Permit #95-7128

Quantity of water diverted: 6.67 cfs

Amount of water that can be recognized as beneficially used under Idaho law: 2.50 cfs

The maximum quantity diverted shall not exceed 592 acre feet per year.

Beneficial use: Irrigation of 169 acres within the SE1/4NE1/4, SE1/4SW1/4, SE1/4, Sec. 4, Twp. 51 N, Rge. 4 W, B.M.

Point of diversion: SE1/4SW1/4 Sec. 3, Twp. 51 N, Rge. 4 W, B.M.

Priority date established: December 16, 1970 (late proof)

Permit #95-7129

Quantity of water diverted: 6.67 cfs

Amount of water that can be recognized as beneficially used under Idaho law: 2.50 cfs

The maximum quantity diverted shall not exceed 532 acre feet per year.

95 7130

Beneficial use: Irrigation of 152 acres within the
N1/2NE1/4, N1/2NW1/4, Sec. 4, Twp. 51 N, Rge. 4 W,B.M.

Point of diversion: SW1/4NW1/4 Sec. 4 Twp. 51 N, Rge.
4 W,B.M.

Priority date established: December 16, 1970 (late proof)

Permit #95-7130

Quantity of water diverted: 4.75 cfs

Amount of water that can be recognized as beneficially
used under Idaho law: 1.0 cfs

The maximum quantity diverted shall not exceed 172 acre
feet per year.

Beneficial use: Irrigation of 49 acres within the
W1/2SW1/4 Sec. 30, Twp. 51 N, Rge. 4 W,B.M.

Point of diversion: NE1/4SE1/4 Sec. 25, Twp. 51 N,
Rge. 5 W,B.M.

Priority date established: December 16, 1970 (late proof)

Permit #95-7041

Quantity of water diverted: 5.12 cfs

Amount of water that can be recognized as beneficially
used under Idaho law: 4.50 cfs

The maximum quantity diverted shall not exceed 1,015
acre feet per year.

Beneficial use: Irrigation of 290 acres within the
W1/2NW1/4, S1/2, Sec. 32, Twp. 52 N, Rge. 4 W,B.M.

Point of diversion: SE1/4SW1/4 Sec. 32, Twp. 52 N, Rge.
4 W,B.M.

Priority date established: January 3, 1969

If you do not concur with these findings, please advise us within
10 days, otherwise, a license will be issued as set forth in this
letter.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

BDF/bjg

95 7130

FIELD REPORT

- 49

by: _____

by: _____


by: _____

by: _____

DATE _____

EXAMINATION RECORDS

Diagram of System





DATE OF EXAM 7/20/72

ACREAGE

Found 49
Recommended 49

Irrigation Requirement 3.5 Ac Ft/Ac

USE

Irrigation Q = 1.0 c.f.s. V = 171.5 AF/Ann. from April 1 to Oct 31
Domestic Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____
Livestock Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____

Is water co-mingled? yes _____ no ☒

Name source: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Exchange? yes _____ no ☒

Name source exchanged with: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of injection:
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of exchange:
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Total Q measured 4.75 cfs Method of measurement Hershey Sparling Meter
installed

Total Q recommended 1.0 Meter No. #81546 Type Hershey Sparling Condition Good

Total V recommended 171.5 A.F./season

Recommended Amendments:

P.D. Amend to NESE Sec 25, 51N-SW (Amendment was sent 7/20/72 7.8.)
Place of Use O.K.
Other _____
None _____

MEASUREMENT CALCULATION:

Hershey Sparling
81546
1000 gals. in 28 sec. = 2140 gpm

SYSTEM DESCRIPTION:

U.S. Motor Byron Jackson Pump Head
Ser: 1098956 # 338360
200 H.P. Peerless Pump
251526
10" discharge into mainline for sprinkler operation

REMARKS:

This well is licensed under G25472 for 3.58 cfs for 320 acres
located in the E 1/2 Sec 25, 51N-SW. A larger Pump & Bowls & Motor
were installed.
Bill Dale was present at exam.

Examiner's Signature Fred Eversmuth Jr. Date 7/20/72

Checked by _____ Date _____

Approved by _____ Date _____

BEFORE THE DEPARTMENT OF WATER ADMINISTRATION
OF THE
STATE OF IDAHO

IN THE MATTER OF Permits No. 95-7128)
95-7129, ~~95-7130~~ and 95-7133 in the name)
of IDAHO IRRIGATION INC.)
_____)

ORDER OF REINSTATEMENT

WHEREAS, on February 1, 1971, the Department of Water Administration issued the above numbered permits with the condition that proof of construction of works and application of water to beneficial use be submitted to the Department on or before March 1, 1972, and that the applicant permanently install and maintain measuring devices at the points of diversion as part of the diverting works; and,

WHEREAS, on December 29, 1971, the Department notified the permit holder by certified mail that proof of beneficial use was due under the said permits and instructed the permit holder as to the steps to be taken to make said proofs; and,

WHEREAS, on March 3, 1972, the Department notified the permit holder that the above numbered permits had lapsed for failure to submit the required proof of beneficial use; and,


WHEREAS, on March 10, 1972, the Department received the required proof of beneficial use affidavits in connection with the above numbered permits; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days from the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing as to why said permits should be reinstated;

IT IS, THEREFORE, HEREBY ORDERED that Permits No. 95-7128, 95-7129, 95-7130 and 95-7133 be REINSTATED and the priority date of each permit be advanced to December 16, 1970.

Dated this 15 day of March, 1972.


R. KEITH HIGGINSON
Director

RKH:DR

95 7130

Identification No. _____

Permit No. 95-7130

STATE OF IDAHO
DEPARTMENT OF RECLAMATION

Mar 1972

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

1. a) Name of Permit Holder IDAHO IRRIGATION INC
b) Post Office Address RT 1 BOX 77 RATHDRUM IDAHO 83858
2. Permit Number 95-7130
3. Date of Priority that you are prepared to establish Dec 7 1970
4. a) Source from which water was appropriated DRIILLED WELL
b) Location of the point of diversion: NW 1/4 SE 1/4, Section 25
Township 51 N, Range 5 W Boise Meridian, Other points of diversion: KOOTENAI COUNTY
5. a) The amount of water and use to which the water has been applied:
amount 1 cfs for IRRIGATION purposes from APRIL 1ST to OCT 31ST incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
b) Total amount appropriated 1.0 cfs cfs and/or acre feet per annum
c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: PROPELLER DRIVEN WATER METER, READING TAKEN by MR BRECKENRIDGE DICKERSON PUMP & IRRIGATION SPOKANE, WASH.
6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:
a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: _____
b) Describe the agreement or understanding by which you take water from the works: _____
7. a) Briefly describe the works for diverting and conveying the water to the place of use, (If from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) 5 STAGE 14MC LOW UNIT 200 Hp MOTOR 16 O.D. WELL CASING 288' 5" TOTAL DEPTH UNDER GROUND MAIN LINE WITH SURFACE LATERAL LINES
b) Describe the type and size of measuring device which you have installed at your point of diversion: PROPELLER DRIVEN WATER METER HERSEY SPARKING N 81546 8"
c) Give well drillers name and address and date the well was completed WELL DEEPEN by HOLLMAN DRILLING CORP 3410 E 9th, SPOKANE, WASH Feb 16 1968

95 7130

My commission expires 12-15-72

On this 6 day of July, 1977, personally appeared before me the
signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.

State of Wash)
County of Spokane)
ss.)

(Signature)

(Date)

3-6-72

The above information is a true statement of the extent to which the above numbered permit has been developed.

10. Remarks: LICENSE 635472 WAS ISSUED FOR 3.58 cts WE HAVE PUT IN
A LARGE PUMP WHICH PUMPS MORE SO WE CAN IRRIGATE
49 ACRES MORE

TWP.	RANGE	SEC.	NE 1/4	NE 1/4 SW 1/4	NE 1/4 SE 1/4	NW 1/4	NW 1/4 SW 1/4	NW 1/4 SE 1/4	SW 1/4	SW 1/4 NW 1/4	SW 1/4 SE 1/4	SE 1/4	NE 1/4 NW 1/4	NE 1/4 SW 1/4	NE 1/4 SE 1/4	TOTALS
51N	4W	30								39	10					49

9. Irrigation uses: Describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision: _____

8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use

WELL DRILLER'S REPORT

State law requires that this report be filed with the State Reclamation Engineer within 30 days after completion or abandonment of the well.

[illegible]

March 18, 1972

**Re: Permits No. 95-7128 95-7129
95-7129 95-7128**

**Kaho Irrigation, Inc.
Route 1, Box 77
Rathdrum, Idaho 83858**

Gentlemen:

We acknowledge receipt of the affidavits submitted as proof of beneficial use for the above referenced permits. Enclosed please find an Order of Reinstatement; you will note that the priority date of each permit has been advanced.

Before licenses can be issued, a field examination must be made by a representative from this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the systems.

Very truly yours,

**BOBBY D. FLEENOR
Assistant Director**

**EDF:DR
Enc: Order of Reinstatement**

95 7120

STATE OF IDAHO

DEPARTMENT OF WATER ADMINISTRATION

Statehouse - Annex 2

Boise, Idaho 83707

(208) 384-2215



R. Keith Higginson
Director

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Flood Plain Management
Irrigation and
Flood Control Districts

March 3, 1972


Re: Permits No. 95-7128 95-7130
95-7129 95-7133

Idaho Irrigation, Inc.
Route 1, Box 77
Rathdrum, Idaho 83858

Gentlemen:

You are hereby notified that under the provisions of Section 42-218a of the Idaho Code, the above referenced permits have lapsed.

You are further advised that the Department cannot reinstate the permits except upon a showing of reasonable cause within sixty days from the date of this notice of lapsing.


R. KEITH HIGGINSON
Director

Dear Sir,
I was unable to get these completed
because of hospitalization.

RECEIVED
MAR 12 1972
Department of Water Administration

RKH:DR

95 7130

STATE OF IDAHO

DEPARTMENT OF WATER ADMINISTRATION

Statehouse - Annex 2

Boise, Idaho 83707

(208) 384-2215



R. Keith Higginson
Director

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Flood Plain Management
Irrigation and
Flood Control Districts

March 3, 1972

Re: Permits No. 95-7128 95-7130
95-7129 95-7133

Idaho Irrigation, Inc.
Route 1, Box 77
Rathdrum, Idaho 83858

Gentlemen:

You are hereby notified that under the provisions of Section 42-218a of the Idaho Code, the above referenced permits have lapsed.

You are further advised that the Department cannot reinstate the permits except upon a showing of reasonable cause within sixty days from the date of this notice of lapsing.



R. KEITH HIGGINSON
Director

REK:DR

95 7130

December 29, 1971 CERTIFIED MAIL #23286

Re: Permits No. 95-7128 95-7130
95-7129 95-7133

Idaho Irrigation, Inc.
Route 1 - Box 77
Rathdrum, Idaho 83858

Gentlemen:

One of the conditions of approval of your above referenced water permits (see last page of your approved permits) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before March 1, 1972. Enclosed are affidavit forms which must be used to submit the required proof of beneficial use.

If you have not fully completed your projects, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or litigation, more than one extension of time can be granted.

Either the beneficial use affidavits or requests for extensions of time must be received by this Department on or before the above mentioned date, otherwise the permits will lapse and be of no further force or effect.

R. KEITH HIGGINSON
Director

RKH:DR
Enc: Proof affidavits (4)

*Covered filed
in 95-7128*

95 7130

STATE OF IDAHO

DEPARTMENT OF WATER ADMINISTRATION

Statehouse — Annex 2
Boise, Idaho 83707
(208) 384-2215

February 4, 1971

Re: Permit Nos. 95-7128, 95-7129, 95-7130 & 95-7133



R. Keith Higginson
Director

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Flood Plain Management
Irrigation and
Flood Control Districts

Idaho Irrigation, Inc.
Route 1, Box 77
Rathdrum, Idaho 83858

Gentlemen:

Enclosed is a copy of each of your approved Applications for Permit Nos. 95-7128, 95-7129, 95-7130, and 95-7133. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain measuring devices at your points of diversion has been placed upon your permits. We are enclosing a letter describing different types of measuring devices accepted by this office.

Very truly yours.

BOBBY D. FLEENOR
Assistant Director

BDF/kh

Enclosures: Copy of each permit
2 informational letters

95 7130

**NOTICE OF APPLICATION
FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF IDAHO**

Notice is hereby given that the Idaho Irrigation, Inc., Route No. 1, Box 77, Rathdrum, Idaho, has on December 7, 1970, submitted Application No. 95-7130 to appropriate the public waters of a ground water source.

The application proposes a maximum diversion and appropriation of 1.0 cubic feet per second of water to be diverted by well, pump, mainline, and laterals within the NW $\frac{1}{4}$ Sec. 25, T. 51N, R. 5W, B. M., Kootenai County, and is to be used within the W $\frac{1}{2}$ SW $\frac{1}{4}$, Sec. 28, T. 51N, R. 4W, B. M. for the irrigation of 49 acres from April 1 to October 31.

Any permit issued pursuant to this application will be subject to ALL PRIOR WATER RIGHTS and subject to the CONTROL OF A STATE WATERMASTER. Any protest against this application must be filed with the Idaho Department of Water Administration, Statehouse, Boise, Idaho, on or before January 11, 1971.

R. KEITH HIGGINSON

Director

Published in the Post Falls Tribune, Post Falls, Idaho, on December 24 and December 31, 1970.

12-24 3te

STATE OF IDAHO

DEPARTMENT OF WATER ADMINISTRATION

Statehouse -- Annex 2

Boise, Idaho 83707

(208) 384-2215



R. Keith Higginson
Director

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Flood Plain Management
Irrigation and
Flood Control Districts

December 15, 1970

Re: Application Nos. 95-7128
95-7129 - Idaho Irrigation, Inc.
95-7130

Post Falls Tribune
P.O. Box 68
Post Falls, Idaho 83854

Gentlemen:

Enclosed you will find three legal notices which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates, allowing ample time for you to submit us galley proofs for our review before publication.

After sending us galley proofs, proceed with the publication on the dates we have inserted assuming the notices are correct. If we have any corrections, we will notify you before the first publication date. If you cannot publish the notices on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department for each notice along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid."

(signature of claimant)

Very truly yours,

Donald W. McEldowney
Appropriation Supervisor

DWM/DG
Enc: three legal notices

*Bill submitted
1-6-71
ds*

95 7130

NOTICE OF APPLICATION FOR PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF IDAHO

Notice is hereby given that the Idaho Irrigation, Inc., Route #1, Box 77,
Rathdrum, Idaho has on December 7, 1970
submitted Application No. 95-7130 to appropriate the public waters of
a ground water source
The/propoosed/uses/ate/

The application proposes a maximum diversion and appropriation of 1.0
cubic feet per second ate/feet/ of water to be diverted by well, pump, mainline,
and laterals within the NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 25, T.
51N, R. 5W, B.M., Kootenai County

and is to be used within the W $\frac{1}{2}$ SW $\frac{1}{4}$, Sec. 30, T. 51N, R. 4W, B.M. for the irri-
gation of 49 acres from April 1 to October 31.

Any permit issued pursuant to this application will be subject to ALL PRIOR
WATER RIGHTS and subject to the CONTROL OF A STATE WATERMASTER. Any protest
against this application must be filed with the Idaho Department of Water Adminis-
tration on or before January 11, 1971.
Statehouse, Boise, Idaho

R. KEITH HIGGINSON
Director

Published in the Post Falls Tribune, Post Falls, Idaho
on December 24 and December 31, 1970.

December 8, 1970

Idaho Irrigation, Inc.
Route #1, Box 77
Rathdrum, Idaho 83858

ATTENTION: Roy P. Perringer, President

Dear Mr. Perringer:

We are in receipt of the four applications for permit that you have submitted in the behalf of Idaho Irrigation, Inc. In reviewing these applications, we find three of them are apparently in order. However, the fourth we are returning for corrections along with check no. 28-75 in the amount of \$45.00.

Please note that under item 3 you have listed the point of diversion as being in the NW1/4, Sec. 12, T. 51N, R. 5W, B.M.. The map on page three does not correspond with this location, as it has the well located within the SW1/4 of the same section, township, and range. Also please note that the lands you have listed under item 8b do not correspond with those that you have marked on the map.

As soon as you have made the necessary corrections and resubmitted the application with the \$45.00 filing fee, we shall begin its processing.

If we may be of any further assistance in this matter, please feel free to contact us.

Very truly yours,

Dorian Clay,
Appropriation Examiner

DC/DG

Enc: check no. 28-75 in the amount of \$45.00
application for permit

December 8, 1970

Idaho Irrigation, Inc.
Route #1, Box 77
Rathdrum, Idaho 83858

Gentlemen:

Returned herewith is Departmental Receipt No. 5390 in the amount of
\$20.00 for Application for Permit,
which was received in this office under the above date.

Very truly yours,

M. RUSSELL BOSCH
Administrative Assistant

MRB:ejw

Enclosure: Receipt