


Complete the following map by showing land and point of diversion as proposed by this amendment. Show 40-acre subdivisions, townships, ranges and ditches.



Scale: 2 inches equal 1 mile

That no one will be injured by such change, and that such change will be made at permit holders own risk.

Signed at Post Falls, Idaho, this 4th day of August, 19 75.

M. J. Schneidmiller
Mannuel Schneidmiller (Signature)
SCHNEIDMILLER LAND CO.
Secretary-Treas.

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES


I, R. KEITH HIGGINSON, Director of the Department of Water Resources

hereby approve the foregoing application for amendment for Permit No. 95-7096.

Witness my hand this 8 day of August, 19 75.

Director

11. Map of proposed project:



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Schneidmiller Land Co.
by Manuel Schneidmiller
(Applicant) Sec. Treas.

**NOTICE OF APPLICATION
FOR PERMIT TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE OF
IDAHO**

Notice is hereby given that Schneidmiller Land Company, Route 2, Post Falls, Idaho, has on March 10, 1970, submitted Application No. 95-7096 to appropriate the public waters of a groundwater source.

The application proposes a maximum diversion and appropriation of 3.20 cubic feet per second of water to be diverted by wells, pumps, motors, pipe and sprinkler system within the NE $\frac{1}{4}$ SE $\frac{1}{4}$ and SW $\frac{1}{4}$ SE $\frac{1}{4}$ of Sec. 27, T. 51N, R. 5W, B. M., Kootenai County, and is to be used within the NE $\frac{1}{4}$, Sec. 34,

T. 51N, R. 5W, B. M. for the irrigation of 160 acres from April 15 to October 15.

Any permit issued pursuant to this application will be subject to ALL PRIOR WATER RIGHTS and subject to the CONTROL OF A STATE WATERMASTER. Any protect against this application must be filed with the Idaho Department of Reclamation on or before April 12, 1970.

R. KEITH HIGGINSON
State Reclamation Engineer
Published in the Post Falls Tribune, Post Falls, Idaho, on March 26 and April 2, 1970.

3-26 2tc

AFFIDAVIT OF PUBLICATION

RECEIVED
APR 6 1970

Department of Reclamation

County of Kootenai }
STATE OF IDAHO } ss.

JEANNETTE S. ROSIN, being first duly sworn, deposes and says that she is the publisher of THE POST FALLS TRIBUNE, a newspaper published weekly at Post Falls, Kootenai County, Idaho, and of general circulation therein.

That the Notice of Application For Permit To....
Appropriate the Public Waters... No. 95-7096... a true
printed copy of which is attached to the margin hereof, has been and
was correctly printed and published in the regular and entire issue of
every number of said newspaper and not in any supplement thereof or
thereto for two consecutive issues, commenc-

ing with the issue dated March 26 , 19 70..
and ending with the issue dated April 2 , 19 70..

Subscribed and sworn to before me, this 3rd
day of .. April , 19 70..


..... C. Agnes Luchini


Notary Public for the State of Idaho
Residing at Post Falls, Idaho

Publication Fee \$ 9.66

95-7096

Diagram of System





238A

A 238

Rabb

214A

B

78.9

A 13

Armstrong

241A 7.0 A
A 236
Beckford

28 27

A 295

Jackson

219.2

E10

263A

A

104.5

160.8

190A

HAY

D

25.0

A 190

23 Rudolph

332A

A 332

Clark

560

262A

264A

A

78.8

A 262

Schweidmiller

27

34

27

34

35

40

40

79.2

40

40

Industrial
Park

NOT TO SCALE

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 95-7096 Priority March 10, 1970 Amount 3.20 cfs

THIS IS TO CERTIFY, that SCHNEIDMILLER LAND COMPANY
of Post Falls, Idaho, has complied with the terms and conditions of Permit
No. 95-7096 issued pursuant to Application for Permit dated March 10, 1970,
and has submitted proof to the Department of Water Resources on March 20, 1975,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of * 8.0 cfs of water from a ground water source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Irrigation</u>	from <u>April 15</u> to <u>Oct. 15</u>	at <u>3.20</u> cfs and	<u>560 acre feet or</u> <u>3.5 af per acre</u>
	from _____ to _____	at _____ cfs and	_____
	from _____ to _____	at _____ cfs and	_____

(both dates inclusive)

Subject, however, to the condition that no more than 3.20 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
560 acre feet per year, said waters to be diverted within the NE $\frac{1}{4}$ SE $\frac{1}{4}$ -and- SW $\frac{1}{4}$ SE $\frac{1}{4}$ of
Sec. 27, Twp. 51 N, Rge. 4 W, B. M. in the County of Kootenai

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
51 N	4 W	34	40	40	40	40													160

Total number of acres irrigated 160

* Subject to the condition that the maximum rate of diversion shall not exceed 8.0
cubic feet per second when combined with License No. 28433/95-2131.

A measuring device of a type approved by the Department shall be permanently
maintained as part of the diverting works.

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho
Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use
herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 8 day of
August, 19 75.

Director

Receipt # 1159
R-5-TS MB

APPLICATION FOR AMENDMENT

APPROVED

Comes now Schneidmiller Land Company of (address) _____

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 95-7096, and requests that the permit and permit map be changed as follows:

1. Point of diversion: NE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 27 Twp. 51 N
Rge. 4 W, B. M., County of Kootenai. Other points of diversion:

Amount for purposes from to (both dates inclusive)
Amount for purposes from to (both dates inclusive)
Amount for purposes from to (both dates inclusive)
Amount for purposes from to (both dates inclusive)
(cfs or acre feet per annum)

[illegible]

160

PROPOSED

amendment. Show 40-acre subdivisions, townships, ranges and ditches.

Scale: 2 inches equal 1 mile

That no one will be injured by such change, and that such change will be made at permit holders own risk.

Signed at Post Falls, Idaho, this 14th day of August, 19 75.

Manuel Schneidmiller (Signature)
Secretary-Treas.
SCHNEIDMILLER LAND CO.

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

I, R. KEITH HIGGINSON, Director of the Department of Water Resources

hereby approve the foregoing application for amendment for Permit No. 95-7096.

Witness my hand this _____ day of _____ August, 19 75.

Director

Identification No. 95-7096
Application No. _____

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant Schneidmiller Land Company
post office address Route 2, Post Falls, Idaho 83854
2. Source of water supply ground-water which is a tributary of _____
3. a. Location of point of diversion is NE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 27 Township 51N
Range 5 W B.M. Kootenai County; additional points of diversion if any: _____
SW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec 27, Twp 51N. Rge. 5W B.M.
- b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 3.20 for irrigation purpose from April 15 to October 15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 3.20 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. drilled wells, pumps, motors, pipes,
and sprinkler systems
- b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
- c. Proposed well diameter is 28
16 inches; proposed depth of well is 280 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$ installed.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____


(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.
(5) If water is to be used for other purposes describe: _____

95-7096

[illegible]

10. Remarks	Irrigation requirements are high due to seed-crop program
-------------	---

11. Map of proposed project:



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Schneidmiller Land Co.
by *Marcel Schneidmiller*
(Applicant) *Sec. Treas.*

95-7096

Received by John Date 3-10-70 Time 8:00 am
Preliminary check by John Fee \$ 35.00
Received by John Date 3-11-70

Publication prepared by John Date 3-18-70
Published in Not for publication
Publication dates 3-26 + 4-2, 1970
Publication approved John Date 4-9-70

Priority reduced to _____ Reason _____
Protests filed by: _____
Copies of protests forwarded by _____
Hearing held by _____ Date _____

Recommended for approval or denial by John

ACTION OF STATE RECLAMATION ENGINEER

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-7096, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1, 1975.

c. Other: The permit holder shall permanently install and maintain measuring devices of a type approved by the department as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 20th day of April, 1970.

John
Deputy
State Reclamation Engineer

DEPARTMENT OF RECLAMATION

STAFF ANALYSIS

Application No. 95-7096 Name Schneidmiller Land Company
 Source groundwater
 Point of Diversion NE $\frac{1}{4}$ SE $\frac{1}{4}$, SW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 27, T. 51N, R. 5W, B.M.,
Kootenai County
 Quantity 3.20 Use irrigation Period April 15 - Oct. 15
 Quantity Use Period
 Quantity Use Period
 Well Size 16 Diameter Proposed Depth 280 Feet
 Use irrigation of 160 acres
 Date Forwarded 3-16-70 Date Returned 3-23-70 Received by DeW

RECOMMENDATIONS: aquifer: s.s. & gravel. wells range in
depth from 184-290 feet. Depth to water ranges
from 159-242 feet. No yield data for br.
wells. Water levels declining slightly (with info. Oct 5 & 11)
 Qty. 3.20 Use br Period 4-15-10-15 AF AFA
 Qty. Use Period AF AFA
 Qty. 3.2 cfs Use br Period 4-15-11-15 AF 3.5 AFA 560
 ACTION: Approved X Denied
 Conditions of approval or reason for denial: subject to prior rights
 INVESTIGATION By Sheila Chapman Title WR/IA II
 Date 3-23-70

95-7096

**NOTICE OF APPLICATION
FOR PERMIT TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE OF
IDAHO**

Notice is hereby given that Schneidmiller Land Company, Route 2, Post Falls, Idaho, has on March 10, 1970, submitted Application No. 95-7096 to appropriate the public waters of a groundwater source.

The application proposes a maximum diversion and appropriation of 3.20 cubic feet per second of water to be diverted by wells, pumps, motors, pipe and sprinkler system within the NE $\frac{1}{4}$ SE $\frac{1}{4}$ and SW $\frac{1}{4}$ SE $\frac{1}{4}$ of Sec. 27, T. 51N, R. 5W, B. M., Kootenai County, and is to be used within the NE $\frac{1}{4}$, Sec. 34,

T. 51N, R. 5W, B. M. for the irrigation of 160 acres from April 15 to October 15.

Any permit issued pursuant to this application will be subject to ALL PRIOR WATER RIGHTS and subject to the CONTROL OF A STATE WATERMASTER. Any protest against this application must be filed with the Idaho Department of Reclamation on or before April 12, 1970.

R. KEITH HIGGINSON

State Reclamation Engineer

Published in the Post Falls Tribune, Post Falls, Idaho, on March 26 and April 2, 1970.

3-26 2tc

AFFIDAVIT OF PUBLICATION

County of Kootenai }
STATE OF IDAHO } ss.

JEANNETTE S. ROSIN, being first duly sworn, deposes and says that she is the publisher of THE POST FALLS TRIBUNE, a newspaper published weekly at Post Falls, Kootenai County, Idaho, and of general circulation therein.

That the Notice of Application for Permit To....
Appropriate the Public Waters... No. 95-7096... a true
printed copy of which is attached to the margin hereof, has been and
was correctly printed and published in the regular and entire issue of
every number of said newspaper and not in any supplement thereof or
thereto for two..... consecutive issues, commenc-

ing with the issue dated March 26....., 19 70..
and ending with the issue dated April 2....., 19 70..

Subscribed and sworn to before me, this 3rd.....
day of April....., 1970.

.....
Notary Public for the State of Idaho
Residing at Post Falls, Idaho

Publication Fee \$. 9.66.....

95-7096

August 8, 1975

Re: Permit No. 95-7096

Schneidmiller Land Company
Route 3, Box 50
Post Falls, ID 83854

Gentlemen:

Enclosed herewith is a copy of the water license issued on the above referenced permit along with the approved Application for Amendment.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF:rb

Enc.

July 30, 1975

Schneidmiller Land Company
Route 3 - Box 50
Post Falls, Idaho 83854

Gentlemen:

A representative of this Department has made an examination of the works covered by your Permit No. 95-7096 and has found the following:

Quantity of water diverted: * 8.0 cfs Source: ground water

Amount of water that can be recognized as beneficially used under Idaho law: 3.20 cfs

The maximum quantity diverted shall not exceed 560 acre feet per year.

Point of diversion: NE $\frac{1}{4}$ SE $\frac{1}{4}$ -and- SW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 27, Twp. 51 N, Rge. 4 W, B.M., Kootenai County

Beneficial use: Irrigation of 160 acres within the NE $\frac{1}{4}$, Sec. 34, Twp. 51 N, Rge. 4 W, B.M.

Priority date established: March 10, 1970

* The maximum rate of diversion shall not exceed 8.0 cubic feet per second when combined with License No. 28433/95-2131.

Our field report indicates this project to be in Rge. 4W, whereas your permit lists Rge. 5W. Please be advised that it will be necessary for you to amend the permit before a license is issued. We have enclosed an application for amendment for your use in this matter.

Please sign the application and return it to this office with a \$10.00 filing fee within 20 days in order that we may issue your license as set forth above. If you do not concur with these findings, please contact us within the 20-day period.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF:DR
Enc: App for amend

FIELD REPORT

1. Name of permit holder Schneidmiller Land Company, Manuel Schneidmiller, Sec-Treas.

Postoffice address Route #3, Box 50, Post Falls, ID Phone

Person to contact _____ Phone _____

2. Source of water supply: Groundwater ☒ Surface water ☐ _____ (name spring, stream, etc.)

Tributary to _____

3. Water will be used for the following purposes:

Amount 3.20 c.f.s. for irrigation
 AF/Annum (nature of use)

Period of Use: from Apr. 15 to Oct. 15
(mo.-day) inclusive (mo.-day)

Amount _____ c.f.s. for _____
 _____ AF/Annum (nature of use)

Period of Use: from _____ to _____
(mo.-day) inclusive (mo.-day)

Amount _____ c.f.s. for _____
 _____ AF/Annum (nature of use)

Period of Use: from _____ to _____
(mo.-day) inclusive (mo.-day)

Other uses: _____

4. Total amount to be appropriated:

Max Rate of Diversion 3.20 cubic feet per second and annual volume _____ AF/Annum.

5. Location of Point(s) of Diversion:

Township 51N N/S, Range 5W E/W, B.M., Section 27, Subdivision NE $\frac{1}{4}$ SE $\frac{1}{4}$, Kootenai
County

Township 51N N/S, Range 5W E/W, B.M., Section 27, Subdivision SW $\frac{1}{4}$ SE $\frac{1}{4}$, Kootenai
County

Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ $\frac{1}{4}$ _____ $\frac{1}{4}$, _____ County

Other Points of Diversions: _____

Description of diverting works: 200 hp motor, 16" casing, 280' deep, water is conveyed by aluminum pipe.


Measuring device required: yes ☒ no ☐

6. Lands to be irrigated or place of use.


[illegible]**TOTAL ACREAGE**

160

Diagram of System



N
SI
I



638

2146

257

A 13
Aensteele

190 A

250

A 190

23 Rudolph

20 A
A 216
Bartel

22

28

A 295
Jackson

2192

E10

1045

180-8

2630

2640

A
788

A 262
Schweidmiller

27 28

34

35

40

112

40

40

40

Industrial
Park

NOT TO SCALE

DATE OF EXAM 6/23/75

ACREAGE
Found 160 acres
Recommended 160 acres

Irrigation Requirement 3.5 Ac Ft/Ac

USE
Irrigation Q = 3.2 c.f.s. V = 560 AF/Ann. from 4/15 to 10/15
Domestic Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____
Livestock Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____

Is water co-mingled? yes _____ no ☒

Name source: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Exchange? yes _____ no ☒

Name source exchanged with: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of injection: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of exchange: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Total Q measured 3600 gpm (8 cfs) Method of measurement meters

*Not to exceed 8 cfs when combined with 95-2131

Total Q recommended 3.2 Meter No. 25-10-257 Type Micrometer Condition good

Total V recommended 560 a.f. / season

Recommended Amendments:

P.D. _____
Place of Use _____
Other _____
None ☒

MEASUREMENT CALCULATION:

Measured 3600 gpm with installed meters
1600 gpm + 2000 gpm ÷ 448.8 = 8.0 cfs

SYSTEM DESCRIPTION:

<u>Hollow shaft</u>	<u>L9B Pump</u>	<u>G-E Motor</u>	<u>Pearless Pump</u>
<u>200 H.P.</u>	<u>Ser: D06606</u>	<u>250 h.p.</u>	<u>#189345</u>
<u>Ser: 1328756</u>	<u>(1600 gpm)</u>	<u>Ser: 58J 407003</u>	<u>(2000 gpm)</u>

REMARKS:

These two wells are licensed under 95-2131 for 8 cfs.
Therefore this license should be subject not to exceed
8 cfs when combined with 95-2131

Examiner's Signature [Signature] Date 6/23/75

Checked by [Signature] Date 7/8/75

Approved by _____ Date _____

March 24, 1975

Re: Permit No. 95-7096

Schneidmiller Land Company
Route #3, Box 50
Post Falls, ID 83854 ATTN: Manuel Schneidmiller, Sec.-Treas.

Dear Mr. Schneidmiller:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell during which part of the irrigation season this examination will be made, but our examiner will try to contact you at the time he makes the exam so that you may show him the system.

In reviewing this proof affidavit we note that you indicate that a measuring device will be installed as required by the conditions of approval of this permit. This measuring device must be installed by the time our examiner makes the exam or your water rights cannot be confirmed by the issuance of a license.

If you have any questions concerning the field exam, please contact our Northern District Office in Coeur d'Alene.

Sincerely,

D. Darlene Reich
Water Rights Supervisor

DDR:JG

Identification No. _____

Permit No. _____

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

1. a) Name of Permit Holder Schneidmiller Land Co.
b) Post Office Address Route 3 - Box 50, Post Falls, Idaho 83854
2. Permit Number 95-7096
3. Date of Priority that you are prepared to establish April 20, 1970
4. a) Source from which water was appropriated well
b) Location of the point of diversion: NE ¼ SE ¼, Section 27
Township 51N, Range 5W Boise Meridian, Other points of diversion: _____
5. a) The amount of water and use to which the water has been applied:
Amount 3.2 for irrigation purposes from April 15 to Oct. 15 incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
Amount 3.2 for _____ purposes from _____ to _____ incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
Amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
b) Total amount appropriated 3.2 cfs and/or acre-feet per annum
c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: _____
6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:
a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use:
(self)
b) Describe the agreement or understanding by which you take water from the works: _____
7. a) Briefly describe the works for diverting and conveying the water to the place of use, (if from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) 200 HP Motor, 16" casing, 280' depth. Water is conveyed by aluminum pipe.
b) Describe the type and size of measuring device which you have installed at your point of diversion:
Micrometer propeller meter. (This will be installed by April 15, 1975, by Dickerson Pump & Irrigation Company, Spokane, Washington. There is 12" of snow in the field at this time, and they can not get into the field.)
c) Give well driller's name and address and the date the well was completed:
Holman Drilling Company, # 1201 Stanley, Spokane, Washington (6/20/67)
8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use: _____

January 31, 1975

Certified Mail
26507

Re: Permit No.'s 95-7095, 95-7096 & 95-7097


Schneidmiller Brothers, Inc.
Route #2
Post Falls, ID 83854

Gentlemen:

One of the conditions of approval of your water Permit No.'s 95-7095, 95-7096 & 95-7097 (see last page of your approved permits) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before April 1, 1975. Enclosed are affidavit forms which must be used to submit the required proof of beneficial use.

If you have not fully completed your projects, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable causes as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted on each permit.

Either the beneficial use affidavits or a request for extensions of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.



R. KEITH HIGGINSON
Director

RKH:jg
Enc: Proof Affidavits (3)

RECEIVED
JAN 31 1975
IDAHO DEPARTMENT OF AGRICULTURE

DON SAMUELSON
GOVERNOR



R. KEITH HIGGINSON
State Reclamation Engineer

STATE OF IDAHO

DEPARTMENT OF RECLAMATION
STATEHOUSE - ANNEX 2
BOISE, IDAHO 83707
April 21, 1970

Re: Permit Nos. 95-7095, 95-7096 & 95-7097

Schneidmiller Brothers, Inc.
Route 2
Post Falls, Idaho 83854

Gentlemen:

We enclose a copy of your approved application for permit 95-7096, 95-7095 & 95-7097 in which we direct your attention to the limitations and conditions as given on the fourth page under approval of the State Reclamation Engineer.

Very truly yours,

C. Stephen Allred, ~~Assistant~~ Deputy
State Reclamation Engineer

CSA:kh

Enclosures: Copies of permits
Receipt No. 4298 for \$30
Receipt No. 4297 for \$35
Receipt No. 4296 for \$20
1 informational letter

P.S. Be sure to note that a special condition requiring you to install and maintain measuring devices at your points of diversion has been placed on your permits. We are enclosing a letter describing different types of measuring devices accepted by this office.

95-7096

**NOTICE OF APPLICATION
FOR PERMIT TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE OF
IDAHO**

Notice is hereby given that Schneidmiller Land Company, Route 2, Post Falls, Idaho, has on March 10, 1970, submitted Application No. 95-7096 to appropriate the public waters of a groundwater source.

The application proposes a maximum diversion and appropriation of 3.20 cubic feet per second of water to be diverted by wells, pumps, motors, pipe and sprinkler system within the NE $\frac{1}{4}$ SE $\frac{1}{4}$ and SW $\frac{1}{4}$ SE $\frac{1}{4}$ of Sec. 27, T. 51N, R. 5W, B. M., Kootenai County, and is to be used within the NE $\frac{1}{4}$, Sec. 34, T. 51N, R. 5W, B. M. for the irrigation of 160 acres from April 15 to October 15.

Any permit issued pursuant to this application will be subject to ALL PRIOR WATER RIGHTS and subject to the CONTROL OF A STATE WATERMASTER. Any protest against this application must be filed with the Idaho Department of Reclamation on or before April 12, 1970.

R. KEITH HIGGINSON
State Reclamation Engineer
Published in the Post Falls
Tribune, Post Falls, Idaho, on
March 26 and April 2, 1970.

3-26 2tc

95-7096

DON SAMUELSON
GOVERNOR



R. KEITH HIGGINSON
State Reclamation Engineer

STATE OF IDAHO

DEPARTMENT OF RECLAMATION
STATEHOUSE - ANNEX 2
BOISE, IDAHO 83707

March 18, 1970

Re: Application for Permit No. 95-7095 - Schneidmiller Bros., Inc.
95-7096 - Schneidmiller Land Co.
95-7097 - Schneidmiller Land Co.

Post Falls Tribune
Box 68
Post Falls, Idaho 83854

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted assuming the notice is correct. If we have any corrections, we will notify you before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department of Reclamation along with the publication bill. In order to receive payment, the following certification must appear on the bill:

I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid.

(Signature of the claimant)

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

DWM:DR

Enc: Legal notices (3)

Bill submitted

4-7-70
dr

95-7096

NOTICE OF APPLICATION FOR PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF IDAHO

Notice is hereby given that Schneidmiller Land Company, Route 2,
Post Falls, Idaho, has on March 10, 1970,
submitted Application No. 95-7096 to appropriate the public waters of
a groundwater source

~~The/proposed/well/at~~

The application proposes a maximum diversion and appropriation of 3.20
cubic feet per second ~~/dtd/dtd~~ of water to be diverted by wells, pumps, motors,
pipe and sprinkler system within the
NE $\frac{1}{4}$ SE $\frac{1}{4}$ and SW $\frac{1}{4}$ SE $\frac{1}{4}$ of Sec. 27, T. 51N, R. 5W, B.M., Kootenai County,

and is to be used within the NE $\frac{1}{4}$, Sec. 34, T. 51N, R. 5W, B.M. for the irri-
gation of 160 acres from April 15 to October 15

Any permit issued pursuant to this application will be subject to ALL PRIOR
WATER RIGHTS and subject to the CONTROL OF A STATE WATERMASTER. Any protest
against this application must be filed with the Idaho Department of Reclamation on
or before April 12, 1970.

R. KEITH HIGGINSON

State Reclamation Engineer

Published in the Post Falls Tribune, Post Falls, Idaho,
on March 26 and April 2, 1970.

K.H.

95-7096