

[illegible]

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 95-7090 Priority Jan. 12, 1970 Amount 1.68 cfs

THIS IS TO CERTIFY, that Central Pre-Mix Concrete Co.
of Coeur d'Alene, Idaho, has complied with the terms and conditions of Permit
No. 95-7090 issued pursuant to Application for Permit dated January 12, 1970,
and has submitted proof to the Department of Water Resources on February 26, 1975,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 1.68 cfs of water from the Spokane River,
tributary to the Columbia River, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Aggregate Washing</u>	from <u>April 1</u> to <u>Dec. 1</u>	at <u>1.68</u> cfs and	<u>162 acre feet</u>
	from _____ to _____	at _____ cfs and	_____
	from _____ to _____	at _____ cfs and	_____

(both dates inclusive)

Subject, however, to the condition that no more than 1.68 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
162 acre feet per year, said waters to be diverted within the SW $\frac{1}{4}$ NE $\frac{1}{4}$ of Sec. 10,
Twp. 50 N, Rge. 4 W, B.M. in the County of Kootenai

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
50 N	4 W	10		X															

Total number of acres irrigated _____

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 31st day of
July, 19 75.

Director

Identification No. 95-7090
Application No. _____

LICENSE ISSUED FOR 1.68 A.C.U. P.L.
LICENSE PAGE NO. _____

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant Central Pre-Mix Concrete Co.
post office address P.O. Box 757, Coeur d'Alene, Idaho 83814
2. Source of water supply Spokane River which is a tributary of Columbia River
3. a. Location of point of diversion is SW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 10 Township 50N
Range 4W B.M. Kootenai County; additional points of diversion if any: none
- b. If water is not consumed, it will be discharged into settling pond at a point in NW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 10 Township 50N Range 4W B.M. _____
4. Water will be used for the following purposes:
Amount 1.68 cfs for aggregate / washing purpose from April 1 to December 1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 1.68 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. one 50 HP pump with 8" pipeline
- b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
- c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years.
b. Estimated construction cost is \$ 10,000.00.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: NW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 10 Township 50N
Range 4W B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____
(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.
(5) If water is to be used for other purposes describe: For concrete aggregate production.

95-7090

[illegible]

c. Describe any other water rights used for the same purposes

b. Who owns the land to be irrigated or place of use
Central Pre-Mix Concrete Co.


c. If the property is owned by a person other than the applicant, describe the arrangement enabling the

~~Property.~~

The waste water will contain only silt which will be settled out in a pond.

~~There will be no water flowing away at any time but seep away.~~

11. Map of proposed project:



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

CENTRAL PRE-MIX CONCRETE CO.
by: William A. Kenny
(Applicant)

95-7090

1-12-70

Received by 1-12-70 Date 1-12-70 Time 8:00 a

Preliminary check by 1-13-70 Fee \$ 25.00

Received by 1-13-70 Date 1-13-70

Publication prepared by 1-21-70 Date 1-21-70

Published in Boise A. News Press

Publication dates 1-29 and 2-5-1970

Publication approved 1-17-70 Date 1-17-70

Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by ASA Oule

APPROVED

ACTION OF STATE RECLAMATION ENGINEER

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-7090, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.
b. Proof of construction of works and application of water to beneficial use shall be submitted on or before March 1, 19 75.

c. Other: _____

2. Denial of said application is for the following reasons: _____

Witness my hand this 25th day of March, 19 70.

State Reclamation Engineer

[Signature]

DEPARTMENT OF RECLAMATION

STAFF ANALYSIS

Application No. 95-7090 Name Central Pre-Mix Concrete Co.

Source Spokane River trib. Columbia River

Point of Diversion SW $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 10, T. 50 N., R. 4 W., B.M., Kootenai County

Quantity 1.68 c.f.s. Use aggregate washing Period April 1 - December 1

Quantity _____ Use _____ Period _____

Quantity _____ Use _____ Period _____

Well Size _____ Diameter _____ Proposed Depth _____ Feet

Use Water will be pumped at a point previously used by Secaur Cement

Products to wash concrete aggregate.

Date Forwarded 2/5/70 Date Returned 2-16-70 Received by ds

RECOMMENDATIONS: _____

Qty. _____ Use _____ Period _____ AF _____ AFA _____

Qty. _____ Use _____ Period _____ AF _____ AFA _____

Qty. _____ Use _____ Period _____ AF _____ AFA _____

ACTION: Approved ☒ Denied _____

Conditions of approval or reason for denial: _____

Engineering _____ By St. State Engr Title St. State Engr

Date 2-13-70

95-7090

AFFIDAVIT OF PUBLICATION—COEUR D'ALENE PRESS
(WEEKLY)

STATE OF IDAHO,

County of Kootenai,

ss.

Callie Fortner

....., being first duly sworn,
deposes and says:

That affiant is now, and at all times herein mentioned has been, a citizen of the United States and a resident of Kootenai County, State of Idaho, over the age of 21 years and not a party to, nor interested in the event of, the above entitled matter, and the printer (principal clerk) of the "Coeur d'Alene Press", during all of the times herein mentioned being a legal daily newspaper, of Coeur d'Alene, Kootenai County, Idaho, as defined by Idaho Code Sec. 60-106 to Sec. 60-108 both inclusive, and Chapter 121 Idaho Session Laws of 1949, and acts amendatory thereof and correlated thereto, and qualified thereunder to publish to the same effect as a weekly

newspaper on Wednesdays; and that the

Notice of Application

of which a printed copy is annexed hereto, was published in all the regular Wednesday

weekly issues of said newspaper for *two* consecutive weeks, commencing

on the *29* day of *January*, 19*80*, and ending on the

5 day of *February*, 19*80*.

Callie Fortner

Subscribed and sworn to, before me, this *5* day of *February*

19*80*

E. Patrick King

Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

**NOTICE OF APPLICATION
FOR PERMIT TO
APPROPRIATE THE PUBLIC
WATERS OF THE STATE OF
IDAHO**

Notice is hereby given that Central Pre-Mix Concrete Co., P.O. Box 757, Coeur d'Alene, Idaho, has on January 12, 1970, submitted Application No. 95-7090 to appropriate the public waters of the Spokane River, tributary of the Columbia River. The proposed uses are for aggregate washing purposes from April 1 to December 1.

The application proposes a maximum diversion and appropriation of 1.68 cubic feet per second of water to be diverted within the SW $\frac{1}{4}$ NE $\frac{1}{4}$ of Sec. 10, T. 50N, R. 4W, B.M., Kootenai County, by means of a pump and pipeline and is to be used within the NW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 10, T. 50N, R. 4W, B.M.

Any permit issued pursuant to this application will be subject to ALL PRIOR WATER RIGHTS and subject to the CONTROL OF A STATE WATERMASTER. Any protest against this application must be filed with the Idaho Department of Reclamation on or before February 16, 1970.

R. KEITH HIGGINSON
State Reclamation

Engineer

Jan. 29 and Feb. 5, 1970

95-7090

July 31, 1975

Re: Permit No. 95-7090

Central Pre-Mix Concrete Co.
P. O. Box 757
Coeur d'Alene, ID 83814

Gentlemen:

Enclosed herewith is a copy of the water license issued on the above referenced permit.

Sincerely,

D. DARLENE REICH
Water Rights Supervisor

DDR:rb

Enc.

RECEIVED

MAR 5 1975

Department of Water Resources
Phone _____
Northern District Office

- Person to contact _____ Phone _____

3. Water will be used for the following purposes:

Other uses: _____

- Max Rate of Diversion 1.68 cubic feet per second and annual volume _____ AF/Annum.

5. Location of Point(s) of Diversion:

Township 50N N/S, Range 4W E/W, B.M., Section 10, Subdivision SW 1/4 NE 1/4, **Kootenai**
County

Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ $\frac{1}{4}$ _____ $\frac{1}{4}$ _____

Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ 1/4 _____ 1/4 _____

Other Points of Diversions: _____


Description of diverting works: Steel supporting structure with pump in canal of main channel.
50 hp pump w/8" pipeline.

Measuring device required: yes ☐ no ☒

6. Lands to be irrigated or place of use.

[illegible]**TOTAL ACREAGE**

Chambers



Stefan Klee

[illegible]

Carl Ziegler

DATE OF EXAM 7/9/75

ACREAGE

Found 0
Recommended 0

Irrigation Requirement _____ Ac Ft/Ac

USE

Irrigation Q= _____ c.f.s. V= _____ AF/Ann. from _____ to _____
Domestic Q= _____ c.f.s. V= _____ AF/Ann. from _____ to _____
Livestock Q= _____ c.f.s. V= _____ AF/Ann. from _____ to _____
Industrial Q: 1.68 cfs V= 161.5 AF/Ann. from 4/1 to 12/1

Is water co-mingled? yes _____ no ☒

Name source: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____ County _____

Exchange? yes _____ no ☒

Name source exchanged with: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____ County _____

Point of injection: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____ County _____

Point of exchange: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____ County _____

Total Q measured 1.68 cfs Method of measurement pump capacity

Total Q recommended 1.68 cfs Meter No. _____ Type _____ Condition _____

Total V recommended 161.5 a.f./season

Recommended Amendments:

P.D. _____
Place of Use _____
Other _____
None ☒

MEASUREMENT CALCULATION:

Pump and motor designed for 750 gpm $\div 448.8 = 1.67$ cfs
Pump is used for 5 days/week at 9 hrs/day at 26 weeks
9 hrs X 130 days = 1170 hrs X 750 gpm X 60 min $\div 325850 \text{ gal} = 161.5 \text{ a.f.}$

SYSTEM DESCRIPTION:

Century Motor Centrifugal Pump
50 h.p. 175 lbs pressure
Ser: 75
Water is diverted from a channel at the river

REMARKS:

Water is used to wash gravel for concrete operations

Examiner's Signature [Signature] Date 7/9/75

Checked by [Signature] Date 7/10/75

Approved by _____ Date _____

March 3, 1975

Re: Permit No. 95-7090

Central Pre-Mix Concrete Co.
Attn: Leslie G. Dell, P.E.
P. O. Box 757
Coeur d'Alene, ID 83814

Dear Mr. Dell:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the exam so that you may show him the system.

Enclosed is a copy of this permit as you requested in your letter. If you have any questions concerning the field exam, please contact our Northern District Office in Coeur d'Alene.

Sincerely,

D. Darlene Reich
Water Rights Supervisor

DDR:JG
Enc: Copy of permit

MICROFILMED

Identification No. _____

Permit No. 95-7090

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

1. a) Name of Permit Holder CENTRAL PRE-MIX CONCRETE CO.
b) Post Office Address P O Box 757
2. Permit Number 95-7090
3. Date of Priority that you are prepared to establish (cannot find copy of permit)
4. a) Source from which water was appropriated Spokane River
b) Location of the point of diversion: SW $\frac{1}{4}$ NE $\frac{1}{4}$, Section 10
Township 50 N, Range 4 W Boise Meridian, Other points of diversion: N/A
5. a) The amount of water and use to which the water has been applied:
Amount 2.0 c.f.s. for Industrial purposes from March 1 to December 31 incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
Amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
Amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
b) Total amount appropriated 300 (approximately) ~~acre-feet~~/or acre-feet per annum
c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: Weir Flow @ Gravel Plant X estimated hours of production.
L. G. Dill, P. E.
6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:
a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use:
N/A
b) Describe the agreement or understanding by which you take water from the works:
N/A
7. a) Briefly describe the works for diverting and conveying the water to the place of use, (if from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) Surface water, Spokane River, steel supporting structure with pump in canal of main channel.
b) Describe the type and size of measuring device which you have installed at your point of diversion:
At gravel plant is weir for sand classifier. Also open pipe discharge can be used for determining flow.
c) Give well driller's name and address and the date the well was completed:
N/A
8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use:
For washing sand and gravel, then discharged back to open pit and ground water.

Exam typed 3/3/75 by js

RECORDED

9. Irrigation uses: describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision: _____

N/A

T	R	SEC.	NE¼				NW¼				SW¼				SE¼				TOTAL
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	

Total number of acres irrigated _____

10. Remarks: _____

The above information is a true statement of the extent to which the above numbered permit has been developed.

2-25-75

(Date)

Lester G. Dill

(Signature)

L. G. Dill, Director of Engineering

State of Washington)

) ss.

County of Spokane)

On this 25th day of February, 19 75, personally appeared before me the signer(s) of the above instrument, who duly acknowledged to me that he (~~she~~) (~~they~~) executed the same.

Ester W. Mc Bride

Notary Public residing at Spokane

My commission expires January 12, 1976



CENTRAL PRE-MIX CONCRETE CO.

CORPORATE OFFICE • 805 NORTH DIVISION • P. O. BOX 3366 TA
SPOKANE, WASHINGTON 99220 (509) 327-9511

RECEIVED

FEB 26 1975

Department of Water Resources

February 25, 1975

State of Idaho
Department of Water Resources
Statehouse
Boise, Idaho 83720

RE: Permit #95-7090

Dear Sirs:

Enclosed is the "Proof of Application of Water to Beneficial Use" form regarding the above permit number.

I do not find our copy of this permit. Will you please send me a duplicate copy.

Very truly yours,

CENTRAL PRE-MIX CONCRETE CO.

Leslie G. Dill, P. E.
Director of Engineering

LGD/gb

enclosures

cc: Cliff Anderson, Coeur d'Alene branch

MICROFILMED

- **SENDER:** Complete items 1 and 2.
Add your address in the "RETURN TO" space on reverse.

1. The following service is requested (check one).

- ☐ Show to whom and date delivered..... 15¢
☐ Show to whom, date, & address of delivery.. 35¢
☐ **DELIVER ONLY TO ADDRESSEE** and show to whom and date delivered..... 65¢
☐ **DELIVER ONLY TO ADDRESSEE** and show to whom, date, and address of delivery 85¢

2. ARTICLE ADDRESSED TO:

3. ARTICLE DESCRIPTION:

REGISTERED NO. CERTIFIED NO. INSURED NO.

26400

(Always obtain signature of addressee or agent)

I have received the article described above.

SIGNATURE

4.

DATE OF DELIVERY

JAN 3 1975

POSTMARK

5. ADDRESS (Complete only if requested)

6. UNABLE TO DELIVER BECAUSE:

CLERK'S
INITIALS


UNITED STATES POSTAL SERVICE

OFFICIAL BUSINESS

SENDER INSTRUCTIONS

Print your name, address, and ZIP Code in the space below.

- Complete items 1 and 2 on reverse side.
- Moisten gummed ends and attach to back of article.



RENTALTY FOR PRIVATE
USE TO AVOID PAYMENT
OF POSTAGE \$300



**RETURN
TO**



**DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720**

December 31, 1974

CERTIFIED MAIL

#26400

Re: Permit No. 95-7090

Central Pre-Mix Concrete Co.
P.O. Box 757
Coeur d'Alene, Idaho 83814

Gentlemen:

One of the conditions of approval of your water Permit No. 95-7090 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before March 1, 1975. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.



R. KEITH HIGGINSON
Director

RKH:jg
Enc: Proof affidavit

April 24, 1970

Re: Permit No. 95-7090

Mr. W. A. Kenny, Mgr.
Central Pre-Mix Concrete Co.
Box 757
Coeur d'Alene, Idaho 83814

Dear Mr. Kenny:

Pursuant to your letter of April 21, 1970, we are enclosing the Department's form to be used in submitting proof of construction of works and application of water to beneficial use.

Please be advised that this affidavit may be submitted to the Department at any time prior to March 1, 1975, if the water has been placed to beneficial use under your permit.

If you have any questions concerning this matter, please feel free to contact us at any time.


Very truly yours,

Donald W. McEldowney
Appropriation Supervisor

DWM:DR
Enc: B/U affidavit w/instructions

95-7090

Central PRE-MIX Concrete Co.



COEUR D'ALENE BRANCH:
HIGHWAY 10 WEST
P.O. BOX 757
COEUR D'ALENE, IDAHO 83814
PHONE (208) 664-2111

GENERAL OFFICES - 805 NORTH DIVISION ★ BOX 3366 ★ SPOKANE, WASHINGTON 99220 ★ PHONE (509) 327-9511

April 21, 1970

C. Stephen Allred
Deputy State Reclamation Engineer
Idaho Department of Reclamation
Statehouse - Annex 2
Boise, Idaho 83707

Dear Mr. Allred:

During the first part of this month, we received our permit 95-7090 to appropriate public waters. It was approved subject to proof of construction of works and application of water to beneficial use. This proof was to be submitted on or before March 1, 1975.

Could you please tell us what type of proof is necessary in this instance?

Thank you.

Sincerely,

CENTRAL PRE-MIX CONCRETE CO.

Dana McCuiston

(Mrs.) Dana McCuiston,
Secretary to W. A. Kenny, Manager.

dm

95-7090

April 20, 1970

Re: Permit No. 95-7090

Central Pre-Mix Concrete Company
P. O. Box 757,
Coeur d'Alene, Idaho 83814

Gentlemen:

Enclosed is a copy of the letter from the Idaho Department of Public Health dated April 7, 1970. This letter was received after the approval of your permit. It points out a problem that may be of interest to you and we would recommend that before the project is completed that provisions are made to comply with the requests of the Idaho Department of Health.

If we can be of further assistance, please contact us.

Very truly yours,

Donald W. McEldowney
Appropriation Supervisor

DWM:tg

Enc: copy of letter of 4-7-70
from Dept. of Health

95-7090



STATEHOUSE, BOISE, IDAHO, 83707

April 7, 1970

Mr. Donald W. McEldowney
Appropriation Examiner
Department of Reclamation
Statehouse
Boise, Idaho 83707

Dear Mr. McEldowney:

Reference is made to the application filed by Central Pre-Mix Concrete Co., P. O. Box 757, Coeur d'Alene, Idaho, to appropriate public waters from the Spokane River for aggregate washing operations.

We respectfully request that approval of this application be contingent upon the satisfactory submission of waste treatment plans by the applicant and the subsequent approval of same by the Idaho Department of Health. It is also requested that no diversion of said waters be allowed until waste treatment facilities approved by this Department have been constructed.

Sincerely,

MELVIN D. ALSAGER, Chief
Water Pollution Control Section
Environmental Improvement Division

mcf

cc: John R. Woodworth, Director, Fish and Game Department
Arthur W. Van't Hul, Public Health Engineer, Idaho Department
of Health

95-7090

March 30, 1970

Re: Permit No. 95-7090

Central Pre-Mix Concrete Company
P.O. Box 757
Coeur d'Alene, Idaho 83814

Gentlemen:

We enclose a copy of your approved application for permit 95-7090
in which we direct your attention to the limitations and conditions as given
on the fourth page under approval of the State Reclamation Engineer.

Very truly yours,

C. Stephen Allred, ~~Assistant~~ Deputy
State Reclamation Engineer

CSA:kh

Enclosures: Copy of permit
Receipt No. 4054 for \$25

95-7090

DON SAMUELSON
GOVERNOR



R. KEITH HIGGINSON
State Reclamation Engineer

STATE OF IDAHO

DEPARTMENT OF RECLAMATION
STATEHOUSE - ANNEX 2
BOISE, IDAHO 83707

February 24, 1970

Re: Application for Permit No. 63-7290 - Davis Packing Co.
65-7109 - Gerald M. Whitney
95-7090 - Central Pre-Mix Concrete Co.

Mr. Mel Alsinger
Department of Health
Statehouse Mail

Dear Mr. Alsinger:

Enclosed please find copies of the above referenced applications for permit received by this Department.

Since the applications may be of interest to your Department, we are requesting your views and comments prior to any action by our Department. May we hear from you as soon as possible.

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

DWM:DR
Enclosures (3)

95-7090

January 21, 1970

Re: Application for Permit No. 95-7089 - James E. Routt
95-7090 - Central Pre-Mix Concrete Co.

Coeur d'Alene Press
2nd and Lakeside
Coeur d'Alene, Idaho 83814

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted assuming the notice is correct. If we have any corrections, we will notify you before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department of Reclamation along with the publication bill. In order to receive payment, the following certification must appear on the bill:

I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid.

(Signature of the claimant)

Very truly yours,

Donald W. McElowney
Appropriation Examiner

DWM:DR

Enc: Legal notices (2)

95-7090

LEGAL

NOTICE OF APPLICATION
FOR PERMIT TO
APPROPRIATE THE PUBLIC
WATERS OF THE STATE OF
IDAHO

Notice is hereby given that Central Pre-Mix Concrete Co., P.O. Box 757, Coeur d'Alene, Idaho, has on January 12, 1970, submitted Application No. 95-7090 to appropriate the public waters of the Spokane River, tributary of the Columbia River. The proposed uses are for aggregate washing purposes from April 1 to December 1.

The application proposes a maximum diversion and appropriation of 1.68 cubic feet per second of water to be diverted within the SW $\frac{1}{4}$ NE $\frac{1}{4}$ of Sec. 10, T. 50N, R. 4W, B.M., Kootenai County, by means of a pump and pipeline and is to be used within the NW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 10, T. 50N, R. 4W, B.M.

Any permit issued pursuant to this application will be subject to ALL PRIOR WATER RIGHTS and subject to the CONTROL OF A STATE WATERMASTER. Any protest against this application must be filed with the Idaho Department of Reclamation on or before February 16, 1970.

R. KEITH HIGGINSON
State Reclamation
Engineer

Jan. 29 and Feb. 5, 1970

END LEGALS

1-28-70
KJL

NOTICE OF APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF IDAHO

Notice is hereby given that Central Pre-Mix Concrete Co., P.O. Box
757, Coeur d'Alene, Idaho, has on January 12, 1970,

~~has~~ submitted Application No. 95-7090 to appropriate the public waters of
the Spokane River, tributary of the Columbia River.

The proposed uses are for aggregate washing purposes from April 1 to
December 1

The application proposes a maximum diversion and appropriation of 1.68
cubic feet per second ~~666/666/~~ of water to be diverted within the _____
SW $\frac{1}{4}$ NE $\frac{1}{4}$ of Sec. 10, T. 50N, R. 4W, B.M., Kootenai County, by means of a pump
and pipeline

and is to be used within the NW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 10, T. 50N, R. 4W, B.M.

Any permit issued pursuant to this application will be subject to ALL PRIOR
WATER RIGHTS and subject to the CONTROL OF A STATE WATERMASTER. Any protest
against this application must be filed with the Idaho Department of Reclamation
on or before February 16, 1970.

R. KEITH HIGGINSON


State Reclamation Engineer

Published in the Coeur d'Alene Press, Coeur d'Alene, Idaho,
on January 29 and February 5, 1970.

X4.

95-7090

Central PRE-MIX Concrete Co.



COEUR D'ALENE BRANCH:
HIGHWAY 10 WEST
P.O. BOX 757
COEUR D'ALENE, IDAHO 83814
PHONE (208) 664-2111

GENERAL OFFICES - 805 NORTH DIVISION ★ BOX 3366 ★ SPOKANE, WASHINGTON 99220 ★ PHONE (509) 327-9511

January 9, 1970

Idaho Department of Reclamation

M. Russell Bosch, Administrative Assistant
Idaho Department of Reclamation
Statehouse -- Annex 2
Boise, Idaho 83707

Dear Mr. Bosch:

We have corrected the map to agree with the description
in Item 8. Also, we are enclosing our check for \$25.00.

Sorry about causing the delay.

Sincerely,

CENTRAL PRE-MIX CONCRETE CO.

William A. Kenny

William A. Kenny,
Manager.

WAK;dk
Enclosures

95-7090

Central PRE-MIX Concrete Co.

P.O. Box 757 - Cosum D'Alene, Idaho 83814

GROSS

DISCOUNT

AMOUNT PAID

1466

DATE	INVOICE NO.	DESCRIPTION	GROSS	DISCOUNT	AMOUNT PAID

DETAIL OF CHECK

95-7090

1/9/70	2053	PERMIT FOR WATER	2500		2500
DATE	CHECK NO.	DESCRIPTION	GROSS	DISCOUNT	AMOUNT PAID

60