



UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF RECLAMATION

RATHDRUM PRAIRIE PROJECT, IDAHO
PRAIRIE DIVISION
EAST GREENACRES UNIT

DETAILED LAND CLASSIFICATION
for
SPRINKLER IRRIGATION

Spokane, Washington Oct. 6, 1964 915-122-42

95-7055



EXPLANATION

- SECTIONALIZING GATE VALVE
- LENGTH / PIPE DIA. — PIPE SYSTEM
- WELL CLUSTER AND ELEVATED STEEL TANK
- EXCLUDED AREA
- OWNERSHIPS
- UNIT BOUNDARY

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF RECLAMATION
RATHDRUM PRAIRIE PROJECT
EAST GREENACRES UNIT - IDAHO

WELL SYSTEMS I, II, III, IV
LAYOUT - FEASIBILITY PLAN

DRAWN O.L. SUBMITTED J.C. Mandry
TRACED G.L.S. RECOMMENDED J.C. Rippon
CHECKED J.G.G. APPROVED O.T. Chief, CHIEF DESIGNING ENGINEER

DENVER, COLORADO, AUGUST 3, 1964 — 915-D-1

95-7055

RECEIVED
JUN 9 1969
Department of Reclamation

AFFIDAVIT OF PUBLICATION—COEUR D'ALENE PRESS

(WEEKLY)

STATE OF IDAHO, } ss.
County of Kootenai, }

Callie Paintner, being first duly sworn, deposes and says:

That affiant is now, and at all times herein mentioned has been, a citizen of the United States and a resident of Kootenai County, State of Idaho, over the age of 21 years and not a party to, nor interested in the event of, the above entitled matter, and the printer (principal clerk) of the "Coeur d'Alene Press", during all of the times herein mentioned being a legal daily newspaper, of Coeur d'Alene, Kootenai County, Idaho, as defined by Idaho Code Sec. 60-106 to Sec. 60-108 both inclusive, and Chapter 121 Idaho Session Laws of 1949, and acts amendatory thereof and correlated thereto, and qualified thereunder to publish to the same effect as a weekly newspaper on Wednesdays; and that the Notice of Application for Water -

of which a printed copy is annexed hereto, was published in all the regular Wednesday weekly issues of said newspaper for two consecutive weeks, commencing on the 29 day of May, 1969, and ending on the 5 day of June, 1969

95-7055

Callie Paintner

Subscribed and sworn to, before me, this 5 day of June 1969.

Bill submitted 6-13-69

C. Patrick King
Notary Public for the State of Idaho, residing at Coeur d'Alene, Idaho.

NOTICE OF APPLICATION FOR WATER

Notice is hereby given that The United States of America, Acting through the Regional Director, Region 1, Bureau of Reclamation, Box 8008, Boise, Idaho has on April 18, 1969 applied for permit under application No. 95-7055 to divert 90 cubic feet per second or 14100 acre feet per annum of water from ground-water sources. Water will be diverted by well complexes and enclosed conveyance system, well complex no. I consisting of four wells located within NE¼NE¼ Sec. 15, T. 51 N., R. 5 W., B.M., well complex no. II consisting of four wells located within SE¼NW¼ Sec. 21, T. 51 N., R. 5 W., B.M., well complex no. III consisting of three wells located within NE¼NE¼ Sec. 33, T. 51 N., R. 5 W., B.M., well complex no. IV consisting of four wells located within NW¼SW¼ Sec. 33, T. 51 N., R. 5 W., B.M., all in Kootenai County and they will be used from April 1 to October 31 for irrigation and from January 1 to December 31 for domestic and livestock. The water will be used within NW¼ Sec. 4; all of Sec. 5, T. 50 N., R. 5 W., B.M. and NE¼, SW¼, SE¼ Sec. 10; S½ Sec. 11; W½ Sec. 14; all of Sections 15 and 16; SW¼ Sec. 17; all of Sections 20, 21 and 22; W½ Sec. 23; W½ Sec. 27; all of Sec. 28; NE¼, SE¼, SW¼ Sec. 29; all of Sections 32 and 33; NW¼ Sec. 34, T. 51 N., R. 5 W., B.M. Any protest against this application must be filed with the Department of Reclamation within ten days from the last date of publication of this notice.

R. KEITH HIGGINSON
State Reclamation Engineer
May 29, June 5, 1969

18 17

19 20

B 17

19 20

30 29

B9L

A-294 Hoyt A 10.5

A 37.8

A 184 Carnegie

14.3

19.3

39

38

F 20.1

I 20.7

A-290 97.3 Bodine Farms, Inc

I 33.1

J 78.3

B 30.0

C 26.4

D 19.4

19 8

38 38

29 28

29 28

2 20 21

29 28

15 B 5.4

A 163 G. Carlson D 70.8

B 67.1

A 21.3

713

B9R

C 83.9 82.6

D 41.4

B 23.7

16 15

306A 21 22 244A

24

A306

A 107.4

out

C 108.3

A 242 E. Strichstill

320A 152A 289A

A320 Borawn

33 A290 Bodine

29

B 47.9

A 67.3

369A

A369


B 19.3 A 48 E. Beck

A 262 Schneidmiller 36.8

25 31

21 22

28 27




T50N R5W Sec 22 & W½ 23


T 5N R 5W Sec 27 & E½ 28
N
28
27
38
36
36
22
27
16
31
33
24
20
20
16
13
12
22
28
32
7
16
4
28
27
7


T5 1 N R5 W Sec 29 & W½ 28



T51N R5W Sec 32





28
33
35
30
37
38
33
34
36
N
T 5 I N
5 W
38
37
39
35
33
36
37
38
33
35
37
34
34
33
33
34


5 IN
SW
NOT TO SCALE


5 IN
5W
A65
Idaho Irrigation
10
11
12
15
14
13
22
23
24
49.9
74.7
79.5
105.0
95.5
123.4
18.0
152.7
A242
E. Satchwell
A236
Brickeat
Howell
A171
A192
D Satchwell
121.2
96.7
98.2
61.6
41.4
35.1
20.9
47.7
NOT TO SCALE
ILL-116

T51N R5W Sec 15




3
10
11
283A
283A
A290
Bodine
A
W
79.5
12
W
50.4
33
282A
A
38
17
103.3
24
35
27
22
10
11
15
14
S1N5W


T50N R5W

sec 6 & W ½ sec 5




T50N R5W Sec 9 & 16
12
17
32
1
23
36
27
20
97
39
36
36
18
16
8
36
12
16
15
21
22

T5ON R5W Sec 4 & E½ Secs 5



USE TYPEWRITER OR BALL POINT PEN

State of Idaho
Department of Water Administration

WELL DRILLER'S REPORT

State law requires that this report be filed with the State Reclamation Engineer within 30 days after completion or abandonment of the well.

1. WELL OWNER

Name EAST GREENACRES IRRIGATION DIST

Address RT 1 Box 116 POST FALLS IDA.

Owner's Permit No. 95-7055 (Bur. Rec.)

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement

☐ Abandoned (describe method of abandoning)

3. PROPOSED USE

☐ Domestic ☒ Irrigation ☐ Test

☐ Municipal ☐ Industrial ☐ Stock

4. METHOD DRILLED

☒ Cable ☐ Rotory ☐ Dug ☐ Other

5. WELL CONSTRUCTION

Diameter of hole 20 inches Total depth 230 feet

Casing schedule: ☒ Steel ☐ Concrete

Thickness	Diameter	From	To
.375 inches	20 inches	+2 feet	201 feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was a packer or seal used? ☒ Yes ☐ No

Perforated? ☐ Yes ☒ No

How perforated? ☐ Factory ☐ Knife ☐ Torch

Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☒ Yes ☐ No

Manufacturer's name U.O.P. JOHNSON

Type TELESCOPE Model No. IRRIGATOR

Diameter 18 Slot size 18 Set from 200 feet to 210 feet

Diameter 18 Slot size 150 Set from 210 feet to 215 feet

18 125 215 230

Gravel packed? ☐ Yes ☒ No Size of gravel _____


Placed from _____ feet to _____ feet

Surface seal? ☒ Yes ☐ No To what depth 20 feet

Material used in seal ☒ Cement grout ☐ Puddling clay

6. LOCATION OF WELL

Sketch map location must agree with written location.



95 7055

County KOOTENAI

_____ ¼ _____ ¼ Sec. _____, T. _____ N/S, R. _____ E/W

7. WATER LEVEL

Static water level 160 feet below land surface

Flowing? ☐ Yes ☒ No G.P.M. flow _____

Temperature 48 ° F. Quality GOOD

Artesian closed-in pressure _____ p.s.i.

Controlled by ☐ Valve ☐ Cap ☐ Plug

8. WELL TEST DATA NO TEST MADE

☐ Pump ☐ Bailer ☐ Other

Discharge G.P.M.	Draw Down	Hours Pumped

9. LITHOLOGIC LOG

Hole Diam.	Depth From	Depth To	Material	Water Yes	Water No
20"	0	20	GRAVEL 3" MINUS		X
20"	20	22	BOULDER		X
20"	22	38	GRAVEL + BOULDERS		X
20"	38	114	GRAVEL 4" MINUS		X
20"	114	165	GRAVEL 2" MINUS		X
20"	165	210	GRAVEL 2" MINUS	X	
20"	210	230	GRAVEL + SAND 1" MINUS	X	

10.

Work started MAY 24 1971 finished JUNE 28 19

11. DRILLER'S CERTIFICATION

This well was drilled under my supervision and this report is true to the best of my knowledge.

HALMAN DRILLING CORP. _____

Driller's or Firm's Name Number

E 3410 9TH AVE SPOKANE


Address

_____ _____

Signed By Date

USE ADDITIONAL SHEETS IF NECESSARY

FORWARD THE WHITE, BLUE, AND PINK COPIES TO THE DEPARTMENT



UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF RECLAMATION
RATHDRUM PRAIRIE PROJECT
EAST GREENACRES UNIT-IDAHO

WELL SYSTEMS I, II, III, IV

LAYOUT-FEASIBILITY PLAN

DRAWN D.L.	SUBMITTED J.L. Mandry		
TRACED G.L.S.	RECOMMENDED J.E. Rippon		
CHECKED JAG	APPROVED O.F. Ivie, CHIEF DESIGNING ENGINEER		
DENVER, COLORADO, AUGUST 3, 1964		915-D-1	

95 7055

State of Idaho

Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 95-7055 Priority April 18, 1969 Amount 90.0 cfs

THIS IS TO CERTIFY, that U.S. DEPT. OF INTERIOR, BUREAU OF RECLAMATION of Boise, Idaho, has complied with the terms and conditions of Permit No. 95-7055 issued pursuant to Application for Permit dated April 18, 1969, and has submitted proof to the Department of Water Resources on December 23, 1976, that he has applied water to a beneficial use; an examination by the Department indicates that the works have a capacity for the diversion of 92.67 cfs of water from a groundwater source, tributary to _____, and that the permit holder has applied to a beneficial use and established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Irrigation	from April 1 to October 31	at 90.0 cfs	and 14,000 acre feet
Stockwater	from Janaury 1 to December 31	at .83 cfs	and 50 acre feet
Domestic (245 units)	from January 1 to December 31 (both dates inclusive)	at 1.4 cfs	and 50 acre feet

Subject, however, to the condition that no more than 90.0 cfs of water be diverted at any one time, and that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed 14,100 acre feet per year, said waters to be diverted within the (5 pts.) NW¼NW¼, Sec. 22, (6pts.) SW¼SW¼, (3 pts.) NE¼SE¼, Sec. 28, Twp. 51N, Rge. 5W, B.M. in the County of Kootenai

Description and location of place of use:

Twp.	Range	Sec.	NE¼				NW¼				SW¼				SE¼				Totals
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
																			5,369
			PLACE OF USE IS WITHIN THE EAST GREEN ACRES IRRIGATION DISTRICT																

Total number of acres irrigated 5,369

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, **Idaho Code**, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 22 day of July, 19 81.

Director

DEPARTMENT OF WATER RESOURCES

Form 211
5/78

Ident. No. _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED
JUN 23 1981
Department of Water Resources

APPLICATION FOR AMENDMENT OF A PERMIT

To change the point of diversion and/or the place of use.

Comes now The United States of America, acting through the Regional Director, Pacific Northwest Region, Bureau of Reclamation

of (address) Box 043 - 550 West Fort Street, Boise, Idaho 83724, and represents to the Director of the Idaho Department of Water Resources:

That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 95-7055, and requests that the permit and permit map be changed as follows:

1. Point of diversion: SW ¼ SW ¼, Section 28, Township 51 N., Range 5 W., B.M., County of Kootenai. Other points of diversion: (5 points) NW¼NW¼, Section 22, T. 51 N., R. 5 W., (3 points) NE¼SE¼, Section 28, T. 51 N., R. 5 W.

2. Period and nature of use: (irrigation, domestic, stockwatering, industrial, etc.)
No change

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)

3. Place of use or land to be irrigated:

TWP	RGE	SEC	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
						5369 acres of land within the East Greenacres Irrigation District													

No change

Total number of acres to be irrigated = 5369


4. a. Who owns the property at the point of diversion? _____

b. Who owns the land to be irrigated or the place of use? _____

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: _____

Complete the following map by showing land and point of diversion as proposed by this amendment.

Show 40-acre subdivisions, townships, ranges and ditches.



Scale: 2 inches equal 1 mile.

That no one will be injured by such change, and that such change will be made at permit holder's own risk.

Signed at Boise Idaho, this 29 day of June, 19 81.

X John W. Keys, III
(Signature)
Acting Regional Director

FOR DEPARTMENT USE ONLY

Preliminary check by Jan Fee = $20.00 Receipted by Jan Date 5/20/1980 #22412

Publication prepared by N/A Date _____ Published in N/A

Publication dates N/A


ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

I, A. KENNETH DUNN, Director of the Department of Water Resources hereby

APPROVE the above referenced Amendment for Permit No. 95-7055.

Witness my hand this 22 day of July, 19 81.

A. Kenneth Dunn
Director




UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF RECLAMATION

RATHDRUM PRAIRIE PROJECT, IDAHO
PRAIRIE DIVISION
EAST GREENACRES UNIT

DETAILED LAND CLASSIFICATION
for
SPRINKLER IRRIGATION

Spokane, Washington Oct. 6, 1964 915-122-42

95-7055



EXPLANATION

- SECTIONALIZING GATE VALVE
- LENGTH / PIPE DIA. — PIPE SYSTEM
- WELL, CLUSTER AND ELEVATED STEEL TANK
- EXCLUDED AREA
- OWNERSHIPS
- UNIT BOUNDARY

1000 0 1000 2000 3000 4000 5000
SCALE OF FEET

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF RECLAMATION
RATHDRUM PRAIRIE PROJECT
EAST GREENACRES UNIT-IDAHO

WELL SYSTEMS I, II, III, IV
LAYOUT-FEASIBILITY PLAN

DRAWN D.L. SUBMITTED J.E. Mandry
TRACED D.L.S. RECOMMENDED J.R. Epperson
CHECKED J.G.G. APPROVED O.T. Rost, CHIEF DESIGNING ENGINEER

DENVER, COLORADO, AUGUST 3, 1964 — 915-D-1

95-7055

RECEIVED
JUN 3 1974
Department of Water Administration

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

APPLICATION FOR EXTENSION OF TIME

State of Idaho)
County of Ada)

Permit No. 95-7055

United States of America, acting through the Regional Director Pacific Northwest Region, Bureau of Reclamation (name) of Box 043-550 West Fort Street Boise, Idaho 83724 (address)

State of Idaho, being first duly sworn, upon his oath deposes and says:

That he is the holder, or the duly authorized agent of the holder *, of Permit to Appropriate the Public Waters of the State of Idaho No. 95-7055.

That under the terms and conditions of said permit, work thereunder was required to be completed on or before August 1, 19 74.

That he has heretofore performed the following work described under said permit:

Constructed project headquarters, 3 well clusters, acquired the rights of way and completed plans required to construct facilities to provide full irrigation service to about 5,400 acres of irrigable land plus municipal and industrial water in the Post Falls area and recreational and fish protective facilities at Twin Lakes. Major construction and equipment contracts totaling approximately $5,200,000 have been awarded with about $600,000 earned to date. Costing $ 2,020,000

That he is unable to complete the remainder of the work within the required time for the following reasons, to-wit: Project is scheduled for completion to provide full irrigation service to approximately 5,400 acres of irrigable land in April, 1975.

Final testing will be completed by June 1976.

Estimated total Project cost - $7,688,000.

Estimated balance to complete $5,668,000.

Wherefore, he asks that the Department of Water Administration extend the time for the completion of obligations under said permit to December 31, 1976.

Norman H Moore
Acting Regional Director (signature) *

Subscribed and sworn before me this 30 day of May, 19 74.

seal

Ed Thomas
(notary public)

My commission expires 1-1-77

ACTION OF THE DEPARTMENT OF WATER ADMINISTRATION

I, R. KEITH HIGGINSON, Director of the Idaho Department of Water Administration, State of Idaho, hereby approve the above application for extension of time for Permit No. 95-7055 to August 1, 1977.

Witness my hand this 4 day of June, 19 74.

R Keith Higginson
Director

* IF OTHER THAN HOLDER, Power of Attorney must be supplied. Forms are available through the Department of Water Administration, Statehouse - Annex 2, Boise, Idaho, 83707.

95-7055

rec'd #5833 given

STATE OF IDAHO
DEPARTMENT OF RECLAMATION

APPLICATION FOR AMENDMENT

Permit No. 95-7055

Comes now The United States of America, Acting through the Regional Director, Region 1, Bureau of Reclamation of (address) P.O. Box 8008 Boise, Idaho 83707, and represents to the State Reclamation Engineer of the State of Idaho:

That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 95-7055, and requests that the permit and permit map be changed as follows:

1. Point of diversion: SW ¼ SW ¼, Sec. 28, T. 51 N., R. 5 W., B.M. Other points of diversion remain the same as in permit. The same number of wells will be drilled as in original permit. This is a different location for a well. NENE 15, SENW 21, NENE 33, NWSW33 All of Twp 51N 5W

2. Period and nature of use: (irrigation, domestic, stockwatering, industrial, etc.)
No change from permit

mo. - day mo. - day

For _____ purposes from _____ to _____ (both dates incl.)

For _____ purposes from _____ to _____ (both dates incl.)

For _____ purposes from _____ to _____ (both dates incl.)

For _____ purposes from _____ to _____ (both dates incl.)

3. Place of use or land to be irrigated: No change from permit


TWP.	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	

Total number of acres to be irrigated 5,300

95 7055

Complete the following map by showing land and point of diversion as proposed by this amendment. Show 40 acre subdivisions, sections, townships, ranges, and ditches.

See attached Drawing No. 915-D-1



Scale: 2 inches equal 1 mile

That no one will be injured by such change, and that such change will be made at permit holder's own risk.

Signed at Boise, Idaho, this 30th day of March, 1971.

Norman H. Moore
(signature)

Acting Regional Director, Region 1

ACTION OF STATE RECLAMATION ENGINEER

I, R. Keith Higginson, State Reclamation Engineer of the State of Idaho, hereby APPROVE the above application for amendment for Permit No. 95-7055.

Witness my hand this 16 day of April, 19 71.

R. Keith Higginson
State Reclamation Engineer

95 7055

Identification No. 95-7055

Application No. _____

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant The United States of America, Acting through the Regional Director, Region 1, Bureau of Reclamation,

   post office address Box 8008, Boise, Idaho 83707

2. Source of water supply underground aquifer which is a tributary of --

3. a. Location of point of diversion is See remarks 1, NE ¼ of NE ¼ of Section 15 Township 51 N., Range 5 W. B.M. Kootenai County; additional points of diversion if any: II, SE¼ of NW¼, Sec. 21; III, NE¼ of NE¼ of Sec. 33; and IV, NW¼ of SW¼ of Sec. 33. All of Township 51 N., Range 5 W., B.M., Kootenai County

   b. If water is not consumed, it will be discharged into _____ at a point in _____ ¼ of _____ ¼ of Section _____ Township _____ Range _____ B.M. _____

4. Water will be used for the following purposes:

   Amount 14000AF (cfs or acre-feet per annum) for irrigation purpose from April 1 to October 31 (both dates inclusive)

   Amount 50 AF (cfs or acre-feet per annum) for domestic purpose from January 1 to December 31 (both dates inclusive)

   Amount 50 AF (cfs or acre-feet per annum) for livestock purpose from January 1 to December 31 (both dates inclusive)

5. Total quantity to be appropriated:

   a. 90 cubic feet per second ~~and~~/or

   b. 14100 acre feet per annum.

6. Proposed diverting works: See remarks.

   a. Description of ditches, flumes, pumps, headgates, etc. _____

   b. Height of storage dam -- feet, active reservoir capacity _____ acre feet; total reservoir capacity _____ acre feet, materials used in storage dam: _____

   Period of year during which storage will occur _____ (Mo. Day) to _____ (Mo. Day) inclusive.

   c. Proposed well diameter is See remarks. inches; proposed depth of well is _____ feet.

7. a. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years. following Congressional authorization.

   b. Estimated construction cost is $4,245,000.

8. Description of proposed uses:

   a. If water is **not** for irrigation:

   (1) Give the place of use of water: _____ ¼ of _____ ¼ of Section _____ Township _____ Range _____ B.M.

   (2) Amount of power to be generated: _____ hp under _____ feet of head.

   (3) List number of each kind of livestock to be watered stock water will be provided for sanitary uses in the dairy operations and drinking water for dairy cattle and other types of livestock in the unit.

   (4) Name of municipality to be served -- , or number of families to be supplied with domestic water 245.

   (5) If water is to be used for other purposes describe: _____

95-7055

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
			See remarks and attached Map No. 915-122-42.																

Total number of acres to be irrigated about 5,300.

c. Describe any other water rights used for the same purposes existing rights serving part of the Unit lands from Twin Lakes will be relinquished in lieu of Project water.


9. a. Who owns the property at the point of diversion property at well complexes will be acquired.

b. Who owns the land to be irrigated or place of use Irrigation District and individuals.

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing This filing is for a Federal Reclamation Project. Water service will be provided through contractual arrangements with an organization representing the water users.

10. Remarks See attachment.

11. Map of proposed project: See Map No. 915-122-42, attached.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Norman H. Moore
(Applicant)

Acting Regional Director

95-7055

Received by cj Date 4-18-69 Time 8:00 a.m.

Preliminary check by DR Fee $ 100

Receipted by cj Date 5-15-69

Publication prepared by bh Date 5-22-69

Published in Coeur d'Alene Press

Publication dates 5-29 + 6-5-69

Publication approved jb Date 5-27-69

Priority reduced to _____ Reason _____

Protests filed by: None 4-4-69

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for (approval) denial by DR CSA

APPROVED

ACTION OF STATE RECLAMATION ENGINEER

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-7055, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

   a. SUBJECT TO ALL PRIOR WATER RIGHTS.

   b. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 19 74.

   c. Other: The applicant shall permanently install and maintain a measuring device of a type approved by the department as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 4th day of August 19 69.

R. Keith Higginson

State Reclamation Engineer

REMARKS

No. 3, 6a, 6c. The facilities for the East Greenacres Unit of the Rathdrum Prairie project will consist of four separate water supply and distribution systems, each consisting of a cluster of deep wells, an elevated steel regulating reservoir, and a buried pipe pressure distribution system. Drawing 915-D-1 shows the system layout.

Four wells at complexes I, II and IV and three wells at complex III will provide the flexibility necessary to meet varying irrigation demand. A small well will also be provided at each complex to deliver water for domestic and livestock use during the nonirrigation season. Wells will be cased and screened. Diameters will be 20 to 22 inches for irrigation wells and 6 inches for the small wells. The well depths will range from 150 to 250 feet.

Pump capacities for the irrigation wells will range from 1,500 to 3,800 gallons per minute and the corresponding motor sizes will vary from 175 to 500 horsepower. The small pumps will deliver from 20 to 38 gallons per minute, with motor sizes ranging from 3 to 5 horsepower.

Float controls in a 75,000 gallon, elevated steel regulating reservoir will provide automatic pump operation at each complex. The steel tanks will be 22 feet deep and 28 feet in diameter and range in height from 105 to 140 feet.

Each well complex will require acquisition of about 4 acres of land. This will allow a 75-foot spacing between large wells to minimize interference and 150 feet from the wells to adjacent property lines to prevent possible contamination.

The distribution systems will consist of 40 miles of pipe, up to 30 inches in diameter, buried 4 feet to prevent freezing during winter operation. The local corrosive potential indicates pipe should be mortar coated and lined. Lines will be looped where required to equalize pressures. Sectionalizing gate valves, will permit shutting off portions of the system for repair without disrupting service to the entire area.

No. 8b. The project will serve about 5,300 acres including all or part of the following: Township 50 N., Range 5 W.: $NW\frac{1}{4}$ of Section 4, all Section 5 and Township 51 N., Range 5 W.: $NE\frac{1}{4}$, $SW\frac{1}{4}$, $SE\frac{1}{4}$, Section 10; $S\frac{1}{2}$, Section 11; $W\frac{1}{2}$, Section 14; all Section 15, all Section 16; $SW\frac{1}{4}$, Section 17; all Section 20; all Section 21; all Section 22; $W\frac{1}{2}$, Section 23; $W\frac{1}{2}$, Section 27; all Section 28; $NE\frac{1}{4}$, $SE\frac{1}{4}$, $SW\frac{1}{4}$, Section 29; all Section 32; all Section 33; $NW\frac{1}{4}$, Section 34.

95-7055

Standard Form 1034-A
7 GAO 5000
1034-211

VOUCHER FOR PURCHASES AND SERVICES OTHER THAN PERSONAL

VOUCHER NO. GI-1447

U.S. DEPARTMENT, BUREAU, OR ESTABLISHMENT AND LOCATION

U.S. Department of the Interior
Bureau of Reclamation
Boise, Idaho

DATE VOUCHER PREPARED: April 11, 1969

CONTRACT NUMBER AND DATE:

REQUISITION NUMBER AND DATE:

SCHEDULE NO.:

PAID BY:

PAYEE'S NAME AND ADDRESS:

State Reclamation Engineer
Statehouse - Annex
Boise, Idaho 83707

DATE INVOICE RECEIVED:

DISCOUNT TERMS:

PAYEE'S ACCOUNT NUMBER:

SHIPPED FROM | TO | WEIGHT | GOVERNMENT B/L NUMBER

NUMBER AND DATE OF ORDER	DATE OF DELIVERY OR SERVICE	ARTICLES OR SERVICES (Enter description, item number of contract or Federal supply schedule, and other information deemed necessary)	QUANTITY	UNIT PRICE COST	UNIT PRICE PER	AMOUNT
		Fee for permit to appropriate the public waters of the State of Idaho for 15 groundwater wells for East Greenacres Unit, Rathdrum Prairie Project, Idaho				$100.00
					TOTAL	$100.00

(Use continuation sheet(s) if necessary) (Payee must NOT use the space below)

PAYMENT:
- ☐ COMPLETE
- ☐ PARTIAL
- ☐ FINAL
- ☐ PROGRESS
- ☐ ADVANCE

DIFFERENCES

Amount verified; correct for $100.00

(Signature or initials) mlt

May 6, 1969

MEMORANDUM

Nedra A. Blackwell

ACCOUNTING CLASSIFICATION

14X0661 C&R (CPA) $100.00

PAID BY

CHECK NUMBER ON TREASURER OF THE UNITED STATES

CASH $

DATE

CHECK NUMBER ON (Name of bank)

95-7055

* U.S. GOVERNMENT PRINTING OFFICE : 1968 O—233-843

April 21, 1969

COPY

U. S. Department of Interior
Bureau of Reclamation
P.O. Box 8008
Boise, Idaho 83707

Gentlemen:

Enclosed herewith is your Public Voucher which has been signed in order to obtain the proper fee for the filing of an application, Rathdrum Prairie Project.

Very truly yours,

M. RUSSELL BOSCH
Administrative Assistant

MRB:ejw

Enclosure

95-7055

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF RECLAMATION

REGIONAL OFFICE, REGION 1
BOX 8008
BOISE, IDAHO 83707

IN REPLY
REFER TO: 424

APR 17 1969

Mr. R. Keith Higginson
State Reclamation Engineer
State of Idaho
Statehouse - Annex
Boise, Idaho 83707

Dear Mr. Higginson:

Enclosed is an application for a permit to appropriate the public waters of the State of Idaho to drill 15 wells in clusters of 3 or 4 wells for the East Greenacres Unit of the Rathdrum Prairie Project in Kootenai County, Idaho.

By letter dated October 3, 1967 Idaho Governor Don Samuelson approved the plans for the East Greenacres Unit as reported in our feasibility report. In his letter he stated that you held a public hearing on the proposed project at Coeur d'Alene on September 5, 1967, and there was no opposition. It was also approved by the Idaho Water Resource Board on September 15, 1967.

There is also enclosed a voucher in the amount of $100 to cover the required fee. Please sign and return it for prompt payment.

Sincerely,

Norman H. Moore

Assistant Regional Director

Enclosures

95-7055

Standard Form 1034
7 GAO 5000
1034-113

PUBLIC VOUCHER FOR PURCHASES AND SERVICES OTHER THAN PERSONAL

VOUCHER NO.

U.S. DEPARTMENT, BUREAU, OR ESTABLISHMENT AND LOCATION

U.S. Department of the Interior
Bureau of Reclamation
Boise, Idaho

DATE VOUCHER PREPARED: April 11, 1969

SCHEDULE NO.

CONTRACT NUMBER AND DATE

REQUISITION NUMBER AND DATE

PAID BY

PAYEE'S NAME AND ADDRESS

State Reclamation Engineer
Statehouse - Annex
Boise, Idaho 83707

DATE INVOICE RECEIVED

DISCOUNT TERMS

PAYEE'S ACCOUNT NUMBER

SHIPPED FROM | TO | WEIGHT | GOVERNMENT B/L NUMBER

NUMBER AND DATE OF ORDER	DATE OF DELIVERY OR SERVICE	ARTICLES OR SERVICES (Enter description, item number of contract or Federal supply schedule, and other information deemed necessary)	QUANTITY	UNIT PRICE COST	UNIT PRICE PER	AMOUNT (1)
		Fee for permit to appropriate the public waters of the State of Idaho for 15 groundwater wells for East Greenacres Unit, Rathdrum Prairie Project, Idaho				$100.00

(Use continuation sheet(s) if necessary) **(Payee must NOT use the space below)** **TOTAL** $100.00

PAYMENT:
- ☐ COMPLETE
- ☐ PARTIAL
- ☐ FINAL
- ☐ PROGRESS
- ☐ ADVANCE

APPROVED FOR = $

EXCHANGE RATE $1.00

BY

TITLE

DIFFERENCES

Amount verified; correct for

(Signature or initials)

Pursuant to authority vested in me, I certify that this voucher is correct and proper for payment.

(Date) (Authorized Certifying Officer)[2] (Title)

ACCOUNTING CLASSIFICATION

PAID BY

CHECK NUMBER ON TREASURER OF THE UNITED STATES

CASH DATE

$

CHECK NUMBER ON (Name of bank)

PAYEE[3]

[1] When stated in foreign currency, insert name of currency.
[2] If the ability to certify and authority to approve are combined in one person, one signature only is necessary; otherwise the approving officer will sign in the space provided, over his official title.
[3] When a voucher is receipted in the name of a company or corporation, the name of the person writing the company or corporate name, as well as the capacity in which he signs, must appear. For example, "John Doe Company, per John Smith, Secretary", or "Treasurer", as the case may be

PER

TITLE 95-7055

U.S. GOVERNMENT PRINTING OFFICE : 1967 O—342-899

RECEIVED
JUN 5 1969

AFFIDAVIT OF PUBLICATION—COEUR D'ALENE PRESS

(WEEKLY)

Department of Reclamation

STATE OF IDAHO, } ss.
County of Kootenai, }

Callie Fountner, being first duly sworn, deposes and says:

That affiant is now, and at all times herein mentioned has been, a citizen of the United States and a resident of Kootenai County, State of Idaho, over the age of 21 years and not a party to, nor interested in the event of, the above entitled matter, and the printer (principal clerk) of the "Coeur d'Alene Press", during all of the times herein mentioned being a legal daily newspaper, of Coeur d'Alene, Kootenai County, Idaho, as defined by Idaho Code Sec. 60-106 to Sec. 60-108 both inclusive, and Chapter 121 Idaho Session Laws of 1949, and acts amendatory thereof and correlated thereto, and qualified thereunder to publish to the same effect as a weekly newspaper on Wednesdays; and that the

Notice of Application for Water -

of which a printed copy is annexed hereto, was published in all the regular Wednesday weekly issues of said newspaper for two consecutive weeks, commencing on the 29 day of May, 1969, and ending on the 5 day of June, 1969

95-7055

Callie Fountner

Subscribed and sworn to, before me, this 5 day of June 1969.

Bill submitted 6-13-69

Patrick King

Notary Public for the State of Idaho, residing at Coeur d'Alene, Idaho.

NOTICE OF APPLICATION FOR WATER

Notice is hereby given that The United States of America, Acting through the Regional Director, Region 1, Bureau of Reclamation, Box 8008, Boise, Idaho has on April 18, 1969 applied for permit under application No. 95-7055 to divert 90 cubic feet per second or 14100 acre feet per annum of water from ground-water sources. Water will be diverted by well complexes and enclosed conveyance system, well complex no. I consisting of four wells located within NE¼NE¼ Sec. 15, T. 51 N., R. 5 W., B.M., well complex no. II consisting of four wells located within SE¼NW¼ Sec. 21, T. 51 N., R. 5 W., B.M., well complex no. III consisting of three wells located within NE¼NE¼ Sec. 33, T. 51 N., R. 5 W., B.M., well complex no. IV consisting of four wells located within NW¼SW¼ Sec. 23, T. 51 N., R. 5 W., B.M., all in Kootenai County and they will be used from April 1 to October 31 for irrigation and from January 1 to December 31 for domestic and livestock. The water will be used within NW¼ Sec. 4; all of Sec. 5, T. 50 N., R. 5 W., B.M. and NE¼, SW¼, SE¼ Sec. 16; S½ Sec. 11; W½ Sec. 14; all of Sections 15 and 16; SW¼ Sec. 17; all of Sections 20, 21 and 22; W½ Sec. 23; W½ Sec. 27; all of Sec. 28; NE¼, SE¼, SW¼ Sec. 29; all of Sections 32 and 33; NW¼ Sec. 34, T. 51 N., R. 5 W., B.M. Any protest against this application must be filed with the Department of Reclamation within ten days from the last date of

State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

September 8, 1981

RE: License No. 95-7055

Ed Thomas
U.S. Dept. of Interior
Bureau of Reclamation
Box 043
550 West Fort St.
Boise, ID 83724

Dear Ed:

Enclosed is a copy of Water Right License No. 95-7055 with the correct priority date of April 18, 1969, on the fourth line of the license.

We hope this has not caused you any inconvenience.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:kw
Enclosure

August 24, 1981

RE: License 95-7055

Ed Thomas
U.S. Dept. of Interior
Bureau of Reclamation
Box 043
550 West Fort St.
Boise, ID 83724

Dear Ed:

Enclosed is a copy of Water Right License 95-7055 with the correct priority date of April 18, 1969.

Please discard the first license sent to you with the April 8, 1989 priority date.

Thank you.

Sincerely,

JIM OOHNSON
Water Distribution Supervisor

JJ:kw
Enclosure

July 29, 1981

Pacific Northwest Region
Bureau of Reclamation
Box 043 -
550 West Fort St.
Boise, ID 83724

Dear Sirs,

RE: Permit No. 95-7055

Enclosed is a copy of the Water Right License issued on the above referenced permit, along with a copy of the approved Amendment.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

Enclosure

June 23, 1981

Ed Thomas
U.S. Dept. of Interior
Bureau of Reclamation
Box 043
550 West Fort St.
Boise, ID 83724

Dear Mr. Thomas,

Enclosed is the Application for Amendment for Permit No. 95-7055 for the East Green Acres Project. Please have the Amendment signed.

We will continue the licensing process once the amendment is returned.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:mr
Enclosure

United States Department of the Interior
BUREAU OF RECLAMATION
~~WATER AND POWER RESOURCES SERVICE~~
PACIFIC NORTHWEST REGION
FEDERAL BUILDING & U.S. COURTHOUSE
BOX 043-550 WEST FORT STREET
BOISE, IDAHO 83724

RECEIVED
JUN 29 1981
Water Resources

IN REPLY
REFER TO: PN 420
870.-

JUN 22 1981

Mr. Jim Johnson
Water Distribution Supervisor
Idaho Department of Water Resources
Statehouse
Boise, Idaho 83720

Dear Mr. Johnson:

Enclosed, as recently discussed with Mr. Ed Thomas of this office, is an application for amendment of the water permit No. 95-7055 for the East Greenacres Project. This amends the points of diversion to the as-built well sites and the service acreage to that shown on the recent final proof survey.

Sincerely yours,

L. W. Lloyd

Regional Director

Enclosure

cc: East Greenacres Irrigation District
P. O. Box 896
Post Falls, Idaho 83854

December 10, 1980

Ed. Thomas
U.S. Dept. of Interior
Water, Power and Resrouces Services
Pacific Northwest Region
Box 042, 550 West Fort St.
Boise, Idaho 83724

Dear Ed,

Enclosed is the Amendment form that we discussed on the phone.

Please sign and return.

Thank you.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:mr

Enclosure

INTER-DEPARTMENT MEMO — 1

FROM Dave

DATE 10/21

TO Jim

SUBJECT 95-7055

1. Why doesn't USBR assign the permit to East Greenacres? That would clear up the name problem. Otherwise, USBR will have to sign the amendment, which is now invalid without a signature. We would use WPRS as the current name — the two are interchangable.

2. Since we are dealing with an irrigation district, the acreage irrigated per "40" is unneeded. What we require is a) total acreage irrigated under this permit, and b) boundaries of the irr. dist. Domestic use outside the boundaries can be added as an addendum.

SIGNATURE

over

3. The boundaries of the irr. dist. will not be shown on the license but should just be included in the file. Therefore, the P/U on the license will be: "Place of use within lands of East Greenacres Irrigation District".

4. I don't see a reason for us to seek "relinquishment" of overlapping rts. Permits can die a natural death and licensed or beneficial use rights may be valid as supplemental.

10/20/80

TO: DAVE

FROM: JIM

RE: LICENSE PROCESSING FOR PERMIT 95-7055

I have a few questions on this one.

1) How should EAST GREEN ACRES IRRIGATION DIST. CLAIM OF OWNERSHIP be documented on this right?
Field exam arrangements and other correspondance by the region was done through Bob Ashcraft ✓ Mgr for EGAID.
License will be issued to USBR w/o reference to EGAID.
a) Should U.S.BR still be used or U.S. W.P. & R.S. SEE 6) for related question

2) Do we need to know EGAID boundries before we issue this license? Correspondance in the file show that some of the domestic use may be outside of the Boundries.

3) When there is a difference between P/U for Irrigation and domestic do we also prepare a land list show P/U for domestic?

4) Idaho Code section 42-219 does not require exact location of P/U if permit is over 25,000 Ac. or ~~if owned by~~ within Irrigation districts. What detail of discription is necessary? i.e. LANDS WITHIN EAST GREEN ACRES IRRIGATION DIST. OR TO the near section etc.
Field exam show Number of irrigated acres in each 40 acre tract. Should we use it when available?

5) Should ~~be~~ WE check for possible over lap? Permit owner (U.S.B.R.) said that overlapping water rights would be relinguished by owners. Do we need proof?

6) Idaho Code section 42-219 says "--- license shall be issued to the persons, association, company or corporation or irrigation district owning the project---" Does the U.S.B.R. or E.G.A.I.D. own the project?

EAST GREEN ACRES IRRIGATION DIST.

USBR - Filing -

EGAID HAS CONTRACT W/ USBR


IN THIS CONTRACT EGAID IS TO SUPPLY wtr to ~~B~~ domestic use outside of district.

Also EGAID ON their own have contracts w/ users outside of district to supply water via Water Service Contract.


when USBR initiated project they allowed people to petition to get into their service area.

EGAID MODIFIED Their boundries when USBR Project came along.





38
14
29
1
14
1
22
23


T5N R5W Sec 27 E½ 28




T5IN R5W Sec 29 & W½ 28



T 51 N R 5 W Sec 32





33
33
38
33
34
33


5 N
5 W
36
C
20.7
A
B
8.3
21.3
A 324
Thayer
27.0
8.8
38
40
A 231
Pioneer Irr.
A
79.5
39
40
A
102.2
A 349
Thayer
A
A 6
Idaho Irrigation
157.0
C8
39
33
A
103.3
31
5
10
11
15
14
11
12
14
13
NOT TO SCALE


S1N
SW
NOT TO SCALE
III-116


T51N R5W Sec 15




3
12
283A
283A
A
W
795
13
38
38
24
27
35
10
11
15
14
1033
SINSW


T30N R5W

Sec 6 & W ½ Sec 5



T50 N R5W Sec 8 & 16

T50N R5W Sec 4 & E½ Secs 5



Form 219
12/79

State of Idaho
DEPARTMENT OF WATER RESOURCES
FIELD REPORT

95-7055
Permit No.

CONTACT WITH PERMIT HOLDER

	DATE	INITIALS	REMARKS
☐ Appointment letter mailed:			
☐ Telephone call made: (List Telephone No. used)			
☐ Appointment scheduled for: (Date, time, location)	8-14-80	JK	8:00 AM Site

EXAMINATION

Date 8-14-80 Accompanied by Bob Asheraft Total Q measured 92.67

If source is surface water, estimate total flow of source

Methods of measurement McCrometers Meets Permit requirements? Yes

Measurement calculations: See Supplimental

WELL/DIVERSION* NO.	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEV.	REMARKS
	See Supplimental							

System Description 14 Wells, pump-pipeline to dist.

*Code with map on reverse side. Disregard code if only one.


RECOMMENDED AMOUNTS

Irrigation requirement = 3.0 AFA/Acre

USE	Q (cfs)	V (afa)	FROM	TO
Irrigation	90.0	14,100	4-1	10-31
Domestic (245)	1.4	991.54	1-1	12-31
Stock (1275)	0.83	50.00	1-1	12-31
Total	90.00	14,100.0		

Remarks 467 Homes on system - Filed Amendment & Application

MAP (Attach Aerial Photo)



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

Point(s) of diversion: (6 Points) SWSW 28, (5 Points) NWNW, 22, (3 points) NESE-28, T5N, R5W.

Place(s) of Use

TWP.	RGE.	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
				See attached															

Recommended Amendments:

☒ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None

☒ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other _____

Examiner's Signature Tom King Date 9-11-80

Checked by Bob Haynes Date 10/1/80

Approved by _____ Date _____

Measurement Calc.
SUPPLEMENTAL

95-7055

Well #	MOTOR HP	MOTOR MAKE	MOTOR SER #	PUMP MAKE	PUMP SER #	cfs
1A	500	US	85-18234	Aurora	V73-07847A	8.4
1B	"	"	85-18236	"	V77-86960	9.0
1C	"	"	85-18239	"	377-89087	8.2
1D	250	"	85-19146	"	V73-07845	4.5
1E	30	"	[redacted]P-2093238	"	V73-07843	0.47
1F	250	"	85-19145	"	V73-07846A	4.8
2A	500	US	85-18238	Aurora	V74-01429	8.5
2B	300	"	85-19143	"	V74-07844	4.3
2C	500	"	85-18232	"	V73-078470	8.5
2D	"	"	85-18233	"	V77-87941	9.0
2E	300	"	85-19144	"	V74-01428	4.5
3A	500	US	85-18237	Aurora	V74-01431	8.7
3B	"	"	85-18235	"	V74-01430	9.4
3C	250	"	85-19147	"	V73-07846B	4.4

Total cfs = 92.67

Applied for 90.00 cfs & 14,100 AF/Ann

Irrigation 90.00 cfs (1.98)(245 days) = 43,659 AF/Ann
5,375 Acres (3.0) = 16,125 AF/Ann

Domestic $\frac{(75\text{ gpd})(4\text{ Pers}) = 300\text{ gpd}}{120\text{ min}} = \frac{2.5\text{ gpm}}{448.8} = (0.0056)(245\text{ Homes}) = 1.372\text{ cfs}$

(1.372 cfs)(1.98)(365 days) = 991.54 AF/Ann

Stock (1275 hd*)(0.00065) = 0.83 cfs (1275 hd*)(0.0391) = 50.00 AF/Ann

*(Stock is estimate of total hd)

Wells #1A-1F Located within SWSW, Sec 28, T5N, R5W
#2A-2E " " NWNW, Sec 22, T5N, R5W
#3A-3C " " NESE, Sec 28, T5N, R5W

Field Supplemental
Acreage Presently Irrigated

TWP	RNG	SEC	NE				NW				SW				SE				Total
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
50 N	5W	4	-	-	-	-	31	35	2	-	-	10	2	-	-	-	-	-	80
		5	37	37	25	20	32	21	24	30	33	29	31	17	28	32	5	-	401
		6	16	22	26	30	6	-	6	21	-	-	-	-	-	-	-	-	127
51 N	5W	9	-	-	-	-	-	-	-	-	-	-	-	7	12	5	32	17	~~79~~ 73
		10	12	-	10	33	-	13	7	-	-	13	22	27	38	17	24	35	251
		11	-	-	-	-	40	38	39	40	25	39	36	5	-	-	-	-	262
		14	-	-	-	-	10	25	38	40	40	39	33	27	-	-	-	-	252
		15	39	38	40	38	8	13	5	-	37	26	18	36	38	40	34	35	445
		16	20	27	36	39	36	23	28	27	36	18	36	12	8	16	-	-	362
		17	-	-	-	-	-	-	-	-	-	-	-	-	5	-	7	16	30
		20	39	-	-	38	-	-	-	-	-	-	-	-	-	-	-	2	79
		21	24	-	32	38	8	19	38	38	28	29	29	29	29	33	25	31	435
		22	39	28	12	21	32	34	35	29	20	27	32	28	9	34	12	28	430
		23	-	-	-	-	15	14	1	27	29	27	14	1	-	-	-	-	128
		27	-	-	20	-	22	36	33	24	12	13	32	7	-	16	4	-	219
		28	36	38	16	31	37	38	38	39	28	39	28	29	16	20	25	21	463
		29	32	38	19	38	-	-	-	-	28	10	-	-	36	37	38	35	311
		32	34	38	35	36	4	-	-	32	19	6	4	19	38	37	37	26	375
		33	38	37	35	33	30	35	37	39	37	36	35	37	33	32	32	34	572 74
		34	-	-	-	-	-	36	38	-	-	-	-	-	-	-	-	-	
																			~~5375~~ 5369

East Greenacres Irrigation District
P O Box 896
Post Falls, Idaho 83854

August 20, 1980

Idaho Dept of Water Resources
Northern District
4055 Government Way
Coeur d'Alene, Idaho 83814

Attn: Tom King

Dear Tom;

Please find enclosed the information concerning existing domestic and stock water usage within our district. We broke the descriptions down into 40 acre tracts except where the entire quarter section is supplied with domestic water.

Hope that this information is all that you needed.

Very truly yours,

Robert Ashcraft
Manager

RA:bc
Enc - 3

RECEIVED
AUG 25 1980
Department of Water Resources
Northern District Office

EAST GREENACRES IRRIGATION DISTRICT

Section	Quarter Sec.	Domestic-Stock Water
4	NW¼NW¼	-0-
	NE¼NW¼	-0-
	SW¼NW¼	yes
	NW¼SW¼	yes
	Rest of Section	-0-
5	All quarters except SE¼SE¼	yes
6	All Quarters	-0-
9	All of SE¼	yes
	SE¼ & SW¼ of NE¼	yes
	SW¼ of SW¼	yes
	SE¼ of SW¼	yes
	Rest of Section	-0-
10	SW¼ NW¼	yes
	SE¼ of SE¼	yes
	Rest of Section	-0-
11	All of Section	-0-
14	NW¼ of NW¼	yes
	SW¼ of SW¼	yes
	SE¼ of SW¼	yes
	Rest of Section	-0-
15	SE¼ of SE¼	yes
	SW¼ of SE¼	yes
	NE¼ of SE¼	yes
	Rest of Section	-0-
16	NE¼ of NW¼	yes
	SW¼ of NW¼	yes
	NW¼ of SW¼	yes
	NW¼ of NE¼	yes
	Rest of Section	-0-
17	SE¼ of SE¼	yes
	Restof Section	-0-
20	SE¼ of SE¼	yes
	Rest of Section	-0-

RECEIVED
AUG 25 1980
Department of Water Resources
Northern District Office

EAST GREENACRES IRRIGATION DISTRICT

Section	Quarter Sec.	Domestic-Stock Water
21	SE¼ of NW¼	-0-
	NW¼ of NW¼	-0-
	NE¼ of NW¼	-0-
	NW¼ of SE¼	-0-
	Rest of Section	yes
22	NW¼	-0-
	NE¼	-0-
	NW¼ of SE¼	-0-
	NE¼ of SW¼	-0-
	SE¼ of SW¼	-0-
	Rest of Section	yes
23	NW¼ of NW¼	yes
	SW¼ of SW¼	yes
	Rest of Section	-0-
27	All of NW¼	yes
	All of SW¼	yes
	SW¼ of NE¼	yes
	Rest of Section	-0-
28	NW¼ of NW¼	yes
	NE¼ of NW¼	yes
	NW¼ of NE¼	yes
	NE¼ of NW¼	yes
	all of SE¼	yes
	SW¼ of SW¼	yes
	SW¼ of NW¼	yes
	Rest of Section	-0-
29	All of NE¼	yes
	NW¼ of SE¼	yes
	NE¼ of SE¼	yes
	SW¼ of SE¼	yes
	NE¼ of SW¼	yes
	NW¼ of SW¼	yes
	Rest of Section	-0-
32	All of NE¼	yes
	All of SE¼	yes
	NE¼ of NW¼	yes
	SE¼ of NW¼	yes
	All of SW¼	yes
	Rest of Section	-0-

EAST GREENACRES IRRIGATION DISTRICT

Section	Quarter Sec.	Domestic-Stock Water
33	NW¼ of NW¼	yes
	NE¼ of NE¼	yes
	SE¼ of NE¼	yes
	SW¼ of SW¼	yes
	SE¼ of SW¼	yes
	Rest of Section	-0-
34	All of Section 34	-0-

United States Department of the Interior

BUREAU OF RECLAMATION
PACIFIC NORTHWEST REGION
FEDERAL BUILDING & U.S. COURTHOUSE
BOX 043-550 WEST FORT STREET
BOISE, IDAHO 83724

IN REPLY
REFER TO: 420

MAR 28 1979

Idaho Department of Water Resources
Statehouse
Boise, ID 83720

Gentlemen:

As discussed with Mr. Fleenor of your Department, we recently discovered that item 8 of the Proof of Application of Water to Beneficial Use form submitted December 22, 1976, for permit no. 95-7055 (East Greenacres unit), is not complete. As submitted, this item indicates that domestic and stock water service is confined to the areas within the East Greenacres Irrigation District.

Under an existing water service contract with the Hidden Valley Addition Water Association, Inc., domestic water is being provided to an area outside the Irrigation District boundaries in Section 9, T. 51 N., R. 5 W., B.M.

We anticipate that similar arrangements may be made for future domestic service to areas within the following sections adjacent to the present boundaries of the Irrigation District.

> Sections 2, 3, 9, 10, 11, 14, 17, 19, 20, 23, 26, 27, 29, 30, 31, 32, 34, and 35, T. 51 N., R. 5 W., and Sections 2, 3, 4, 5, and 6, T. 50 N., R. 5 W., B.M.

We understand that this matter will be considered at such time as the Department conducts its final proof survey and that we will be advised at that time of any additional actions required of this office.

Sincerely yours,

H. R. Stivers

ACTING Regional Director

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF RECLAMATION
FEDERAL BUILDING & U. S. COURTHOUSE
BOX 043 - 550 WEST FORT STREET
BOISE, IDAHO 83702

OFFICIAL BUSINESS

PENALTY FOR PRIVATE USE, $300

BOISE, IDA
MAR 29
PM
1979

POSTAGE AND FEES PAID
U. S. DEPARTMENT OF THE INTERIOR
INT 420

U.S.MAIL

VIA AIR MAIL

Idaho Department of Water Resources
Statehouse
Boise, ID 83720

46

January 12, 1977

Re: Permit No. 95-7055 (No. 420-
East Greenacres Unit, Rathdrum Prairie Project)

Rod Vissia, Regional Director
U. S. Pacific Northwest,
Bureau of Reclamation
Box 043-550 Fort St.
Boise, Idaho 83724

Dear Mr. Vissia:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell during which part of the irrigation season this examination will be made, but our examiner will try to contact you at the time he makes the exam so that you may show him the system.

If you have any questions regarding the field examination, please contact our Regional Office in Coeur d'Alene.

Sincerely,

JANICE RENK
Water Rights Bureau

/jr

RECEIVED

DEC 29 1976

Identification No. 95-7055

Permit No. 95-7055

East Greenacres Unit
Rathdrum Prairie Project

Department of Water Resources
STATE OF IDAHO

DEPARTMENT OF RECLAMATION

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

1. a) Name of Permit Holder United States of America, Acting through the Regional Director, Pacific Northwest Region, Bureau of Reclamation

   b) Post Office Address Box 043 - 550 West Fort Street, Boise, Idaho 83724

2. Permit Number 95-7055

3. Date of Priority that you are prepared to establish 4-18-69

4. a) Source from which water was appropriated Ground Water

   b) Location of the point of diversion: SW ¼ SW ¼, Section 28

   Township 51 N., Range 5 W. Boise Meridian, Other points of diversion:
   II - NW¼NW¼, Sec. 22; III - NE¼SE¼ Sec. 28; All in Township 51 N., Range 5 W, Boise Meridian.

5. a) The amount of water and use to which the water has been applied:

   amount 14,000 ac/ft for irrigation purposes from April 1 to October 31 incl.
   (cfs and/or acre feet per annum) (Month-Day) (Month-Day)

   amount 50 ac/ft for domestic purposes from January 1 to December 31 incl.
   (cfs and/or acre feet per annum) (Month-Day) (Month-Day)

   amount 50 ac/ft for livestock purposes from January 1 to December 31 incl.
   (cfs and/or acre feet per annum) (Month-Day) (Month-Day)

   b) Total amount appropriated 14,100 acre feet ~~cfs and/or acre feet~~ per annum

   c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: U. S. Bureau of Reclamation

6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:

   a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use:

   b) Describe the agreement or understanding by which you take water from the works:

7. a) Breifly describe the works for diverting and conveying the water to the place of use, (If from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give breif description of diversion structure and/or canal or ditch) See table attached

   b) Describe the type and size of measuring device which you have installed at your point of diversion:
   Flow meters of appropriate size have been installed in the discharge line at each well.

   c) Give well drillers name and address and date the well was completed See table attached

Exam'd 1/7/77 JWG

8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use domestic and stock water within the East Greenacres Irrigation District

9. Irrigation uses: Describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision: See tabulation attached

TWP.	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	

Total number of acres irrigated 5,385

10. Remarks: The East Greenacres Project was constructed as described in application for permit No. 95-7055 and the remarks attached thereto with the following modifications: The constructed system includes a single steel 300,000 gal. concrete reservoir, with all wells interconnected, rather than four separate systems. Fourteen wells at three complexes were constructed rather than 15 wells at four complexes.

The above information is a true statement of the extent to which the above numbered permit has been developed.

12-22-76
(Date)

Rod Vinia
(Signature)

State of Idaho)
ss.
County of Ada)

On this 22th day of December, 19 76, personally appeared before me the signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.

Gary E. Carlon
Notary Public residing at Boise

My ~~commission~~ bond expires 5-5-79

ATTACHMENT TO PROOF OF BENEFICIAL USE - PERMIT NO. 95-7055

ITEM #9 -

TWP.	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
50 N	5 W	4					31	35	2			10	5						83
		5	37	37	25	20	32	21	24	30	33	29	31	25	28	32	17		421
		6	16	22	26	30	6		6	21									127
51 N	5 W	9												13	12	5	32	18	80
		10	12		10	33			7			13	22	27	40	17	24	35	240
		11					40	38	39	40	25	39	36	5					262
		14					10	25	38	40	40	39	33	27					252
		15	39	38	40	38	8	13	5		37	26	18	36	38	40	34	35	445
		16	20	27	36	39	36	23	28	27	36	18	36	12	8	16			362
		17													5		7	18	30
		20	39			38												2	79
		21	24		38	38	8	19	38	38	28	29	29	28	29	33	25	31	435
		22	39	28	12	21	38	34	33	29	20	27	38	28	9	34	12	28	430
		23					15	14	1	27	29	27	14	1					128
		27					22	36	33	24	12	13	32	7		16	4		199
		28	36	38	16	31	37	38	38	29	28	29	28	29	16	20	22	28	463
		29	38	38	19	38					28	10			36	37	38	35	317
		32	38	38	35	36	4			38	19	6	4	19	38	37	37	37	386
		33	38	37	35	33	30	35	37	39	37	36	35	37	33	38	38	34	572
		34						36	38										74

ITEM #7 -

Well 1/ Number	Completion Date	Size Casing/Screen (In)	Well Depth (Ft)	Pump Size (Cfs)	Motor Size (Hp)
1A	Aug. 1971	20/18	230	8.2	500
1B	Jan. 1974	20/18	257	8.2	500
1C	Aug. 1973	20/18	257	8.2	500
1D	Jan. 1974	16/14	239	4.2	250
1E	Nov. 1973	16/14	241	0.5	30
1F	Sept. 1973	16/14	256	4.2	250
2A	June 1972	20/18	280	8.2	500
2B	July 1973	16/14	277	4.2	300
2C	Sept. 1973	20/18	326	8.2	500
2D	June 1973	20/18	291	8.2	500
2E	Nov. 1973	16/14	330	4.2	300
3A	July 1972	20/18	273	8.2	500
3B	June 1973	20/18	270	8.2	500
3C	May 1973	16/14	255	4.2	250

1/ Holman Drilling Corporation
East 3410 - 9th Avenue
Spokane, WA 99202

United States Department of the Interior

BUREAU OF RECLAMATION
PACIFIC NORTHWEST REGION
FEDERAL BUILDING & U.S. COURTHOUSE
BOX 043-550 WEST FORT STREET
BOISE, IDAHO 83724

RECEIVED
JAN 3 1977
Department of Water Resources

IN REPLY
REFER TO: 420

DEC 30 1976

R. Keith Higginson, Director
Department of Water Resources
Attn: Janice Renk, Water Rights
State of Idaho
Statehouse
Boise, Idaho 83720

Dear Mr. Higginson:

Re: Permit No. 95-7055
(East Greenacres Unit,
Rathdrum Prairie Project)

Enclosed is the proof of application of water to beneficial use form for the referenced permit. This affidavit has been notarized as requested in your letter of December 27, 1976.

Sincerely yours,

Regional Supervisor of
Water and Land Operations

Enclosure

AMERICAN REVOLUTION BICENTENNIAL 1776-1976

December 27, 1976

Re: Permit No. 95-7055
(East Greenacres Unit,
Rathdrum Prairie Project)

U. S. Dept. of Interior,
Bureau of Reclamation
Pacific Northwest Region
Box 043, 550 West Fort St.
Boise, Idaho 83724

Dear Mr. Vissia:

We are in receipt of the affidavit submitted in connection with the above referenced permit as proof of beneficial use.

However, we cannot process this proof unless your signature is notarized. Therefore, we are herewith returning your proof affidavit.

Please return the notarized affidavit on or before August 1, 1977.

Sincerely,

JANICE RENK
Water Rights

Enc.

United States Department of the Interior

BUREAU OF RECLAMATION
PACIFIC NORTHWEST REGION
FEDERAL BUILDING & U.S. COURTHOUSE
BOX 043-550 WEST FORT STREET
BOISE, IDAHO 83724

IN REPLY
REFER TO: 420
870.

DEC 22 1976

Idaho Department of Water Resources
Statehouse
Boise, Idaho 83720

Dear Sir:

Re: Permit 95-7055
East Greenacres Unit,
Rathdrum Prairie Project

Enclosed is Proof of Application of Water to Beneficial Use for the referenced Project.

Sincerely yours,

Regional Director

Enclosure

AMERICAN REVOLUTION BICENTENNIAL 1776-1976

June 5, 1974

Re: Permit No. 95-7055 (East Greenacres Unit)

U. S. Bureau of Reclamation
Box 000, Federal Building
Boise, Idaho 83724

Gentlemen:

Enclosed is a copy of the approved application for extension of time submitted in connection with the above referenced permit.

The time within which to submit proof of beneficial use has been extended to August 1, 1977.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

BDF:JG
Enclosure

95-7055

United States Department of the Interior

BUREAU OF RECLAMATION

FEDERAL BUILDING & U.S. COURTHOUSE
BOX 043-550 WEST FORT STREET
BOISE, IDAHO 83724

RECEIVED
JUN 3 [illegible]
Department of Water Administration

IN REPLY
REFER TO: 420

832

MAY 31 1974

R. Keith Higginson, Director
Idaho Department of Water Administration
Statehouse - Annex 2
Boise, Idaho 83707

Dear Mr. Higginson:

Enclosed is an application for extension of time relative to Permit No. 95-7055, for the East Greenacres Unit of the Rathdrum Prairie Federal Reclamation Project.

Sincerely yours,

Norman H. Moore

Acting Regional Director

Enclosure

CONSERVE AMERICA'S ENERGY

Save Energy and You Serve America!

95-7055

SENDER: Be sure to follow instructions on other side

PLEASE FURNISH SERVICE(S) INDICATED BY CHECKED BLOCK(S)
(Additional charges required for these services)

☐ Show address where delivered

☐ Deliver ONLY to addressee

RECEIPT

Received the numbered article described below

REGISTERED NO.

CERTIFIED NO.
25459

INSURED NO.

DATE DELIVERED
JUN 4 1974

1 SIGNATURE OR NAME OF ADDRESSEE *(Must always be filled in)*
B. O. B.

2 SIGNATURE OF ADDRESSEE'S AGENT, IF ANY
Morgan

3 SHOW WHERE DELIVERED *(Only if requested, and include ZIP Code)*
95-7055

U.S. POSTAL SERVICE
OFFICIAL BUSINESS

PENALTY FOR PRIVATE
USE TO AVOID PAYMENT
OF POSTAGE, $300

U.S. MAIL JUN. 4 1974 RETURN TO USPO

Postmark of Delivering Office

SENDER INSTRUCTIONS

Print in the space below your name, address, including ZIP Code.

- If special services are desired, check block(s) on other side.
- Molsten gummed ends and attach to back of article.

DEPARTMENT OF WATER ADMINISTRATION
STATEHOUSE - ANNEX #2
BOISE, IDAHO 83707

PS Form 3811
June 1973

95-055

May 31, 1974 CERTIFIED MAIL #25459

Re: Permit No. 95-7055 (East Greenacres Unit)

U.S. Bureau of Reclamation
Box 040, Federal Bldg.
Boise, Idaho 83724

Gentlemen:

One of the conditions of approval of your water Permit No. 95-7055 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before August 1, 1974. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.

R. Keith Higginson

R. KEITH HIGGINSON
Director

Enc: Proof affidavit

95-7055

TYPEWRITER OR BALL POINT PEN

State of Idaho
Department of Water Administration

WELL DRILLER'S REPORT

State law requires that this report be filed with the State Reclamation Engineer within 30 days after completion or abandonment of the well.

1. WELL OWNER

Name EAST GREENACRES IRRIGATION DIST

Address RT. 1 Box 116 POST FALLS IDA.

Owner's Permit No. 95-7055 (Blue Rec.)

2. NATURE OF WORK

☐ New well ☐ Deepened ☐ Replacement

☐ Abandoned (describe method of abandoning)

3. PROPOSED USE

☐ Domestic ☒ Irrigation ☐ Test

☐ Municipal ☐ Industrial ☐ Stock

4. METHOD DRILLED

☒ Cable ☐ Rotory ☐ Dug ☐ Other

5. WELL CONSTRUCTION

Diameter of hole 20 inches Total depth 230 feet

Casing schedule: ☒ Steel ☐ Concrete

Thickness	Diameter	From	To
.375 inches	20 inches	+2 feet	201 feet
____ inches	____ inches	____ feet	____ feet
____ inches	____ inches	____ feet	____ feet
____ inches	____ inches	____ feet	____ feet
____ inches	____ inches	____ feet	____ feet

Was a packer or seal used? ☒ Yes ☐ No

Perforated? ☐ Yes ☒ No

How perforated? ☐ Factory ☐ Knife ☐ Torch

Size of perforation ____ inches by ____ inches

Number		From	To
____	perforations	____ feet	____ feet
____	perforations	____ feet	____ feet
____	perforations	____ feet	____ feet

Was screen installed? ☒ Yes ☐ No

Manufacturer's name U.O.P JOHNSON

Type TELESCOPE Model No. IRRIGATOR

Diameter 18 Slot size 187 Set from 200 feet to 210 feet

Diameter 18 Slot size 150 Set from 210 feet to 215 feet

18 125 215 230

Gravel packed? ☐ Yes ☒ No Size of gravel ____


Placed from ____ feet to ____ feet

Surface seal? ☒ Yes ☐ No To what depth 20 feet

Material used in seal ☒ Cement grout ☐ Puddling clay

6. LOCATION OF WELL

Sketch map location must agree with written location.



95-7055

County KOOTENAI

¼ ¼ ¼ Sec. ____ T. ____ N/S R. ____ E/W

7. WATER LEVEL

Static water level 160 feet below land surface

Flowing? ☐ Yes ☒ No G.P.M. flow ____

Temperature 48° F. Quality GOOD

Artesian closed-in pressure ____ p.s.i.

Controlled by ☐ Valve ☐ Cap ☐ Plug

8. WELL TEST DATA NO TEST MADE

☐ Pump ☐ Bailer ☐ Other

Discharge G.P.M.	Drop Depth	Hours Pumped

9. LITHOLOGIC LOG

Hole Diam.	Depth From	Depth To	Material	Water Yes	Water No
20"	0	20	GRAVEL 3" MINUS		X
20"	20	22	BOULDER		X
20"	22	38	GRAVEL + BOULDERS		X
20"	38	114	GRAVEL 4" MINUS		X
20"	114	165	GRAVEL 2" MINUS		X
20"	165	210	GRAVEL 2" MINUS	X	
20"	210	230	GRAVEL + SAND 1" MINUS	X	

Work started MAY 24 1971 Completed JUNE 28 19

11. DRILLER'S CERTIFICATE

This well was drilled under my supervision and this report is true to the best of my knowledge.

HALMAN DRILLING

Driller's Name

E. 3410 9th Ave SPOKANE

Address

Signed By

USE ADDITIONAL SHEETS IF NECESSARY FORWARD THE WHITE, BLUE, AND PINK COPIES TO THE DEPARTMENT

April 16, 1971

Re: Permit No. 95-7055

United States
Department of the Interior
Bureau of Reclamation
Regional Office, Region 1
Post Office Box # 8008
Boise, Idaho 83707

ATTENTION: Norman H. Moore, Regional Director

Dear Mr. Moore:

Please find enclosed a copy of the approved application for amendment in connection with the above referenced permit.

Very truly yours,

Donald W. McEldowney
Appropriation Supervisor

DWM:CM

Enclosure

95 7055

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF RECLAMATION
REGIONAL OFFICE REGION I
BOX 8008
BOISE, IDAHO 83707

IN REPLY
REFER TO: 424

MAR 30 [illegible]

Mr. R. Keith Higginson, Director
Idaho Department of Water Administration
Statehouse - Annex 2
Boise, Idaho 83707

Dear Mr. Higginson:

Enclosed is an application for amendment of Permit No. 95-7055, issued to the United States for irrigation wells to serve the East Greenacres area in Kootenai County. The amendment is for the purpose of adding 1 well site in the SW¼SW¼ of Section 28, T. 51 N., R. 5 W. There will be no increase in total water requirements or in the acreage to be irrigated.

The $5.00 fee for this amendment of the permit will be paid when this letter is delivered to you.


Sincerely,

[signature]

Acting Regional Director

Enclosure

[illegible]



EXPLANATION

- SECTIONALIZING GATE VALVE
- LENGTH / PIPE DIA. — PIPE SYSTEM
- WELL, CLUSTER AND ELEVATED STEEL TANK
- EXCLUDED AREA
- OWNERSHIPS
- UNIT BOUNDARY
- Additional Well Site

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF RECLAMATION
RATHDRUM PRAIRIE PROJECT
EAST GREENACRES UNIT-IDAHO

WELL SYSTEMS I, II, III, IV
LAYOUT-FEASIBILITY PLAN

DRAWN	O.L.	SUBMITTED	Jfe Mandry
TRACED	O.L.S.	RECOMMENDED	H.E. Gipson
CHECKED	[illegible]	APPROVED	O.F. Ree
			CHIEF, DESIGNING ENGINEER

DENVER, COLORADO, AUGUST 3, 1964 — 915-D-1

DON SAMUELSON
GOVERNOR

R. KEITH HIGGINSON
State Reclamation Engineer

STATE OF IDAHO

DEPARTMENT OF RECLAMATION
STATEHOUSE – ANNEX 2
BOISE, IDAHO 83707

August 7, 1969

Re: Permit No. 95-7055

The United States of America, Acting through the Regional Director, Region 1
Bureau of Reclamation
Box 8008
Boise, Idaho 83707

Dear Sirs:

We enclose a copy of your approved application for permit 95-7055 in which we direct your attention to the limitations and conditions as given on the fourth page under approval of the State Reclamation Engineer.

Very truly yours,

C. Stephen Allred, Assistant
State Reclamation Engineer

CSA:kh
Enclosures: Copy of permit
Receipt No. 3010 for $100.00
1 informational letter

95-7055

Extend last day of protest until July 1, 1969.

CSA:kh

95-7055

June 10, 1969

Re: Permit Application No. 95-7055

COPY

Mr. Herbert Nagel
P.O. Box 907
Coeur d'Alene, Idaho 83814

Dear Mr. Nagel:

Thank you for your letter of June 4, 1969. It is our understanding of the Idaho Code that all permits approved by this office are subject to other prior rights no matter how established. In the event that the proposed withdrawal of water under 95-7055 were to lower the water table to such an extent as to exceed the economic pumping lift for the area, Mr. Thompson's prior right would give him protection.

As you are aware, if a protest were officially entered against approval of the application, Mr. Thompson would have to submit evidence that such injury would in fact take place and that the depth of water was approaching the economic pumping lift. Although this office has had no occasion to determine or estimate the economic pumping lift of the area concerned, I would anticipate that it would be more than a hundred feet. If you still feel that your client should enter a protest, we will accept such until July 1, 1969.

Very truly yours,

C. Stephen Allred, Assistant
State Reclamation Engineer

CSA:kh

95-7055

P. O. BOX 907

LAW OFFICE OF
HERBERT NAGEL
305 JOHNSTON BUILDING
111 NORTH SECOND STREET
COEUR D'ALENE, IDAHO 83814

PHONE MOHAWK 4-3620

RECEIVED
JUN 5 1969
Department of Reclamation

June 4, 1969

Mr. R. Keith Higginson
State Reclamation Engineer
Department of Reclamation
107 State House
Boise, Idaho 83701

Re: Permit No. 95-7055 - USA - Reg. 1 Director
Bureau of Reclamation

Our Client: Charles A. Thompson
Permit No. G-30920

Dear Mr. Higginson:

I represent Mr. Charles A. Thompson who has a well with a priority date of January 25, 1963, located only a couple of miles from the above numbered permit. Mr. Thompson advises that he has lost approximately half of the water he had in the well at the time of drilling, which he attributes to other wells which have been drilled connecting to the same source.

Mr. Thompson really is not particularly interested in protesting the permit above referred to, but wants to make it clear he is reserving any objection he may have or complaint he may have because of damage to his well as result of withdrawing the proposed amount of water from the proposed wells under said Permit 95-7055.

It is not clear in my mind whether the objection has to be made at this time to reserve the right to object at the time it affects Mr. Thompson's well, if in fact it does. I would certainly think from the number of wells and the amount of water being withdrawn that this might and probably will effect many wells on Rathdrum Prairie. If it is necessary that we protect now, to preserve our rights, would you please consider this as such.

We would appreciate hearing from you.

Yours very truly,

HERBERT NAGEL

HN:slm

95-7055

NOTICE OF APPLICATION FOR WATER

Notice is hereby given that The United States of America, Acting through the Regional Director, Region 1, Bureau of Reclamation, Box 8008, Boise, Idaho has on April 18, 1969 applied for permit under application No. 95-7055 to divert 90 cubic feet per second or 14100 acre feet per annum of water from ground-water sources. Water will be diverted by well complexes and enclosed conveyance system, well complex no. I consisting of four wells located within NE¼NE¼ Sec. 15, T. 51 N., R. 5 W., B.M., well complex no. II consisting of four wells located within SE¼NW¼ Sec. 21, T. 51 N., R. 5 W., B.M., well complex no. III consisting of three wells located within NE¼NE¼ Sec. 33, T. 51 N., R. 5 W., B.M., well complex no. IV consisting of four wells located within NW¼SW¼ Sec. 33, T. 51 N., R. 5 W., B.M., all in Kootenai County and they will be used from April 1 to October 31 for irrigation and from January 1 to December 31 for domestic and livestock. The water will be used within NW¼ Sec. 4, all of Sec. 5, T. 50 N., R. 5 W., B.M. and NE¼, SW¼, SE¼ Sec. 10; S½ Sec. 11; W½ Sec. 14; all of Sections 15 and 16; SW¼ Sec. 17; all of Sections 20, 21 and 22; W½ Sec. 23; W½ Sec. 27; all of Sec. 28; NE¼, SE¼, SW¼ Sec. 29; all of Sections 32 and 33; NW¼ Sec. 34, T. 51 N., R. 5 W., B.M. Any protest against this application must be filed with the Department of Reclamation within ten days from the last date of publication of this notice.

R. KEITH HIGGINSON
State Reclamation Engineer
May 29, June 5, 1969

May 22, 1969

Re: Claim No. 96-4003 - Miland nd Maria Fiala
Permit Application No. 95-7054 - Tetsuo Nobuku
95-7055 - Bureau of Reclamation

Coeur d'Alene Press
Coeur d'Alene,
Idaho 83814

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted assuming the notice is correct. If we have any corrections, we will notify you before the first publication date. If you cannot publish the notice on the proposed dates please contact us immediately.

An affidavit of publication must be submitted to the Department of Reclamation, along with the publication bill. In order to receive payment, the following certification must appear on the bill:

> I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of same has been paid.

_____
Signature of claimant

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

DWM:kh
Enclosures: legal notice (3)

95-7055

NOTICE OF APPLICATION FOR WATER

Notice is hereby given that The United States of America, Acting through the Regional Director, Region 1, Bureau of Reclamation, Box 8008, Boise, Idaho has on April 18, 1969 applied for permit under application No. 95-7055 to divert 90 cubic feet per second or 14100 acre feet per annum of water from ground-water sources. Water will be diverted by well complexes and enclosed conveyance system, well complex no. I consisting of four wells located within NE¼NE¼ Sec. 15, T. 51 N., R. 5 W., B.M., well complex no. II consisting of four wells located within SE¼NW¼ Sec. 21, T. 51 N., R. 5 W., B.M., well complex no. III consisting of three wells located within NE¼NE¼ Sec. 33, T. 51 N., R. 5 W., B.M., well complex no. IV consisting of four wells located within NW¼SW¼ Sec. 33, T. 51 N., R. 5 W., B.M., all in Kootenai County and they will be used from April 1 to October 31 for irrigation and from January 1 to December 31 for domestic and livestock. The water will be used within NW¼ Sec. 4; all of Sec. 5, T. 50 N., R. 5 W., B.M. and NE¼, SW¼, SE¼ Sec. 10; S½ Sec. 11; W½ Sec. 14; all of Sections 15 and 16; SW¼ Sec. 17; all of Sections 20, 21, and 22; W½ Sec. 23; W½ Sec. 27; all of Sec. 28; NE¼, SE¼, SW¼ Sec. 29; all of Sections 32, and 33; NW¼ Sec. 34, T. 51 N., R. 5 W., B.M. Any protest against this application must be filed with the Department of Reclamation within ten days from the last date of publication of this notice.

R. KEITH HIGGINSON
State Reclamation Engineer

Published in the Coeur d'Alene Press, Coeur d'Alene, Idaho on May 29th and June 5th.

95-7055