

Kootenai County, Idaho, to-wit:


Part of the SW $\frac{1}{4}$ of the SE $\frac{1}{4}$ of Section 7, Township 32 North, Range 3 West B. M., Kootenai County, Idaho; formerly described as being parts of the vacated portion of the Plat of SPOKANE VALLEY COMMERCIAL ORCHARDS, as said plat was recorded in Book C of Plats at page 120, records of Kootenai County, Idaho; more particularly described as follows:

That part of the E $\frac{1}{2}$ of the NW $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$ formerly described as the East half of the vacated Block 110 of said Plat.

That part of the NE $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$ lying westerly of the right of way of the Spokane International Railway; formerly described as the vacated Block 100 of said Plat EXCEPT the part included in Oak and Maple Streets and Fifth Avenue, which Streets were not vacated. That part of the East half of the SW $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$ formerly described as Lots 1, 2, 3, 4 and 5 in the vacated Block 119 of said Plat. EXCEPT the part included in Oak Street, which Street was not vacated.

That part of the SE $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$ formerly described as Lots 1, 2, 3 and 4 in the vacated Block 120 of said Plat; being the portion lying Westerly of the Spokane International Railway as shown on said Plat.

95-7033



quantity October 18, 1968. Date placed

1.21 cfs

Q measured

Q recommended

286,189,200

Volume

325,850

Acresage

Found No irrigation

recommended

Suety

Amendments

☒ None

☐ P.D.

☐ Place of use

Lot Root

85 300

R. 3 W

REPORT OF WELL DRILLER
State of Idaho

RECEIVED

JUN 13 1969

State law requires that this report shall be filed with the State Department of Reclamation Engineer within 30 days after completion or abandonment of the well.

WELL OWNER:

Name Hedlund Lumber Co.

Address 808 North Boyer
Sandpoint, Idaho

Owner's Permit No. 95-7033

NATURE OF WORK (check): Replacement well ☐

New well ☒ Deepened ☐ Abandoned ☐

Water is to be used for: Fire Protection

METHOD OF CONSTRUCTION: Rotary ☐ Cable ☐
Dug ☐ Other ☐

(explain)
CASING SCHEDULE: Threaded ☐ Welded ☒
12" "Diam. from 1 ft. to 170 ft.

"Diam. from ft. to ft.

"Diam. from ft. to ft.

"Diam. from ft. to ft.

Thickness of casing: 330 Material:

Steel ☒ concrete ☐ wood ☐ other ☐

(explain)
PERFORATED? Yes ☒ No ☐ Type of
perforator used: Mills Knife

Size of perforations: 3/8" " by 1 1/2" "

276' perforations from 106' ft. to 129' ft.

perforations from ft. to ft.

perforations from ft. to ft.

perforations from ft. to ft.

WAS SCREEN INSTALLED? Yes ☐ No ☒

Manufacturer's name

Type Model No.

Diam. Slot size Set from ft. to ft.

Diam. Slot size Set from ft. to ft.

CONSTRUCTION: Well gravel packed? Yes ☐

No. ☒ size of gravel Gravel

placed from ft. to ft. Surface seal

provided? Yes ☒ No ☐ To what depth?

20' ft. Material used in seal: cement

Did any strata contain unusable water? Yes ☐

No. ☒ Type of water:

Depth of strata ft. Method of sealing


strata off: Clay layers of natural material

& Brixid 3647

Surface casing used? Yes ☒ No. ☐

Cemented in place? Yes ☒ No ☐

Locate well in section



LOCATION OF WELL: County Kootenai

SW 1/4 SE 1/4 Sec. 7 T. 52 N R. 3 E W

Size of drilled hole: 12" Total

depth of well: 270' 172 Standing water

level below ground: 85' Temp.

Fahr. ° Test delivery: gpm

or cfs Pump? ☒ Bail ☐

Size of pump and motor used to make test:

250hp 1400rpm 8" diam 10" Bds

Length of time of test: 8 Hrs. 0 Min. 0

Drawdown: 7 ft. Artesian pressure: ft.

above land surface Give flow cfs

or 1200 gpm. Shutoff pressure:

Controlled by: Valve ☐ Cap ☐ Plug ☐

No control ☐ Does well leak around casing?

Yes ☐ No ☒

DEPTH FROM TO FEET FEET	MATERIAL	WATER YES OR NO
-------------------------------	----------	--------------------

0' 38'	Large gravel & clay	no
--------	---------------------	----

38' 83'	Sand, gravel & clay	no
---------	---------------------	----

83' 129'	Sand & gravel	yes
----------	---------------	-----

129' 135'	Clay, sand & gravel	yes
-----------	---------------------	-----

135' 139'	Blue clay & gravel	no
-----------	--------------------	----

139' 141'	Pea gravel & clay	water
-----------	-------------------	-------

141' 162'	Brown clay & gravel	no
-----------	---------------------	----

162' 164'	Bine sand & water	water
-----------	-------------------	-------

164' 183'	Brown clay	no
-----------	------------	----

183' 200'	Clay, grey	no
-----------	------------	----

200' 220'	Sandy grey clay	no
-----------	-----------------	----

220' 240'	Blue clay & sand	no
-----------	------------------	----

240' 253'	Blue clay	no
-----------	-----------	----

253' 270'	Granite hard	no
-----------	--------------	----

--	--	--

--	--	--

--	--	--

--	--	--

--	--	--

--	--	--

--	--	--

--	--	--

--	--	--

--	--	--

--	--	--

--	--	--

--	--	--

--	--	--

--	--	--

--	--	--

--	--	--

--	--	--

--	--	--

--	--	--

--	--	--

--	--	--

--	--	--

--	--	--

--	--	--

--	--	--

--	--	--

--	--	--

--	--	--

--	--	--

--	--	--

--	--	--

--	--	--

--	--	--

--	--	--

--	--	--

--	--	--

--	--	--

--	--	--

--	--	--

--	--	--

Use other side for additional remarks

95-7033

Kootenai County, Idaho, to-wit:

•Part of the SW $\frac{1}{4}$ of the SE $\frac{1}{4}$ of Section 7, Township 52 North, Range 3 West B. M., Kootenai County, Idaho; formerly described as being parts of the vacated portion of the Plat of SPOKANE VALLEY COMMERCIAL ORCHARDS, as said plat was recorded in Book C of Plats at page 120, records of Kootenai County, Idaho; more particularly described as follows:

That part of the E $\frac{1}{2}$ of the NW $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$ formerly described as the East half of the vacated Block 110 of said Plat.

That part of the NE $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$ lying westerly of the right of way of the Spokane International Railway; formerly described as the vacated Block 100 of said Plat. EXCEPT the part included in Oak and Maple Streets and Fifth Avenue, which Streets were not vacated. That part of the East half of the SW $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$ formerly described as Lots 1, 2, 3, 4 and 5 in the vacated Block 119 of said Plat. EXCEPT the part included in Oak Street, which Street was not vacated.

95
That part of the SE $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$ formerly described as Lots 1, 2, 3 and 4 in the vacated Block 120 of said Plat; being the portion lying Westerly of the Spokane International Railway as shown on said Plat.

95-7033

State of Idaho
Department of Water Administration
LICENSE OF WATER RIGHT

License of Water Right No. 95-7033 Priority 10-18-68 Amount 1.21 c.f.s.
(late proof)

THIS IS TO CERTIFY, that GEORGIA PACIFIC CORPORATION
of Sandpoint, Idaho, has complied with the terms and conditions of Permit
No. 95-7033 issued pursuant to Application for Permit dated 9-30-68,
and has submitted proof to the Department of Water Administration on 2-19-70,
that he has applied water to a beneficial use; an examination by the Department indicates that the
works have a capacity of 1.21 c.f.s., and that the water has in fact been applied to a
beneficial use; a right to the use of water from a groundwater source
tributary of _____, is hereby confirmed in the following amounts:
Amount 1.21 c.f.s. for Industrial from Jan. 1 to Dec. 31 (both dates inclusive)
Amount 1.21 c.f.s. for Fire Protection from Jan. 1 to Dec. 31 (both dates inclusive)
Amount _____ for _____ from _____ to _____ (both dates inclusive)
Subject, however, to the condition that no more than 1.21 c.f.s. of water be diverted at
any one time, said waters to be diverted within the _____

SW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 7, Twp. 52 N., Rge. 3 W., B.M.

in the county of Kootenai; and that the amount of water so diverted and to which such
right is entitled and confirmed is for the purposes aforesaid and is limited to the amount which can
actually be beneficially used and shall not exceed 878.3 acre feet per year or _____
N.A. acre feet per acre.

Description and location of place of use:


TWP.	RANGE	SEC.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				TOTALS
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
52 N	3 W	7															X		

Total number of acres irrigated _____

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands
or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 16th day of

MARCH, 19 71.


Deputy Director

95 7033

Identification No. 95-7033
Application No. _____

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho

1. Name of applicant Hedlund Lumber Co., Inc. (Name change - see proof)
post office address P.O. Box 249, Sandpoint, Idaho
2. Source of water supply Subterranean which is a tributary of _____
3. a. Location of point of diversion is SW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 7 Township 52 N.
Range 3W B.M. Kootenai County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into the ground at a point in SW $\frac{1}{4}$
of SE $\frac{1}{4}$ of Section 7 Township 52 N. Range 3W B.M.
4. Quantity to be appropriated:
a. 2 (two) cubic feet per second and/or
b. _____ acre feet per annum will be stored.
5. Water will be used for the following purposes:
(Lumber manufacturing and
fire protection) purpose from Jan 1 to Dec. 31 (both dates inclusive)
Industrial purpose from _____ to _____ (both dates inclusive)
_____ purpose from _____ to _____ (both dates inclusive)
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. WELL - PUMP - Motor -
STORAGE CISTERN - PUMP-MOTOR TO USE

b. Height of storage dam _____ feet; active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet; materials used in storage dam: _____

c. Proposed well diameter is 14 inches; proposed depth of well is 360 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 1 year ~~60~~ PERIOD days.
b. Estimated construction cost is \$ 30,000.00.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: SW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 7 Township 52 North
Range 3W B.M.
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____
Water to be used in manufacturing lumber, fire protection and domestic use necessary
(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.
(5) If water is to be used for other purposes describe: Manufacturing Lumber, and for fire
protection. Domestic use necessary.

95-7033

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated.

c. Describe any other water rights used for the same purposes.

9. a. Who owns the property at the point of diversion Hedlund Lumber Co., Inc.

b. Who owns the land to be irrigated or place of use Hedlund Lumber Co., Inc.

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the

applicant to make this filing-

10. Remarks

Pump will be located at well to pump into storage area adjacent to comply with fire underwriters code to protect sawmill with sprinkler system. Pumps will be located at storage area to load sprinkler sys Small pump will also be located at well for domestic and industrial use in connection with the saw mill. All water waste from sawmill is non-contaminated and returned to ground.

Kootenai County, Idaho, to-wit:

Part of the SW $\frac{1}{4}$ of the SE $\frac{1}{4}$ of Section 7, Township 52
Range 3 West B.M., Kootenai County, Idaho; formerly
described as being parts of the vacated portion of the Plat
of SPOKANE VALLEY COMMERCIAL ORCHARDS, as said
plat was recorded in Book C of Plats at page 120, records
of Kootenai County, Idaho; more particularly described as
follows:


That part of the E $\frac{1}{2}$ of the NW $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$ formerly described
as the East half of the vacated Block 110 of said

That part of the NE $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$ lying westerly of the
of the Spokane International Railway; formerly described as
the vacated Block 100 of said Plat EXCEPT the part
included in Oak and Maple Streets and Fifth Avenue, which
Streets were not vacated. That part of the East half of the
SW $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$ formerly described as Lots 1, 2, 3, 4 and 5 in the
vacated Block 119 of said Plat. EXCEPT the part included in
Oak Street, which Street was not vacated.

That part of the SE $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$ formerly described as Lots 1,
2, 3 and 4 in the vacated Block 120 of said Plat; being the
portion lying Westerly of the Spokane International Railway
as shown on said Plat.

957033

11. Map of proposed project:



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Jeffrey L. Linder to Sec.
Jeffrey L. Linder Pres
 (Applicant)

95.7033

9-30-68 8:00 am
no further

Received by et Date 8-23-68 Time 9:00 am
Preliminary check by DR Fee \$ 25.00

Received by et Date 9-30-68

Publication prepared by et Date 10-4-68

Published in Journal of the American Water Works Association

Publication dates 10-17-68 to 10-24-68

Publication approved et Date 10-15-68

Priority reduced to 10-18-68 Reason Journal of the American Water Works Association

Protests filed by: None

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by et

ACTION OF STATE RECLAMATION ENGINEER

APPROVED

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-7033, and said application is hereby **APPROVED**

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or

before February 1, 1970.

c. Other: That the applicant shall permanently install a measuring device of a type approved

by the department as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 9th day of January, 19 69.

State Reclamation Engineer

[Signature]

Identification No. _____

Permit No. 95-7033

**STATE OF IDAHO
DEPARTMENT OF RECLAMATION**

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

late

1. a) Name of Permit Holder Hedlund Lumber Co., Inc. (now Georgia-Pacific Corporation by reorganization agreement dated October 7, 1969; closed Nov. 25, 1969.
b) Post Office Address P. O. Box 249, Sandpoint, Idaho 83864
2. Permit Number 95-7033
3. Date of Priority that you are prepared to establish September 1, 1970
4. a) Source from which water was appropriated subterranean ✓
b) Location of the point of diversion: SW 1/4 SE 1/4, Section 7
Township 52 N, Range 3 W Boise Meridian, Other points of diversion: none
Kootenai County ✓
5. a) The amount of water and use to which the water has been applied:
amount 2 cu. ft. /sec. for Industrial purposes from January 1 to December 31 incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
b) Total amount appropriated 28,333 cu. ft. /year cfs and/or acre feet per annum
c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: See schedule attached from Layne Pumps, Inc. Pasco, Washington; also estimated use from pump made by General Superintendent
6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:
a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: N/A
b) Describe the agreement or understanding by which you take water from the works: _____
7. a) Briefly describe the works for diverting and conveying the water to the place of use, (If from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) well pump motor, storage cistern and pump motor to use
b) Describe the type and size of measuring device which you have installed at your point of diversion: At this time a final measuring device has not been installed--only estimated measurements are made.
c) Give well drillers name and address and date the well was completed E. A. Holman Drilling Company 601 S. Pine Road, Spokane, Washington 99206 ; March 17, 1969

*Exam typed
June 29, 1970
Christine McMillan*

95-7033

My commission expires: 12/12/70

$\text{Kronecker } m, m = \text{Car}, b$

On this 28th day of January, 1970, personally appeared before me the
signer(s) of the above instrument, who duly acknowledged to me that he (~~she~~)(they) executed the same.

State of OREGON)
County of Multnomah) ss.

January 28, 1970
(Date)

(Signature) Assistant Secretary

The above information is a true statement of the extent to which the above numbered permit has been developed.

10. Remarks: The scheduled completion date of development of this well is behind schedule because of the sale of Hedlund Lumber Co., Inc.'s assets to Georgia-Pacific Corporation. G-P intends to complete this development in the near future.

[illegible]

9. Irrigation uses: Describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision: None

8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use.

Lumber manufacturing (storage area, sprinkler system), fire protection.

domestic and industrial use in connection with a sawmill operation. Place of use is Chilco, Washington. *1940*

AFFIDAVIT OF PUBLICATION—COEUR D'ALENE PRESS

(WEEKLY)

RECEIVED

STATE OF IDAHO, }
County of Kootenai, } ss.

OCT 20 1968

Callie Poynter, being first duly sworn,
deposes and says:

That affiant is now, and at all times herein mentioned has been, a citizen of the United States and a resident of Kootenai County, State of Idaho, over the age of 21 years and not a party to, nor interested in the event of, the above entitled matter, and the printer (principal clerk) of the "Coeur d'Alene Press", during all of the times herein mentioned being a legal daily newspaper, of Coeur d'Alene, Kootenai County, Idaho, as defined by Idaho Code Sec. 60-106 to Sec. 60-108 both inclusive, and Chapter 121 Idaho Session Laws of 1949, and acts amendatory thereof and correlated thereto, and qualified thereunder to publish to the same effect as a weekly

(newspaper on Wednesdays; and that the
National Application for Water -
Hedlund Lumber Co.

of which a printed copy is annexed hereto, was published in all the regular Wednesday weekly issues of said newspaper for *two* consecutive weeks, commencing on the *17* day of *October*, 1968, and ending on the *24* day of *October*, 1968.

Subscribed and sworn to, before me, this *24* day of *October*, 1968.

Callie Poynter
E. Patrick King
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

NOTICE OF APPLICATION FOR WATER
Notice is hereby given that Hedlund Lumber Co., Inc., P.O. Box 249, Sandpoint, Idaho has on September 30, 1968 applied for permit under application No. 95-7033 to divert 2.0 cubic feet per second of water from a subterranean source. Water will be diverted by a well, pump, motor, and storage cistern within the SW $\frac{1}{4}$ SE $\frac{1}{4}$, sec. 7, T. 52 N, R. 3 W, B.M., Kootenai County and is to be used from January 1 to December 31 for lumber manufacturing and fire protection in the SW $\frac{1}{4}$ SE $\frac{1}{4}$, sec. 7, T. 52 N, R. 3 W, B.M. Any protest against this application must be filed with the Department of Reclamation within ten days from the last date of publication of this notice.

R. KEITH HIGGINSON
State Reclamation
Engineer

Oct. 17, 24, 1968

95-7033

INSTRUCTIONS TO DELIVERING EMPLOYEE

☐ Show to whom, date, and address where delivered ☐ Deliver ONLY to addressee
(Additional charges required for these services)

RECEIPT

Received the numbered article described below.

REGISTERED NO.

CERTIFIED NO.

21420

INSURED NO.

SIGNATURE OR NAME OF ADDRESSEE (Must always be filled in)

1

SIGNATURE OF ADDRESSEE'S AGENT, IF ANY

2

DATE DELIVERED

DEC 3 1968

SHOW WHERE DELIVERED (only if requested)

3

95-7033

**POST OFFICE DEPARTMENT
OFFICIAL BUSINESS**



INSTRUCTIONS: Show name and address below and complete instructions on other side, where applicable. Moistened gummed ends, attach and hold firmly to back of article. Print on front of article **RETURN TO SENDER** REQUESTED.

**RETURN
TO** 

POSTMARK OF
DELIVERING OFFICE

PENALTY FOR PRIVATE USE TO AVOID
PAYMENT OF POSTAGE, \$900

NAME OF SENDER

Department of Reclamation

STREET AND NO. OR P.O. BOX
Annex # 2 Statehouse

Boise, Idaho 83707
POST OFFICE, STATE, AND ZIP CODE

March 17, 1971

Re: Permit No. 95-7033

C

Georgia-Pacific Corporation
Legal Department
900 S.W. Fifth Ave.
Portland, Oregon 97204

Attention: Mr. George Wittemyer

Gentlemen:

Enclosed herewith is the Water License issued for the above numbered permit.

Very truly yours,

BOBBY D. FLEENOR
Assistant Director

BDF/kh

Enclosure

95 7033

January 29, 1971

Re: Permit No. 95-7033

Georgia-Pacific Corporation
Legal Department
900 S.W. Fifth Ave.
Portland, Oregon 97204

Attention: Mr. George Wittemyer

Gentlemen:

A representative of this department has made an examination of the works covered by your Permit No. 95-7033 and has found the following:

Quantity of water diverted: 1.21 c.f.s.

Amount of water that can be recognized as beneficially used under Idaho law: 1.21 c.f.s.

The maximum quantity diverted shall not exceed 878.3 acre feet per season.

Beneficial Use: Industrial and Fire Protection purposes within the
SW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 7, T. 52 N., R. 3 W., B.M.

The priority date established is : October 18, 1968 (late proof)

If you do not concur with these findings, please advise us within 10 days; otherwise, a license will be issued as set forth in this letter.

Very truly yours,

BOBBY D. FLEENOR
Assistant Director

BDF:kh


95 7033

LICENSING DATA ANALYSIS

- Permit No. 95-7033
- Name license is to be issued in Georgia-Pacific
Assignment required - Yes ☐ No ☒
- Date of first receipt 9-30-68 Date proof due 2-1-70 Made 2-19-70
- Priority ☐ Late proof - Yes ☒ No ☐
- Source Ground water tributary ☐
- Point of diversion:
Twp. 52 N/S, Rge. 3 E/W B.M., Sec. 7, SW $\frac{1}{4}$ SE $\frac{1}{4}$
Twp. N/S, Rge. E/W, B.M., Sec. , $\frac{1}{4}$ $\frac{1}{4}$
Twp. N/S, Rge. E/W, B.M., Sec. , $\frac{1}{4}$ $\frac{1}{4}$
Amendment required - Yes ☐ No ☒
- Beneficial use for license:
Amt. 1.21 cfs for industrial from 1 Jan to 31 Dec AF 878.3
Amt. 1.21 cfs for fire protection from 1 Jan to 31 Dec AF
Amt. for from to AF
Amount not to exceed at any one time 1.21 c.f.s. or 878.3 acre feet per season or acre feet per acre
Amendment required - Yes ☐ No ☒
- Permitted Amount: 2.0 c.f.s. Volume for season AF
- Measured Amount: 1.21 Reason for reduction Maximum output of system
- Description and location of place of use:

Twp	Rge	Sec	NE 160				NW 160				SW 160				SE 160				Total
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
52	3	7																	

- Total No. of acres
- Supplemental acreage - Yes ☐ No ☒
- Total permitted acres
- Amendment required - Yes ☐ No ☒
11. Remarks: Meter installed
12. Measuring device required - Yes ☒ No ☐
13. Type of letter required: Fee ☐ Notice ☒
14. Analysis by J. Barker Date 2 Nov 70 Checked by J. Barker Date



5.

100 gals in 11 sec.

900 to

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
BOISE

REPORT OF EXAMINER

PERMIT NO. 95-7033

REPORT ON PROOF OF B/U HEDLUND LUMBER CO., INC. (NOW GEORGIA-PACIFIC CORPORATION)

Uses:


used to spray logs in storage in summertime (keeps them from cracking)
used for fire protection by fire hoses (no overhead nozzles)
used on band saws and edge saws for cooling and removal of pitch

Well pumps into 1000 gal tank inside sawmill.
a Rockwell flow meter is installed

The well kicks on at 40 lbs and off at 80 lbs.


Could only measure for 150 gallon intervals

Measured 100 gals in 11 seconds.



R. 3 W

T
52
N



priority October 18, 1968. late proof

Q measured 1.21 cfs
Q recommended 1.21 cfs
Volume 286,189,200 1878.3 AF/year
Acreage 325 PSD
Found No irrigation
recommended "
Sewer /
Recreational /
✓ use
_____ use of use
_____ use
_____ use

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
BOISE, IDAHO
REPORT OF EXAMINER

Permit No. 95-7033

This proof is for B/M

In Water District No.

1. Name of applicant GEORGIA PACIFIC CORPORATION Box 249, Sandpoint, Idaho 83864

2. Source of water supply: ground water

3. Location of point of diversion: Is in the SW $\frac{1}{4}$ SE $\frac{1}{4}$ of Section 7

T. 52 N R. 3 W County of Kootenai

4. Describe works as they exist, giving dimensions and capacities of same:

well, pump, motor, storage cistern, pump-motor to use - 60 HP US Hallshaft.
Motor # R 2025647, L-B Pump # 54219, 6" discharge through a 6" Check Valve and
6" Model 301 Rockwell Flow Meter # 5009 then into a 6" x 6" x 4" Tee then reduces
to 4" Main lines to points throughout Mill grounds.
L-B Bowler Pump Ser: 54219

5. Water is used for: lumber manufacturing and fire protection, & industrial

6. State whether or not water has been turned into works of diversion: yes.

7. List legal subdivisions of lands to be irrigated. If proof is for beneficial use, give exact number of acres under cultivation in each forty-acre tract. (Describe manner and place of use if other than irrigation):

T. 52 N, R. 3 W, Sec. 7 SW $\frac{1}{4}$ SE $\frac{1}{4}$

100 gals in 11 sec

$$\frac{60}{11} \times 100 = \frac{1.21 \text{ cfs}}{450}$$

(Submit map on attached plat, showing location and details of above description.)

8. What large stream would the water here appropriated finally reach?

Remarks: I contacted Mr. Cal Troutman, plant superintendent.

Contacted Mr. Troutman. the water has several uses:

- ① used to cool the band saw blades
- ② used to remove pitch from band saw blades
- ③ used to keep logs from splitting during summer when in stock piles.
- ④ used for fire protection of saw mill.

There is a meter installed (Rockwell)

measured 100 gals in 11 sec. = 545 gpm = 1.21 cfs

This examination was made on the 27 day of Aug, 1922

(Signed) F. E. Jensen

Examiner.

95 7033

my
7-24-10

plat

ASCS: Coeur d'Alene
SCS: Coeur d'Alene
Permit No. 95-7033

Examination for B/U GEORGIA-PACIFIC CORPORATION

County Kootenai

Sec. 7 T. 52N R. 3W

Quantity: (permit) 2 cfs (proof) same

Source: ground water

P.D.: SW 1/4 SE 1/4

Use: lumber manufacturing and fire protection; industrial

Extension:

Protest:

Completion of Works:

Other Rights:

Filed: 9/30/68

Made: 2/19/70

Due: 2/1/70

Priority: 10/18/68

INSTRUCTIONS TO EXAMINERS

1. Always carefully note the location of the point of diversion and accurately plat same.
2. When proof is for beneficial use, carefully check up the number of acres actually irrigated in each forty and accurately plat same.
3. Make a map showing the correct location of streams and ditches, and the irrigated lands, and any adjacent permanent landmarks, such as towns, lakes, large streams and public roads.
4. If any unusual conditions are discovered, make plain statement of them under remarks.
5. Always see the holder, if possible, and go over the whole ground with him and make your report only upon actual existing facts and conditions.
6. Give general characteristics of soils, topography, and crops raised.

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

Statehouse — Annex 2
Boise, Idaho 83707
(208) 384-2215



R. Keith Higginson
Director

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Flood Plain Management
Irrigation and
Flood Control Districts

November 23, 1970

Re: Permit No. 95-7033

Mr. George Wittemyer
Georgia-Pacific Corp.
Commonwealth Bldg.
Portland, Oregon 97204

Dear Mr. Wittemyer:

Your inquiries concerning the completion of permit no. 95-7033 were mislaid, and apparently we have failed to respond.

The examiners report that the examination has been completed. However, they have not as yet finished an evaluation of the exam report. We should be able to issue a license yet this year.

If any problems occur, we will notify you.

Very truly yours,

Donald W. McEldowney
Appropriation Supervisor

DWM/DG

95 7033

11/25/70

November 23, 1970

Re: Permit No. 95-7033

Mr. George Wittemyer
Georgia-Pacific Corp.
Commonwealth Bldg.
Portland, Oregon 97204

Dear Mr. Wittemyer:

Your inquires concerning the completion of permit no. 95-7033 were mislaid, and apparently we have failed to respond.

The examiners report that the examination has been completed. However, they have not as yet finished an evaluation of the exam report. We should be able to issue a license yet this year.

If any problems occur, we will notify you.

Very truly yours,

Donald W. McEldowney
Appropriation Supervisor

DWM/DG

95 7033



AMERICA'S FIRST FAMILY OF FOREST PRODUCTS



GEORGIA-PACIFIC CORPORATION

COMMONWEALTH BUILDING • PORTLAND, OREGON 97204

TELEPHONE: 222-5561 • TELETYPE: 910-484-4702

AREA CODE: 503 • WESTERN UNION TELEX: 036-651

RECEIVED

OCT 15 1970

October 13, 1970

Department of Water Administration

Mr. Donald W. McEldoney
Appropriation Supervisor
Idaho Department of Water Administration
State House Annex 2
Boise, Idaho 83707

Subject: Permit No. 957033

Dear Mr. McEldoney:

Some time ago I was told that a field inspector from your Department examined the well to which permit No. 957033 has been assigned. As you may recall, this well is near Chilco, Idaho. Since the inspection, I have heard nothing about the application and am wondering if it has ripened into a permit. If so, please send me a copy of the final permit. If not, please let me know what can be done to finalize it.

Thank you for your courtesy and cooperation.

Very truly yours,

George W. Wittemyer
George Wittemyer

GW:ft

cc: W. E. Balch, Sandpoint

95 7033



GEORGIA-PACIFIC CORPORATION

800 S.W. 5TH AVENUE • PORTLAND, OREGON 97204

November 20, 1970

Mr. R. Keith Higginson, Director
Idaho Department of Water Administration
Statehouse - Annex 2
Boise, Idaho 83707

Subject: Permit No. 95-7033

Dear Mr. Higginson:

Enclosed is a photocopy of my October 13, 1970 letter to Mr. Donald W. McEldoney, Appropriation Supervisor, inquiring about the application of Georgia-Pacific Corporation for Permit No. 95-7033. To date I have received neither the permit nor any word from Mr. McEldoney regarding the status of the application. I would appreciate anything you could do to bring me up-to-date on this matter.

Thank you.

Very truly yours,


George Wittemyer

ft

Enclosure

cc: Mr. Donald W. McEldoney ✓
W. E. Balch, Sandpoint

5 7033



GEORGIA-PACIFIC CORPORATION

800 S.W. 5TH AVENUE • PORTLAND, OREGON 97204

PDF

October 13, 1970

Mr. Donald W. McEldoney
Appropriation Supervisor
Idaho Department of Water Administration
State House Annex 2
Boise, Idaho 83707

Subject: Permit No. 957033

Dear Mr. McEldoney:

Some time ago I was told that a field inspector from your Department examined the well to which permit No. 957033 has been assigned. As you may recall, this well is near Chilco, Idaho. Since the inspection, I have heard nothing about the application and am wondering if it has ripened into a permit. If so, please send me a copy of the final permit. If not, please let me know what can be done to finalize it.

Thank you for your courtesy and cooperation.

Very truly yours,

George Wittemyer

GW:ft

cc: W. E. Balch, Sandpoint
bc: E. R. Knauf

95 7033

C
O
P
Y



AMERICA'S FIRST FAMILY OF FOREST PRODUCTS



GEORGIA-PACIFIC CORPORATION

COMMONWEALTH BUILDING • PORTLAND, OREGON 97204

TELEPHONE: 222-5561 • TELETYPE: 910-464-4702

AREA CODE: 503 • WESTERN UNION TELEX: 036-651

November 20, 1970

Mr. R. Keith Higginson, Director
Idaho Department of Water Administration
Statehouse - Annex 2
Boise, Idaho 83707

File Answer

Subject: Permit No. 95-7033

Dear Mr. Higginson:

Enclosed is a photocopy of my October 13, 1970 letter to Mr. Donald W. McEldoney, Appropriation Supervisor, inquiring about the application of Georgia-Pacific Corporation for Permit No. 95-7033. To date I have received neither the permit nor any word from Mr. McEldoney regarding the status of the application. I would appreciate anything you could do to bring me up-to-date on this matter.

Thank you.

Very truly yours,

George Wittemyer
George Wittemyer

ft

Enclosure

cc: Mr. Donald W. McEldoney
W. E. Balch, Sandpoint

95 7033



GEORGIA-PACIFIC CORPORATION

900 S.W. 5TH AVENUE • PORTLAND, OREGON 97204

PDF

October 13, 1970

C
O
P
Y

Mr. Donald W. McEldoney
Appropriation Supervisor
Idaho Department of Water Administration
State House Annex 2
Boise, Idaho 83707

Subject: Permit No. 957033

Dear Mr. McEldoney:

Some time ago I was told that a field inspector from your Department examined the well to which permit No. 957033 has been assigned. As you may recall, this well is near Chilco, Idaho. Since the inspection, I have heard nothing about the application and am wondering if it has ripened into a permit. If so, please send me a copy of the final permit. If not, please let me know what can be done to finalize it.

Thank you for your courtesy and cooperation.

Very truly yours,

George Wittemyer

GW:ft

cc: W. E. Balch, Sandpoint
bc: E. R. Knauf

95 7033



GEORGIA-PACIFIC CORPORATION

LEGAL DEPARTMENT

900 S. W. FIFTH AVENUE - PORTLAND, OREGON 97204
AREA CODE 503 - TELEPHONE 222-5561

FRANK G. BREUER
GENERAL COUNSEL

GEORGE H. BRUSTAD
JOHN B. CROWELL, JR.
THOMAS E. WITHYCOMBE
A. THOMAS NIEBERGALL
HUGH K. COLE
GEORGE WITTEMYER
KENNETH M. McCRAW, JR.
DENNIS M. CHORBA
ATTORNEYS

January 20, 1971

Mr. Donald W. McEldowney
Appropriation Supervisor
Department of Water Administration
State of Idaho
Statehouse - Annex 2
Boise, Idaho 83707

Subject: Permit No. 95-7033

Dear Mr. McEldowney:

I appreciated receiving your November 23, 1970 letter, a copy of which is attached. However, according to that letter you thought you might be able to issue the license during 1970. I have not received notice of such issuance and consequently was concerned that something had gone astray. If I can do anything to expedite this matter with your department, please let me know.

Very truly yours,

George Wittemyer
George Wittemyer

GW:ft

Enclosure

cc: W. E. Balch
E. R. Knauf

95 7033

June 17, 1970

Re: Permit No. 95-7033

Mr. George Wittemyer
Georgia-Pacific Corp.
P.O. Box 311
Portland, Oregon 97207

Dear Mr. Wittemyer:

Thank you for your letter of June 12, 1970, regarding the installation of a measuring device in connection with the above referenced permit.

Before a license can be issued a field examination must be made by a representative from this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system. If someone other than you should be contacted by the examiner, please advise.

Very truly yours,

Donald W. McEldowney
Appropriation Supervisor

DWM:DR

95 7033



Layne Pumps, Inc.

A Subsidiary of Layne & Bowler, Inc., Memphis, Tennessee

June 12, 1970

PASCO, WASHINGTON 99301

Pasco Airport

P. O. Box 610

95-7033
Mr. C. Steven Allred
State Reclamation Engineer
Dept. of Reclamation
State House
Annex 2
Boise, Idaho

Reference: Pump installed
Headland Lumber Mill
Chilco, Idaho
by Georgia Pacific Corp.
Pilot Rock, Oregon

Dear Mr. Allred:

I have inspected the installation of the above referred to 60 HP pump, which is equipped with a Rockwell Flometer, Model 301, 6 inch and 650 GPM.

I find the equipment in good working order and the Meter of the type approved by the State of Idaho.

Very truly yours,

J. D. Meyer
J. D. Meyer, Mgr. in
Layne Pumps, Inc.

JDM:jw

cc Georgia Pacific Corp.

95 7033



GEORGIA-PACIFIC CORPORATION

LEGAL DEPARTMENT

900 S. W. FIFTH AVENUE - PORTLAND, OREGON 97204
AREA CODE 503 - TELEPHONE 222-5561

FRANK G. BREUER
GENERAL COUNSEL

GEORGE H. BRUSTAD
JOHN B. CROWELL, JR.
THOMAS E. WITCOMBE
A. THOMAS NIEBERGALL
HUGH K. COLE
GEORGE WITTEMYER
KENNETH M. McCRAW, JR.
DENNIS M. CHORBA
ATTORNEYS

June 12, 1970

Mr. Donald W. McEldowney
Appropriation Examiner
Department of Reclamation
State of Idaho
State House - Annex 2
Boise, Idaho 83707

Re: Permit No. 95-7033

Dear Mr. McEldowney:

Please be advised that Georgia-Pacific Corporation, successor in interest to Hedlund Lumber Co., Inc., is appropriating approximately 2.0 cu. ft./sec. of water from a ground water source diverted within the Southwest quarter of the Southeast quarter of Section 7, T 52 N, R 3 W, B.M., Kootenai County, Idaho. Georgia-Pacific Corporation has installed a measuring device required by the conditions of approval of Permit No. 95-7033 and by Section 42-701 of the Idaho Code. The measuring device was installed by Lane Pump Co. According to their spokesman, Lane Pump Co. will confirm to you that the installation is complete. However, in view of the June 15, 1970 deadline for such installation, I am writing this letter to notify the Department of Reclamation that such approved measuring device has been installed. In due course I assume one of your field representatives will review the device.

If you have any questions concerning this matter, please do not hesitate to contact me.

Very truly yours,

George Wittemyer
George Wittemyer

GW:ft

95 7033

March 11, 1970

Re: Permit No. 95-7033 (Hedlund Lumber Co., Inc.)

Mr. George Wittemyer
GEORGIA-PACIFIC CORPORATION
P.O. Box 311
Portland, Oregon 97207

Dear Mr. Wittemyer:

We acknowledge receipt of the affidavit submitted as proof of beneficial use in connection with the above referenced permit. Enclosed please find an order REINSTATING this permit; you will note that the priority has been reduced.

As proof of beneficial use has been submitted, it will not be necessary to obtain an extension of time. Therefore, we are returning the application for extension of time you submitted.

In reviewing your proof of beneficial use affidavit, it appears that you have failed to install the measuring device as required by the conditions of approval of your permit and by Section 42-701 of the Idaho Code. Please be advised that we cannot issue a license unless you have installed a measuring device of a type approved by the Department. You should be aware that failure to install a measuring device may result in the loss of your permit. We would appreciate hearing from you regarding your intentions in this matter.

We will withhold action regarding Permit No. 95-7033 until June 15, 1970. We are enclosing a list of the types of measuring devices approved by the Department of Reclamation. If you have any questions, please contact us.

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

DWM:DR
Enc: Order
App. for extension
Information letter

95-7033

BEFORE THE STATE RECLAMATION ENGINEER

OF THE

STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 95-7033)

in the name of HEDLUND LUMBER CO., INC.)

ORDER OF REINSTATEMENT

WHEREAS, on September 30, 1968, Hedlund Lumber Co., Inc. applied to the Department of Reclamation for a permit to appropriate 2.0 cubic feet per second of water from a groundwater source to be diverted within the SW $\frac{1}{4}$ SE $\frac{1}{4}$ of Sec. 7, T. 52N, R. 3W, B.M., Kootenai County, Idaho; and,

WHEREAS, on January 9, 1969, the Department of Reclamation approved the application subject to the condition that the applicant permanently install a measuring device of a type approved by the Department of Reclamation and that proof of the application of water to beneficial use be submitted to the Department on or before February 1, 1970; and,

WHEREAS, on December 1, 1969, the permit holder was notified by certified mail that he was required to submit proof of the application of the water to beneficial use and was instructed as to the steps to be taken to make that proof; and,

WHEREAS, the required proof of beneficial use was not received on February 1, 1970; and,

WHEREAS, the Department of Reclamation informed the permit holder on February 6, 1970, that the permit had lapsed for failure to submit proof of beneficial use; and,


WHEREAS, on February 19, 1970, the Department of Reclamation received the required proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within 60 days from the date of notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing as to why the permit should be reinstated;

THEREFORE, IT IS HEREBY ORDERED that Permit No. 95-7033 be REINSTATED and the priority be reduced to October 18, 1968.

Dated this 11th day of March, 1970.



R. KEITH HIGGINSON
State Reclamation Engineer

95-7033



GEORGIA-PACIFIC CORPORATION

LEGAL DEPARTMENT

FRANK G. BREUER
GENERAL COUNSEL

GEORGE H. BRUSTAD
JOHN B. CROWELL, JR.
THOMAS E. WITHEYCOMBE
A. THOMAS NIEBERGALL
HUGH K. COLE
GEORGE WITTEMYER
KENNETH M. McCRAW, JR.
DENNIS M. CHORBA
ATTORNEYS

900 S. W. FIFTH AVENUE - PORTLAND, OREGON
AREA CODE 503 - TELEPHONE 222-5561

MAILING ADDRESS
P. O. BOX 311
PORTLAND, OREGON
97207

February 16, 1970

Mr. R. Keith Higginson
State Reclamation Engineer
Department of Reclamation
Statehouse -- Annex 2
Boise, Idaho 83707

Re: Permit No. 95-7033

Dear Mr. Higginson:

Enclosed for your consideration are a Proof of Application of Water To Beneficial Use for Permit No. 95-7033 and Application for Extension of Time for the same permit.

I understand that Sec. 42-218 and 42-218a of Title 42 of the Idaho Code give you little discretion in dealing with extensions of these permits. However, as I explained to you on the telephone today, the major impediment to completing the beneficial use of the water under this permit has been the sale of substantially all of the assets of Hedlund Lumber Co., Inc. to Georgia-Pacific Corporation consummated on November 25, 1969. Since that time a change in management has been wrought and has further delayed the paper work on this matter. Finally, the writer has been away from his office and upon return a victim of the flu. In any event, please accept the enclosed application for Extension of Time under Sec. 42-218a and, if the foregoing statement of facts constitutes reasonable cause under the statute, please reinstate the permit with a priority date advanced a time equal to the number of days that the showing of such cause is subsequent to the date set for the proof of the claim.

If you have any questions concerning this permit, please contact me immediately. Thank you for your courtesy and cooperation.

Very truly yours,

George Wittemyer
George Wittemyer

GW:ft
Enclosures

95-7033

DON SAMUELSON
GOVERNOR



R. KEITH HIGGINSON
State Reclamation Engineer

STATE OF IDAHO

DEPARTMENT OF RECLAMATION
STATEHOUSE - ANNEX 2
BOISE, IDAHO 83707

February 6, 1970


Re: Permit No. 95-7033

Hedlund Lumber Co., Inc.
P.O. Box 249
Sandpoint, Idaho 83864

Gentlemen:

You are hereby notified that under the provisions of Section 42-218a, Idaho Code, Permit 95-7033 has lapsed.

You are further advised that the department cannot reinstate the permit except upon a showing of reasonable cause within sixty days from the date of this notice of lapsing.


State Reclamation Engineer
R. KEITH HIGGINSON

RKH:DR

Form 7

95-7033

December 1, 1969

Re: Permit No. 95-7033

Hedlund Lumber Co., Inc.
P.O. Box 249
Sandpoint, Idaho 83864

Gentlemen:

One of the conditions of the approval of your permit
95-7033 was that proof of application of the water to
beneficial use be submitted to this office on or before _____
February 1, 19 70.

Enclosed is an affidavit form which must be used to submit
this proof. You may request an extension of time provided the
delay is for reasonable cause as indicated in Section 42-204, ICA.

Either the proof or a request for extension must be received
by this department on or before the above mentioned date, otherwise
the permit will lapse and be of no further force or effect.

State Reclamation Engineer

Enclosure: Proof form
dr

CERTIFIED MAIL #21420

Form 5

95-7033

January 13, 1969

Re: Permit No. 95-7033

**Hedlund Lumber Co., Inc.
P.O. Box 249
Sandpoint, Idaho 83864**

Gentlemen:

We enclose a copy of your approved application for permit 95-7033
in which we direct your attention to the limitations and conditions as given
on the fourth page under approval of the State Reclamation Engineer.

Very truly yours,

C. Stephen Allred, Assistant
State Reclamation Engineer

CSA:kh

**Enclosures: Copy of application
Receipt No. 2124 for \$25.
2 informational letters**

95-7033

Hedlund Lumber Co., Inc.

SANDPOINT, IDAHO 83864

JAN 6 1969

January 3, 1969

Department of Reclamation

Department of Reclamation
State of Idaho
State House - Annex 2
Boise, Idaho 83707

Attention: Donald W. McElDowney
Appropriation Examiner
Re: Application No. 95-7033

Gentlemen:

We acknowledge receipt of your letter of December 19, 1968
in reply to our application No. 95-7033.

The Idaho Rating Bureau requires a 360,000 gallon storage
of water behind our fire protective system designed for our Chilco,
Idaho Plant. We must have the ability to refill this in eight hours
which would require a well and pump to produce 750 gallons per minute.
Our domestic and interplant requirements will approximate 5,000 gallons
per twenty-four hours.

In addition, we will sprinkle our logs and adjacent area to
the burner. This will require 200 gallons per minute.

Our pump at the well will be designed to accomplish this
950 gallons per minute. Annual consumption would not be this amount
but the well must have this ability, to supply and back up our system.

Yours very truly,

HEDLUND LUMBER CO., INC.

BY


W. E. Balch, General Superintendent


WEB-s

95-7033

Hedlund Lumber Co., Inc.

BOX 249

SANDPOINT, IDAHO 83864



95-7033



Att: Donald W. McEldowney
Appropriation Examiner

Department of Reclamation

State of Idaho

State House - Annex 2

Boise, Idaho 83707

December 19, 1968

Re: Application No. 95-7033

Hedlund Lumber Company, Inc.
P. O. Box 249
Sandpoint, Idaho

Gentlemen:

Before final action can be taken on your application for permit, we will require that some additional information be submitted. Inasmuch as you have requested 2.0 cubic feet per second for industrial and fire protection for a year around use, we would like your assistance in justifying the quantity of water you have requested. Would you please advise the department by return mail as to the capacity of the pump you intend to install and the method by which the water will be used, relating to the quantities of water for each of your processes.

Your assistance in this matter is appreciated.

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

DWM:ks

1-20-69

95-7033

DON SAMUELSON
GOVERNOR



R. KEITH HIGGINSON
State Reclamation Engineer

STATE OF IDAHO

DEPARTMENT OF RECLAMATION
STATEHOUSE - ANNEX 2
BOISE, IDAHO 83707

November 4, 1968

Re: Application No. 95-7032-George E. Thayer
and O. C. Thayer
Hedlund Lumber Co., Inc. - 95-7033

Coeur d'Alene Press
Second and Lakeside
Coeur d'Alene, Idaho 83814

Gentlemen:

As of this date we have not yet received the certified bill of publication for the above referenced applications. Please submit this bill promptly so we may continue processing these applications.

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

DWM:tg

95-7033

NOTICE OF APPLICATION FOR WATER

Notice is hereby given that Hedlund Lumber Co., Inc., P.O. Box 249, Sandpoint, Idaho has on September 30, 1968 applied for permit under application No. 95-7033 to divert 2.0 cubic feet per second of water from a subterranean source. Water will be diverted by a well, pump, motor, and storage cistern within the SW $\frac{1}{4}$ SE $\frac{1}{4}$, sec. 7, T. 52N, R. 3W, B.M., Kootenai County and is to be used from January 1 to December 31 for lumber manufacturing and fire protection in the SW $\frac{1}{4}$ SE $\frac{1}{4}$, sec. 7, T. 52N, R. 3W, B.M.

Any protest against this application must be filed with the Department of Reclamation within ten days from the last date of publication of this notice.

R. KEITH HIGGINSON
State Reclamation
Engineer

Oct. 17/24, 1968

95-7033

October 4, 1968

Re: Application No. 95-7033 - Hedlund Lumber Company, Inc.
Application No. 95-7031 - George E. Thayer
Application No. 95-7032 - George E. Thayer and O. C. Thayer

Coeur d' Alene Press
Second and Lakeside
Coeur d' Alene, Idaho 83814

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted assuming the notice is correct. If we have any corrections, we will notify you before the first publication date. If you can not publish the notice on the proposed dates please contact us immediately.

An affidavit of publication must be submitted to the Department of Reclamation, along with the publication bill. In order to receive payment, the following certification must appear on the bill:

I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of same has been paid.

Signature of claimant

Very truly yours,

Donald W. McBldowney
Appropriation Examiner

DWM:ks
enclosure: legal notice

95-7033

NOTICE OF APPLICATION FOR WATER

Notice is hereby given that Hedlund Lumber Co., Inc, P. O. Box 249, Sandpoint,

Idaho has on September 30, 1968
applied for permit under application No. 95-7033 to divert ~~from~~
2.0 cubic feet per second ~~from~~ of water from a subterranean
source. Water will be diverted by a wall,
and
pump, motor, /storage cistern, within the SW 1/4, SE 1/4,
sec. 7, T. 52 N, R. 3 W, B.M., Kootenai County
and is to be used from January 1, to December 31
for lumber manufacturing and fire protection
in the SW 1/4, SE 1/4, sec. 7, T. 52 N, R. 3 W, B.M.

Any protest against this application must be filed with the Department of
Reclamation within ten days from the last date of publication of this notice.

R. KEITH HIGGINSON
State Reclamation Engineer

Published in the Coeur d' Alene Press, Coeur d' Alene, Idaho,
on October 17 and October 24.

95-7033

DON SAMUELSON
GOVERNOR



R. KEITH HIGGINSON
State Reclamation Engineer

STATE OF IDAHO

DEPARTMENT OF RECLAMATION
STATEHOUSE - ANNEX 2
BOISE, IDAHO 83707

September 23, 1968

RECEIVED

SEP 30 1968

Department of Reclamation

Re: Application for Permit

Hedlund Lumber Company, Inc.
Box 249
Sandpoint, Idaho

Gentlemen:

We are returning your application to appropriate the public waters of the State of Idaho. Please be advised that in order for an application to be acceptable, it must be submitted with adequate filing fees. The correct filing fee for an application of 2.0 cubic feet per second is \$25.00

The Department is also in need of a complete answer under Item 2 of the application. Please enter the source of water supply. As you have indicated that you propose using a well of 360 feet, we assume that this is to be subterranean water.

Under Item 6a of the application you are requested to describe the diverting works. We also assume this to be a well, pump, motor, and etc., however, your description is required.

Please contact us if we may be of further assistance.

Very truly yours,

A handwritten signature in cursive script, reading "Donald W. McEldowney".
Donald W. McEldowney
Appropriation Examiner

DWM:ks

enclosure: Original application
Instruction sheet

95-7033

REPORT OF WELL DRILLER
State of Idaho

RECEIVED

JUN 13 1969

State law requires that this report shall be filed with the State Department of Reclamation Engineer within 30 days after completion or abandonment of the well.

WELL OWNER:

Name Hedlund Lumber Co.

Address 808 North Boyer
Sandpoint, Idaho

Owner's Permit No. 95-7033

NATURE OF WORK (check): Replacement well ☐
New well ☒ Deepened ☐ Abandoned ☐

Water is to be used for: Fire Protection

METHOD OF CONSTRUCTION: Rotary ☐ Cable ☐
Dug ☐ Other ☐

(explain)
CASING SCHEDULE: Threaded ☐ Welded ☒

12" "Diam. from 1 ft. to 170 ft.

"Diam. from ft. to ft.

"Diam. from ft. to ft.

"Diam. from ft. to ft.

Thickness of casing: 3/8 Material:

Steel ☒ concrete ☐ wood ☐ other ☐

(explain)

PERFORATED? Yes ☒ No ☐ Type of

perforator used: Mills Knife

Size of perforations: 3/8" " by 1 1/2 "

276' perforations from 105 ft. to 129 ft.

perforations from ft. to ft.

perforations from ft. to ft.

perforations from ft. to ft.

WAS SCREEN INSTALLED? Yes ☐ No ☒

Manufacturer's name

Type Model No.

Diam. Slot size Set from ft. to ft.

Diam. Slot size Set from ft. to ft.

CONSTRUCTION: Well gravel packed? Yes ☐

No. ☒ size of gravel Gravel

placed from ft. to ft. Surface seal

provided? Yes ☒ No ☐ To what depth?

20 ft. Material used in seal: cement

Did any strata contain unusable water? Yes ☐

No. ☒ Type of water:

Depth of strata ft. Method of sealing

strata off: Clay layers of water content

& Bitum. Shale

Surface casing used? Yes ☒ No ☐

Cemented in place? Yes ☒ No ☐

Locate well in section

LOCATION OF WELL: County Kootenai

SW 1/4 SE 1/4 Sec. 7 T. 52N R. 3 W

Use other side for additional remarks

Size of drilled hole: 12" Total

depth of well: 270 Standing water

level below ground: 85 Temp.

Fahr. ° Test delivery: gpm

or cfs Pump? ☒ Bail ☐

Size of pump and motor used to make test:

250hp 1 1/2" 8' 6" 10' 10"

Length of time of test: 8 Hrs. 0 Min. 0

Drawdown: 7 ft. Artesian pressure: ft.

above land surface Give flow cfs

or 1200 gpm. Shutoff pressure:

Controlled by: Valve ☐ Cap ☐ Plug ☐

No control ☐ Does well leak around casing?

Yes ☐ No ☒

DEPTH MATERIAL WATER

FROM TO YES OR NO

FEET FEET

0' 38' Large gravel & clay no

38' 83' Sand, gravel & clay no

83' 129' Sand & gravel yes

129' 135' Clay, sand & gravel yes

135' 139' Blue clay & gravel no

139' 141' Pea gravel & clay water

141' 162' Brown clay & gravel no

162' 164' Fine sand & water water

164' 183' Brown clay no

183' 200' Clay, grey no

200' 220' Sandy grey clay no

220' 240' Blue clay & sand no

240' 253' Blue clay no

253' 270' Granite band no

Kootenai County, Idaho, to-wit:

Part of the SW $\frac{1}{4}$ of the SE $\frac{1}{4}$ of Section 7, Township 52 North, Range 3 West B. M., Kootenai County, Idaho; formerly described as being parts of the vacated portion of the Plat of SPOKANE VALLEY COMMERCIAL ORCHARDS, as said plat was recorded in Book C of Plats at page 120, records of Kootenai County, Idaho; more particularly described as follows:

That part of the E $\frac{1}{2}$ of the NW $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$ formerly described as the East half of the vacated Block 110 of said Plat.

That part of the NE $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$ lying westerly of the right of way of the Spokane International Railway; formerly described as the vacated Block 100 of said Plat. EXCEPT the part included in Oak and Maple Streets and Fifth Avenue, which Streets were not vacated. That part of the East half of the SW $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$ formerly described as Lots 1, 2, 3, 4 and 5 in the vacated Block 119 of said Plat. EXCEPT the part included in Oak Street, which Street was not vacated.

95
That part of the SE $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$ formerly described as Lots 1, 2, 3 and 4 in the vacated Block 120 of said Plat; being the portion lying Westerly of the Spokane International Railway as shown on said Plat.