


25 1014

Quantity May 9, 1968
Q measured .03 cfs
Q recommended .03 cfs
Volume $\frac{.03}{.02} = \frac{x}{.02} = .85 \text{ AF per year}$
Average
Found domestic and livestock
recommended
Subv.
Amendments
☒ None
☐ P.D.
☐ Place of use



R. 5 W

N 50 T

**NOTICE OF APPLICATION
FOR WATER**

Notice is hereby given that Wilburn F. Murrell, Route No. 2, Box 124, Post Falls, Idaho has on May 9, 1968 applied for permit to divert .16 cubic feet per second of water from a subterranean source under application No. 95-7014. Water will be diverted by a well within the SE $\frac{1}{4}$ NE $\frac{1}{4}$, sec. 1, T. 50 N, R. 5 W, B.M., Kootenai County and is to be used from January 1 to December 31 for domestic and livestock water and from April 1 to October 15 for irrigation in the SE $\frac{1}{4}$ NE $\frac{1}{4}$, sec. 1, T. 50 N, R. 5 W, B.M.

Any protest against this application must be filed with the Department of Reclamation within ten days from the last date of publication of this notice.

R. KEITH HIGGINSON
State Reclamation Engineer
Published in the Post Falls
Tribune, Post Falls, Idaho, on
June 6, and June 13, 1968.

AFFIDAVIT OF PUBLICATION

County of Kootenai }
STATE OF IDAHO } ss.

JEANNETTE S. ROSIN, being first duly sworn, deposes and says that she is the publisher of THE POST FALLS TRIBUNE, a newspaper published weekly at Post Falls, Kootenai County, Idaho, and of general circulation therein.

That the Notice of Application For Water No. 95-7014....

..... a true printed copy of which is attached to the margin hereof, has been and was correctly printed and published in the regular and entire issue of every number of said newspaper and not in any supplement thereof or thereto for two..... consecutive issues, commenc-

ing with the issue dated June 6....., 19 68..
and ending with the issue dated June 13....., 19 68..

Subscribed and sworn to before me, this 13th
day of June 19 68

Notary Public for the State of Idaho
Residing at Post Falls, Idaho

Publication Fee \$...7.13.....

bill submitted 6-14-68

95-7014

Identification No. _____
Permit No. 95-7014

STATE OF IDAHO
DEPARTMENT OF RECLAMATION

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

1970 ✓

1. a) Name of Permit Holder Wilburn F. Murkell
b) Post Office Address Rt 2 Box 134 Post Falls Ida.
2. Permit Number 95-7014
3. Date of Priority that you are prepared to establish 5-9-70 ✓
4. a) Source from which water was appropriated well ✓
b) Location of the point of diversion: SE 1/4 SE 1/4 NE 1/4 Section 1
Township 50N Range 5W ✓ Boise Meridian, Other points of diversion: _____
5. a) The amount of water and use to which the water has been applied:
amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
b) Total amount appropriated _____ cfs and/or acre feet per annum
c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: _____
6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:
a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: _____
b) Describe the agreement or understanding by which you take water from the works: _____
7. a) Briefly describe the works for diverting and conveying the water to the place of use, (If from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) This applies to Coping wear sending
b) Describe the type and size of measuring device which you have installed at your point of diversion: I measured the depth of standing water at 90 feet
X c) Give well drillers name and address and date the well was completed
Harman Drilling Corp.
E. 3410 Ninth Ave.
Spokane, Wash. 99202

*When affidavit returned —
release measuring device requirement!*

95-7014



DRILLING CORP.

E. 3410 NINTH AVE. - SPOKANE, WASH. KE 4-1013

STATEMENT

May 23, 1968

W. P. Murrell

Post Falls, Idaho

ALL PRICES NET—DUE AND PAYABLE 10TH PROXIMO—10% INTEREST WILL BE CHARGED ON ALL OVERDUE ACCOUNTS

DATE	DESCRIPTION	PRICE	BALANCE
#7	Drilling 6 inch well 280 feet at \$8.50 per foot-----	\$2,380.00	
	Furnish, install and develop Johnson telescope screen. 10 feet long #40 slot Airco iron-----	\$500.00	
	Cellar cribbing left in place-----	\$25.00	
		<u>\$2,905.00</u>	

No Tax

Paid in full
By check
Q.E.H.

DRILLING

DRILLING SUPPLIES

HEAVY WINCH WORK

95-7014

Dear Sir

He don't under stand the question of
the amount of water taken from the well.

He have a 2 horse Submersible 21 stage
pump set at 260 ft. Total depth of well
is 280 feet deep.

POST FALLS, IDAHO Department

**NOTICE OF APPLICATION
FOR WATER**

Notice is hereby given that Wilburn F. Murrell, Route No. 2, Box 134, Post Falls, Idaho has on May 9, 1968 applied for permit to divert .16 cubic feet per second of water from a subterranean source under application No. 95-7014. Water will

Will Lessen Fatalities

Of the 109 persons killed in Idaho traffic accidents through May 30, State Police said more than 90 percent of vehicle occupants were not using seat belts and that this neglect could have contributed to fatal injuries received.

State Police records show occupants of 85 of 91 vehicles involved in fatal accidents either were not wearing seat belts or that none were installed in vehicles.

Gov. Don W. Samuelson and other state officials advocate the use of seat belts by all per-

95-7014

State of Idaho
Department of Water Administration
LICENSE OF WATER RIGHT

License of Water Right No. 95-7014 Priority 5-9-68 Amount 0.03 c.f.s.

THIS IS TO CERTIFY, that WILBURN F. MURRELL
of Post Falls, Idaho, has complied with the terms and conditions of Permit
No. 95-7014 issued pursuant to Application for Permit dated 5-9-68,
and has submitted proof to the Department of Water Administration on 6-3-70,
that he has applied water to a beneficial use; an examination by the Department indicates that the
works have a capacity of 0.03 c.f.s., and that the water has in fact been applied to a
beneficial use; a right to the use of water from a groundwater source
tributary of , is hereby confirmed in the following amounts:
Amount 0.02 c.f.s. for Domestic from Jan. 1 to Dec. 31 (both dates inclusive)
Amount 0.01 c.f.s. for Livestock from Jan. 1 to Dec. 31 (both dates inclusive)
Amount for from to (both dates inclusive)
Subject, however, to the condition that no more than 0.03 c.f.s. of water be diverted at
any one time, said waters to be diverted within the
SE $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 1, Twp. 50 N., Rge. 5 W., B.M.
in the county of Kootenai; and that the amount of water so diverted and to which such
right is entitled and confirmed is for the purposes aforesaid and is limited to the amount which can
actually be beneficially used and shall not exceed 0.57 acre feet per year ~~or~~ for domestic
purposes and 0.28 acre feet per ~~year~~ year for stockwatering purposes.

Description and location of place of use:


TWP.	RANGE	SEC.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				TOTALS
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
50 N	5 W	1				X													

Total number of acres irrigated

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands
or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 16th day of

MARCH, 1971.


Deputy Director

95 7014

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
BOISE

REPORT OF EXAMINER

PERMIT NO. 95-7014

REPORT ON PROOF OF B/U Wilburn F. Murrell

95 7014

Quantity May 9, 1968

measured .03 cfs

recommended .03 cfs

Volume $\frac{.03}{.22} = \frac{.03}{.2} = .85 \text{ AF per year}$

Perage

Found domestic and livestock

recommended "

Color

Amendments

☒ None

☐ Add

☐ Delete

☐ Other

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
BOISE, IDAHO
REPORT OF EXAMINER

Permit No. 95-7014

This proof is for B/U In Water District No.

1. Name of applicant Wilburn F. Murrell, Rte. 2, Box 134, Post Falls, Idaho

2. Source of water supply: ground water

3. Location of point of diversion: Is in the SE 1/4 of Section 1

T. 50 N R. 5 W County of Kootenai

4. Describe works as they exist, giving dimensions and capacities of same:

drilled well, well diameter is 6", proposed depth of well is 250'

1 1/2" pipe goes from the pump into an 100 gal pressure tank. There is no way of taking an accurate measurement.

5. Water is used for: domestic use, livestock, & irrigation

6. State whether or not water has been turned into works of diversion:

7. List legal subdivisions of lands to be irrigated. If proof is for beneficial use, give exact number of acres under cultivation in each forty-acre tract. (Describe manner and place of use if other than irrigation):

T. 50 N, R. 5 W, Sec. 1 SE 1/4 8 acres

8 TOTAL

5 gals in 26 sec = 11.5 gal/hr

$\frac{11.5}{26 \times 60} = .03 \text{ c.f.s.}$

A sales slip from Mitchell, Lewis & Staver states that the Ser. No. of the pump is W-142684 Rapiddayton Mr. Murrell stated that the water is a 2 H.P.

(Submit map on attached plat, showing location and details of above description.)

8. What large stream would the water here appropriated finally reach?

Remarks: Submersible Pump & Motor (No I.D. Tag or information available) this well provides water for 5 tractor houses and 2 regular houses. There is no irrigation from this well. There is only small quantities of houses being watered and this will be used for domestic use. Mr. Murrell has had 20 head of cattle which drink from this well also. Mr. Murrell stated that he did measure 5 gals in 26 sec. but this measurement was through his pressure tank.

This examination was made on the 25 day of Aug, 1970

(Signed)

Fred J. Jones

95 7014

Examinee

mjb
9-16-70

Plot V

Call Ken and ask about having a measuring device installed. This well is only for domestic and livestock. I told Mr. Murrell that there is a possibility that this is not required

INSTRUCTIONS TO EXAMINERS

1. Always carefully note the location of the point of diversion and accurately plat same.
2. When proof is for beneficial use, carefully check up the number of acres actually irrigated in each forty and accurately plat same.
3. Make a map showing the correct location of streams and ditches, and the irrigated lands, and any adjacent permanent landmarks, such as towns, lakes, large streams and public roads.
4. If any unusual conditions are discovered, make plain statement of them under remarks.
5. Always see the holder, if possible, and go over the whole ground with him and make your report only upon actual existing facts and conditions.
6. Give general characteristics of soils, topography, and crops raised.

ASCS: Coeur d' Alene
SCS: Coeur d' Alene

Permit No. 95-7014

Examination for B/U Wilburn F. Marrell

County Kootenai

Sec. 1 T.50N R. 3W

Quantity:

(permit).16cfs (proof).02cfs

Source:

well (ground water)

P.D.:

SE¹/₄NE¹/₄

Use: domestic, livestock, & irrigation

Extension:

Protest:

Completion of Works:

Other Rights:

Filed: May 9, 1968

Made: June 3, 1970

Due: August 1, 1970

Priority: May 9, 1968

95 7014

773-4104

BEFORE THE STATE RECLAMATION ENGINEER

OF THE

STATE OF IDAHO

IN THE MATTER OF REMOVAL OF THE MEASURING)
DEVICE REQUIREMENT FOR PERMIT NO. 95-7014)
in the name of WILBURN F. MURRELL)

ORDER

WHEREAS, on May 9, 1968, Wilburn F. Murrell applied to the Department of Reclamation for a permit to appropriate 0.16 cubic feet per second of water from a ground water source to be diverted within the SE $\frac{1}{4}$ NE $\frac{1}{4}$ of Sec. 1, T. 50N, R. 5W, B.M., Kootenai County, Idaho, to be used for domestic, livestock watering and irrigation purposes; and,


WHEREAS, on July 8, 1968, the Department of Reclamation approved said application and issued Permit No. 95-7014 with the requirements that proof of construction of works and application of the water to beneficial use be submitted to the Department of Reclamation on or before August 1, 1970, and the applicant permanently install a measuring device of a type approved by the Department of Reclamation as part of the diverting works; and,

WHEREAS, on June 15, 1970, the Department of Reclamation received the required proof of construction of works and application of the water to beneficial use; and,

WHEREAS, it has been determined by the Department of Reclamation that a measuring device is not required at this time for a determination of the quantity of water appropriated under said permit;

IT IS, THEREFORE, HEREBY ORDERED that the condition of approval that the permit holder shall permanently install a measuring device of a type approved by the Department of Reclamation as part of the diverting works be removed from Permit No. 95-7014.

Dated this 16TH day of June, 1970.


R. KEITH HIGGINSON
State Reclamation Engineer

95-7014

Identification No. 95-7014
Application No. 42496

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho

1. Name of applicant Wilburn F. Murrell
post office address RR 2 Box 134 Post Falls Idaho
2. Source of water supply WELL which is a tributary of _____
3. a. Location of point of diversion is SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 1 Township 50N
Range 5W B.M. Kootenai County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M.
4. Quantity to be appropriated:
a. .16 cubic feet per second and/or
b. _____ acre feet per annum will be stored.
5. Water will be used for the following purposes:
DOMESTIC purpose from JAN 1 to DEC 31 (both dates inclusive)
LIVESTOCK purpose from JAN 1 to DEC 31 (both dates inclusive)
IRRIGATION purpose from April 1 to OCT 15 (both dates inclusive)
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. _____
DRILLED WELL

b. Height of storage dam _____ feet; active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet; materials used in storage dam: _____

c. Proposed well diameter is 6 inches; proposed depth of well is 250 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 2 years.
b. Estimated construction cost is \$ 5000.00.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 1 Township 50N
Range 5W B.M.
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.
(5) If water is to be used for other purposes describe: _____

95-7014

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated 8 Acres

c. Describe any other water rights used for the same purposes.

9. a. Who owns the property at the point of diversion.

b. Who owns the land to be irrigated or place of use


c. If the property is owned by a person other than the applicant, describe the arrangement enabling the

applicant to make this filing-

10. Remarks

11. Map of proposed project:

Sec. 1 Twp 50 N.
R. 5 W. B. M



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Mrs. Philburn J. Jurell
(Applicant)

95, 7014

State Reclamation Engineer

Witness my hand this 8 day of July 19 68.

2. Denial of said application is for the following reasons:

approved by the department as part of the diverting works.

c. Other: The applicant shall permanently install a measuring device of a type

before August 1, 19 70.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

1. Approval of said application is subject to the following limitations and conditions:

Idaho No. 95-7014, and said application is hereby APPROVED.

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of

ACTION OF STATE RECLAMATION ENGINEER

APPROVED

Recommended for approval denial by *W. H. [Signature]*

Hearing held by Date

Copies of protests forwarded by

Protests filed by: *None*

Priority reduced to Reason

Publication approved Date *6-27-68*

Publication dates *6-27-68*

Published in *Good Falls Bulletin*

Publication prepared by Date *5-27-68*

Received by Date *5/9/68*

Preliminary check by *W. H. [Signature]* Fee \$ 10.00

Received by *W. H. [Signature]* Date *5-9-68* Time *11:04 A*

RECEIVED

JUN 15 1970

Identification No. _____

Permit No. 95-7014Department of Reclamation
STATE OF IDAHO

DEPARTMENT OF RECLAMATION

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

RECEIVED

JUN 3 1970 ✓

1. a) Name of Permit Holder Wilburn F. Murrell Department of Reclamation
 b) Post Office Address Rt 2 Box 134 Post Falls Ida.
 2. Permit Number 95-7014
 3. Date of Priority that you are prepared to establish 5-9-68 ✓
 4. a) Source from which water was appropriated well ✓
 b) Location of the point of diversion: SE 1/4 SE 1/4 NE 1/4 Section 1
 Township 50N Range 5W ✓ Boise Meridian, Other points of diversion: _____

5. a) The amount of water and use to which the water has been applied:

amount .02 cfs for Domestic & yard purposes from Jan 1 to Dec 31 incl.
 (cfs and/or acre feet per annum) (Month-Day) (Month-Day)

amount _____ for _____ purposes from _____ to _____ incl.
 (cfs and/or acre feet per annum) (Month-Day) (Month-Day)

amount _____ for _____ purposes from _____ to _____ incl.
 (cfs and/or acre feet per annum) (Month-Day) (Month-Day)

b) Total amount appropriated _____ cfs and/or acre feet per annum

c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: Timed by a watch & filled a 5 gal

bucket in 26 seconds flow & pump from well
By low water gauge of Mr. Murrell

6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:

a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: _____

b) Describe the agreement or understanding by which you take water from the works: _____

7. a) Briefly describe the works for diverting and conveying the water to the place of use, (If from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) This applies to copy
we are sending

- b) Describe the type and size of measuring device which you have installed at your point of diversion: _____

I measured the depth of standing water at 90 feet

- c) Give well drillers name and address and date the well was completed

Halman Drilling Corp.

E. 3410 Ninth Ave.

Spokane, Wash. 99202

Completed May 23/1968

Examined & typed
June 29, 1970
Christine McMillan

95-7014

2-15-73

Carroll A. Alvo Jr.

State of Illinois)
County of Rockford) ss.

6/2/1970

1
J. H. Jones
J. H. Jones

10. Remarks:

01

[illegible]

~~at least dermatitis only and yaws-like~~

The domestic use of 84 dwelling and 1000
water in 1918 with cost of 17.00 dollars
Two other homes are being built

AFFIDAVIT OF PUBLICATION

NOTICE OF APPLICATION FOR WATER

Notice is hereby given that Wilburn F. Murrell, Route No. 2, Box 134, Post Falls, Idaho has on May 9, 1968 applied for permit to divert .16 cubic feet per second of water from a subterranean source under application No. 95-7014. Water will

be diverted by a well within the SE $\frac{1}{4}$ NE $\frac{1}{4}$, sec. 1, T. 50 N, R. 5 W, B.M., Kootenai County and is to be used from January 1 to December 31 for domestic and livestock water and from April 1 to October 15 for irrigation in the SE $\frac{1}{4}$ NE $\frac{1}{4}$, sec. 1, T. 50 N, R. 5 W, B.M.

Any protest against this application must be filed with the Department of Reclamation within ten days from the last date of publication of this notice.

R. KEITH HIGGINSON

State Reclamation Engineer

Published in the Post Falls

Tri-Star, Post Falls, Idaho, on June 6, and June 13, 1968.

County of Kootenai }
STATE OF IDAHO } ss.

JEANNETTE S. ROSIN, being first duly sworn, deposes and says that she is the publisher of THE POST FALLS TRIBUNE, a newspaper published weekly at Post Falls, Kootenai County, Idaho, and of general circulation therein.

That the Notice of Application For Water No. 95-7014

..... a true printed copy of which is attached to the margin hereof, has been and was correctly printed and published in the regular and entire issue of every number of said newspaper and not in any supplement thereof or thereto for two consecutive issues, commencing

with the issue dated June 6 , 19 68 ..

and ending with the issue dated June 13 , 19 68 ..

Subscribed and sworn to before me, this 13th ..

day of June , 19 68 ..

Notary Public for the State of Idaho
Residing at Post Falls, Idaho

Publication Fee \$... 7.13

95-7014

March 17, 1971

Re: Permit No. 95-7014

C
Mr. Wilburn F. Murrell
Route 2, Box 134
Post Falls, Idaho 83854

Dear Mr. Murrell:

Enclosed herewith is your Water License issued on the above numbered permit.

D
Very truly yours,

BOBBY D. FLEENOR
Assistant Director

BDF/kh

Enclosure
Y

95 7014

January 29, 1971

Re: Permit No. 95-7014

Mr. Wilburn F. Murrell
Route 2, Box 134
Post Falls, Idaho 83854

Dear Mr. Murrell:

A representative of this department has made an examination of the works covered by your Permit No. 95-7014 and has found the following:

Quantity of water diverted: 0.03 c.f.s.

Amount of water that can be recognized as beneficially used under Idaho law: 0.03 c.f.s.

The maximum quantity diverted shall not exceed 0.85 acre feet per season.

Beneficial Use: Domestic use and Livestock purposes within the SE $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 1, T. 50 N., R. 5 W., B.M.

The priority date established is : May 9, 1968

If you do not concur with these findings, please advise us within 10 days; otherwise, a license will be issued as set forth in this letter.

Very truly yours,

BOBBY D. FLEENOR
Assistant Director

BDF:kh

95-7014



DRILLING CORP.

KE 4-1013

RECEIVED
STATEMENT

May 23, 1968

SUN 58 1968

W. F. Murrell

Post Falls, Idaho

Department of Reclamation

Department of Reclamation

ALL PRICES NET—DUE AND PAYABLE 10TH PROXIMO—10% INTEREST WILL BE CHARGED ON ALL OVERDUE ACCOUNTS

DATE	DESCRIPTION	PRICE	BALANCE
------	-------------	-------	---------

#7

Drilling 6 inch well			
280 feet at \$8.50 per foot-----			\$2,380.00
Furnish, install and develop Johnson			
telescope screen.			
10 feet long #40 slot Armaco iron-----			\$500.00
Cellar cribbing left in place-----			\$25.00
			<u>\$2,905.00</u>

No Tax

*Paid in Full
By check
Q.E.H.*

DRILLING

DRILLING SUPPLIES

HEAVY WINCH WORK

95-7014

Dear Sir

He don't under stand the question of
the amount of water taken from the well.

We have a 2 horse Submersible 21 stage
pump set at 260 ft. Total depth of well
is 280 feet deep.

September 8, 1970

Mr. W. F. Murrell
Route 2, Box 134
Post Falls, Idaho 83854

Dear Mr. Murrell:

In regard to your recent request for a waiver of the requirement to install a measuring device under Permit No. 95-7014, the department, in its order to you dated June 16, 1970, waives such requirement relieving you of the necessity of installing the measuring device. For your information, I am enclosing a copy of that order with this letter.

If I can be of further help, please contact me.

Sincerely,

A. KENNETH DUNN
Assistant Director

AKD:mjl

Enclosure

95-7014

RECEIVED

AUG 28 1970

PLH

State Reclamation office
R. Keith Higginson
State Reclamation Engineer
Dear Sir.

Department of Water Administration

In regards to device re-
quirement for permit NO. 95-7014.

Mr. Eidenbath was here and
checked our well and its pump and
pipe size.

We would appreciate very much
if you would release us of having
to use a measuring device be-
cause we are only using it for
domestic purpose.

We thank you.

Sincerely

Mrs. H. F. Murrell
Aug 26 - 1970

95-7014

June 17, 1970

Re: Permit No. 95-7014

Mr. Wilburn F. Murrell
Route 2, Box 134
Post Falls, Idaho 83854

Dear Mr. Murrell:

We acknowledge receipt of your affidavit submitted as proof of beneficial use for permit 95-7014. Enclosed please find an order which removes the measuring device requirement from your permit.

Before a license can be issued a field examination must be made by a representative from this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system. If someone other than you should be contacted by the examiner, please advise.

Very truly yours,

Donald W. McEldowney
Appropriation Supervisor

DWM:DR
Enclosure

95-7014

June 5, 1970

Re: Permit No. 95-7014

Mr. Wilburn F. Murrell
Route 2, Box 134
Post Falls, Idaho 83854

Dear Mr. Murrell:

Enclosed we are returning your affidavit submitted as proof of beneficial use in connection with the above referenced permit. Please be advised that we cannot accept the affidavit until you have completed items 5(a), 5(b) and 9.

If you will advise us of how many gallons per minute of water your pump is capable of producing, we will be able to assist you in answering the questions.

Please return the completed form on or before August 1, 1970, in order to avoid your permit being lapsed.

Very truly yours,

Donald W. McEldowney
Appropriation Supervisor

DWM:DR
Enc: Proof affidavit

95-7014

Identification No. _____

Permit No. 95-7014

STATE OF IDAHO
DEPARTMENT OF RECLAMATION

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

1. a) Name of Permit Holder Wilburn E. Murrell

b) Post Office Address Rt 2 Box 134 Post Falls Ida.

2. Permit Number 95-7014

3. Date of Priority that you are prepared to establish _____

4. a) Source from which water was appropriated well

b) Location of the point of diversion: SE 1/4 SE 1/4 NE 1/4 Section 1

Township 50N Range 5W Boise Meridian, Other points of diversion: _____

5. a) The amount of water and use to which the water has been applied:

amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)

amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)

amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)

b) Total amount appropriated _____ cfs and/or acre feet per annum

c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: _____

6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:

a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: _____

b) Describe the agreement or understanding by which you take water from the works: _____

7. a) Briefly describe the works for diverting and conveying the water to the place of use, (If from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and or canal or ditch) Shoe appurtenance to casing
near landing

b) Describe the type and size of measuring device which you have installed at your point of diversion: _____

I measured the depth of standing water at 90 feet

c) Give well drillers name and address and date the well was completed

Haiman Drilling Corp.

E. 3410 Ninth Ave.

Spokane, Wash. 99202

When affidavit returned

release measuring device requirement!

95-7014



0000000000

30110 NINTH AVE. SPOKANE, WASH. KE 4-1013

STATEMENT

May 23, 1968

W. F. Murrall

Post Falls, Idaho

ALL PRICES NET—DUE AND PAYABLE 10TH PROXIMO—10% INTEREST WILL BE CHARGED ON ALL OVERDUE ACCOUNTS

DATE	DESCRIPTION	PRICE	BALANCE
------	-------------	-------	---------

#7

Drilling 6 inch well
200 feet at \$2.50 per foot-----\$2,300.00

Furnish, install and develop Johnson
telescope screen.
10 feet long #40 slot Amco iron-----\$500.00

Cellar cribbing left in place-----\$25.00
\$2,905.00

No Tax

*Paid in full
By check
A.E.H.*

DRILLING

DRILLING SUPPLIES

HEAVY WINCH WORK

95-7014

Dear Sir

she don't under stand the question of
the amount of water taken from the well.

They have a 2 horse submersible 21 stage
pump set at 260 ft. total depth of well
is 280 feet deep.

INSTRUCTIONS TO DELIVERING EMPLOYEE

☐ Show to whom, date, and
address where delivered

☐ Deliver ONLY
to addressee

(Additional charges required for these services)

RECEIPT

Received the numbered article described below.

REGISTERED NO.

SIGNATURE OR NAME OF ADDRESSEE *(Must always be filled in)*

CERTIFIED NO.

1

INSURED NO.

2

SIGNATURE OF ADDRESSEE'S AGENT, IF ANY

DATE DELIVERED


SHOW WHERE DELIVERED *(only if requested)*

3

POST OFFICE DEPARTMENT
OFFICIAL BUSINESS

PENALTY FOR PRIVATE USE TO AVOID
PAYMENT OF POSTAGE, \$300

POSTMARK OF
DELIVERING OFFICE



INSTRUCTIONS: Show name and address below and complete instructions on other side, where applicable. Moisten gummed ends, attach and hold firmly to back of article. Print on front of article **RETURN** RECEIPT REQUESTED.

RETURN
TO 

Department of Reclamation

Annex # 2 Statehouse

STREET AND NO. OR P.O. BOX

Boise, Idaho 83707

POST OFFICE, STATE, AND ZIP CODE

June 1, 1970

Re: Permit No. 95-7014

Mr. Wilburn F. Murrell
Route 2, Box 134
Post Falls, Idaho 83854

Dear Mr. Murrell:

One of the conditions of the approval of your permit no. 95-7014 was that proof of application of the water to beneficial use be submitted to this office on or before August 1, 1970.

Enclosed is an affidavit form which must be used to submit this proof. You may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code Amended.

Either the proof or a request for extension of time must be received by this department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.

R. Keith Hyatt

State Reclamation Engineer

Enc: Proof form
dr

CERTIFIED MAIL

#21948

95-7014

July 10, 1968

Re: Permit No. 95-7014

Wilburn F. Murrell
Rt. 2, Box 134
Post Falls, Idaho 83854

Dear Mr. Murrell:

We enclose a copy of your approved application for permit 95-7014 in which we direct your attention to the limitations and conditions as given on the fourth page under approval of the State Reclamation Engineer.

Very truly yours,

C. Stephen Allred, Assistant
State Reclamation Engineer

CSA:kh

Enclosures: Copy of application
Receipt No. 859 for \$10.00

95-7014

POST FALLS, IDAHO Department

NOTICE OF APPLICATION FOR WATER

Notice is hereby given that Wilburn E. Murrell, Route No. 2, Box 134, Post Falls, Idaho has on May 9, 1968 applied for permit to divert .16 cubic feet per second of water from a subterranean source under application No. 95-7014. Water will

Will Lessen Fatalities

Of the 109 persons killed in Idaho traffic accidents through May 30, State Police said more than 90 percent of vehicle occupants were not using seat belts and that this neglect could have contributed to fatal injuries received.

State Police records show occupants of 85 of 91 vehicles involved in fatal accidents either were not wearing seat belts or that none were installed in vehicles.

Gov. Don W. Samuelson and other state officials advocate the use of seat belts by all per-

95-7014

May 27, 1968

Re: Application No. 95-7014
Wilburn F. Murrell

Post Falls Tribune
Post Falls, Idaho 83854

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted assuming the notice is correct. If we have any corrections, we will notify you before the first publication date. If you can not publish the notice on the proposed dates please contact us immediately.

An affidavit of publication must be submitted to the Department of Reclamation, along with the publication bill. In order to receive payment, the following certification must appear on the bill:

I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of same has been paid.

(Do not sign letter)

Signature of claimant

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

DWM:ks

Enclosure: Legal Notice

95-7014

NOTICE OF APPLICATION FOR WATER

Notice is hereby given that Wilburn F. Murrell, Route #2, Box 134, Post Falls, Idaho has on May 9, 1968 applied for permit to divert ~~from~~ .16 cubic feet per second ~~from~~ of water from a subterranean source under application No. 95-7014. Water will be diverted by a well within the SE 1/4, sec. 1, T. 50 N., R. 5 W., B.M., Kootenai County and is to be used from January 1 to December 31 for domestic and livestock water and from April 1 to October 15 for irrigation in the SE 1/4, sec. 1, T. 50 N., R. 5 W., B.M.

Any protest against this application must be filed with the Department of Reclamation within ten days from the last date of publication of this notice.

R. KEITH HIGGINSON
State Reclamation Engineer

Published in the Post Falls Tribune, Post Falls, Idaho on June 6 and June 13.

95-7014