

A diagram showing a line with a point labeled 'z' and a perpendicular tick mark.



GOVT LOT 2
SEC. 32

NEW N.E. 1/4

POBOISE SURVEY

3 N. 1/4 N. 1/4

PUBLIC ROAD LINE

GOV'T LOT 1
SEC. 4


SECTION 10
LINE

95-7007

SKETCH SHOWING CONSTRUCTION OF
WATER SYSTEM TO TAP WATER SOURCE
16' NORTH OF SOUTH BOUNDARY 35' EAST
OF WEST BOUNDARY LOT 7, BLOCK 4,
FINNEY TRACTS, KOOTENAI COUNTY,
IDAHO


GROUND SURFACE
AVERAGE SLOPE 20%

SCALE: 1" = 1'-0"



95-7007

NOTES:
 WATER SYSTEM IS TO CONSIST OF A SEALED
 POOL 16" X 16" X 32" LONG 5' BELOW THE
 SURFACE LOCATED 16' NORTH OF SOUTH BOUNDARY
 & 35' EAST OF WEST BOUNDARY CONNECTED TO
 A SHUT OFF VALVE AND 3/4" PIPE LINE (PLASTIC)



95-7007

SKETCH OF LOTS 5 TO 9
 BLOCK 4 FINNEY TRACTS
 SHOWING LOCATION OF SPRING
 AND WATER SYSTEM ON LOT 7

SCALE: 1/2" = 100'-0"

Lot 1, Sec 32, T. 50 N., R. 30 W.

95-7007

Orin C. Walter, 201 Beach Street, Everett, Washington

Spring

2

Lot 1, sec. 32, T. 50 N, R. 3 W, B.M., Kootenai County

domestic use

Depositions .000833 cts.

vice installed or method of measurement and general description

sealed pool 16 inches x 16 inches x 32 inches

et below surface tapped by 3/4 inch pipe line with

ity flow to buildings

SEC.

RGE. SEC.

SEC.

Description

Total acreage

Filed - September 18, 1967

Made - December 17, 1968

Due - February 1, 1969

Priority - September 18, 1967

Other rights and acreage covered: (Indicate amounts, source, licensed or decreed, and acreage covered by subdivision; also show land covered on the map.

none

Q measured estimated
 Q recommended .025/5
 Volume .5745
 Range 100-1000
 Field Home
 recommended None
 Subdv. 1
 Ammunicions
☒ None
☐ P.D.
☐ Place of use


[illegible]

95 5007

Source of supply Unnamed Spring
a tributary of _____
Location of P.D.(s) Gov't Lot #1

Water is used for Domestic Purposes
Quantity of water found estimated
How was the measurement made? estimated
Measurement calculations estimated

Diversion works description and diagram
Developed Spring
with collection box
located underground
up hill from house.
3/4" pipe runs from
box to place of use.



Indicate area irrigated in each subdivision on the map.

Total acreage irrigated None

If water is used for purposes other than irrigation, fully describe how the water is used and what is done with it after the use.

Spring furnishes water for
1 household.

Who represented the permit holder at the examination?

NO ONE

Recommended allowance for licensing .02 cfs

Description of required amendments. Comments. None

Report checked? _____

Examination date 8/6/71

Signature And. G. ...

State of Idaho
Department of Water Administration

LICENSE OF WATER RIGHT

License of Water Right No. 95-7007 Priority Sept. 18, 1967 Amount 0.02 cfs

THIS IS TO CERTIFY, that ORIN C. WALTER
of Everett, Washington, has complied with the terms and conditions of Permit
No. 95-7007 issued pursuant to Application for Permit dated September 18, 1967,
and has submitted proof to the Department of Water Administration on December 24, 1968,
that he has applied water to a beneficial use; an examination by the Department indicates that the
works have a capacity of 0.02 cfs, and that the water has in fact been applied to a
beneficial use; a right to the use of water from an unnamed spring
tributary of _____, is hereby confirmed in the following amounts:

Amount 0.02 cfs for Domestic from Jan. 1 to Dec. 31 (both dates inclusive)

Amount _____ for _____ from _____ to _____ (both dates inclusive)

Amount _____ for _____ from _____ to _____ (both dates inclusive)

Subject, however, to the condition that no more than 0.02 cfs of water be diverted at
any one time, said waters to be diverted within ~~the~~ _____

Gov't. Lot # 1, Sec. 32, Twp. 50 N, Rge. 3 W, B.M.

in the county of Kootenai; and that the amount of water so diverted and to which such
right is entitled and confirmed is for the purposes aforesaid and is limited to the amount which can
actually be beneficially used and shall not exceed 0.6 acre feet per year ~~or~~

~~acre feet per acre~~


Description and location of place of use:

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
50 N	3 W	32	(Gov't. Lot # 1)																

Total number of acres irrigated _____

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands
or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 19 day of
April, 19 72.


Director

95 7007

Identification No. 95-7007
Application No. 42054

LICENSE ISSUED FOR 0.02 SEC. FT.
LICENSE PAGE NO. _____

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho

1. Name of applicant Orin C. Walter
post office address 201 Beach St., Everett, Washington 98201
2. Source of water supply Spring which is a tributary of _____
3. a. Location of point of diversion is Lot 7, 1/4 of Block 4 Tracts of Finney's of Section 32 Township 50 N Range 3 W. B.M. Kootenai County; additional points of diversion if any:
Lot 7 Block 4 of Finney's Tracts, in Gov. Lot 1 of Sec. 32 Twp 50 N. Rye. 3 W. B.M.
- b. If water is not consumed, it will be discharged into Coeur d'Alene Lake at a point in Lot 7, 1/4 Block 4 Tracts of Finney's of Section 32 Township 50 N Range 3 W. B.M.
4. Quantity to be appropriated:
a. Five Hundredths 0.04 cubic feet per second and/or see letter 1-8-68
b. _____ acre feet per annum will be stored.
5. Water will be used for the following purposes:
Domestic purpose from Jan 1 year around Dec 31 (both dates inclusive)
_____ purpose from _____ to _____ (both dates inclusive)
_____ purpose from _____ to _____ (both dates inclusive)
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. sealed pool, shut off valve and pipe line to buildings

b. Height of storage dam _____ feet; active reservoir capacity _____ acre feet; total reservoir capacity 3 cu.ft. acre feet; materials used in storage dam: concrete blocks

c. Proposed well diameter is 16 x 32 inches; proposed depth of well is 5 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use is 6 mo. years.
b. Estimated construction cost is \$200.00.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: Block 4 Tracts of Lot 7 1/4 of Finney's of Section 32 Township 50 N Range 3 W. B.M.
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water one
(5) If water is to be used for other purposes describe: _____

95-7007

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated

c. Describe any other water rights used for the same purposes.

9. a. Who owns the property at the point of diversion — Applicant - O. C. Walter

b. Who owns the land to be irrigated or place of use _____ applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the

applicant to make this filing-

10. Remarks The spring to be tapped is located at the upper part of the property where the water will be used. Pressure is sufficient at the existing building on the lower part. Ground slope is approximately 20%. A storage tank and pump might be necessary to supply any building that might be built in the future on the upper part of the property.

See Attachments. Plat copied from Kootenai County records.

[illegible]

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Erin C. Walter
(Applicant)

95-7007

Received by Date 9-18-67 Time 8:30 am
Preliminary check by Fee \$ 10.00
Received by Date 9-18-67
Publication prepared by Date 10-26-67
Published in
Publication dates Nov 2-9
Publication approved KS Date Nov 14
Priority reduced to Reason
Protests filed by:
Copies of protests forwarded by
Hearing held by Date
Recommended for Approval denial by OSK

APPROVED ACTION OF STATE RECLAMATION ENGINEER

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-7007, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:
- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before February 1, 19 69.
- c. Other:


2. Denial of said application is for the following reasons:

Witness my hand this 11th day of January, 19 68.

State Reclamation Engineer



WOLF LODGE BAY
COEUR D'ALENE LAKE



WATER SOURCE
35 E. OF W. BOUNDARY
16' N. OF S. BOUNDARY
LOT 7

GOV'T LOT 1
SEC. 32

GOV'T LOT 2
SEC. 32


GOV'T LOT 1
SEC. 4

PLAT OF BLOCK 4 AND
PART OF BLOCK 5 FINNEY
TRACTS KOOTENAI COUNTY
IDAHO SHOWING LOCATION
OF SPRING ON LOT 7

SCALE 1/2" = 100'-0"

SECTION TOWNSHIP 50 NORTH RANGE 3 W. S. W. SURVEY
LINE
PUBLIC ROAD LINE
POISENSE W. B. N. E. P.


95-7007



SKETCH SHOWING CONSTRUCTION OF WATER SYSTEM TO TAP WATER SOURCE 16' NORTH OF SOUTH BOUNDARY 35' EAST OF WEST BOUNDARY LOT 7, BLOCK 4, FINNEY TRACTS, KOOTENAI COUNTY, IDAHO

95-7007

NOTES:
 WATER SYSTEM IS TO CONSIST OF A SEALED
 POOL 16" X 16" X 32" LONG 5' BELOW THE
 SURFACE LOCATED 16' NORTH OF SOUTH BOUNDARY
 & 35' EAST OF WEST BOUNDARY CONNECTED TO
 A SHUT OFF VALVE AND 3/4" PIPE LINE (PLASTIC)



95-7007

SKETCH OF LOTS 5 TO 9
 BLOCK 4 FINNEY TRACTS
 SHOWING LOCATION OF SPRING
 AND WATER SYSTEM ON LOT 7

SCALE: 1/2" = 100'-0"

Lot 1, Sec 32, T.50N, R.30E

AFFIDAVIT OF PUBLICATION—COEUR D'ALENE PRESS
(WEEKLY)

STATE OF IDAHO,

County of Kootenai, } ss.

Callie Paintner, being first duly sworn,
deposes and says:

That affiant is now, and at all times herein mentioned has been, a citizen of the United States and a resident of Kootenai County, State of Idaho, over the age of 21 years and not a party to, nor interested in the event of, the above entitled matter, and the printer (principal clerk) of the "Coeur d'Alene Press", during all of the times herein mentioned being a legal daily newspaper, of Coeur d'Alene, Kootenai County, Idaho, as defined by Idaho Code Sec. 60-106 to Sec. 60-108 both inclusive, and Chapter 121 Idaho Session Laws of 1949, and acts amendatory thereof and correlated thereto, and qualified thereunder to publish to the same effect as a weekly

newspaper on Wednesdays; and that the

Notice of Application for Water

of which a printed copy is annexed hereto, was published in all the regular Thursday

weekly issues of said newspaper for two consecutive weeks, commencing

on the 2 day of November, 1967, and ending on the

9 day of November, 1967,

Callie Paintner

Subscribed and sworn to, before me, this 9 day of November

1967.

Arthur King
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

**NOTICE OF APPLICATION
FOR WATER**

Notice is hereby given that Orin C. Walker has on September 18, 1967 applied for permit to divert 0.05 cubic feet per second of water from a spring under application No. 95-7007. Water will be diverted by a sealed pool, shut off valve and pipe lines within Lot 7, Block 4 of Finney's tracts in Gwy. Lot 1 of Sec. 32, T. 50 N, R. 3 W, B.M., Kootenai County and is to be used from January 1 to December 31 for domestic use in Lot 7, Block 4 of Finney's tract of Sec. 32, T. 50 N, R. 3 W, B.M.

Any protest against this application must be filed with the Department of Reclamation within ten days from the last date of publication of this notice.

R. KEITH HIGGINSON
State Reclamation Engineer
Nov. 2, 1967.

NOV 30 1967

95-7007

STATEMENT

THE COEUR D'ALENE PRESS CO.

Publishers

Second & Lakeside - Phone MOhawk 4-8176 - Coeur d'Alene, Idaho 83814

NOV 10 1967
DEPARTMENT OF RECLAMATION

Department of Reclamation
107 State House
Boise, Idaho

ACCOUNTS ARE DUE AND PAYABLE ON OR BEFORE 10TH OF MONTH FOLLOWING PURCHASE

11/9	Notice of Application for Water	6.21
------	---------------------------------	------

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits and that no part of same has been paid."

THE COEUR D'ALENE PRESS

Callie Painter CASHIER

95-7007

Identification No. _____

Permit No. 95-7007

**STATE OF IDAHO
DEPARTMENT OF RECLAMATION**

RECEIVED

DEC 24 1968

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

Department of Reclamation

1. a) Name of Permit Holder Orin C. Walter
 b) Post Office Address 201 Beach St. Everett, Washington 98201
2. Permit Number 95-7007
3. Date of Priority that you are prepared to establish 9-18-67
4. a) Source from which water was appropriated Spring Lot 7, Block 4 of Finney Tracts
 b) Location of the point of diversion: Gov't. 1/4 Lot No. 1 1/4 Section 32
 Township 50 N., Range 3 W. Boise Meridian, Other points of diversion: _____
5. a) The amount of water and use to which the water has been applied:
 amount .000833 cfs for Domestic purposes from June to September incl.
 (cfs and/or acre feet per annum) (Month-Day) (Month-Day)
 amount _____ for _____ purposes from _____ to _____ incl.
 (cfs and/or acre feet per annum) (Month-Day) (Month-Day)
 amount _____ for _____ purposes from _____ to _____ incl.
 (cfs and/or acre feet per annum) (Month-Day) (Month-Day)
 b) Total amount appropriated .000833 cfs cfs and/or acre feet per annum
 c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: Steady flow timed and measured in a graduated container - flow 24 gals. per Hr. By Permit Holder O.C. Walter
6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:
 a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: _____
 b) Describe the agreement or understanding by which you take water from the works: _____
7. a) Briefly describe the works for diverting and conveying the water to the place of use, (If from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) Sealed Pool 16 in. x 16 in. x 32 in. 5 ft. below surface tapped by 3/4 in. pipe line with gravity flow to buildings.
 b) Describe the type and size of measuring device which you have installed at your point of diversion: none
See attachment.
 c) Give well drillers name and address and date the well was completed Permit Holder
O. C. Walter. Water System completed July 15, 1968. (Water was being used before final completion).

95-7007

Exam + 4 pgs

June 20, 1970

Notary Public residing at Everett, Mo.

signed) of the above instrument, who duly acknowledged to me that he () () executed the same.

County of Sebastian

89-41-61

Dr. C. J. Carter

The above information is a true statement of the extent to which the above numbered permit has been developed.

and pump will be located on the upper part of the property.

[illegible]

_____ :uois

Township 50 Range 3 W. BM Kootenai County Idaho.

Township 50 Range 3 W. BM Kootenai County Idaho.

~~of use~~

Description of Measurement
and Computation of Flow

Instruction 7b

The flow of water was measured at a faucet where the water is used with a container graduated in gallons. The flow was timed at the rate of 1 gallon every 2.5 minutes or 24 gallons per hour.

At 8 gals. per cu. ft. 24 gals. equals 3 cu. ft. per hour.
3 cu. ft. divided by 60 minutes equals .05 cu. ft. per minute.
.05 cu. ft. divided by 60 seconds equals .000833 cu. ft.
per second.

95.7007

April 20, 1972

Re: Permit No. 95-7007

Mr. Orin C. Walter
201 Beach St.
Everett, Washington 98201

Dear Mr. Walter:

Enclosed herewith is your Water License issued on the above referenced permit.

Very truly yours,

BOBBY D. FLEENOR
Assistant Director

BDF:DR
Enc: License

95 7007

STATE OF IDAHO

DEPARTMENT OF WATER ADMINISTRATION

Statehouse - Annex 2

Boise, Idaho 83707

(208) 384-2215



R. Keith Higginson
Director

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Flood Plain Management
Irrigation and
Flood Control Districts

April 5, 1972

Mr. Orin C. Walter
201 Beach St.
Everett, Washington 98201

Dear Mr. Walter:

A representative of this Department has made an examination of the works covered by your Permit No. 95-7007 and has found the following:

Quantity of water diverted: 0.02 cfs

Amount of water that can be recognized as beneficially used under Idaho law: 0.02 cfs

The maximum quantity diverted shall not exceed 0.6 acre feet per season.

Beneficial use: Domestic purposes within Gov't. Lot # 1, Sec. 32,
Twp. 50 N. Rge. 3 W. B.M.

Point of diversion: Same as above

The priority date established is: September 18, 1967

If you do not concur with these findings, please advise us within 10 days; otherwise, a license will be issued as set forth in this letter.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

BDF:DR

95 7007

RECEIVED

MAR 24 1969

State of Idaho
Department of Reclamation
107 State House
Boise Idaho 83701

Department of Reclamation

March 21, 1969

Dear Sirs:

Thank you for the acknowledgement of my affidavit on
permit 95-7007.

In regard to the field examination, I assume it will not
be attempted until later in the year when the snow, which
is still 2 or 3 feet deep, is gone.

Since I live at Everett some 300 miles away it may not be
possible to personally meet the examiner at a given date.
However, if I can be notified a few days in advance I will
make arrangements for someone to accompany the examiner
to the site.

Yours truly,

Orin C. Walter
Orin C. Walter

95-7007

Permit No. 95-7007

Name of Applicant Orin C. Walter, 201 Beach Street, Everett, Washington

Source of Water Spring

a tributary of

Location of P.D. Lot 1, sec. 32, T. 50 N, R. 3 W, B.M., Koetenai County

Water is used for domestic use

Quantity of water claimed: Permits .04 c.f.s. Depositions .000833 cfs.

Type of measuring device installed or method of measurement and general description

of diversion works sealed pool 16 inches x 16 inches x 32 inches

5 feet below surface tapped by 3/4 inch pipe line with

gravity flow to buildings

Land to be irrigated or place of use:
TWP. RGE. SEC.

Description

[illegible]

Total acreage

Filed - September 18, 1967

Made - December 17, 1968

Due - February 1, 1969

Priority - September 18, 1967


Other rights and acreage covered: (Indicate amounts, source, licensed or decreed, and acreage covered by subdivision; also show land covered on the map.

none

Source of supply Unnamed Springs
a tributary of _____
Location of P.D.(s) Gov't Lot #1
Water is used for Domestic purposes
Quantity of water found estimated
How was the measurement made? estimated
Measurement calculations estimated

Diversion works description and diagram

Developed with
with collected bed
located underground
up hill from house
3/4" pipes runs from
head to shore of river



Indicate area irrigated in each subdivision on the map.

Total acreage irrigated None

If water is used for purposes other than irrigation, fully describe how the water is used and what is done with it after the use.

Spent for the water for
household

Who represented the permit holder at the examination?

None

Recommended allowance for licensing 0.03 cfs

Description of required amendments. Comments.

None

Report checked?

Examination date 8/6/71

Signature

John E. Smith

RECEIVED

MAR 24 1969

State of Idaho
Department of Reclamation
107 State House
Boise Idaho 83701

Information

March 21, 1969

Dear Sirs:

Thank you for the acknowledgement of my affidavit on
permit 95-7007.

In regard to the field examination, I assume it will not
be attempted until later in the year when the snow, which
is still 2 or 3 feet deep, is gone.

Since I live at Everett some 300 miles away it may not be
possible to personally meet the examiner at a given date.
However, if I can be notified a few days in advance I will
make arrangements for someone to accompany the examiner
to the site.

Yours truly,
Orin C. Walter
Orin C. Walter

95-7007

December 26, 1968

Re: Permit No. 95-7007

Mr. Orin C. Walter
201 Beech Street
Everett, Washington 98201

Dear Mr. Walter:

We acknowledge receipt of your affidavit submitted as proof of beneficial use on application for permit 95-7007.

Before a license can be issued a field examination must be made by a representative from this department.

We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system. If someone other than you should be contacted by the examiner, please advise.

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

DWM:ks
enclosure: none

95-7007

RECEIVED
DEC 9 1968
Department of Reclamation

State of Idaho
Department of Reclamation
107 State House
Boise Idaho 83701

Dec. 7, 1968

Dear Sirs:

Thanks for your letter concerning my application No. 42054 to appropriate public water.

The construction of the water system has been completed according to the terms of the application. I had a request for information, regarding the method of submitting proof, ready to mail when I received your letter.

The affidavit form mentioned apparently will answer my questions but the form was not enclosed with your letter. With the form I believe I can comply to submit proof of application of the water to beneficial use well before the expiration date.

Will you please send one by return mail?

Yours truly,

Orin C. Walter
Orin C. Walter

95-7007

95-7007

SENT FORMS 12-9-68

NAME AND
ADDRESS
OF SENDER

Dept. of Reclamation

Indicate type of mail

☐ INSURED

☐ C. O. D.

☐ CERTIFIED

Affix stamp here if issued as
certificate of mailing or for
additional copies of this bill.

POSTMARK AND DATE OF RECEIPT

NUMBER OF ARTICLE	NAME OF ADDRESSEE, STREET, AND POST-OFFICE ADDRESS	POSTAGE	FEE	DUE SENDER IF C. O. D.	ENDORSE- MENT ¹	R. R. FEE	S. D. FEE	S. H. FEE ²	RESTRICTED DELIVERY FEE REMARKS
20567	Orin C. Watter, 201 Beach St. Everett, Washington	.06	30			.10			95-7007
20568	Charles B. White, W 2826 Hpton Ave. Spokane, Wash.	.06	30			.10			95-7003
20569	Alden M. Strand, 4000 Hill Rd, Benson, Ariz.	.06	30			.10			63-74
7									
8									
9									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									

TOTAL NUMBER OF
PIECES LISTED
BY SENDER

3


TOTAL NUMBER OF
PIECES RECEIVED
AT POST OFFICE

Three

POSTMASTER, PER (Name of receiving employee)

Royal

¹ Mark "F" if "Fragile," "P" if "Perishable," "E" if "Eggs," "EH" if "Eggs for Hatching," "B" if "Butter," "FL" if "Fragile-Liquid," and "FLU" if "Fragile-Liquid-This Side Up."
² Special-handling charges apply only to fourth-class parcels. Special-delivery service also includes special-handling service.



December 3, 1968

Re: Permit No. 95-7007

Orin C. Walter
201 Beach Street
Everett, Washington 98201

Dear Mr. Walter:

One of the conditions of the approval of your permit 95-7007 was that proof of application of the water to beneficial use be submitted to this office on or before February 1, 19 69.

Enclosed is an affidavit form which must be used to submit this proof. You may also request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, ICA.

Either the proof or a request for extension must be received by this department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.



State Reclamation Engineer

RKH:KS

Enclosure: Proof form

95-7007

December 12, 1967

Re: Application No. 95-7007

Orin C. Walter
201 Beach Street
Everett, Washington 98201

Dear Mr. Walter:

Please be advised that the Department of Reclamation has processed your application for permit. However, prior to final decision on your application you should be advised that it is the intent of the Department to approve your application for permit for a quantity not to exceed .02 cubic feet per second. This is equal to 13,000 gallons per day. This is the maximum that the Department has been allowing for a fully automated modern home. If you have specific reasons why you require more than the .02 cubic feet per second, please supply the Department immediately with this information. If you have not objections to the reductions in the quantity of water, we would appreciate your request in the deduction yourself.

Your prompt attention to this matter is appreciated.

Very truly yours,

Donald W. McElowney
Water Rights Clerk

DW:ks

95-7007

December 12, 1967

Re: Application No. 95-7007

Orin C. Walter
201 Beach Street
Everett, Washington 98201

Dear Mr. Walter:

Please be advised that the Department of Reclamation has processed your application for permit. However, prior to final decision on your application you should be advised that it is the intent of the department to approve your application for permit for a quantity not to exceed .02 cubic feet per second. This is equal to 13,000 gallons per day. This is the maximum that the department has been allowing for a fully automated modern home. If you have specific reasons why you require more than the .02 cubic feet per second, please supply the department immediately with this information. If you have not objections to the reductions in the quantity of water, we would appreciate your request in the deduction yourself.

Your prompt attention to this matter is appreciated.

Very truly yours,

Donald W. McElowney
Water Rights Clerk

DWM:ks

95-7007

INSTRUCTIONS TO DELIVERING EMPLOYEE

☐

Show to whom, date, and
address where delivered

☐

Deliver ONLY
to addressee

Additional charges required for these services)

RECEIPT

Received the numbered article described below.

REGISTERED NO.

SIGNATURE OR NAME OF ADDRESSEE (*Must always be filled in*)

CERTIFIED NO.

1

Quin C. Walter

INSURED NO.

2

SIGNATURE OF ADDRESSEE'S AGENT, IF ANY

DATE DELIVERED

SHOW WHERE DELIVERED (*only if requested*)

DEC 8 1958

95-7007

POST OFFICE DEPARTMENT
OFFICIAL BUSINESSPENALTY FOR PRIVATE USE TO AVOID
PAYMENT OF POSTAGE, \$300POSTMARK OF
DELIVERING OFFICE

INSTRUCTIONS: Show name and address below and complete instructions on other side, where applicable. Moisten gummed ends, attach and hold firmly to back of article. Print on front of article RETURN RECEIPT REQUESTED.

RETURN
TO

NAME OF SENDER

STREET AND NO. OR P.O. BOX

POST OFFICE, STATE, AND ZIP CODE

Dept. of Social Services
Box 2 - Statehouse
Boise, Idaho

State of Idaho
Department of Reclamation
107 State House
Boise Idaho 83701

RECEIVED

JAN 8 1968
Department of Reclamation

Dear Sirs:

I appreciate the information regarding the processing of my application 95-7007 for a permit to appropriate public water for use on my property in Kootenai County.

In answer to your request for specific reasons why I might require more than .02 cubic feet of water per second I would like to point out that the size of this lot and the contour of the ground is suitable for 2 homes. My application for .05 cubic feet of water was based on plans to ultimately serve 2 modern dwellings from this water system.

If, as I now understand, .02 cubic feet per second is the standard maximum per home I would appreciate your consideration of a permit for .04 cubic feet for use on this lot. As I have it figured, at 8 gallons per cubic foot .04 cubic feet per second equals about 2700 gallons per day which does not seem to be excessive for 2 modern homes.

It is not my intention, however, to apply for more water than the established policy allows. If my request for .04 cubic feet is considered a breach of policy I will agree to a reduction to .02 cubic feet of water per second.

Very truly yours
Orin C. Walter
Orin C. Walter

*Change application
to .004 cfs
Done*

95-7007

January 11, 1968

Re: Permit 95-7007

Orin C. Walter
201 Beach St.
Everett, Washington 98201

Dear Mr. Walter:

We enclose a copy of your approved application for permit 95-7007 in which we direct your attention to the limitations and conditions as given on the fourth page under approval of the State Reclamation Engineer.

Very truly yours,

C. Stephen Allred
Assistant State Reclamation Engineer

CSA:kd

Enclosure: Copy of application
Receipt No. 33995 for \$10.00

95-7007

October 26, 1967

Re: Application No. 95-7007

The Coeur d'Alene Press
Second and Lakeside
Coeur d'Alene, Idaho 83814

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted assuming the notice is correct. If we have any corrections, we will notify you before the first publication date. If you can not publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department of Reclamation, along with the publication bill. In order to receive payment, the following certification must appear on the bill:

I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of same has been paid.

(Do not sign letter)

Signature of claimant

Very truly yours,

Ronald W. McElowney
Water Rights Clerk

DWM:ks

Enclosure: legal notice

Form 3

95-7007

NOTICE OF APPLICATION FOR WATER

Notice is hereby given that Orin C. Walter
has on September 18, 1967
applied for permit to divert ~~store~~ 0.05 cubic feet per second ~~at the~~
of water from a spring
under application No. 95-7007. Water will be diverted by a sealed
pool, shut off valve and pipe ^{lines} ~~within the~~ Lot 7, Block 4 of Finney's tracts
in Gov. Lot 1 of Sec. 32, T. 50 N, R. 3 W, B.M., Kootenai County
and is to be used from January 1 to December 31 for domestic use

in Lot 4, Block 4 of Finney's tract of Sec. 32, T. 50 N, R. 3 W, B.M.

Any protest against this application must be filed with the Department of Reclamation within ten days from the last date of publication of this notice.

R. KEITH HIGGINSON
State Reclamation Engineer

Published in the Coeur d'Alene Press, Coeur d'Alene, Idaho,
on November 2 and November 9.

95-7007

WILSON & WALTER

ATTORNEYS AT LAW

P. O. BOX 749

BONNERS FERRY, IDAHO — 83805

205 W. KOOTENAI

PHONE AN 7-3127

AN 7-3128

October 5, 1967

Department of Reclamation
107 Statehouse
Boise, Idaho 83701

Re: Application for Permit
Orin C. Walter

Gentlemen:

In reply to your letter of September 21st, I have been advised by the Kootenai County Assessor's office that Lot 7, Block 4 of Finney's tracts, is in Government Lot 1 of Section Thirty-two (32), Township Fifty (50) North, Range Three (3) West, B. M.

I trust this answers your inquiry.

Thank you very much.

Very truly yours,

WILSON & WALTER



Neil Walter

NW/bas

D

95-7067

Don - I do have 1000! H.S.

Nov. 1

September 21, 1967

Re: Application for permit
Orin C. Walter

Neil Walter
Attorney at Law
P. O. Box 749
Bonners Ferry, Idaho 83805

Dear Mr. Walter;

We are in receipt of your letter of September 15, 1967 and Mr. Orin C. Walter's application for permit.

Before we can proceed further with the processing of the application, we will need clarification of the point of diversion and place of use. Under both locations, you have listed Lot 7 of Block 4 of Finney Tracts; however, for the Department of Reclamation's records, we will need to know what public land survey legal subdivision Lot 7, Block 4 of Finney Tracts is located in, completing the description with Section 32, T. 50 N, R. 3 W, B.M.

Your assistance in this matter will be greatly appreciated.

Very truly yours,

Donald W. McEldowney
Water Rights Clerk

DWM:nw

93-7007

WILSON & WALTER

ATTORNEYS AT LAW

P. O. BOX 749

BONNERS FERRY, IDAHO -- 83805

205 W. KOOTENAI

PHONE AN 7-3127

AN 7-3128

September 15, 1967

Department of Reclamation
State of Idaho
107 State House
Boise, Idaho 83701

Attn: Russell Bosch
Office Manager

Gentlemen:

Enclosed is the completed Application for Permit to
Appropriate the Public Waters of the State of Idaho,
together with a check in the amount of \$10.00.

Very truly yours,

WILSON & WALTER


Neil Walter

NW/bas
Enc.

RECEIVED
SEP 18 1967
DEPT. OF RECLAMATION

95-7007