

1070

112

R 4 W

R 3 W

2

4700 ft

1

6

Best St

P.D.

CITY OF COEUR D'ALENE

T

50

N

11

12

7

14

13

18

24 Municipal Use 19

Allow

Q

2.27 cfs or 113 inches

RECEIVED
JUL 26 1965

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
BOISE, IDAHO

Department of Reclamation

Permit No. G-28886

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE
AND COMPLETION OF WORKS

DEPOSITION OF WITNESS

The deposition of two witnesses on this form, taken separately, required in each case

Ques. 1. State your name, age, residence, occupation and postoffice address:

T. O. MILLER 61 Highway Engineer Box 10, Coeur d' Alene
Coeur d' Alene, Idaho

Ques. 2. Are you acquainted with Idaho Water Company, the holder of
Permit No. G-28886 ? How long have you known him and where does he reside:

Yes 15 years Coeur d' Alene, Idaho

Ques. 3. Have you read or heard said Permit No. G-28886 read, and are you familiar
with its provisions and conditions?

Ques. 4. State how, if at all, said works have been completed, and if not completed, state the reason therefor.
State the date when said works were last completed, and the date when they were last inspected by you.
Describe the nature of the works, and the amount of water conveyed to the place of use.

Ques. 5. How many second feet of water do you estimate said works will safely conduct
to place of use: 33 .P.S. How much water have you seen being so
conveyed: 2.71 cfs discharge into air and 1.91 cfs into system

Ques. 6. If for irrigation, show number of acres irrigated in each subdivision, giving
full legal description:

Not applicable

NOTICE OF PROOF OF COM-
PLETION OF WORKS

and

APPLICATION OF WATER TO
BENEFICIAL USE

Notice is hereby given that at 10 A.M., on the 23 day of July, 1965, at Coeur d'Alene, County of Kootenai, State of Idaho before Paul D. McCabe, Notary Public, at (address) 315 Elder Building, proof will be submitted of the completion of works for the diversion of 3.0 cubic feet per second of underground water from a well, and of the application to beneficial use of said water, in accordance with the terms and conditions of Permit No. G-28886, heretofore issued by the Department of Reclamation of the State of Idaho.

by the Department of Re-

1. The name and postoffice address of the person or corporation holding said permit is Idaho Water Company, P.O. Box 746, Coeur d'Alene Idaho.

2. Said works of diversion will be fully completed on the date for such completion, and the amount of water which said works are capable of conveying to the place of use is 3.0 cubic feet per second.

3. The use to which said water has been applied is Municipal Water Supply, purposes and the amount applied to beneficial use is 3.0 cubic feet per second.

4. The point of diversion of said water is SW1/4, of the SW1/4 of Section 1, Twp. 50 N, Rge. 4W, B.M., County of Kootenai.

5. The place where said water is used is in Coeur d'Alene, Kootenai County, Idaho, and vicinity, as now served or hereafter extended, said service area being located in Sections 1, 2, 11, 12, 13, 14, and 24, Twp. 50N, Rge. 4W, B.M. and Sections 6, 7, 18 and 19 Twp. 50N, Rge. 3W, B.M.

6. The date of priority which said user is prepared to establish is July 21, 1960.

CARL E. TAPPAN

State Reclamation

Engineer

June 9, 16, 23, 30, 1965.

28886

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
TRANSFER OF WATER RIGHT
TRANSFER NO. 70420

This is to certify that: CITY OF COEUR D ALENE
 WATER DEPARTMENT
 1000 W HUBBARD STE 130
 COEUR D ALENE ID 83814
 (208)769-2337

has requested a change to the water right(s) listed below. This change in water right(s) is authorized pursuant to the provisions of Section 42-222, Idaho Code. A summary of the changes is also listed below. The authorized change for each affected water right, including conditions of approval, is shown on the following pages of this document.

Summary of Water Rights Before the Proposed Change

<u>Right</u>	<u>Origin/Basis</u>	<u>Priority</u>	<u>Rate</u>	<u>Volume</u>	<u>Acre Limit</u>	<u>Total Acres</u>	<u>Source</u>
95-7181	WR/License	03/14/1972	5.73 cfs	N/A			GROUND WATER
95-8647	WR/License	03/19/1990	7.3 cfs	N/A			GROUND WATER
95-9007	WR/License	01/25/1999	7.8 cfs	N/A			GROUND WATER
95-7142	WR/License	05/03/1971	2.45 cfs	N/A			GROUND WATER
95-2133	WR/License	07/21/1960	2.27 cfs	N/A			GROUND WATER
95-8565	WR/License	12/07/1987	7.55 cfs	N/A			GROUND WATER
95-2198	WR/License	12/13/1966	5.12 cfs	N/A			GROUND WATER
95-8672	WR/License	08/27/1990	3 cfs	N/A			GROUND WATER
95-2111	WR/License	04/20/1955	3 cfs	N/A			GROUND WATER
95-8938	WR/License	02/08/1996	4.57 cfs	N/A			GROUND WATER

Purpose of Transfer (Changes Proposed)

<u>Current Number</u>	<u>Split</u>	<u>POD</u>	<u>POU</u>	<u>Add POD</u>	<u>Period of Use</u>	<u>Nature of Use</u>
95-7181	NO	NO	NO	YES	NO	NO
95-8647	NO	NO	NO	YES	NO	NO
95-9007	NO	NO	NO	YES	NO	NO
95-7142	NO	NO	NO	YES	NO	NO
95-2133	NO	NO	NO	YES	NO	NO
95-8565	NO	NO	NO	YES	NO	NO
95-2198	NO	NO	NO	YES	NO	NO
95-8672	NO	NO	NO	YES	NO	NO
95-2111	NO	NO	NO	YES	NO	NO
95-8938	NO	NO	NO	YES	NO	NO

MICROFILMED


2002 2 3 2003

Summary of Water Rights After the Approved Change

Existing Right	New No. (changed portion)	Transfer Rate	Transfer Volume	Acre Limit	Total Acres	New No. (remaining portion)	Remaining Rate	Remaining Volume	Remaining Acre Limit	Remaining Total Acres
95-7181	95-7181	5.73 cfs	N/A	N/A			N/A	N/A	N/A	N/A
95-8647	95-8647	7.3 cfs	N/A	N/A			N/A	N/A	N/A	N/A
95-9007	95-9007	7.8 cfs	N/A	N/A			N/A	N/A	N/A	N/A
95-7142	95-7142	2.45 cfs	N/A	N/A			N/A	N/A	N/A	N/A
95-2133	95-2133	2.27 cfs	N/A	N/A			N/A	N/A	N/A	N/A
95-8565	95-8565	7.55 cfs	N/A	N/A			N/A	N/A	N/A	N/A
95-2198	95-2198	5.12 cfs	N/A	N/A			N/A	N/A	N/A	N/A
95-8672	95-8672	3 cfs	N/A	N/A			N/A	N/A	N/A	N/A
95-2111	95-2111	3 cfs	N/A	N/A			N/A	N/A	N/A	N/A
95-8938	95-8938	4.57 cfs	N/A	N/A			N/A	N/A	N/A	N/A
COMBINED TOTALS		48.37 cfs					N/A	N/A	N/A	N/A

Detailed Water Right Description(s) attached

Dated this 16 day of April, 20 03

For  Chief, Water Allocation Bureau

MICROFILMED
OCT 28 2003

WATER RIGHT NO. 95-2111
As Modified by Transfer No. 70420

In accordance with the approval of Transfer No. 70420, Water Right No. 95-2111 is now described as follows.

Right Holder: CITY OF COEUR D ALENE
WATER DEPARTMENT
1000 W HUBBARD STE 130
COEUR D ALENE ID 83814

Priority Date: April 20, 1955

Source: GROUND WATER

<u>BENEFICIAL USE</u>	<u>From</u>	<u>To</u>	<u>Diversion Rate</u>
MUNICIPAL	01/01	to 12/31	3.00 CFS
			3.00 CFS

LOCATION OF POINT(S) OF DIVERSION:

GROUND WATER	SWSW	Sec. 1 Twp 50N	Rge 04W KOOTENAI County
GROUND WATER	L1 (NENE)	Sec. 4 Twp 50N	Rge 04W KOOTENAI County
GROUND WATER	L5 (NWSW)	Sec. 12 Twp 50N	Rge 04W KOOTENAI County
GROUND WATER	L4 (SWSW)	Sec. 12 Twp 50N	Rge 04W KOOTENAI County
GROUND WATER	SWNE	Sec. 26 Twp 51N	Rge 04W KOOTENAI County
GROUND WATER	NENWNW	Sec. 35 Twp 51N	Rge 04W KOOTENAI County
GROUND WATER	L6 (NESE)	Sec. 35 Twp 51N	Rge 04W KOOTENAI County
GROUND WATER	SESW	Sec. 36 Twp 51N	Rge 04W KOOTENAI County

CONDITIONS OF APPROVAL

1. The right holder shall accomplish the change authorized by this transfer within one (1) year of the date of this approval.
2. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
3. Prior to diversion of water under this approval, the right holder shall provide a means of measurement acceptable to the Department from all authorized points of diversion which will allow determination of the total rate of diversion.
4. The total instantaneous diversion of water from all points of diversion under Rights 95-2111, 95-2133, 95-2198, 95-7142, 95-7181, 95-8565, 95-8647, 95-8672, 95-8938 and 95-9007 shall not exceed 48.37 cfs.
5. This right does not grant any right-of-way or easement across the land of another.
6. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code and applicable Well Construction Rules of the Department.
7. After specific notification by the Department, the right holder shall measure the diversion or shall enter into an agreement with the Department to determine the amount of water diverted from power records and shall annually report the information to the Department.

MICROFILMED

OCT 2 5 2003

8. The right holder shall not provide water diverted under this right for the irrigation of land having appurtenant surface water rights as a primary source of irrigation water except when the surface water rights are not available for use. This condition applies to all land with appurtenant surface water rights, including land converted from irrigated agricultural use to other land uses but still requiring water to irrigate lawns and landscaping.
9. This right shall be subject to the provisions of the Rathdrum Prairie Ground Water Management Plan.
10. Place of use is within the service area of the City of Coeur d Alene municipal water supply system as provided for under Idaho Law.

Dated this 16 day of April, 2003

For  Chief, Water Allocation Bureau

MICROFILMED

REF: 6 2395

WATER RIGHT NO. 95-2133
As Modified by Transfer No. 70420

In accordance with the approval of Transfer No. 70420, Water Right No. 95-2133 is now described as follows.

Right Holder: CITY OF COEUR D ALENE
WATER DEPARTMENT
1000 W HUBBARD STE 130
COEUR D ALENE ID 83814

Priority Date: July 21, 1960

Source: GROUND WATER

<u>BENEFICIAL USE</u>	<u>From</u>	<u>To</u>	<u>Diversion Rate</u>
MUNICIPAL	01/01	to 12/31	2.27 CFS
			2.27 CFS

LOCATION OF POINT(S) OF DIVERSION:

GROUND WATER	SWSW	Sec. 1 Twp 50N	Rge 04W KOOTENAI County
GROUND WATER	L1 (NENE)	Sec. 4 Twp 50N	Rge 04W KOOTENAI County
GROUND WATER	L5 (NWSW)	Sec. 12 Twp 50N	Rge 04W KOOTENAI County
GROUND WATER	L4 (SWSW)	Sec. 12 Twp 50N	Rge 04W KOOTENAI County
GROUND WATER	SWNE	Sec. 26 Twp 51N	Rge 04W KOOTENAI County
GROUND WATER	NENWNW	Sec. 35 Twp 51N	Rge 04W KOOTENAI County
GROUND WATER	L6 (NESE)	Sec. 35 Twp 51N	Rge 04W KOOTENAI County
GROUND WATER	SESW	Sec. 36 Twp 51N	Rge 04W KOOTENAI County

CONDITIONS OF APPROVAL

1. The right holder shall accomplish the change authorized by this transfer within one (1) year of the date of this approval.
2. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
3. Prior to diversion of water under this approval, the right holder shall provide a means of measurement acceptable to the Department from all authorized points of diversion which will allow determination of the total rate of diversion.
4. The total instantaneous diversion of water from all points of diversion under Rights 95-2111, 95-2133, 95-2198, 95-7142, 95-7181, 95-8565, 95-8647, 95-8672, 95-8938 and 95-9007 shall not exceed 48.37 cfs.
5. This right does not grant any right-of-way or easement across the land of another.
6. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code and applicable Well Construction Rules of the Department.
7. After specific notification by the Department, the right holder shall measure the diversion or shall enter into an agreement with the Department to determine the amount of water diverted from power records and shall annually report the information to the Department.

MICROFILMED

OCT 20 2003


WATER RIGHT NO. 95-2133
As Modified by Transfer No. 70420

CONDITIONS OF APPROVAL

8. The right holder shall not provide water diverted under this right for the irrigation of land having appurtenant surface water rights as a primary source of irrigation water except when the surface water rights are not available for use. This condition applies to all land with appurtenant surface water rights, including land converted from irrigated agricultural use to other land uses but still requiring water to irrigate lawns and landscaping.
9. Place of use is within the service area of the City of Coeur d Alene municipal water supply system as provided for under Idaho Law.
10. This right shall be subject to the provisions of the Rathdrum Prairie Ground Water Management Plan.

This water right is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources.

Dated this 16 day of April, 2003


For Chief, Water Allocation Bureau

MICROFILMED
OCT 26 2003

WATER RIGHT NO. 95-2198
As Modified by Transfer No. 70420

In accordance with the approval of Transfer No. 70420, Water Right No. 95-2198 is now described as follows.

Right Holder: CITY OF COEUR D ALENE
WATER DEPARTMENT
1000 W HUBBARD STE 130
COEUR D ALENE ID 83814

Priority Date: December 13, 1966

Source: GROUND WATER

<u>BENEFICIAL USE</u>	<u>From</u>	<u>To</u>	<u>Diversion Rate</u>
MUNICIPAL	01/01	to 12/31	5.12 CFS
			5.12 CFS

LOCATION OF POINT(S) OF DIVERSION:

GROUND WATER	SWSW	Sec. 1 Twp 50N	Rge 04W KOOTENAI County
GROUND WATER	L1 (NENE)	Sec. 4 Twp 50N	Rge 04W KOOTENAI County
GROUND WATER	L5 (NWSW)	Sec. 12 Twp 50N	Rge 04W KOOTENAI County
GROUND WATER	L4 (SWSW)	Sec. 12 Twp 50N	Rge 04W KOOTENAI County
GROUND WATER	SWNE	Sec. 26 Twp 51N	Rge 04W KOOTENAI County
GROUND WATER	NENWNW	Sec. 35 Twp 51N	Rge 04W KOOTENAI County
GROUND WATER	L6 (NESE)	Sec. 35 Twp 51N	Rge 04W KOOTENAI County
GROUND WATER	SESW	Sec. 36 Twp 51N	Rge 04W KOOTENAI County

CONDITIONS OF APPROVAL

1. The right holder shall accomplish the change authorized by this transfer within one (1) year of the date of this approval.
2. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
3. Prior to diversion of water under this approval, the right holder shall provide a means of measurement acceptable to the Department from all authorized points of diversion which will allow determination of the total rate of diversion.
4. The total instantaneous diversion of water from all points of diversion under Rights 95-2111, 95-2133, 95-2198, 95-7142, 95-7181, 95-8565, 95-8647, 95-8672, 95-8938 and 95-9007 shall not exceed 48.37 cfs.
5. This right does not grant any right-of-way or easement across the land of another.
6. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code and applicable Well Construction Rules of the Department.
7. After specific notification by the Department, the right holder shall measure the diversion or shall enter into an agreement with the Department to determine the amount of water diverted from power records and shall annually report the information to the Department.

MICROFILMED

OCT 20 2009

WATER RIGHT NO. 95-2198
As Modified by Transfer No. 70420

CONDITIONS OF APPROVAL

8. The right holder shall not provide water diverted under this right for the irrigation of land having appurtenant surface water rights as a primary source of irrigation water except when the surface water rights are not available for use. This condition applies to all land with appurtenant surface water rights, including land converted from irrigated agricultural use to other land uses but still requiring water to irrigate lawns and landscaping.
9. Place of use is within the service area of the City of Coeur d Alene municipal water supply system as provided for under Idaho Law.
10. This right shall be subject to the provisions of the Rathdrum Prairie Ground Water Management Plan.

This water right is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources.

Dated this 16 day of April, 2003

For  _____
Chief, Water Allocation Bureau

MICROFILMED

007 2 0 2003

WATER RIGHT NO. 95-7142
As Modified by Transfer No. 70420

In accordance with the approval of Transfer No. 70420, Water Right No. 95-7142 is now described as follows.

Right Holder: CITY OF COEUR D'ALENE
WATER DEPARTMENT
1000 W HUBBARD STE 130
COEUR D'ALENE ID 83814

Priority Date: May 03, 1971

Source: GROUND WATER

<u>BENEFICIAL USE</u>	<u>From</u>	<u>To</u>	<u>Diversion Rate</u>	<u>Volume</u>
MUNICIPAL	1/01	12/31	2.45 CFS	
			2.45 CFS	

LOCATION OF POINT(S) OF DIVERSION:

GROUND WATER	SWSW	Sec. 1 Twp 50N	Rge 04W KOOTENAI County
GROUND WATER	L1 (NENE)	Sec. 4 Twp 50N	Rge 04W KOOTENAI County
GROUND WATER	L5 (NWSW)	Sec. 12 Twp 50N	Rge 04W KOOTENAI County
GROUND WATER	L4 (SWSW)	Sec. 12 Twp 50N	Rge 04W KOOTENAI County
GROUND WATER	SWNE	Sec. 26 Twp 51N	Rge 04W KOOTENAI County
GROUND WATER	NENWNW	Sec. 35 Twp 51N	Rge 04W KOOTENAI County
GROUND WATER	L6 (NESE)	Sec. 35 Twp 51N	Rge 04W KOOTENAI County
GROUND WATER	SESW	Sec. 36 Twp 51N	Rge 04W KOOTENAI County

CONDITIONS OF APPROVAL

1. The right holder shall accomplish the change authorized by this transfer within one (1) year of the date of this approval.
2. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
3. Prior to diversion of water under this approval, the right holder shall provide a means of measurement acceptable to the Department from all authorized points of diversion which will allow determination of the total rate of diversion.
4. The total instantaneous diversion of water from all points of diversion under Rights 95-2111, 95-2133, 95-2198, 95-7142, 95-7181, 95-8565, 95-8647, 95-8672, 95-8938 and 95-9007 shall not exceed 48.37 cfs.
5. Rights 95-7142 and 95-8565 when combined shall not exceed a total diversion rate of 9.58 cfs.
6. This right does not grant any right-of-way or easement across the land of another.
7. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code and applicable Well Construction Rules of the Department.

MICROFILMED

OCT 20 2003

WATER RIGHT NO. 95-7142
As Modified by Transfer No. 70420

CONDITIONS OF APPROVAL

8. After specific notification by the Department, the right holder shall measure the diversion or shall enter into an agreement with the Department to determine the amount of water diverted from power records and shall annually report the information to the Department.
9. The right holder shall not provide water diverted under this right for the irrigation of land having appurtenant surface water rights as a primary source of irrigation water except when the surface water rights are not available for use. This condition applies to all land with appurtenant surface water rights, including land converted from irrigated agricultural use to other land uses but still requiring water to irrigate lawns and landscaping.
10. Place of use is within the service area of the City of Coeur d Alene municipal water supply system as provided for under Idaho Law.
11. This right shall be subject to the provisions of the Rathdrum Prairie Ground Water Management Plan.

This water right is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources.

Dated this 16 day of April, 2003


For Chief, Water Allocation Bureau

MICROC

OCT 20 2003

WATER RIGHT NO. 95-7181
As Modified by Transfer No. 70420

In accordance with the approval of Transfer No. 70420, Water Right No. 95-7181 is now described as follows.

Right Holder: CITY OF COEUR D ALENE
WATER DEPARTMENT
1000 W HUBBARD STE 130
COEUR D ALENE ID 83814

Priority Date: March 14, 1972

Source: GROUND WATER

<u>BENEFICIAL USE</u>	<u>From</u>	<u>To</u>	<u>Diversion Rate</u>
MUNICIPAL	1/01	to 12/31	5.73 CFS
			5.73 CFS

LOCATION OF POINT(S) OF DIVERSION:

GROUND WATER	SWSW	Sec. 1 Twp 50N	Rge 04W KOOTENAI County
GROUND WATER	L1 (NENE)	Sec. 4 Twp 50N	Rge 04W KOOTENAI County
GROUND WATER	L5 (NWSW)	Sec. 12 Twp 50N	Rge 04W KOOTENAI County
GROUND WATER	L4 (SWSW)	Sec. 12 Twp 50N	Rge 04W KOOTENAI County
GROUND WATER	SWNE	Sec. 26 Twp 51N	Rge 04W KOOTENAI County
GROUND WATER	NENWNW	Sec. 35 Twp 51N	Rge 04W KOOTENAI County
GROUND WATER	L6 (NESE)	Sec. 35 Twp 51N	Rge 04W KOOTENAI County
GROUND WATER	SESW	Sec. 36 Twp 51N	Rge 04W KOOTENAI County

CONDITIONS OF APPROVAL

1. The right holder shall accomplish the change authorized by this transfer within one (1) year of the date of this approval.
2. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
3. Prior to diversion of water under this approval, the right holder shall provide a means of measurement acceptable to the Department from all authorized points of diversion which will allow determination of the total rate of diversion.
4. The total instantaneous diversion of water from all points of diversion under Rights 95-2111, 95-2133, 95-2198, 95-7142, 95-7181, 95-8565, 95-8647, 95-8672, 95-8938 and 95-9007 shall not exceed 48.37 cfs.
5. This right does not grant any right-of-way or easement across the land of another.
6. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code and applicable Well Construction Rules of the Department.
7. After specific notification by the Department, the right holder shall measure the diversion or shall enter into an agreement with the Department to determine the amount of water diverted from power records and shall annually report the information to the Department.

MICHAEL

907 2 0 2009

WATER RIGHT NO. 95-7181
As Modified by Transfer No. 70420

CONDITIONS OF APPROVAL

8. The right holder shall not provide water diverted under this right for the irrigation of land having appurtenant surface water rights as a primary source of irrigation water except when the surface water rights are not available for use. This condition applies to all land with appurtenant surface water rights, including land converted from irrigated agricultural use to other land uses but still requiring water to irrigate lawns and landscaping.
9. Place of use is within the service area of the City of Coeur d Alene municipal water supply system as provided for under Idaho Law.
10. This right shall be subject to the provisions of the Rathdrum Prairie Ground Water Management Plan.

This water right is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources.

Dated this 16 day of April, 20 03


For Chief, Water Allocation Bureau

MICROFILMED

OCT 20 2003

WATER RIGHT NO. 95-8565
As Modified by Transfer No. 70420

In accordance with the approval of Transfer No. 70420, Water Right No. 95-8565 is now described as follows.

Right Holder: CITY OF COEUR D ALENE
WATER DEPARTMENT
1000 W HUBBARD STE 130
COEUR D ALENE ID 83814

Priority Date: December 07, 1987

Source: GROUND WATER

<u>BENEFICIAL USE</u>	<u>From</u>	<u>To</u>	<u>Diversion Rate</u>	<u>Volume</u>
MUNICIPAL	1/01	12/31	7.55 CFS	
			7.55 CFS	

LOCATION OF POINT(S) OF DIVERSION:

GROUND WATER	SWSW	Sec. 1 Twp 50N	Rge 04W KOOTENAI County
GROUND WATER	L1 (NENE)	Sec. 4 Twp 50N	Rge 04W KOOTENAI County
GROUND WATER	L5 (NWSW)	Sec. 12 Twp 50N	Rge 04W KOOTENAI County
GROUND WATER	L4 (SWSW)	Sec. 12 Twp 50N	Rge 04W KOOTENAI County
GROUND WATER	SWNE	Sec. 26 Twp 51N	Rge 04W KOOTENAI County
GROUND WATER	NENWNW	Sec. 35 Twp 51N	Rge 04W KOOTENAI County
GROUND WATER	L6 (NESE)	Sec. 35 Twp 51N	Rge 04W KOOTENAI County
GROUND WATER	SESW	Sec. 36 Twp 51N	Rge 04W KOOTENAI County

CONDITIONS OF APPROVAL

1. The right holder shall accomplish the change authorized by this transfer within one (1) year of the date of this approval.
2. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
3. Prior to diversion of water under this approval, the right holder shall provide a means of measurement acceptable to the Department from all authorized points of diversion which will allow determination of the total rate of diversion.
4. The total instantaneous diversion of water from all points of diversion under Rights 95-2111, 95-2133, 95-2198, 95-7142, 95-7181, 95-8565, 95-8647, 95-8672, 95-8938 and 95-9007 shall not exceed 48.37 cfs.
5. Rights 95-7142 and 95-8565 when combined shall not exceed a total diversion rate of 9.58 cfs.
6. This right does not grant any right-of-way or easement across the land of another.
7. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code and applicable Well Construction Rules of the Department.

MICROFILMED

OCT 20 2003


WATER RIGHT NO. 95-8565
As Modified by Transfer No. 70420

CONDITIONS OF APPROVAL

8. After specific notification by the Department, the right holder shall measure the diversion or shall enter into an agreement with the Department to determine the amount of water diverted from power records and shall annually report the information to the Department.
9. The right holder shall not provide water diverted under this right for the irrigation of land having appurtenant surface water rights as a primary source of irrigation water except when the surface water rights are not available for use. This condition applies to all land with appurtenant surface water rights, including land converted from irrigated agricultural use to other land uses but still requiring water to irrigate lawns and landscaping.
10. Place of use is within the service area of the City of Coeur d Alene municipal water supply system as provided for under Idaho Law.
11. This right shall be subject to the provisions of the Rathdrum Prairie Ground Water Management Plan.

This water right is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources.

Dated this 16 day of April, 2003

for 
Chief, Water Allocation Bureau

MICHAEL BARTLE
OCT 28 2003

WATER RIGHT NO. 95-8647
As Modified by Transfer No. 70420

In accordance with the approval of Transfer No. 70420, Water Right No. 95-8647 is now described as follows.

Right Holder: CITY OF COEUR D ALENE
WATER DEPARTMENT
1000 W HUBBARD STE 130
COEUR D ALENE ID 83814

Priority Date: March 19, 1990

Source: GROUND WATER

<u>BENEFICIAL USE</u>	<u>From</u>	<u>To</u>	<u>Diversion Rate</u>	<u>Volume</u>
MUNICIPAL	01/01	to 12/31	7.30 CFS	
			7.30 CFS	

LOCATION OF POINT(S) OF DIVERSION:

GROUND WATER	SWSW	Sec. 1 Twp 50N	Rge 04W KOOTENAI County
GROUND WATER	L1 (NENE)	Sec. 4 Twp 50N	Rge 04W KOOTENAI County
GROUND WATER	L5 (NWSW)	Sec. 12 Twp 50N	Rge 04W KOOTENAI County
GROUND WATER	L4 (SWSW)	Sec. 12 Twp 50N	Rge 04W KOOTENAI County
GROUND WATER	SWNE	Sec. 26 Twp 51N	Rge 04W KOOTENAI County
GROUND WATER	NENWNW	Sec. 35 Twp 51N	Rge 04W KOOTENAI County
GROUND WATER	L6 (NESE)	Sec. 35 Twp 51N	Rge 04W KOOTENAI County
GROUND WATER	SESW	Sec. 36 Twp 51N	Rge 04W KOOTENAI County

CONDITIONS OF APPROVAL

1. The right holder shall accomplish the change authorized by this transfer within one (1) year of the date of this approval.
2. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
3. Prior to diversion of water under this approval, the right holder shall provide a means of measurement acceptable to the Department from all authorized points of diversion which will allow determination of the total rate of diversion.
4. The total instantaneous diversion of water from all points of diversion under Rights 95-2111, 95-2133, 95-2198, 95-7142, 95-7181, 95-8565, 95-8647, 95-8672, 95-8938 and 95-9007 shall not exceed 48.37 cfs.
5. This right does not grant any right-of-way or easement across the land of another.
6. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code and applicable Well Construction Rules of the Department.
7. After specific notification by the Department, the right holder shall measure the diversion or shall enter into an agreement with the Department to determine the amount of water diverted from power records and shall annually report the information to the Department.

MICHO...

OCT 2 9 2003

WATER RIGHT NO. 95-8647
As Modified by Transfer No. 70420

CONDITIONS OF APPROVAL

8. The right holder shall not provide water diverted under this right for the irrigation of land having appurtenant surface water rights as a primary source of irrigation water except when the surface water rights are not available for use. This condition applies to all land with appurtenant surface water rights, including land converted from irrigated agricultural use to other land uses but still requiring water to irrigate lawns and landscaping.
9. Place of use is within the service area of the City of Coeur d Alene municipal water supply system as provided for under Idaho Law.
10. This right shall be subject to the provisions of the Rathdrum Prairie Ground Water Management Plan.

This water right is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources.

Dated this 16 day of April, 2003


For _____
Chief, Water Allocation Bureau

MICROFILMED

OCT 20 2003

WATER RIGHT NO. 95-8672
As Modified by Transfer No. 70420

In accordance with the approval of Transfer No. 70420, Water Right No. 95-8672 is now described as follows.

Right Holder: CITY OF COEUR D ALENE
WATER DEPARTMENT
1000 W HUBBARD STE 130
COEUR D ALENE ID 83814

Priority Date: August 27, 1990

Source: GROUND WATER

<u>BENEFICIAL USE</u>	<u>From</u>	<u>To</u>	<u>Diversion Rate</u>	<u>Volume</u>
MUNICIPAL	1/01	12/31	3.00 CFS	
			3.00 CFS	

LOCATION OF POINT(S) OF DIVERSION:

GROUND WATER	SWSW	Sec. 1 Twp 50N	Rge 04W KOOTENAI County
GROUND WATER	L1 (NENE)	Sec. 4 Twp 50N	Rge 04W KOOTENAI County
GROUND WATER	L5 (NWSW)	Sec. 12 Twp 50N	Rge 04W KOOTENAI County
GROUND WATER	L4 (SWSW)	Sec. 12 Twp 50N	Rge 04W KOOTENAI County
GROUND WATER	SWNE	Sec. 26 Twp 51N	Rge 04W KOOTENAI County
GROUND WATER	NENWNW	Sec. 35 Twp 51N	Rge 04W KOOTENAI County
GROUND WATER	L6 (NESE)	Sec. 35 Twp 51N	Rge 04W KOOTENAI County
GROUND WATER	SESW	Sec. 36 Twp 51N	Rge 04W KOOTENAI County

CONDITIONS OF APPROVAL

1. The right holder shall accomplish the change authorized by this transfer within one (1) year of the date of this approval.
2. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
3. Prior to diversion of water under this approval, the right holder shall provide a means of measurement acceptable to the Department from all authorized points of diversion which will allow determination of the total rate of diversion.
4. The total instantaneous diversion of water from all points of diversion under Rights 95-2111, 95-2133, 95-2198, 95-7142, 95-7181, 95-8565, 95-8647, 95-8672, 95-8938 and 95-9007 shall not exceed 48.37 cfs.
5. This right does not grant any right-of-way or easement across the land of another.
6. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code and applicable Well Construction Rules of the Department.
7. After specific notification by the Department, the right holder shall measure the diversion or shall enter into an agreement with the Department to determine the amount of water diverted from power records and shall annually report the information to the Department.

001 6 2001

WATER RIGHT NO. 95-8672
As Modified by Transfer No. 70420

CONDITIONS OF APPROVAL

8. The right holder shall not provide water diverted under this right for the irrigation of land having appurtenant surface water rights as a primary source of irrigation water except when the surface water rights are not available for use. This condition applies to all land with appurtenant surface water rights, including land converted from irrigated agricultural use to other land uses but still requiring water to irrigate lawns and landscaping.
9. Place of use is within the service area of the City of Coeur d Alene municipal water supply system as provided for under Idaho Law.
10. This right shall be subject to the provisions of the Rathdrum Prairie Ground Water Management Plan.

This water right is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources.

Dated this 16 day of April, 2003

for J. H. [Signature]
Chief, Water Allocation Bureau

MICROFILMED

OCT 10 2003

WATER RIGHT NO. 95-8938
As Modified by Transfer No. 70420

In accordance with the approval of Transfer No. 70420, Water Right No. 95-8938 is now described as follows.

Right Holder: CITY OF COEUR D'ALENE
WATER DEPARTMENT
1000 W HUBBARD STE 130
COEUR D'ALENE ID 83814

Priority Date: February 08, 1996

Source: GROUND WATER

<u>BENEFICIAL USE</u>	<u>From</u>	<u>To</u>	<u>Diversion Rate</u>	<u>Volume</u>
MUNICIPAL	01/01	to 12/31	4.57 CFS	
			4.57 CFS	

LOCATION OF POINT(S) OF DIVERSION:

GROUND WATER	SWSW	Sec. 1 Twp 50N	Rge 04W KOOTENAI County
GROUND WATER	L1 (NENE)	Sec. 4 Twp 50N	Rge 04W KOOTENAI County
GROUND WATER	L5 (NWSW)	Sec. 12 Twp 50N	Rge 04W KOOTENAI County
GROUND WATER	L4 (SWSW)	Sec. 12 Twp 50N	Rge 04W KOOTENAI County
GROUND WATER	SWNE	Sec. 26 Twp 51N	Rge 04W KOOTENAI County
GROUND WATER	NENWNW	Sec. 35 Twp 51N	Rge 04W KOOTENAI County
GROUND WATER	L6 (NESE)	Sec. 35 Twp 51N	Rge 04W KOOTENAI County
GROUND WATER	SESW	Sec. 36 Twp 51N	Rge 04W KOOTENAI County

CONDITIONS OF APPROVAL

1. The right holder shall accomplish the change authorized by this transfer within one (1) year of the date of this approval.
2. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
3. Prior to diversion of water under this approval, the right holder shall provide a means of measurement acceptable to the Department from all authorized points of diversion which will allow determination of the total rate of diversion.
4. The total instantaneous diversion of water from all points of diversion under Rights 95-2111, 95-2133, 95-2198, 95-7142, 95-7181, 95-8565, 95-8647, 95-8672, 95-8938 and 95-9007 shall not exceed 48.37 cfs.
5. This right does not grant any right-of-way or easement across the land of another.
6. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code and applicable Well Construction Rules of the Department.
7. After specific notification by the Department, the right holder shall measure the diversion or shall enter into an agreement with the Department to determine the amount of water diverted from power records and shall annually report the information to the Department.

MICROFILMED

OCT 20 2009

WATER RIGHT NO. 95-8938
As Modified by Transfer No. 70420

CONDITIONS OF APPROVAL

8. The right holder shall not provide water diverted under this right for the irrigation of land having appurtenant surface water rights as a primary source of irrigation water except when the surface water rights are not available for use. This condition applies to all land with appurtenant surface water rights, including land converted from irrigated agricultural use to other land uses but still requiring water to irrigate lawns and landscaping.
9. Place of use is within the service area of the City of Coeur d Alene municipal water supply system as provided for under Idaho Law.
10. This right shall be subject to the provisions of the Rathdrum Prairie Ground Water Management Plan.

This water right is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources.

Dated this 16 day of April, 20 03

For 
Chief, Water Allocation Bureau

MICHAEL J. PYLE

RET 20 100

WATER RIGHT NO. 95-9007
As Modified by Transfer No. 70420

In accordance with the approval of Transfer No. 70420, Water Right No. 95-9007 is now described as follows.

Right Holder: CITY OF COEUR D'ALENE
WATER DEPARTMENT
1000 W HUBBARD STE 130
COEUR D'ALENE ID 83814

Priority Date: January 25, 1999

Source: GROUND WATER

<u>BENEFICIAL USE</u>	<u>From</u>	<u>To</u>	<u>Diversion Rate</u>	<u>Volume</u>
MUNICIPAL	01/01	to 12/31	7.80 CFS	
			7.80 CFS	

LOCATION OF POINT(S) OF DIVERSION:

GROUND WATER	SWSW	Sec. 1 Twp 50N	Rge 04W KOOTENAI County
GROUND WATER	L1 (NENE)	Sec. 4 Twp 50N	Rge 04W KOOTENAI County
GROUND WATER	L5 (NWSW)	Sec. 12 Twp 50N	Rge 04W KOOTENAI County
GROUND WATER	L4 (SWSW)	Sec. 12 Twp 50N	Rge 04W KOOTENAI County
GROUND WATER	SWNE	Sec. 26 Twp 51N	Rge 04W KOOTENAI County
GROUND WATER	NENWNW	Sec. 35 Twp 51N	Rge 04W KOOTENAI County
GROUND WATER	L6 (NESE)	Sec. 35 Twp 51N	Rge 04W KOOTENAI County
GROUND WATER	SESW	Sec. 36 Twp 51N	Rge 04W KOOTENAI County

CONDITIONS OF APPROVAL

1. The right holder shall accomplish the change authorized by this transfer within one (1) year of the date of this approval.
2. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
3. Prior to diversion of water under this approval, the right holder shall provide a means of measurement acceptable to the Department from all authorized points of diversion which will allow determination of the total rate of diversion.
4. The total instantaneous diversion of water from all points of diversion under Rights 95-2111, 95-2133, 95-2198, 95-7142, 95-7181, 95-8565, 95-8647, 95-8672, 95-8938 and 95-9007 shall not exceed 48.37 cfs.
5. This right does not grant any right-of-way or easement across the land of another.
6. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code and applicable Well Construction Rules of the Department.
7. After specific notification by the Department, the right holder shall measure the diversion or shall enter into an agreement with the Department to determine the amount of water diverted from power records and shall annually report the information to the Department.

MICROFILMED

DEC 20 2003

State of Idaho
License and Certificate of Water Right

Water License No. G-28886

Amount 2.27 c.f.s.

Water District No. _____

Priority July 21, 1960

THIS IS TO CERTIFY that

IDAHO WATER COMPANY

of Coeur d'Alene, Idaho, made application for a permit to appropriate the public waters of the State of Idaho, dated July 21, 1960; that Permit No. G-28886 was issued under said application; that Certificate of Completion of works, with a carrying capacity of 2.27 second feet, was issued thereunder on October 12, 1965, showing that said works were completed on the 23rd day of July, 1965; and that on the 23rd day of July, 1965,

IDAHO WATER COMPANY

of Coeur d'Alene, State of Idaho, made proof to the satisfaction of the State Reclamation Engineer of Idaho, of the right to use the waters of a well, a tributary of subterranean flow, for the purpose of Municipal Water Supply, under Use Permit No. G-28886 of the Department of Reclamation and that said right to the use of said waters has been perfected in accordance with the laws of Idaho, and is hereby confirmed by the State Reclamation Engineer of Idaho and entered of record in Volume

13 of Licenses at page 8311, on the 12 day of October, 1965;

The right hereby confirmed dates from July 21, 1960;

The Point of Diversion is located

in the SW 1/4 SW 1/4, Sec. 1, Tp. 50 N, R. 4 W, B. M. Kootenai County

That the amount of water to which such right is entitled and hereby confirmed, for the purposes aforesaid, is limited to an amount actually needed and beneficially used for said purposes, and shall not exceed 2.27 cubic feet per second.

Description and location of use:

Twp.	Range	Sec.	Forty-acre Tract	No. Acres Described in Permit	No. Acres Actually Irrigated
50 N	4 W	1	For Municipal and vicinity	Water Supply in Coeur d'Alene	
		2			
		11			
		12			
		13			
		14			
		24			
	3 W	6			
		7			
		18			
		19			

The right to the use of the water aforesaid hereby confirmed is restricted to the lands or place of use herein described, as provided by the laws of Idaho.

WITNESS the seal and signature of the State Reclamation Engineer, affixed at Boise, Idaho, this

12th day of October, 1965.

/s/ RALPH W. THOMAS
Deputy State Reclamation Engineer.

(SEAL)

95 2103

95-2133

APPLICATION FOR PERMIT To Appropriate the Subterranean Waters of The State of Idaho

Application No. G- 36872
Permit No. G- 28886
District No.

1. Name of Applicant: Idaho Water Company

Postoffice address: 749, Coeur d'Alene County: Kootenai State: Idaho

2. Quantity of water claimed: 3.0 CFS

(a) Rate of withdrawal in cubic feet per second or Idaho
Miners' inches or gallons per minute

(b) Annual withdrawal in acre feet per annum

3. Source of water supply: Subterranean Well

4. Location of point of diversion or well is in the SW $\frac{1}{4}$ of the SW $\frac{1}{4}$ of Section 1
Twp. 50 N , Rge. 4W , B.M., County of Kootenai

5. Water is to be used for: Municipal Water Supply

6. If for municipal, industrial or recreational purposes, give: Service area of applicant in Coeur d'Alene, Kootenai County, Idaho and vicinity, as now served or hereafter extended,

(a) Point of use of water is in the $\frac{1}{4}$ of the $\frac{1}{4}$ of Section , Twp.
said service area being located in Sections 1, 2, 11, 12, 13, 14, & 24, Twp. 50 N.
Rge. B.M., and Sections 6, 7, 18 & 19, Twp. 50 N., Range 3 W.B.M.

(b) Waste water or sewage effluent is to be returned to

at a point in the $\frac{1}{4}$ of the $\frac{1}{4}$ of Section , Twp. , Rge. , B.M.

7. Kind of works: 30" well, steel lined, perforated at the bottom approximate depth 226 feet, equipped with deepwell turbine pump and connected to water distribution system of applicant

8. Estimated cost of works: \$ 15,000.00

9. (a) Is reservoir to be used? No

(b) Capacity of reservoir:

10. The time required for the completion of such work and complete application of the water to the proposed use is five years.

11. If applicant is a corporation, give:

I. (a) Date and place of incorporation: June 1, 1900 - Idaho

(b) Amount of capital stock: \$ 500,000.00 (c) Amount paid in: \$ 250,000.00

(d) Names and addresses of directors: O. P. Newman, Boise, Idaho; Carey H. Nixon, Boise, Idaho;
V. H. Peterman, Boise, Idaho.

II. The financial resources of the applicant are (a) Cash onhand: \$16,321 as of June 30, 1960

(b) Treasury stock: none (c) Bonds to be issued: none


(d) Other resources: \$1,623,119 as of June 30, 1960

12. The land to be irrigated is described in the following tabulation:

13. Existing water rights and/or valid permits appurtenant to the lands to be irrigated are:

(a) (cubic feet per second, inches or gallons per minute) of the water herein applied for is to be supplemental to the existing water rights.

(b) (cubic feet per second, inches or gallons per minute) is for new lands.



BE IT KNOWN THAT The undersigned hereby makes appli cation for permit to appropriate the public waters of the State of Idaho as herein set forth.

By Walter A. Smith Agent.

Returned to applicant for correction:

Approval of State Reclamation Engineer

12.

Twp.	Range	Sec.	NE¼	NW¼	SW¼	SE¼	Totals	
			NE¼ NW¼ SW¼ SE¼	NE¼ NW¼ SW¼ SE¼	NE¼ NW¼ SW¼ SE¼	NE¼ NW¼ SW¼ SE¼		
			Permit No. G-28886 ✓ CERTIFICATE OF COMPLETION OF WORKS					
			TO ALL WHOM IT MAY CONCERN:					
			This is to certify that IDAHO WATER COMPANY of Coeur d'Alene, County of Kootenai, and State of Idaho, the holder of Permit No. G-28886, issued upon Application No. G-36872 bearing date of priority of July 21, 1960, authorizing the diversion of 3.0 second feet of waters of a well County of Kootenai, State of Idaho, for Municipal Water Supply purposes, has fully complied with the provisions of the laws of the State of Idaho relating to the proof of completion of the works of diversion set out and described in said Permit; that said works are adequate for diverting and conveying to the place of intended use 2.27 second feet of the waters of a well from subterranean flow; that the point of diversion of said waters SW¼SW¼, Sec. 1, T. 50 N., R. 4 W., B.M. and that the lands proposed to be irrigated by the use or place of use of said water are described as follows, to-wit:					
			For Municipal Water Supply in Coeur d'Alene and vicinity in Secs. 1, 2, 11, 12, 13, 14, 24, T. 50 N., R. 4 W., B.M.; Secs. 6, 7, 18, 19, T. 50 N., R. 3 W., B.M.					
			Witness my hand this 12th day of October, A.D. 1965					
			/s/ RALPH W. THOMAS Deputy State Reclamation Engineer					
			Proof of Completion of Works Made: July 23, 1965					
			LICENSE ISSUED FOR 2.27 SEC. FT. LICENSE PAGE NO. 8311					

MEMORANDUM

TO: FILE 95-2133

FROM: VAULT

RE: TRANSFER # 70420

DATE: 4/15/03

=====

**Original Transfer Application, Form and correspondence regarding the above
referenced Transfer is located within:**

FILE # 95-2111

MICROFILMED

OCT 20 2003

March 7, 1972

Idaho Water Company
Post Office Box #746
Coeur d'Alene, Idaho 83814

Gentlemen:

Pursuant to your letter of March 3, 1972, you mentioned that the \$30.00 fee that you submitted was determined by the information on page thirteen (13), paragraph one (1), of the Water Users Handbook. This section of the book refers to transfers and not to applications for permit.

If the well in question was previously licensed at 2.27 cubic feet per second, and is now capable of producing 8.0 cubic feet per second, you should then file for the additional amount of 5.73 cubic feet per second for municipal purposes.

The fee for 5.01 cubic feet per second to 6.00 cubic feet per second is \$75.00. We are returning your application for permit and your check #92-27, for \$30.00. If you desire to apply for 5.73 cubic feet per second, please make the change on the application and return it with the necessary fee, so that we can begin the processing. Enclosed, please find our fee schedule for your convenience.

If you should have any questions in reference to this matter, please feel free to contact this Department.

Very truly yours,

Fred Eisenbarth
Appropriation Examiner

FE:cs

Enc: check #92-27 (\$30.00)
original application for permit
copy of instructions, with fee schedule

95 2133



Idaho Water Company

SUBSIDIARY OF GENERAL WATERWORKS

414 COEUR D'ALENE AVE.
P. O. BOX 746
COEUR D'ALENE, IDAHO 83814

307 NORTH DIVISION ST.
P. O. BOX 636
KELLOGG, IDAHO 83837

March 3, 1972

State of Idaho
Department of Water Administration
Statehouse - Annex 2
Boise, ID 83707

Attn: Fred Eisenbarth, Appropriation Examiner

Dear Mr. Eisenbarth:

The enclosed application was submitted as a modification of Application Number G-28886. We referred to Page 13, Paragraph 1 of your Water Users Handbook in determining the filing fee for change of application.

This indicated \$30.00 for changes involving greater amounts than .2 CFS.

We are enclosing the application and check for \$30.00 assuming that the foregoing will explain how we arrived at the modification fee.

Sincerely,

IDAHO WATER COMPANY

Ralph J. Capaul
District Manager

Encl

15 2133

H
March 2, 1972

Idaho Water Company
P. O. Box #746
Coeur d'Alene, Idaho 83814

Gentlemen:

We are returning your application for permit, along with check #92-27, for \$10.00.

The application was filed properly and is acceptable to our Department. However, the filing fee for 8.0 cubic feet per second is \$95.00. Please return the application, with the proper fee, so that we can begin with the processing.

If you have any questions in regard to this matter, please feel free to contact this Department.

Very truly yours,

Fred Eisenbarth
Appropriation Examiner

FE:cs

Enc: application for permit
check #92-27 (\$10.00)

95 2133

February 24, 1972

Re: License No. 95-2133

Idaho Water Company
414 Coeur d'Alene Ave.
Post Office Box # 746
Coeur d'Alene, Idaho 83814

ATTENTION: Larry Patton

Dear Mr. Patton:

Pursuant to your letter of February 14, 1972, we are enclosing this Department's application for permit form, with instructions for filing and also a copy of the Idaho Water Users Handbook for your reference.

It will be necessary for you to file the application to cover the additional water you have developed over and above your present license, (G-28886/95-2133).

We have not been able to locate any filings for the Washington Water Power Co., from Lake Coeur d'Alene. These filings are from different sources, under their name.

If you have any further questions concerning this matter, please feel free to contact this Department.

Very truly yours,

James Booker
Appropriation Examiner

JB:cs

Enc: application for permit, with instructions
Idaho Water Users Handbook

95 2133

Idaho Water Company

SUBSIDIARY OF GENERAL WATERWORKS

414 COEUR D'ALENE AVE.
P. O. BOX 746
COEUR D'ALENE, IDAHO 83814

307 NORTH DIVISION ST.
P. O. BOX 636
KELLOGG, IDAHO 83837

5DF

RECEIVED
FEB 14 1972

Department of Water Administration

February 14, 1972

Mr. Bobby D. Fleenor
State of Idaho
Department of Water Administration
Statehouse Annex 2
Boise, ID 83707

Dear Mr. Fleenor:

In reviewing our water rights permit No. G-28886, Fourth Street Well, we find our allotment to be 2.27 C.F.S. In 1968 this well and also permit No. G-25671, The Locust Avenue Well, were redeveloped. (Well reports enclosed)

As of this date we have not changed the Locust Well pumping equipment although we have changed the Fourth Street equipment, increasing it's capacity to approximately 3000 GPM.

We apologize for being negligent in not applying for an updated water allotment.

Will you please forward to us the necessary procedure information since we would like to accomplish the updating of this source as soon as possible.

Along with the above information we would also appreciate any information you might have on our water allotment from Lake Coeur d'Alene.

Our records on the purchase of the system from the Washington Water Power Company indicate they convey all water rights to us but actual amounts are not shown, thus we would appreciate clarification on this water source.

Thank you.

Sincerely

IDAHO WATER COMPANY

Larry Patton
Larry Patton

Encl

95 2133

Handbook
& forms

Wash Water
Power

4/16/68

FORWARD TO: FOUNDATIONS & MATERIALS BRANCH, ENGINEERING DIVISION


LOG OF PUMP TEST

LOCATION Talabo Water Co 1st Locust CONTRACT NO. Holman Dulling Corp
 INSPECTOR J.S. Anderson IWC Permit # 6-25671
 ELEVATION GROUND (G.S.) _____ FT. ABOVE M.S.L. TOP OF CASING 175 FT. BELOW G.S.
 DEPTH OF PUMP IMPELLER 243 FT. BELOW G.S. BOTTOM OF HOLE 281 FT. BELOW G.S.
 STATIC WATER LEVEL AFTER PUMP IS SET AND PRIOR TO PUMPING 167.1 FT. BELOW G.S.

TESTING TIME		WATER LEVEL BELOW 167.1'	RATE IN G.P.M.	DRAW DOWN IN FT.	RECOVERY STATE UNIT. MIN. OR SEC.	WATER TEMP. IN OF.	REMARKS	
BEGIN	END							
3:30		168.9	1650	2.8		54°	1 MIN. WATER CLEAR	
4:00 PM		170.2	1650	2.8				
4:00 PM		170.5	2200	3.4'			No Sand at all	
4:30 PM		170.7	2200	3.6'				
4:30 PM		171.4	2750	4.3'			Very fine sand - Very Little	
5:00 PM		171.0	2550	3.9'	motor speed fell off last 10 min			
5:00 PM		172.4	3250	5.3'				
5:30 PM		172.6	3300	5.5'				
5:30 PM		172.8	3600	5.7			Top Motor Capacity	
5:50		pump shut down - shaft stretch locking Pump. Re-adjusted & started up at 2						
6:05 PM		172.8	3800*	5.7"			clear water within 3 min	
6:20 PM		173.0	3900	5.9"				
6:35 PM		173.0	3900*	5.9"			Butter off from pump after reset	
down 6:35 pm								
1)	4'-7"	Blank	12"	} 7) 74'-2" 18" Blank Total Length 105'-6"				
2)	15'-11"	-12" screen	= 25 slot					
3)	24'-6"	-18" Blank						
4)	15'-6"	18" screen	25-40 slot					
5)	15'-5"	18" screen	40-187 slot					
6)	15'-5"	18" screen	187-140 slot					
MEASUREMENT of water by means of a 10" Circular Orifice at end of 12" Standard Pipe								
Layer + Boulder								
Size 12" x 10"								
Range 1100 to 3750 GPM 25 2123								
Johnson Well Screen								


LAYNE ORIFICE
SIZE 12" X 9"
RANGE 900 TO
2700 GPM

TRADE MARK



LAYNE ORIFICE
SIZE 12" X 10"
RANGE 1100 TO
3750 GPM

TRADE MARK



2300'

4TH + BEST WELL

1ST + LOCUST WELL

BOTH WELLS SIMILAR CONSTRUCTION

GROUND SURFACE
ELEV 2220'

2200'

28" DIA CASING

2220'

2224'

2100'

DEVELOPMENT

45'

17'

NEW 20" CASING

Bottom of existing
Casing

DE 14'

SEPARATE BACKFILL BETWEEN
20" + 28" CASINGS

234'

2000'

Bottom of existing
28" casing 2014'

5th 20" x 16" IRON PIPER

5" I.D. IRON PIPER SCREEN

40' to 60' SHT

60' + SCREEN AREA

Galvanized screen

1949.5' - Rock

Stainless steel screen

5' long
Good assembly

5th 20" x 16" IRON PIPER
LEAD OF CONCRETE

2059 STATIC WATER LEVEL

16" CASING 375"
Plug or Seal

500'

IDAHO WATER COMPANY

11/20/18

210

REPORT OF WELL DRILLER
State of Idaho

DATE 5/6/68
BY W. J. H. H.

State law requires that this report shall be filed with the State Reclamation Engineer within 30 days after completion or abandonment of the well.

WELL OWNER:

Name IDAHO WATER CO.
Address Coeur d'Alene Idaho

Owner's Permit No. G 28886
NATURE OF WORK (check): Replacement well ☐
New well ☐ Deepened ☒ Abandoned ☐

Water is to be used for: Municipal

METHOD OF CONSTRUCTION: Rotary ☐ Cable ☒
Dug ☐ Other ☐

(explain)
CASING SCHEDULE: Threaded ☐ Welded ☒
18" Diam. from 175 ft. to 206 ft.
18" Diam. from 226 ft. to 250 ft.
"Diam. from ft. to ft.
"Diam. from ft. to ft.
Thickness of casing: 375 Material:
Steel ☒ concrete ☐ wood ☐ other ☐

(explain)
PERFORATED? Yes ☐ No ☒ Type of
perforator used:

Size of perforations: " by "
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.

WAS SCREEN INSTALLED? Yes ☒ No ☐


Manufacturer's name JOHNSON
Type ARMCO IRON Model No. PIPE SIZE
Diam. 18" Slot size 60 Set from 206 ft. to 226 ft.
Diam. 12" Slot size VARIOUS Set from 250 ft. to 307 ft.

CONSTRUCTION: Well gravel packed? Yes ☒
No ☐ size of gravel 4 MINS Gravel
placed from 176 ft. to 216 ft. Surface seal
provided? Yes ☒ No ☐ To what depth?
ft. Material used in seal:

SEALED WITH CEMENT 175 TO 176
Did any strata contain unusable water? Yes ☐
No ☒ Type of water:
Depth of strata ft. Method of sealing
strata off:

Surface casing used? Yes ☐ No ☒
Cemented in place? Yes ☐ No ☐

Locate well in section



Size of drilled hole: 24" Total
depth of well: 309 Standing water
level below ground: 185 Temp.
Fahr. 56 ° Test delivery: 3500 gpm
or cfs Pump? ☒ Bail ☐
Size of pump and motor used to make test:
12" X 14" BOWLS 450 H.P. ENGINES
Length of time of test: 4 Hrs. Min.
Drawdown: 20.1 ft. Artesian pressure: ft.
above land surface Give flow cfs
or gpm. Shutoff pressure:
Controlled by: Valve ☐ Cap ☐ Plug ☐
No control ☐ Does well leak around casing?
Yes ☐ No ☐

DEPTH FROM TO FEET FEET	MATERIAL	WATER YES OR NO
0 216	CLAY & OTHERS.	
216 226	SAND (MED.)	YES
226 244	CLAY (BROWN)	NO
244 309	SAND (MED.)	YES

Work started: FEB 15 1968
Work finished: MARCH 19 1968
Well Driller's Statement: This well was
drilled under my supervision and this report
is true to the best of my knowledge.
Name: HOLMAN DRILLING CORP
Address: E 3410 9TH SPOKANE WA.
Signed by: Arnold E. Holman PRES
License No. 108 Date: MARCH 26 1968

LOCATION OF WELL: County KATLAN
W 4 SW 4 Sec. 1 T. 50 N. R. 4 E 10

Use other side for additional remarks

95 2133

October 12, 1965

RE: Permit No. G-28886

John S. Anderson, Manager
Idaho Water Company
Box 746
Coeur d'Alene, Idaho

Dear Mr. Anderson:

Enclosed are the Certificate of Completion of Works and
License and Certificate of Water Right on the above
numbered permit.

Also enclosed is departmental receipt No. G-9872 in the
amount of \$10.00 covering the fees.

Very truly yours,

CARL E. TAPPAN
State Reclamation Engineer
By

(Mrs.) Edna P. Rule
Chief Clerk

EPR:mr

Enc. license
certificate
receipt

28886

500 - July 8, 1964

September 30, 1965

RE: Permit NO. G-28886

John S. Anderson, Manager
Idaho Water Company
Box 746
Coeur d'Alene, Idaho

Dear Mr. Anderson:

Our field engineer's report on his inspection of proof of completion of works and application of water to beneficial use under the terms of Permit No. G-28886 shows the well is (are) capable of conveying 113.5 miner's inches, or 2.27 c.f.s. of water for the irrigation of ~~xxxxxx~~ acres. ~~xxxxxx~~ municipal use.

Upon receipt of the statutory fees, totaling \$ 10.00 , we will issue the Certificate of Completion of Works and the License and Certificate of Water Right confirming the right, with priority of July 21, 1960 , to the use of 2.27 second feet of subterranean water with the point of diversion in the SW1/4, Sec. 1 for municipal use in Secs. 6, 7, 18, 19, T. 50 N., R. 3 W., B.M.; Secs. 1, 2, 11, 12, 13, 14, 24, T. 50 N., R. 4 W., B.M.

Very truly yours,

CARL E. TAPPAN
State Reclamation Engineer
By

(Mrs.) Edna P. Rule
Chief Clerk

EPR:ar

28886


STATE OF IDAHO
DEPARTMENT OF RECLAMATION
BOISE

REPORT OF EXAMINER

PERMIT NO. G-28886

REPORT ON PROOF OF Completion of Works & Beneficial Use

John S. Anderson, Manager, Idaho Water Company
P. O. Box 746, Coeur d'Alene, Idaho



STATE OF IDAHO
DEPARTMENT OF RECLAMATION
BOISE, IDAHO
REPORT OF EXAMINER

Permit No. G-28886

This proof is for Completion of Works & Beneficial Use In Water District No. _____

1. Name of applicant Idaho Water Company

2. Source of water supply: Subterranean

3. Location of point of diversion: Is in the SW 1/4 of Section 1

T. 50N R. 4 W.B.M. County of Keetonai

4. Describe works as they exist, giving dimensions and capacities of same: 125 HP GE Motor
#RTJ 422, B-J Pump #368590 (Sigl 12" GH, 5 stage
1200 GPM @ 1720 RPM @ 325'; 8" discharge to 8" Mueller check
valve and Sparling meter to a 8" Gate Valve and 8" discharge pipe to
a 3' dia x 40' long Sand Trap 8" inlet 10" outlet to 10" main line.

5. Water is used for: Municipal Water Supply

6. State whether or not water has been turned into works of diversion: yes.

7. List legal subdivisions of lands to be irrigated. If proof is for beneficial use, give exact number of acres under cultivation in each forty-acre tract. (Describe manner and place of use if other than irrigation):

PLACE OF USE: Sections 1, 2, 11, 12, 13, 14, & 24, Twp. 50 N., Rge. 4 W.B.M.
Sections 6, 7, 18, & 19, Twp. 50 N., Rge. 3 W.B.M.

(Submit map on attached plat, showing location and details of above description.)

8. What large stream would the water here appropriated finally reach? _____

Remarks: Mr. John Anderson a long

(Highest rate of discharge 571/2' = 1020 GPM @ 45' pumping pressure)

Measured by Sparling meter in line #63364 - 900 GPM measured
at 70' pumping pressure at time of inspection.

This examination was made on the 20th day of September, 19 65

(Signed) Loyd Johnson Examiner.

28886

John S. Anderson, Manager
Idaho Water Company 1104-4112
P. O. Box 746, Coeur d'Alene, Idaho
Permit No. G-28886

Examination for Completion of Works & Beneficial Use

County Keetonai

Quantity: 3.0 Sec. 1 T50N RA WBM

Source: Well

P.D.: SWSW-1-50N-4W

Use: Municipal water

Extension: -

Protest: -

Completion of Works: -

Other Rights: None Stated

Filed: 7/21/60

Due: 7/26/65

INSTRUCTIONS TO EXAMINERS

1. Always carefully note the location of the point of diversion and accurately plat same.
2. When proof is for beneficial use, carefully check up the number of acres actually irrigated in each forty and accurately plat same.
3. Make a map showing the correct location of streams and ditches, and the irrigated lands, and any adjacent permanent landmarks, such as towns, lakes, large streams and public roads.
4. If any unusual conditions are discovered, make plain statement of them under remarks.
5. Always see the holder, if possible, and go over the whole ground with him and make your report only upon actual existing facts and conditions.
6. Give general characteristics of soils, topography, and crops raised.

RECEIVED

SEP 29 1965

Department of Reclamation

August 3, 1965

Re: Permit No. C-28886

John B. Anderson, Manager
Idaho Water Company
P. O. Box 746
Coeur d'Alene, Idaho

Dear Mr. Anderson:

We acknowledge receipt of the depositions of holder and two witnesses, also affidavit of publication in the COEUR d'Alene Press, all submitted in proof of completion of works and beneficial use on Permit No. C-28886.

Before final action is taken in the matter, the law requires that a field examination be made by an engineer from this department.

We cannot tell just when this examination will be made, but our field engineer will try and contact you at the time he makes the examination so that arrangements may be made to show him over the grounds.

Very truly yours,

CARL E. TAPPAN
State Reclamation Engineer

By:

(Mrs.) Edna P. Rule
Chief Clerk

EPP
Wm. B. Hankins
Attorney at Law
P. O. Box 1000
Coeur d'Alene, Idaho

28886

WM. S. HAWKINS
ATTORNEY - AT - LAW
315 ELDER BUILDING
COEUR D'ALENE, IDAHO 83814

ASSOCIATE:
PAUL D. McCABE

July 23, 1965

RECEIVED
JUL 28 1965

Department of Reclamation

Mr. Carl Tappan
State Reclamation Engineer
Department of Reclamation
Boise, Idaho

Re: Permit No. G-28886

Dear Sir:

You will find enclosed three depositions as follows:

John S. Anderson (Holder)
T.O. Miller (Witness)
Neil H. Barrus (Witness)

It is my understanding that the affidavit of publication was sent in separately on July 8, 1965.

These proofs were made on this day at the time appointed before the undersigned Notary.

We trust that they are in proper order.

Respectfully,

Paul D McCabe

Paul D. McCabe

cc. Idaho Water Co.

28886

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
BOISE, IDAHO

RECEIVED

JUL 26 1965

Department of Reclamation

Permit No. G-28886

* * * *

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

* * * * *

DEPOSITION OF HOLDER

- Ques. 1. State your name, residence, occupation and postoffice address: John S. Anderson,
114 S. 4th Street, Coeur d' Alene, Idaho, Manager, Idaho Water Company, P.O. Box 746, Cda Ida.
- Ques. 2. If acting in behalf of corporation, state its name, principal place of business (if a foreign corporation, give name of postoffice of statutory agent), your position with reference to same, and your authority for appearing in its behalf:
Idaho Water Company, 114 S. 4th St., Coeur d' Alene, Idaho; Manager, Authority is managerial.
- Ques. 3. State number, approval date of permit, and date of priority you propose to establish under the permit; G-28886 July 21, 1960
- Ques. 4. State source of water supply: A subterranean well
Give location of point of diversion, showing subdivision, section, township and range:
SW $\frac{1}{4}$ of the SW $\frac{1}{4}$ of Section 1, Twp 50N, Rge. 4W, BM, County of Kootenai, Idaho
- Ques. 5. Describe your works of diversion: Attached sheet

5. The well is 226 feet deep and contains 196 feet of 26 3/4" steel casing, 30 feet of 800-1/4 X 4" slotted casing. Within the well is a Byron-Jackson deep well turbine pump with 12" G - 5 stage impellers and powered by 125HP General Electric Motor. The pump column length from the surface of the ground to the bottom of the suction of the pump is 206 feet. The pump is capable of diverting 1200 GPM at 335 foot head to the water distribution system. Discharge varies with the head on the system and varies between 850 GPM and 1200 GPM and is measured through an 8" Sparling flow meter. The pump is connected by means of a 10" pipe to the water distribution system and is capable of carrying in excess of 2.7 CFS from the well to the place of use, the municipal water supply for Coeur d' Alene, Idaho and vicinity.

operating pressure: Not applicable

Ques. 6. State for what purpose water is used: Municipal water supply for Coeur d' Alene
If for irrigation, name each subdivision in which used and number of acres in each subdivision that have actually been irrigated with said water : _____

No irrigation other than lawn sprinkling

State nature of all improvements which have been made as a direct result of said use:

Increased water mains in vicinity of well for distribution and transmission of water into water system.

2.8886

Department of Reclamation

Permit No. G-28886

* * * *

* * * * *

Ques. 2. If acting in behalf of corporation, state its name, principal place of business

Increased water mains in vicinity of well for distribution and transmission of water into water system.

1921

28886/1

Ques. 6-a: If this is a ground water permit, give name and address of person that drilled the well: E. J. Waller, Post Falls, Idaho, License Number 108

Ques. 7. If for other than irrigation purposes, state purpose and how used:

Municipal water supply for Coeur d' Alene and Vicinity

Ques. 8. What is the minimum amount of water required for the purpose specified above:

2.7 CFS (winter production)

Ques. 9. If you are not the person or representative of the corporation to whom above mentioned permit was originally issued, please state how ownership was acquired by present holder:

Ques. 10. State when and in what amount the water diverted under above mentioned permit has been first used: June, 1960 Time used since first use:

During past 5 years pumped as hereinbefore stated, over 5 year period 663,440,000 gallons for domestic consumption.

Ques. 11. Describe all other water rights appurtenant to same place of use:

Idaho P.U.C. Permit No. 4, Order Number 2570

(sign)

John S. Anderson
Manager, Idaho Water Company

I hereby certify that the foregoing testimony was read to the above subscribed, before its signing, that I believe him to be the person he represents himself to be, and that said testimony was subscribed and sworn to before me, at my office in

Coeur d' Alene, County of Kootenai

State of Idaho, on this 23rd day of July, A.D. 19 65.

Paul D McCabe

My Commission expires: 1-15-69

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
BOISE, IDAHO

Department of Reclamation

Permit No. G-28886

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE
AND COMPLETION OF WORKS

DEPOSITION OF WITNESS

The deposition of two witnesses on this form, taken separately, required in each case

Ques. 1. State your name, age, residence, occupation and postoffice address:

1477 N. Barrus, age 38, 2217 N. First St., Civil Engineer, Idaho Highway Dept.
Neil H. Barrus, age 38, 2217 N. First St., Civil Engineer, Idaho High-
Coeur d' Alene, Idaho Way Dept.

Ques. 2. Are you acquainted with Idaho Water Company, the holder of
Permit No. G-28886 ? How long have you known him and where does he reside:

Yes. 2 1/2 years, Coeur d'Alene, Idaho
Yes. 2 1/2 years, Coeur d'Alene, Idaho

Ques. 3. Have you read or heard said Permit No. G-28886 read, and are you familiar
with its provisions and conditions: Yes: Yes No: _____

Ques. 4. State source of water supply: A Subterranean Well

State place of diversion: SW₁ of the SW₁ of Section 1, T.50N, R. 1W, E.M. County of Kootenai,
Idaho

Describe works for conveying water to place of use: _____

Ques to p. conv full
4. The well is 226 feet deep and contains 196 feet of 26 3/4" steel casing,
30 feet of 800-1/4 X 4" slotted casing. Within the well is a Byron-Jackson
deep well turbine pump with 12" G - 5 stage impellers and powered by 125HP
General Electric Motor. The pump column length from the surface of the
ground to the bottom of the suction of the pump is 206 feet. The pump is
capable of diverting 1200 GPM at 335 foot head to the water distribution
system. Discharges varies with the head on the system and varies between 850
GPM and 1200 GPM and is measured through an 8" Sparling flow meter. The
pump is connected by means of a 10" pipe to the water distribution system
and is capable of carrying in excess of 2.7 CFS from the well to the place
of use, the municipal water supply for Coeur d' Alene, Idaho and vicinity.

Ques. 7. If for power or other purposes than irrigation, state how water has been used:

Water is for a municipal water supply for Coeur d' Alene City and vicinity

Ques. 8. (If for irrigation) state character of land that has been reclaimed, and give your estimate of the amount of water required for its profitable cultivation:

No irrigation other than lawn sprinkling

Ques. 9. Have you any interest in the works, water or lands above mentioned? If so, in what way and to what extent: Only as a domestic user.

Ques. 10. When did you first see this water used: November, 1962

Other times you have seen such use: July 22, 1965

(Signed)

Neil H. Barnes
Idaho Professional Engineer
Licence No. 1163

I hereby certify that the foregoing testimony was read to the above subscriber before its signing, that I believe him to be the person he represents himself to be, and that said testimony was subscribed and sworn to before me in Coeur d'Alene

 , County of Kootenai, State of Idaho, on this 23 day of July

A. D., 1962.

Paul D. McCabe

Notary Public for State of Idaho

Residing: Coeur d'Alene Idaho

My commission expires: 1-15-69

RECEIVED
JUL 31 1962

STATE OF IDAHO
DEPARTMENT OF RECLAMATION

Department of Reclamation

BOISE, IDAHO

Permit No. 0-28886

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE
AND COMPLETION OF WORKS

DEPOSITION OF WITNESS

The deposition of two witnesses on this form, taken separately, required in each case

Ques. 1. State your name, age, residence, occupation and postoffice address:

T. O. MILLER 61 Highway Engineer Box 10, Coeur d' Alene
Coeur d' Alene, Idaho

Ques. 2. Are you acquainted with Idaho Water Company, the holder of
Permit No. 0-28886? How long have you known him and where does he reside:

Yes 15 years Coeur d' Alene, Idaho

Ques. 3. How long have you known the holder of said permit?

Will

Ques. 4. How long have you known the holder of said permit?

Ques. 5. How many second feet of water do you estimate said works will safely conduct

to place of use: 3 cfs How much water have you seen being so

conveyed: 2.71 cfs discharge into air and 1.91 cfs into system

Ques. 6. If for irrigation, show number of acres irrigated in each subdivision, giving

full legal description:

Not applicable

Ques. 7. If for power or other purposes than irrigation, state how water has been used:

Water is for a municipal water supply for Coeur d' Alene City and vicinity

Ques. 8. (If for irrigation) state character of land that has been reclaimed, and give your estimate of the amount of water required for its profitable cultivation:

No irrigation other than lawn sprinkling

Ques. 9. Have you any interest in the works, water or lands above mentioned? If so, in what way and to what extent: As domestic water user

Ques. 10. When did you first see this water used: 1960 April 29

Other times you have seen such use: July 22, 1965

(Signed)

JD Miller

Professional Engineer
License No 575 Idaho

I hereby certify that the foregoing testimony was read to the above subscriber before its signing, that I believe him to be the person he represents himself to be, and that said testimony was subscribed and sworn to before me in Coeur d' Alene

 , County of Kootenai, State of Idaho, on this 23 day of July,


A. D., ~~1962~~ 1965.

Paul D M'Call

Notary Public for State of Idaho

Residing: Coeur d' Alene Idaho

My commission expires: 1-15-69



TELEPHONE:
MOHAWK 4-4116

Idaho Water Company

114 SOUTH FOURTH STREET
COEUR D'ALENE, IDAHO

July 8, 1965

Idaho Department of Reclamation
Statehouse
Boise, Idaho

Gentlemen:

Enclosed is affidavit of publication for Permit No. G-28886.

Very truly yours,

IDAHO WATER COMPANY

Walter H. Smith
President

WHS:dh

Enclosure

cc: Jack Anderson

28886

AFFIDAVIT OF PUBLICATION—COEUR D'ALENE PRESS

(WEEKLY)

RECEIVED

JUL 9 1965

STATE OF IDAHO,

County of Kootenai,

ss.

Ann M. Neuman

Department of Reclamation

being first duly sworn,
deposes and says:

That affiant is now, and at all times herein mentioned has been, a citizen of the United States and a resident of Kootenai County, State of Idaho, over the age of 21 years and not a party to, nor interested in the event of, the above entitled matter, and the printer (principal clerk) of the "Coeur d'Alene Press", during all of the times herein mentioned being a legal daily newspaper, of Coeur d'Alene, Kootenai County, Idaho, as defined by Idaho Code Sec. 60-106 to Sec. 60-108 both inclusive, and Chapter 121 Idaho Session Laws of 1949, and acts amendatory thereof and correlated thereto, and qualified thereunder to publish to the same effect as a weekly

newspaper on Wednesdays; and that the

Notice of Proof of Completion of Works and Application of Water to Beneficial Use

of which a printed copy is annexed hereto, was published in all the regular Wednesday

weekly issues of said newspaper for *said* consecutive weeks, commencing

on the *7th* day of *June*, 196*5*, and ending on the

3rd day of *June*, 196*5*.

Ann M. Neuman

Subscribed and sworn to, before me, this *3rd* day of *June*

196*5*.

C. Patrick King

Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

28886

NOTICE OF PROOF OF COMPLETION OF WORKS

and APPLICATION OF WATER TO BENEFICIAL USE

Notice is hereby given that at 10 A.M., on the 23 day of July, 1965, at Coeur d'Alene, County of Kootenai, State of Idaho before Paul D. McCabe, Notary Public, at (address) 315 Elder Building, proof will be submitted of the completion of works for the diversion of 3.0 cubic feet per second of underground water from a well, and of the application to beneficial use of said water, in accordance with the terms and conditions of Permit No. G-28886, heretofore issued by the Department of Reclamation of the State of Idaho.

by the Department of Re-

1. The name and postoffice address of the person or corporation holding said permit is Idaho Water Company, P.O. Box 746, Coeur d'Alene Idaho.

2. Said works of diversion will be fully completed on the date for such completion, and the amount of water which said works are capable of conveying to the place of use is 3.0 cubic feet per second.

3. The use to which said water has been applied is Municipal Water Supply, purposes and the amount applied to beneficial use is 3.0 cubic feet per second.

4. The point of diversion of said water is SW1/4, of the SW1/4 of Section 1, Twp. 50 N, Rge. 4W, B.M., County of Kootenai.

5. The place where said water is used is in Coeur d'Alene, Kootenai County, Idaho, and vicinity, as now served or hereafter extended, said service area being located in Sections 1, 2, 11, 12, 13, 14, and 24, Twp. 50N, Rge. 4W, B.M. and Sections 6, 7, 18 and 19 Twp. 50N, Rge. 3W, B.M.

6. The date of priority which said user is prepared to establish is July 21, 1960.

CARL E. TAPPAN
State Reclamation
Engineer

June 9, 16, 23, 30, 1965.

June 18, 1965

Re: Permit No. G-28886
Idaho Water Company

Coeur d'Alene Pres
Coeur d'Aene, Idaho

Gentlemen:

On June 4th we mailed you a Notice of Publication on the above numbered permit, requesting a tear sheet or copy for checking purposes

To date we have not received such copy and ask that one be mailed to this office as soon as possible

Thank you.

Very truly yours

CARL E. TAPPAN
State Reclamation Engineer

By:

(Mrs.) EDNA P. RULE
Chief Clerk

EPR:ew

28886

Re: Permit No. G-28886
Idaho Water Company

Date: June 4, 1965

Coeur d'Alene Press,
Coeur d'Alene, Idaho.

Gentlemen:

Enclosed you will find Notice for Publication, once a week for four consecutive weeks prior to July 23, 1965 the date set for proof; the expense of the publication is to be paid by the applicant Idaho Water Company of P.O.Box 746, Coeur d'Alene, Idaho to whom you should furnish proof of publication on or prior to the date set for proof.

Please acknowledge receipt of this notice and furnish this office with a copy or tear sheet of the first publication. **

Very truly yours,

Carl E. Tappan
CARL E. TAPPAN
State Reclamation Engineer

** If the first copy is not received in this office for checking purposes and errors appear in subsequent issues, it is possible that re-publication of corrected copy will be at your own expense

28886

(Office yellow copy)

June 4, 1965

Re: Permit No. G-28886

Idaho Water Company,
P. O. Box 746,
Coeur d'Alene, Idaho.

Gentlemen:

This acknowledges the Notice of Proof of Completion of Works and Application of water to Beneficial Use under Permit No. G-28886. The proofs are to be made at 10:00 o'clock A.M., on the 23rd day of July, 1965, before Paul D. McCabe, 315 Elder Building, Coeur d'Alene, Idaho, Notary Public.

As of this date, we have mailed the Notice to the Coeur d'Alene Press Coeur d'Alene, Idaho, with instructions to publish it once a week for four consecutive weeks prior to the date set for final proof then mail the affidavit of publication and statement of costs to you.

It is important that the enclosed depositions be executed by you and two disinterested witnesses who are familiar with the terms of the permit and the work done thereunder, at the place, on the date, and at the time and before ^{the} Notary, as advertised. It is very important and necessary that each question be answered in detail.

In returning the depositions to this office, be sure that all copies have been signed, the Notary's seal has been placed on each and that all depositions, (holder and two witnesses) are being returned. Also be sure to enclose the AFFIDAVIT OF PUBLICATION.

Very truly yours,

CARL E. TAPPAN
State Reclamation Engineer
By

(MRS.) EDNA P. RULE
Chief Clerk

Encl.
EPR:pmk
cc: Notary

28886

NOTICE TO ACCOMPANY THIS LETTER MUST BE MADE IN DUPLICATE

IDAHO WATER COMPANY

(Date) June 2, 1965

(P. O.) P.O. Box 746, Coeur d' Alene, Idaho

TO THE STATE RECLAMATION ENGINEER

Boise, Idaho

Dear Sir:

You are hereby authorized to have the attached notice published
at my expense in the Coeur d' Alene Press of
Coeur d' Alene, Idaho published in the
county in which the works are situated.

John S. Anderson
Manager Idaho Water Company

(In case of canals or other works designed to divert and
carry more than 50 cubic feet of water per second, the following certificate
must be signed by a well known and competent engineer.)

I hereby certify that the facts set forth in the
attached notice are true.

Engineer

RECEIVED

JUN 3 1935

NOTICE OF PROOF OF COMPLETION OF WORKS
and
APPLICATION OF WATER TO BENEFICIAL USE

Department of Reclamation

Notice is hereby given that at 10 A.M., on the 23 day of July
19 65, at Coeur d' Alene, County of Kootenai, State of Idaho
before Paul D. McCabe, Notary Public, at (address) 315 Elder
Building, proof will be submitted of the completion
of works for the diversion of 3.0 cubic feet per second of underground water from a
well, and of the application to beneficial use of said water, in accordance with the
terms and conditions of Permit No. G-28886, heretofore issued by the Department of
Reclamation of the State of Idaho.

1. The name and postoffice address of the person or corporation holding said permit
is Idaho Water Company, P.O.Box 746, Coeur d' Alene, Idaho

2. Said works of diversion will be fully completed on the date for such completion,
and the amount of water which said works are capable of conveying to the place of
use is 3.0 cubic feet per second.

3. The use to which said water has been applied is Municipal Water Supply
_____, purposes and the amount applied to beneficial use is
3.0 cubic feet per second.

4. The point of diversion of said water is SW $\frac{1}{4}$ of the SW $\frac{1}{4}$ of Section 1, Twp. 50 N,
Rge. 4W, B.M., County of Kootenai

5. The place where said water is used is in Coeur d' Alene, Kootenai County, Idaho, and
vicinity, as now served or hereafter extended, said service area being located in Sections
1, 2, 11, 12, 13, 14 and 24, Twp. 50N, Rge. 4W, B.M. and Sections 6, 7, 18 and 19 Twp. 50N,
Rge. 3W, B.M.

6. The date of priority which said user is prepared to establish is July 26, 1960

CARL E. TAPPAN

State Reclamation Engineer

28886

STATE OF IDAHO
DEPARTMENT OF RECLAMATION

Boise, Idaho
April 30, 1965

Re: Permit No. G- 28886

Idaho Water Company
Box 1809
Boise, Idaho

Gentlemen:

The date for proofs of Completion of Works and Application of water to beneficial use, as set out under terms of Permit No. G- 28886 are due not later than **July 26, 1965**

Before these proofs can be made, the statutory requirement is that a notice of your intention of proof be published once a week for four consecutive weeks in a newspaper within the county in which the land is located. In completing the Notice of proof for publication, the information should be taken from your Permit, including any amendments made in connection with a change of point of diversion or land list, which has been recorded in this department. If changes have been made and no amendments are on record, we advise you request a form for this purpose before your Notice is published.

We enclose Form 36, in duplicate, which is to be filled out and returned to this department at least FORTY (40) DAYS BEFORE THE MENTIONED DATE, (allowing for four weeks publication). Please give the name of the town, the address of the place where the depositions will be executed, and, the name of the notary public before whom you will appear to make the depositions of proof (this may be at any place convenient for you and your two witnesses), the quantity of water filed; for what purpose it is used; the point, or points, of diversion; and the location of use or the lands which are irrigated -- all by legal land description.

Enclosed also is Form 11, which is the authorization for us to have the notice published in the designated county newspaper at your expense. This is to be returned with two Forms 36.

At the time we send the notice to the newspaper we will send to you the forms for the depositions of holder and two disinterested witnesses. It is important that the depositions be executed at the time, on the date set, at the place named, and before the notary public, as advertised in the publication notice.

Very truly yours,

State Reclamation Engineer

Enclosures Forms 36 and 11

cc: Idaho Water Co.
Box 749
Coeur D'Alene, Idaho

28886

August 2, 1960

Re: Permit No. G-28886
Idaho Water Company
Coeur d'Alene, Idaho

Idaho Water Company,
Box 1809,
Boise, Idaho.

Gentlemen:

We enclose Permit No. G-28886 in which we direct your attention to the limitations and conditions as given on the fourth page under approval of the State Reclamation Engineer.

We also enclose Departmental Receipt No. G-5071 which was issued covering payment in the amount of \$5.50 for the filing fee of the above mentioned permit.

Very truly yours,

GEO. N. CARTER
State Reclamation Engineer
By

(Mrs.) Edna P. Rule
Chief Clerk

Encl.
EPR:pmk

cc: Idaho Water Company
Box 749,
Coeur d'Alene, Idaho

28886

NAME OF APPLICANT IDAHO WATER Co

Form No. 0

TWP 50 N R 4 W B.M.

2

1

6

LOCATION OF WELL

N 15° 39' W - 389.23 FEET

11

12

28886
APPROVED
JUL 2 1900
CHAS. N. CARTER
Reclamation Engineer

NOTICE OF PROOF OF COM-
PLETION OF WORKS

and

APPLICATION OF WATER TO
BENEFICIAL USE

Notice is hereby given that at 10 A.M., on the 23 day of July, 1965, at Coeur d'Alene, County of Kootenai, State of Idaho before Paul D. McCabe, Notary Public, at (address) 315 Elder Building, proof will be submitted of the completion of works for the diversion of 3.0 cubic feet per second of underground water from a well, and of the application to beneficial use of said water, in accordance with the terms and conditions of Permit No. G-28886, heretofore issued by the Department of Reclamation of the State of Idaho.

by the Department of Re-

1. The name and postoffice address of the person or corporation holding said permit is Idaho Water Company, P.O. Box 746, Coeur d'Alene Idaho.

2. Said works of diversion will be fully completed on the date for such completion, and the amount of water which said works are capable of conveying to the place of use is 3.0 cubic feet per second.

3. The use to which said
water has been applied is Municipal Water Supply, purposes and the amount applied to beneficial use is 3.0 cubic feet per second.

4. The point of diversion of said water is SW1/4, of the SW1/4 of Section 1, Twp. 50 N, Rge. 4W, B.M., County of Kootenai.

5. The place where said water is used is in Coeur d'Alene, Kootenai County, Idaho, and vicinity, as now served or hereafter extended, said service area being located in Sections 1, 2, 11, 12, 13, 14, and 24, Twp. 50N, Rge. 4W, B.M. and Sections 6, 7, 18 and 19 Twp. 50N, Rge. 3W, B.M.

6. The date of priority which said user is prepared to establish is July 21, 1960.

CARL E. TAPPAN

State Reclamation

Engineer

June 9, 16, 23, 30, 1965.

28886