

Don Grebe
112 King St
Walla Walla, WA

Applying for
Already complete



1.93 ACRES TOTAL


1 acre NP .93 acre UP

MICROFILMED
MAR 30 1995

NOTE:

This plat represents a radial survey for usable acreage between nine mile creek and the existing road, no boundaries were established

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Don Grubel
(Applicant)

578


57° 30"


579

580

581

55' 460000 FEET





MICROFILMED
DEC 02 1955

COEUR D'ALENE
NATIONAL FOREST

PERMIT # 94-07358

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT S

PHOTOGR



FRANKLIN 2 HP PUMP
PUMP SITE



CONCRETE RING
NINE MILE CREEK
DEC 02 1996



PERMIT # 94-07358

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

PHOTOGRAPHS



RV PARK
FIRE PROTECTION



FIRE PROTECTION NOZZLE



MICROFILMED
DEC 02 1996

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 94-07358

Priority: January 13, 1995

Maximum Diversion Rate:

0.06 CFS

This is to certify, that DON GREBIL
112 KING ST

WALLACE ID 83873

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated January 13, 1995; and has submitted Proof of Beneficial Use on January 16, 1996. An examination indicates that the works have a diversion capacity of 0.030 cfs of water from:

NINEMILE CREEK

tributary to COEUR D ALENE RIVER, S. FORK

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.01 CFS	
FIRE PROTECTION	01/01 to 12/31	0.06 CFS	
Totals		0.06 CFS	

LOCATION OF POINT(S) OF DIVERSION: Lot 2 (SESE), Sec. 27, Township 48N, Range 04E
SHOSHONE County

<u>PLACE OF USE:</u> IRRIGATION						
<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
48N	04E	26	Lot 8 (SWSW)	0.5		0.5
		27	Lot 2 (SESE)	0.5		0.5
Total number of acres irrigated:						1

PLACE OF USE:
FIRE PROTECTION, same as IRRIGATION use

CONDITIONS OF APPROVAL AND REMARKS

1. This water right is appurtenant to the described place of use.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. Rights 94-07339 and 94-07358 when combined shall not exceed a total irrigation rate of diversion of 0.03 cfs, a total annual irrigation diversion volume of 3.0 af, and the irrigation of a total of 1 acre.
5. Water shall not be diverted for fire protection use under this right except to fight or repel an existing fire.

MICROFILMED
DEC 8 1996

State of Idaho
Department of Water Resources


WATER RIGHT LICENSE


WATER RIGHT NO. 94-07358

CONDITIONS OF APPROVAL AND REMARKS

6. Right 94-07339 is also diverted at the point of diversion described above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 17th day of OCTOBER, 1996.


Acting for KARL J. DREHER, Director



MICROFILMED
DEC 2 1996

FOR OFFICE USE ONLY
 Amt. of Fee \$: 50.00
 Receipt No. 60344725
 Receipt By: Jew
 Date Received: 1-16-96

JAN 16 1996

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

1. Permit No. 94-07358 Telephone No. (208) 753-7121

2. Name(s) of Permit Holder(s): DON - JEANNE GREBIL

3. Mailing Address: 112 King ST, Wallace, Id. 83873

4. Source of Water: Blue Hill Creek If **GROUNDWATER** (well), Date Drilled: mo. / yr.

a. Well Driller: _____ Drilling Permit Number: - - -

b. **OPTIONAL:**

Pump Horsepower:	Pressure (psi):	Dynamic pumping level (ft):
------------------	-----------------	-----------------------------

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): _____ Stockwater (No. and type of stock): _____

Irrigation (No. of acres): ~~0~~ 1.0 Other: FIRE PROTECTION

6. Total rate of diversion and/or volume for which proof is submitted: 0.06 cfs OR acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)

(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required? Yes or No

Has the measuring device been installed? Yes or No x

Flow Measurement Port: Is a flow measurement port required? Yes or No X

Has the measurement port been installed? Yes or No x

8. Fee Enclosed: \$ 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: DON GREBIL Telephone Number: (208) 753-7121

Address: 112 King ST WALLACE, IDAHO

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: *Don Ebel* *PERMAN* Date: *1998/12/96*

(include your title, if on behalf of company or organization)

MAR 29 1998
 Date: 1998/02/96

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 94-07358

Proposed Priority: January 13, 1995 Maximum Diversion Rate: 0.10 CFS

This is to certify, that **DON GREBIL**
112 KING ST
WALLACE ID 83873

has applied for a permit to appropriate water from:
NINE MILE CREEK tributary of **COEUR D ALENE RIVER, SOUTH FK**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	01/01 to 12/31	0.06 CFS
FIRE PROTECTION	01/01 to 12/31	0.04 CFS
	Totals	0.10 CFS

LOCATION OF POINT(S) OF DIVERSION: NESESE , Sec. 27, Township 48N, Range 04E
SHOSHONE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
48N	04E	26	SWSW	1.0		1.0
		27	SESE	1.0		1.0

Total number of acres irrigated: 2.0


PLACE OF USE: FIRE PROTECTION, same as IRRIGATION use

CONDITIONS/REMARKS:


1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **March 1, 1996**.
2. Subject to all prior water rights.
3. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.
4. The issuance of this right in no way grants any right-of-way or easement across the land of another.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

24th day of March, 1995


for R. Keith Higginson, Director

MAR 20 1995



Ident. No. 94-07358

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant DON GREBIL Phone (208) 753-7121
Post office address ~~108 KING ST~~ 112 KING ST WALLACE ID 83873
2. Source of water supply NINE MILE CREEK which is a tributary of P. 8. FORK COA RIVER
3. Location of point of diversion is NE $\frac{1}{4}$ of SE $\frac{1}{4}$ of SE $\frac{1}{4}$, Govt. Lot 27
27 Sec. 48N Township 04E Range 26E B.M. SHOSHONE County; additional
points of diversion if any: NONE
4. Water will be used for the following purposes:
Amount 0.06 for IRRIGATION purposes from CONTINUOUS to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.04 for FIRE PROTECTION purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.10 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. 2" PLASTIC LINE - 1-2"
PUMP

b. Height of storage dam CREEK LEVEL feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
d. Is ground water with a temperature of greater than 90°F being sought? NO
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 1/2 years (minimum 1 year).

MAR 30 1995

1. What is the main purpose of the document?

12. Remarks:

10. Describe any other water rights used for the same purposes as described above. 1 acre west
To IT COMPLETE 94-07339

11. a. Who owns the property at the point of diversion? COUNTY
b. Who owns the land to be irrigated or place of use? ~~Don Garbit~~ Union Pacific RR
c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. I HAVE HAD GROUND UNDER
ACCESS SINCE 1961 FOR R.V. PARK

Total number of acres to be irrigated -

[illegible]

8. Description of proposed uses (if irrigation only, go to item 9):

a. Hydropower; show total feet of head and proposed capacity in KW. _____

b. Stockwatering; list number and kind of livestock. _____

c. Municipal; show name of municipality. _____

d. Domestic; show number of households. _____

e. Other; describe fully. _____


9. Description of place of use:

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

Don Gable
112 King St
Walla Walla, ID

APPLYING FOR
ALREADY COMPLETE




NOTE:

This plot represents a radial survey
for usable acreage between nine
mile creek and the existing road, no
boundaries were established

Walla Walla
ID 99055

RECEIVED
MAY 20 1995


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Don Grubel
(Applicant)





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

October 18, 1996

DON GREBIL
112 KING ST
WALLACE ID 83873

RE: WATER RIGHT NO. 94-07358

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:ph

Enclosure

MICROFILMED
JUL 2 1997

MEMORANDUM

TO: File 94-07358

FROM: Sharla

DATE: October 15, 1996

RE: Recommendation Adjustment(s)

The final license recommendations for Right 94-07358 are based on the following:

H. RECOMMENDATIONS

1. Recommended Amounts

Irrigation	3/15 - 11/31\\15	0.01 cfs
Fire Prot.	1/1 - 12/31	0.06 cfs
	TOTAL	0.06 cfs

Previous license, 94-07339, is for 0.02 cfs for irrigation and fire protection. This license will pick up the additional capacity for fire protection use and cfs to bring irrigation up to 0.03 cfs/acre, with appropriate conditions limiting the combined rights.

Examiner: Herman Spangle
Exam date: September 4, 1996

MICROFILMED
DEC 9 2 1996

LICENSE REVIEW CHECKLIST

PERMIT NO. 94-07358

DATE 10/15/96

REVIEWER: S H A R L A

NAME Change — OK /

Address Change NO

SOURCE — /

Is change clarification of originally intended source? —

If not, prepare Notice of Intent to Void —

POINT OF DIV — /

Amendment required NO

PLACE OF USE — /

Amendment required NO

Does map agree with written description? / yes — no

OVERLAPS — P/D — P/U

94-7339 - .02 cfs

RATE OF DIV

Permitted Rate .10 cfs

Fee limit .20 cfs

Measured — cfs

Theoretical .08 cfs

Recommended Total Div Rate .06 cfs

ANNUAL VOLUME/ NATURE OF USES

Use

Dom. .01

Fire .06

Volume Calculation

N/A af

— af

— af

— af

SUBTOTAL — af

Flow rate — cfs X — days X 1.9835 = — af

Total volume recommended — af

(SUBTOTAL or Flow Rate, whichever is less)

REMARKS

W35 (.03, 30, 1)
WB6

CONDITIONS — Watermaster Control WD# —

— GW Measurement/Measuring Device

— Overlap

— Use-specific conditions

Advancement of Priority Date Required — yes — no

SRBA Claim Filed NA

Adjustment Memo Rate/volume

1st Amend Letter NA

2nd Amend Letter —

Sec. 20.

Sec. 21.

22

Sec. 23.

Sec. 29.

Sec. 32.

33

5

MICROFILMED
DEC 9 2 1986

P		Q		R		S	
P		Q		R		S	
Sec. 28. PUBLIC LAND 607.10 A. MINERAL LAND 32.90 A. 27.45 35.80 39.95 1853 1853 1853 3 2 1		Sec. 27. PUBLIC LAND 637.10 A. MINERAL LAND 2.90 A. 39.53 34.30 32.43 2 1		Sec. 35. PUBLIC LAND 634.34 A. MINERAL LAND 5.66 A.		Sec. 33.	
Sec. 28. PUBLIC LAND 607.10 A. MINERAL LAND 32.90 A. 27.45 35.80 39.95 1853 1853 1853 3 2 1		Sec. 27. PUBLIC LAND 637.10 A. MINERAL LAND 2.90 A. 39.53 34.30 32.43 2 1		Sec. 35. PUBLIC LAND 634.34 A. MINERAL LAND 5.66 A.		Sec. 33.	

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

SEP 19 1996

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 94-07358

1. Owner: DON - Jeanne Grebil Phone No. 753-7121

Current Address: 112 King St. Wallace, Id. 83873

2. Accompanied by: _____ EXAM DATE: 9-4-96

Address: _____ Phone No. Same as above

Relationship to Permit Holder: _____

3. Source: NINE MILE CREEK tributary to South Fork Coeur d'Alene River

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 94-07339

2. Other water rights with the same point of diversion: 94-07339

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NE	SE	SE	27	48N	04E	SHOSHONE	U.S.G.S. 7.5' Quad

2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
48N	04E	27																.5	.5
48N	04E	26											.5						.5

MICROFILMED
DEC 12 1995

Total = 1.0

2. Measurements:

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date


D. FLOW MEASUREMENTS

*Code to correspond with No. on map and aerial photo

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	FRANKLIN	2.0		March Industries	NSPHG - 5200A

4.

Scale: 1" = _____
_____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
_____ Aerial Photo Attached (required for irrigation of 10+ acres)
_____ Photo of Diversion and System Attached



3. Delivery System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe l.d. as applicable.

E. NARRATIVE/REMARKS/COMMENTS

Water From Nine Mile Creek is collected in 2-4' Concrete Rings located on the left Bank. Water is pumped From Rings by a 2 hp. pump to P.V.C. Sprinkler System to IRRIGATE 30 R.V. Composted Lawns @ the "Down by the Depot R.V. Park". Fire Protection is for all Sites and office AREA.

*this Application was filed to account for the Systems Capacity. It is concurrent with 94-07339. At no time will the Acre ft/Annum exceed 3.0 acft/ANNUM in conjunction with License # 94-07339 for the IRRIGATION OF 1 ACRE.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
DEC 8 2 1993

F. FLOW CALCULATIONS

Measured Method:

**Theoretical Calculation*

Additional Computation Sheets Attached

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 1 \times 3 = 3.0$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .06 \times 245 \times 1.9835 = 29.16$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{D.R.} = 3.0$$

2. Volume Calculations for Other Uses:

$$30 \text{ RV. Side Lawns} = 15' \times 40' \times 30 / 43,560 = 0.41$$

$$\text{Side Lawn Area} = 330' \times 15' \times 2 / 43,560 = 0.23$$

$$\text{Landscaping/Office Lawn} = 0.36$$

$$\underline{1.00 \text{ Total Acres}}$$

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use

IRRIGATION
FIRE PROTECTION

From
3-15

To
11-15

12-31

Totals:

Rate of Diversion

Q (cfs)
.03

.03

Annual Volume

V (afa)
3.0

—

2. Recommended Amendments

Change P.D. as reflected above
Change P.U. as reflected above

Add P.D. as reflected above
Add P.U. as reflected above

None
Other

I. AUTHENTICATION

Field Examiner's Name

William F. Sample

Date

9-4-96


Reviewer

Date

SEAL

INFORMED

10/1/96



THEORETICAL PUMP EFFICIENCY CALCULATIONS

FILE: 94-07339
DATE: 19-SEP-95
COMPLETE BY: BEARDSLEE

HORSEPOWER = 2

PUMP EFFICIENCY = 50%

DYNAMIC LIFT = 20 FEET

SYSTEM PRESSURE = 40 PSI

QUANTITY = 0.08 CFS

IMPROVED
DISC 12.00

PERMIT # 94-07358

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

FIELD REPORT S

H O T O G R



FRANKLIN 2 HP PUMP
PUMP SITE




CONCRETE RING
NINE MILE CREEK



PERMIT # 94-07358

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT


PHOTOGRAPHS



RM PARK
FIRE PROTECTION



FIRE PROTECTION NOZZLE



MICROFILMED
DEC 02 1966

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 94-07358 Reviewed by [Signature] Date 1-25-96

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
yes Address same as permit?
yes Proof timely received?
If not, complete calculation below.

Irr. force pro.
Correct Uses? yes

SOURCE OF WATER

☒ Surface water source

☐ Ground water source

☐	Drilling permit required?	
☐	Copy in the file?	Drilling Permit No. _____
☐	Amount paid for permit	_____ Correct?
☐	Well log in the file?	

LICENSE EXAMINATION FEE

MEASURING DEVICE

yes Required?
50.00 Amount Submitted
yes Correct?

no Required?
☐ Installed?
☐ Waiver requested?

PRIORITY CALCULATION

Date proof received	_____		_____
Date proof due	_____	-	_____
No. of days late	_____	=	_____
Priority Date	_____	+	_____
New Priority Date	_____		_____

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

DATA ENTRY

New Address [Signature] Proof Made 1-16-96

January 26, 1996

DON GREBIL
112 KING ST
WALLACE ID 83873

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 94-07358

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208)769-1450.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

RECEIVED
MAR 29 1996

December 31, 1995

DON GREBIL
112 KING ST
WALLACE ID 83873

PROOF DUE NOTICE

RE: PERMIT NO. 94-07358

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before March 1, 1996.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.


Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

MAR 28 1996





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

March 24, 1995

DON GREBIL
112 KING ST
WALLACE ID 83873

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 94-07358

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permit.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosures

RECEIVED
MAR 30 1995

APPLICATION FOR PERMIT
STATE OFFICE REVIEW
by Cindy Zimmerman

No.: 94-7358 Name: Greibel Date: 3/14/95 Ad OK? ☒
Correct Fee? ☒ Receipt #: N8549 Priority: 1/13/95 ☒ Gvmt Lts: ☒

AREA OF CONCERN? - No/Yes _____ Mor _____ GWMA Trust/Non-trust
 PROTESTED: - 020 (Prehearing agreement) or W19 (See Order)

SYSTEM COMPLETED:

Yes/proof filed - NA
1 year/no proof - P16
+1 year - 26A-P17

GROUNDWATER: $\langle \sqrt{\text{FLO-CH}} \rangle$

+ 0.2 cfs	- 01M
- 0.2 cfs	- No MD
+ 5 a. (POU cmp)	- 01M, 803(if GW use SW 1st)

Drilling Permit:

Existing well - NA (pre 7/1/87)
Included w/permit - Permit No. _____, P99
No WD permit? - 046-46B-P23 (post 7/1/87)
irr. in WD - P05 (new well)

SURFACE WATER <✓ FLO-CH>(Surface water that doesn't sink):

Water District(~~dem~~)	-	005 (req) WD #_____	<SEE MAP & LISTING>
+ 0.2 cfs	-	01J-P08 or 01M	
- 0.2 cfs	-	01H-P01 or No MD	
+ 5 a. irr.	-	01M (POU cmp)	
~~In-WD~~ + 0.2 cfs	-	01M or No MD (in-stream)	
- 0.2 cfs	-	No MD	
+ 5 a. irr.	-	01M (POU cmp)	

RIVER BASINS (*Surface water):

Snake R (01) - 11A-P04, NA
(02/03) - 007-P07 (w/remark WB9), NA
Boise R (63) - 05A (if WB), 11E (not 42-111 use), NA
Payette R (65) - 064(consump. use), 047-P04(Payette Lake), NA

USE:

Domestic (surface) - 021(Boise R ↑ L Peak); 064(Payette R); NA
Fish Propagation - 07A-042(rq)-010/06A/09E(WQ)-P10;044(N 1000 Spr)
Irr - 5 acres - 057 (0.03 cfs/A)
+ 5 acres - 03A (0.02 cfs/A)
Mining - 054 (req) & 06A/010/09E-P10
Power - 08A-17K-025-027-01M-01F(P19)-09E(P10);
+25 cfs-P18; 17G(FERC) or 17M(FERC); 18B-P09
Storage(✓ 3 compo.) - 18A(multi MD in WD), 18B-P09 (+10' dam), NA

LOCATION:

Boise Front LoGeo	-	058 (-85° GW temp only)
In-stream dev.	-	030 (stream channel alteration)
Irr Dist/Canal Co.	-	023 (Twin Falls area)
Swan Falls Flag	-	<u>B</u> <SEE CONDITION CODE CHART>
Trust	-	051-052-053-P74 (Consumptive Uses), NA
Non-Trust <1>	-	048-049 (Consumptive Uses), NA

OWNERSHIP:Non-land owner

OTHER CONDITIONS:

~~STANDARD REMARKS:~~

BENEFICIAL USE DUE:

COMMENTS:

No. a
4/87-06/92n

IN DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

MAR 07 1995
Department of Water Resources

APPLICATION # 94 - 7358

***** INITIAL REVIEW *****

APPLICANT: GREBIL BY: [Signature] DATE: 1/13/95

ITEM REQUIRED INFORMATION

1. ☒ Name and Address
2. ☒ Source
3. ☒ Point of Diversion & County
4. ☒ Quantity
☒ Nature of Proposed Use
☒ Period of Use
5. ☒ Total Quantity
6. ☒ Description of diverting works
7. ☒ Time required for b/u
8. ☒ Proposed use
9. ☒ Place of use or acres irrigated
10. ☒ Other Water Rights
11. ☒ Ownership
13. ☒ Map
☒ Signature
☒ Fee (Amt, recpt, acknowledgment)

*** Send info sheet Y() N()

ADDITIONAL INFORMATION

Yes No

- ☒ Field check: by _____
☒ Field report attached
☒ Analysis Supp. attached(>5cfs/500af)
☒ Water delivered by water master?
Water District # _____

PROCESSING

Yes No

PRIORITY DATE: 1/13/95

- ☒ (Include Moratorium Remark)
☒ Statewide Avertising: (Diversion rate greater than 10 cfs or 1,000 af).

NP Thers

ADVERTISE IN: SHOSHONE County.

LETTERS SENT REQUESTING:

- () Dam Information () Fish Information
() Power Information () Other: N/A

INFORMATION RECEIVED:

- () Dam Information () Fish Information
() Power Information () Other: N/A

***** GROUNDWATER SECTION *****

(Yes) (No)

Checked by: _____ Date: ____/____/____

Remarks: _____

- ☒ Groundwater management area
☒ Critical ground water area
☒ Well Drilling Permit required
☒ Well Drilling Application and Fees received
☒ Well Drilling Application approved?
Well Drilling Application Number _____

***** FINAL REGIONAL PROCESSING/REVIEW *****

(Yes) (No)

Notice of pending void order issued. Final order response date: ____/____/____

Further information required from applicant

2/24/95 Affidavit of publication received

☒ Application published correctly, If not, record action taken: _____

1/25/95 Publication dates and paper recorded on application | Sr. Agent initial [Signature]

Protests received. Final protest date: 2/20/95

Measuring device required


Measuring port required

Special conditions: _____

Special conditions of approval supplement and/or cover letter attached:

Approval Recommended by: [Signature]

Date: 2/28/95



PROOF OF PUBLICATION

)
) Idaho Department of Water Res.
) 1910 Northwest Blvd. Suite 210
) Coeur d' Alene, ID 83814

s/ Daniel C. Drewry, being first duly sworn deposes and says:
SHOSHONE NEWS-PRESS, a daily newspaper of general circulation in
county, published in the city of Kellogg, in the County of Shoshone
the State of Idaho, and which has been published continuously in sa
county for a period of 78 weeks immediately prior to the publication
notice hereinafter described, and that the

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have
been filed to appropriate the public
waters of the State of Idaho:

94-07358
GREBIL, DON
112 KING STREET
WALLACE, ID 83873
Source: NINE MILE CREEK Tributary:
COEUR D'ALENE RIVER, EAST
Diversions Pt. NESESE Sec 27 T 48N R
04E in SHOSHONE County.
Use: IRRIGATION (.060 CFS)
FIRE PROTECTION (.040 CFS)
Total Diversion: (.100 CFS)
Date Filed: 1/13/1995
In: SHOSHONE County
T48N R04E S26 SWSW
S27 SESE
2.0 ACRES TOTAL

For additional information concerning
the property location, call the Northern
Regional Office at (208) 769-1450.

The permit(s) will be subject to all pri-
or water rights. Protests must be filed
with the applicant and with the Director,
Dept. of Water Resources, Northern
Region, 1910 Northwest Blvd., Suite 210,
Coeur d' Alene, Idaho 83814, together
with a protest fee of \$25.00 on or before
FEBRUARY 20, 1995.

R. KEITH HIGGINSON, Director
Legal #SHO 843
2 z 2-1/8/1995


LEGAL NOTICE

of which the annexed is a true copy, was published in each regular
weekly/daily issue of said newspaper, and not in supplement thereto
a period of (2) Two consecutive weeks/days, the fi
publication thereof being in the issue dated 2/1, 8/95

STATE OF IDAHO

COUNTY OF

On this 20 day of February in the year of 1995,
before me a Notary Public, personally appeared Daniel C. Drewry known or
identified to me to be the person whose name subscribed to the within
instrument, and being by me first duly sworn, declared that the statements
therein are true, and acknowledged to me that he executed the same.


Notary Public for Idaho
Residing in Kellogg, Idaho
My Commission expires:
10/17/2000

The Board of Land and Conservation
 has the honor to acknowledge the receipt of your letter of the 11th inst. and in reply to inform you that the same has been forwarded to the proper authorities for their consideration.

s/ Daniel C. Drewry, being first duly sworn deposes and says: SHOSHONE NEWS-PRESS, a daily newspaper of general circulation in said county, published in the city of Kellogg, in the County of Shoshone and the State of Idaho, and which has been published continuously in said county for a period of 78 weeks immediately prior to the publication of this notice hereinafter described, and that the

of which the annexed is a true copy, was published in each regular weekly/daily issue of said newspaper, and not in supplement thereto, for a period of (2) Two consecutive weeks/days, the first publication thereof being in the issue dated 2/18/95



))))

Justin K. Brubaker
Notary Public for Idaho

RECEIVED
MAR 30 1995



State of Idaho
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite No. 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814-2615
(208) 769-1450

Fax (208) 769-1454

~~Philip E. Batt~~
Governor

R. KEITH HIGGINSON
Director

January 25, 1995

Don Grebil
112 King Street
Wallace, ID 83873

Subject: Water Appropriation Application for Permit Number 94-07358

Dear Mr. Grebil:

The Idaho Department of Water Resources hereby acknowledges receipt of the above-referenced Application for Permit to appropriate the Public Waters of the State of Idaho. Enclosed is Receipt Number N008549. Please refer to your Application for Permit Number in future matters concerning this water right application.

Your Application for Permit is currently being prepared for advertising in the local county newspaper. The advertisement will be published for two consecutive weeks followed by a waiting period of ten days to allow for submittal of protests.

If your application is not protested, it will be forwarded to Boise for processing. Normal processing time is approximately 3 to 4 months, if the application is not protested. If your Application for Permit is protested, you will be sent a copy of the protest and instructions to aid you in resolving the protest without a hearing. All protests must be resolved before your Application for Permit can be approved. If the protest is not resolved, this Department will conduct a conference and/or hearing on the matter.

You will receive your approved Application for Permit and instructions on filing the Proof of Beneficial Use from our State Office in Boise.

If your Application for Permit is for a well (groundwater) that was constructed after July 1, 1987, you must apply for a well drilling permit upon approval of your Application for Permit if no permit was obtained by previous owners to construct the well. Well Drilling Permits can only be issued by this office to holders of approved Applications for Permit.

If I can be of further assistance, please feel free to contact me at this office.

Sincerely,

ALLEN BEARDSLEE
Senior Water Resource Agent
Enc. - Receipt

RECEIVED
MAR 30 1995

94-07358

GREBIL, DON
112 KING STREET
WALLACE, ID 83873

Source: NINE MILE CREEK

Tributary: COEUR D ALENE RIVER, EAST

Diversion Pt: NESESE Sec 27 T 48N R 04E in SHOSHONE County.

Use: IRRIGATION (.060 CFS)
FIRE PROTECTION (.040 CFS)
Total Diversion: (.100 CFS)

Date Filed: 1/13/1995

In: SHOSHONE County
T48N R04E S26 SWSW
S27 SESE

2.0 ACRES TOTAL

RECEIVED
FEB 17 1995
MID 00 1105