




94-7339

McCarthy

Woodland Park

Wallace

COEUR D'ALENE
NATIONAL FOREST

NATIONAL FOREST


T48N R4E

UNDEVELOPED
SEP 22 1992

R4E
R5E

PLACER


Prospects



GREBIL
T. 48N. R 4E

NOV 16 1985

DON GREBIL 94.07339



● DOWN BY THE DEPOT
● RV CAMP SITES

2 H.P. PUMP



RECEIVED
6 1995

Don Greer 94-07339

NOV 16 1995



● CONCRETE RINGS ON
LEFT BANK OF NINE-
MILE CREEK.

IRRI GATION VALVE ON
RIGHT BANK

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 94-07339

Priority: May 10, 1992

Maximum Diversion Rate:

0.02 CFS

Maximum Diversion Volume:

3.0 AF

This is to certify, that DON GREBIL

112 KING ST

WALLACE ID 83873

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated April 27, 1992; and has submitted Proof of Beneficial Use on September 14, 1994. An examination indicates that the works have a diversion capacity of 0.080 cfs of water from:

NINEMILE CREEK

tributary to COEUR D ALENE RIVER, S. FORK

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.02 CFS	3.0 AF
FIRE PROTECTION	01/01 to 12/31	0.02 CFS	
Totals		0.02 CFS	3.0 AF

LOCATION OF POINT(S) OF DIVERSION:

SESE, Sec. 27, Township 48N, Range 04E
SHOSHONE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
48N	04E	26	SWSW 0.5			0.5
		27	SESE 0.5			0.5

Total number of acres irrigated: 1

PLACE OF USE:

FIRE PROTECTION, same as IRRIGATION use

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

NOV 16 1995

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE


WATER RIGHT NO. 94-07339

CONDITIONS OF APPROVAL AND REMARKS

5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.0 afa per acre for the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 27TH day of OCTOBER, 1995.

Acting for  KARL J. DREHER, Director



11/6/95

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 94-07339)

IN THE NAME OF DON GREBIL)

ORDER OF
REINSTATEMENT

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted on or before September 1, 1994; and,

WHEREAS, the Department notified the permit holder on June 30, 1994, by certified mail that proof was due and instructed the permit holder of the steps to be taken to submit the proof of beneficial use; and,


WHEREAS, the Department notified the permit holder on September 7, 1994, that the permit had lapsed for failure to submit an acceptable proof of beneficial use or extension of time; and,

WHEREAS, Section 42-218a, Idaho Code, provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing why the permit should be reinstated by submitting an acceptable proof of beneficial use on September 14, 1994;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 94-07339 be REINSTATED with an advance in priority to May 10, 1992.

Dated this 19th day of October, 1994.



L. GLEN SAXTON
Chief, Water Allocation Bureau

0731701

RECEIVED

SEP 14 1994

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 94-07339 Telephone No. (208) 753-7121

2. Name(s) of Permit Holder(s): DON GREBIL

3. Mailing Address: 112 King ST, Wallace Id. 83873

4. Source of Water: Nine Mile Creek If GROUNDWATER (well), Date Drilled: mo. / yr.

a. Well Driller: Drilling Permit Number: - - -

b. **OPTIONAL:**
Pump Horsepower: 2 Pressure (psi): 195 Dynamic pumping level (ft):

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): Stockwater (No. and type of stock):

Irrigation (No. of acres): 21 Other:

6. Total rate of diversion and/or volume for which proof is submitted: 02 cfs OR 6.4 acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)

(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required? Yes or No ✓
Has the measuring device been installed? Yes or No ✓

Flow Measurement Port: Is a flow measurement port required? Yes or No ✓
Has the measurement port been installed? Yes or No ✓

8. Fee Enclosed: \$ (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: DON GREBIL Telephone Number: 208-753-7121

Address: 112 King ST WALLACE

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Don Grebil Date: 09/10/94
(include your title, if on behalf of company or organization)

DEC 8 1 1994

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 94-07339

Proposed Priority: April 27, 1992 Maximum Diversion Rate: 0.02 CFS

This is to certify, that **DON GREBIL**
112 KING ST
WALLACE ID 83873

has applied for a permit to appropriate water from:

NINEMILE CREEK tributary of **COEUR D ALENE RIVER, S. FORK**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.02 CFS
FIRE PROTECTION	01/01 to 12/31	0.02 CFS
Totals		0.02 CFS

LOCATION OF POINT(S) OF DIVERSION: NESESE , Sec. 27, Township 48N, Range 04E
SHOSHONE County

<u>PLACE OF USE:</u> IRRIGATION						
<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
48N	04E	26	SWSW	0.5		0.5
		27	SESE	0.5		0.5

Total number of acres irrigated: 1

PLACE OF USE: FIRE PROTECTION, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **September 1, 1994**.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

MICROFILMED

SEP 22 1992


State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 94-07339

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

29th day of July, 19 97


R. Keith Higginson, Director

for

RECEIVED

SEP 22 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant DON GREBIL Phone 208 753-7121 OFF
752 3641 HM
Post office address 112 KING ST WALLACE IDAHO 83873
South Fork of
2. Source of water supply NINE MILE CREEK which is a tributary of EAST CDA RIVER
3. Location of point of diversion is NE 1/4 of SE 1/4 of SE 1/4, Govt. Lot SHOSHONE
Sec. 27 Township 48N Range 4E B.M. Boise County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount .02 for IRRIGATION purposes from 3-15 to 11-15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount .02 for FIRE PROT. purposes from 4-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .02 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. SUBMERSIBLE PUMP & PIPELINE

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
d. Is ground water with a temperature of greater than 90°F being sought? _____
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
2 years (minimum 1 year).


RECORDED
SEP 22 1992

10. Describe any other water rights used for the same purposes as described above. *None*
11. a. Who owns the property at the point of diversion? *APPLICANT*
b. Who owns the land to be irrigated or place of use? *APPLICANT*
c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing.
12. Remarks:

Total number of acres to be irrigated

[illegible]

8. Description of proposed uses (if irrigation only, go to item 9):
- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. _____
- e. Other; describe fully. _____
9. Description of place of use:
- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: *D for Domestic*) in the corresponding place of use below. See instructions for standard symbols.



13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

(Applicant)

SEP 22 1992

RECEIVED

e. Other:

permit.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

19

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

1. Approval of said application is subject to the following limitations and conditions:

Idaho No. _____, and said application is hereby _____

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

Publication approved by _____ Date 5/28/92

Publication prepared by _____ Date 4/29/92

Received by TDK Fee \$ 30.00 # N 5394 Date 4/27/92

Preliminary check by PJH Date 4/27/92 Time 3:00P



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

October 27, 1995

DON GREBIL
112 KING ST
WALLACE ID 83873

RE: WATER RIGHT NO. 94-07339

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

RECEIVED 11/1/95

NOV 16 1995

LICENSE REVIEW CHECKLIST

PERMIT NO. 94-07339 DATE 10-25-95



NAME	<u>Change OK</u>	Or Address Change?
PRIORITY DATE	<u>✓</u>	Advance? <u>YES</u> Advanced to: <u>5-10-1992</u> Order to reinstate needed? <u>DONE</u> Incorrect fee for rate recommended? <u>NO</u>
SOURCE	<u> </u>	Changes or just clarification of originally intended source? <u> </u> Notice of Intent to Void necessary? <u> </u>
POINT OF DIV	<u>✓</u>	Amendment needed? <u> </u> Overlaps? <u> </u>
PLACE OF USE	<u>✓</u>	Amendment needed? <u> </u> Overlaps? <u> </u>
DIV RATE	<u>✓</u>	Permit/fee limits: <u>.02 CFS</u> Meas Q = <u> </u> Theo Q = <u>.08</u> Recommend: <u>.02</u> <u>@ 70% efficient capacity is .11 CFS</u> Combined rates exceed capacity <u> </u>
ANNUAL VOLUME	<u>✓</u>	Volume Limit: <u> </u> Season: <u>D/S.O (3-15 to 11-15)</u> Calculations: <u>1 acre @ 3.0 f</u> <u>FIRE - NO VOLUME NECESSARY</u> Flow limit: <u> </u> cfs x <u> </u> x 1.9835 = <u> </u> Combined volumes exceed capacity/allowable <u> </u>
USES	<u> </u>	Change in Nature of Use or additional uses? <u> </u> Amendment necessary? <u> </u>
ADDITIONAL INFO	<u> </u>	Supplemental Groundwater <u> </u> PPU Scenario <u> </u> Irr/Dom Combination <u> </u> Shared G/W System <u> </u>
NEW REMARKS	<u> </u>	Multiple p/d(s) in ¼ ¼? <u> </u> Other <u> </u>
NEW CONDITIONS	<u> </u>	Watermaster control - District <u> </u> Measuring/Locking Devices <u> </u> <u>R29</u> Irrigation Overlap <u> </u> Other <u> </u> Water Quality <u> </u> Heat/Cool/Fish verified <u> </u>

COMMENTS:

RECOMMENDATION	CFS	VOLUME	SRBA Claim Filed	NA
<u>Irrigation</u>	<u>.02</u>	<u>3.0</u>	Adjustment Memo Needed	<u>YES</u>
<u>Fire Protection</u>	<u>.02</u>	<u> </u>	LICENSE	<u>✓</u>
<u> </u>	<u> </u>	<u> </u>	1ST AMEND LETTER	<u> </u>
<u> </u>	<u> </u>	<u> </u>	2ND AMEND LETTER	<u> </u>

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

OCT 09 1995

Department of Water Resources

94-07339

A. GENERAL INFORMATION

Permit No.

1. Owner: DON GREIL Phone No. 752-3641

Current Address: 112 KING ST WALLACE ID 83873

2. Accompanied by: RV PARK ATTENDANT EXAM DATE: 9/18/95

Address: SAME Phone No. _____

Relationship to Permit Holder: EMPLOYEE

3. Source: NINE MILE CREEK tributary to CO'A RIVER, S. FORK

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NE	SE	SE	27	48N	4E	SHOSHONE	U.S.G.S. 7.5' QUAD.

2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
48N	4E	27																.5	.5
48N	4E	26											.5						.5

TOTAL = 1.0

2. Measurements:

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

D. FLOW MEASUREMENTS

*Code to correspond with No. on map and aerial photo

Well or Diversion Identification No. *	MOTOR MAKE	HP	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO. OR DISCHARGE SIZE
	FRANKLIN ELECTRIC	2.0		MORARCH INDUSTRIES	USPHG - 5200A


4.

Copy of USGS Quadrangle Showing location(s) of _____
 points) of diversion and place(s) of use (required).

 Aerial Photo Attached _____
 (required for irrigation of 10+ acres)

 Photo of Diversion and System Attached _____

Score: f^*



E. NARRATIVE/REMARKS/COMMENTS

WATER FROM NINE MILE CREEK IS COLLECTED IN 2 4' CONCRETE RINGS LOCATED ON THE LEFT BANK. WATER IS PUMP FROM RINGS BY A 2 H.P. PUMP TO PVC SPRINKLER SYSTEM TO IRRIGATE 30 RV CAMPSITE LAWNS AT THE "DOWN BY THE DEPOT RV PARK."

Have conditions of permit approval been met? ☒ yes ☐ no

NOV 1 6 1994

Measured Method:

THEORETICAL CULTURATION

Additional Computation Sheets Attached

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{ir} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = (1) \times 3.0 = 3.0$$

$$V_{dr} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = (0.02)(245)(1.9835) = 9.7$$

$$V = \text{Smaller of } V_{ir} \text{ and } V_{dr} = 3.0$$

2. Volume Calculations for Other Uses:

30 CAMPUSITE LAMUS - 15' X 40' X 30' / 4360 = 0.41 Acres
SIDE LAMUS AREA 330' X 15' X 2' / 4360 = 0.23 Acres
MISC. LAND SCAPED / LAMUS 5 AROUND OFFICE = 0.36 Acres

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use

IRRIGATION

From	To
3/15	11/15

Period of Use	mm	To
5		11/5

Rate of Diversion

0.02
(cts)

Annual Volume (a) V

2. Recommended Amendments

Change P.D. as reflected above

Change P.U. as reflected above

☒	Add P.D. as reflected above
☐	Add P.U. as reflected above
☐	Other
☐	None

None ☒ Other ☐

I. AUTHENTICATION

Field Examiner's Name

Reviewer _____
Date _____

* Der Adjektivwert *merito*. Xc

SEAL

MEMORANDUM

TO: File 94-07339 / Don Grebil
FROM: Brenda Chapman
DATE: October 26, 1995
RE: Recommendation Adjustment(s)

=====

The final licensing recommendations for Right 94-07339 are based on the information below:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use	Rate of Div	Annual Vol
Irrigation	3-15 to 11-15	.02	3.0
Fire Protection	1-01 to 12-31	.02	

The licensing recommendation will include both of the permitted uses.

RECEIVED
OCT 27 1995
FBI - DENVER

THEORETICAL PUMP EFFICIENCY CALCULATIONS

FILE: 94-07339

DATE: 19-SEP-95

COMPLETE BY: BEARDSLEE

HORSEPOWER = 2


PUMP EFFICIENCY = 50%

DYNAMIC LIFT = 20 FEET

SYSTEM PRESSURE = 40 PSI


QUANTITY = 0.08 CFS

REMOVED FROM FILE
NOV 1 6 1995



GREBIL
T. 48N. R 4E

DON GREBIL 94-07339



● DOWN BY THE DEPOT
● RV CAMP SITES

2 H.P. PUMP

94-07339
6-1995

DON GREER 94-07339

NOV 1 6 1994



● CONCRETE RINGS ON
LEFT BANK OF NINE-
MILE CREEK.

IRIGATION VALVE ON
RIGHT BANK



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

October 19, 1994

DON GREBIL
112 KING ST
WALLACE ID 83873

PROOF ACKNOWLEDGEMENT LETTER

RE: PERMIT NO. 94-07338

Dear Permit Holder:

The Department acknowledges receipt of the proof of beneficial use form submitted for the above referenced water right permit.

Enclosed is an order reinstating your permit since the proof was received after the proof due date. Please note that the priority date has been advanced to May 10, 1992.

The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur d'Alene, at (208) 769-1450.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

Enclosure

c: IDWR - Region

DEC 21 1994

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 94-07339

Reviewed by Qy

Date 10/12/94

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
yes Address same as permit?
no Proof timely received?
If not, complete calculation below.

irr.
Correct Uses? yes

SOURCE OF WATER

☒ Surface water source
☐ Ground water source

☐ Drilling permit required?
☐ Copy in the file? Drilling Permit No. _____
☐ Amount paid for permit _____ Correct?
☐ Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

yes Required?
50.00 Amount Submitted
yes Correct?

no Required?
☐ Installed?
☐ Waiver requested?

PRIORITY CALCULATION

Date proof received 9/14/94
Date proof due 9/1/94 -
No. of days late 13 = 13
Priority Date 4-27-92 + 117
New Priority Date 5-10-92 130

> may 10, 1992

DEFICIENCIES OR ACTION ITEMS

Reinstate & advance priority to May 10, 1992.
Proof acceptable

DATA ENTRY

New Address X

Proof Made 9/14/94

September 7, 1994

DON GREBIL
112 KING ST
WALLACE ID 83873

LAPSE NOTICE

RE: PERMIT NO. 94-07339

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced permit has lapsed and is of no further force nor effect. The department provided the proper forms to you in our proof due notice dated June 30, 1994. No further construction or additional development is authorized under this permit unless it is reinstated.

The permit can only be reinstated if you submit an acceptable proof of beneficial use or an acceptable request for extension of time to the department within sixty (60) days of the mailing of this lapse notice. An acceptable proof of beneficial use submittal must include the examination fee or a completed field examination report. A request for extension of time must be accompanied by a fifty dollar (\$50.00) fee.

Enclosed again for your use are a proof of beneficial use form and a request for extension of time form. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a government agency or by litigation which may bring title to the water in question.

L. GLEN SAXTON
Chief, Water Allocation Bureau

Enclosures

CERTIFICATION OF MAILING

I hereby certify that on 9/7/94
a copy/an original of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above.

SEP 21 1994

June 30, 1994

DON GREBIL
112 KING ST
WALLACE ID 83873

PROOF DUE NOTICE

RE: PERMIT NO. 94-07339

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before September 1, 1994. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

July 31, 1992

DON GREBIL
112 KING ST
WALLACE ID 83873

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 94-07339

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed. You will receive a "Proof Due Notice" from this Department approximately 60 days prior to the completion date requiring you to file either a Proof of Beneficial Use form stating that the project has been completed or file a Request for an Extension of Time in which to file the proof statement.

Sincerely,

BRENDA L. MILLER
Water Resource Agent


BLM:cz

Enclosures

MICROFILMED

SEP 22 1992

PROOF OF PUBLICATION



) Idaho Department of Water Resources
) 1910 Northwest Blvd
) Coeur d'Alene, Idaho 83814

s/Daniel C. Drewry, being first duty sworn deposes and says:
SHOSHONE COUNTY NEWS-PRESS, a daily newspaper of general circulation in said county, published in the city of Kellogg, in the County of Shoshone and the State of Idaho, and which has been published continuously in said county for a period of 78 weeks immediately prior to the publication of this notice hereinafter described, and that the _____

Legal Notice

of which the annexed is a true copy, was published in each regular weekly/daily issue of said newspaper, and not in supplement thereto, for a period of (2) two consecutive weeks/days, the first publication thereof being in the issue dated 5/7/92 -- 5/14/92

STATE OF IDAHO)
)
)
COUNTY OF)
)

On this 15th day of May in the year of 1992, before me, a Notary Public, personally appeared Daniel C. Drewry known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he executed the same.

Notary Public for Idaho

Residing at Kellogg, Idaho
My commission expires: 10/17/94

5/20/92

LEGAL NOTICE

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

94-07339
GREBIL, DON
112 KING ST
WALLACE, ID 83873
Source: NINEMILE CREEK Tributary;
COEUR D ALENE RIVER, SOUTH
Diversion Pt: NESESE Sec 27 T 48N R
04E in SHOSHONE County.
Use: IRRIGATION (.020 CFS) FIRE
PROTECTION (.020 CFS)
Total Diversion: (.020 CFS)
Date Filed: 4/27/1992
In: SHOSHONE County
T48N R04E S26 SWSW
S27 SESE
1.0 ACRES TOTAL

For additional information concerning the property location, call the Northern Regional Office at 765-4639.

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Northern Region, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Idaho 83814 on or before MAY 26, 1992.
R. KEITH HIGGINSON, Director
Legal #SHO 523
2 x 5-7/14/1992

SEP 22 1992

94-07339

GREBIL, DON
112 KING ST
WALLACE, ID 83873

Source: NINEMILE CREEK

Tributary: COEUR D ALENE RIVER, SOUTH

Diversion Pt: NESESE Sec 27 T 48N R 04E in SHOSHONE County.

Use: IRRIGATION (.020 CFS)
FIRE PROTECTION (.020 CFS)
Total Diversion: (.020 CFS)

Date Filed: 4/27/1992

In: SHOSHONE County
T48N R04E S26 SWSW
S27 SESE

1.0 ACRES TOTAL

MICROFILMED

SEP 22 1992