


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.




Scale: 2 inches equal 1 mile.


BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

x Lisa Gookad
(Applicant)

MICROFILMED



SCALE 1:24 000




CONTOUR INTERVAL 40 FEET
SUPPLEMENTARY CONTOUR INTERVAL 20 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929

REPRODUCTION

JUL 30 1990

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
OR SALE BY U. S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST



Primary highway,
hard surface
Secondary highway,
hard surface
Interstate Route

MT.

TWP. 48N RGE. 3W SEC. 14 MAP # F-55 MAP SCALE 1:24,000
DATE OF EXAM 12-7-87 PERMIT # 94-7293



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

NORTHERN REGION

RECEIVED

JAN 08 1988

Department of Water Resources

REMARKS / PHOTOS

PERMIT # 94-7293

DATE

INITIALS

12/3/87 Don Passow came into office as
Atty in fact for Mrs Gootrad & is wondering
why lic. not issued. POB 295 St. Maries
Property involved in litigation

12/4/87 L.G. came into the office to request that
we do the exam asap. I set appt for
10:30 AM - Noon 12/7/87



MICROFILMED

JUL 8 0 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT SUPPLEMENT

Yes No PERMIT 94-7293

(☒) () B/U Acknowledgement Letter Sent PMS 11/18/85 (INITIAL & DATE)

() (☒) Aerial Photo Date Requested _____ by _____

(☒) () Quad Sheet

() (☒) GL Plat

() (☒) Copies of overlapping License Field Report Claim

(☒) () Photo PD/PU

() () Correspondence (Date) 7/2/86

() () Other (List) _____

EXAM COMPLETED BY PJA DATE 12/22/87

SR AGENT REVIEW JK DATE 12/23/87

REGIONAL MANAGER REVIEW PJA DATE 12/23/87

ENTERED ON COMPUTER BY me DATE 1/6/88

PRELIMINARY OVERLAP REVIEW BY King DATE 10/87

(☒) NO OVERLAP FOUND



FILMED

000 1400

94-7293



STATE OF IDAHO DEPARTMENT OF WATER RESOURCES

NORTHERN REGION

PERMIT # 94-7293

DATE

INITIALS



MICROFILMED
JUL 30 1990



STATE OF IDAHO DEPARTMENT OF WATER RESOURCES

PERMIT # 94-7293

DATE

INITIALS



MICROFILMED
JUL 30 1990

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 94-07293

Priority: August 9, 1985

Maximum Diversion Rate:

0.01 CFS

Maximum Diversion Volume:¹

1.2 AF

This is to certify, that LISA GOOTRAD

P.O. BOX 34

HARRISON, ID 83833

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated August 9, 1985; and has submitted Proof of Beneficial Use on August 16, 1985. An examination indicates that the works have a diversion capacity of .010 cfs of water from:

SPRING

tributary to SINKS

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.01 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION:

SE1/4NW, Sec. 14, Township 48N, Range 03W
ROOTENAI County

PLACE OF USE: DOMESTIC

TWN RGE SEC

48N 03W 14

NWNE

SWNE

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home located on center line of W1/2NE1/4, S14, T48N, R3W.

RECEIVED

SEP 10 1990

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 94-07293

This license is issued pursuant to the provisions of Section 42-219, Idaho Code,
Witness the seal and signature of the Director, affixed at Boise, this 24th
day of JULY, 1990.

Acting for *Norman C Young*
R. Keith Higginson, Director

NOT RECORDED
JUL 24 1990

JUL 24 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant MRS. LISA GOOTRAD Phone 689-3421
Post office address P.O. Box 34, HARRISON, IDAHO 83833
2. Source of water supply unnamed spring which is a tributary of Sinks
3. Location of point of diversion is _____ ¼ of NW ¼ of NW ¼, Govt. Lot _____
Sec. 14 Township 48N Range 3W B.M. Kootnai County; additional
points of diversion if any: SWNW, SEC 14, T48N, R3W
4. Water will be used for the following purposes:
Amount 0465 for Domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 04 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. spring box with pipeline to holding tank gal, and piped to house
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet; period of year when water will be diverted to storage: _____ to _____ inclusive.
 - c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? _____
7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years (minimum 1 year).

MICROFILMED

MICROFILMED

- e. Other; describe fully.

ponding place of use below. See instructions for standard symbols.


[illegible]

Total number of acres to be irrigated.

- applicant to make this filing.

12. Remarks:

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

X Lisa Goodrad MICROFILMED
(Applicant)

Proposed Priority 8/9/85

Received by

Date 8/9/85

Time 11:45 AM Preliminary check by

DM

Fee \$ 30.00

Received by

31847

Date 8/9/85

Publication prepared by

Date 8/15/85

Published in

8/29/85

Publication approved

Date 8/30/85

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of

Idaho No. 94-7293

APPROVED

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before

October 1, 1986

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other: The issuance of this permit in no way grants any right-of-way or easement across the land of another.

Witness my hand this 26th day of September, 1985.

J. Alan Saylor
Chief, Operations Bureau

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
County of Kootenai, } ss.

Synelle Holom being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The *Notice*

of which the annexed is a printed copy, was published in the regular *Thur.*
issue of said newspaper for *2* consecutive *weeks*,
commencing on the *22* day of *Aug*, 19*85*, and
ending on the *29* day of *Aug*, 19*85*, and such
publication was made as often during said period as said *daily*
newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Synelle Holom
Subscribed and sworn to before me this *29* day of *Aug*,
19*85*

Roberta Manley
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

&/or DEBI &/or WILLIAM M.
HC 12 BOX 257, COEUR D
ALENE, ID 83814
Source: GROUNDWATER
Date Filed: 08-08-1985
Diversion Pt: SWNE Sec 01 T
48N R 05W
Use: DOMESTIC (0.04 CFS)
In: SWNE Sec 01 T 48N R 05W
95-8486

STEWART, KIM R. &/or
VELLENE
RT. 2 BOX 289, HAYDEN
LAKE, ID 83835
Source: HAYDEN LAKE trib.
to SINKS
Date Filed: 08/12/1985
Diversion Pt: LOT 05 Sec 21
T 51N R 03W
Use: DOMESTIC (0.02 CFS)
In: LOT 05 Sec 21 T 51N R 03W

The permit(s) will be sub-
ject to all prior water rights.
Protests must be filed with the
Director, Dept. of Water Re-
sources, 4055 Gov't. Way,
Coeur d'Alene, Id 83814 on or
before SEPTEMBER 9, 1985.
KEN DUNN, Dir.

NOTICE OF APPLICATION FOR WATER RIGHT

The following applica-
tion(s) have been filed to ap-
propriate the public waters of
the State of Idaho:

94-7293

GOOTRAD, LISA
P.O. BOX 34, HARRISON, ID
83833

Source: SPRING trib. to
SINKS

Date filed: 08/09/1985
Diversion Pt: NWNW SWNW
Sec 14 T 48N R 03W
Use: DOMESTIC (0.04 CFS)
In: NWNW SWNE Sec 14 T 48N
R 03W

95-8485

CUNNINGHAM, ARTHUR J.

Legal 83

Aug. 22, 29, 1985

8/30/85
RECEIVED
AUG 30 1985

Department of Water Resources
Northern District Office

MICROFILMED

July 24, 1990

LISA GOOTRAD
P.O. BOX 34
HARRISON, ID 83833

RE: PERMIT NO. 94-07293

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MAILED

JUL 30 1990

SENIOR AGENT REVIEW

RECEIVED
JUN 27 1990

**Check List
for
Beneficial Use Field Report**

Department of Water Resources

Permit 94-07293

A. GENERAL INFORMATION

- ✓ 1. Name and address are most current available. (Check BU statement)
- ✓ 2. Exam Date
- ✓ 3. Source (Check Permit)

B. OVERLAP REVIEW

- ✓ 1. & 2. (Rule 5,1,4)

C. SYSTEM DESCRIPTION

- ✓ 1. Diversion System Diagram (Rule 5,1,3 / 5,1,4)
- ✓ 2. USGS (Rule 5,1,7 / 5,1,9) Aerial (Rule 5,1,17)
Photo of pd and/or pu or explanation
- ✓ 3. Word Picture (Rule 5,1,3 / 5,1,4)
- ✓ 4. Diversion (Rule 5,1,3)
- ✓ 5. Compare with USGS Map/Land Survey Maps/Aerial Photos/Permit.
Method of determination
- ✓ 6. Irrigation (Rule 5,1,8), Method of determination,
Compare USGS/Land Survey?Aerial Photos/Permit.

D. FLOW MEASUREMENTS Check math (Rule 5,1,13 / 5,1,14)

E. FLOW CALCULATIONS Check math (Rule 5,1,13 / 5,1,14)

F. OPTIONAL

G. VOLUME CALCULATIONS

- ✓ Three significant figures/not less than 0.10 (Rule 6,1,2)
- Fish (Rule 5,1,11) number stock, homes, etc... (Rule 5,1,12)

H. REMARKS AND OVERLAP ANALYSES

- ✓ All actual uses listed (Rule 5,1,2):
- ✓ All unused, permitted uses listed (Rule 5,1,2):
- ✓ Overlaps (Rule 5,1,4):
- ✓ Return flows (Rule 5,1,5):
- ✓ Conditions (Rule 5,1,6):

I. RECOMMENDATIONS

- ✓ 1. Municipal (Rule 5,1,10): Compare with items E & G, permit, fee, capacity
(Rule 5,1,15): Measured flows for each use listed separately (Rule 5,1,14).
Period of year (Rule 5,1,13)
- ✓ 2. Compare permit to exam for amendments (Rule 5,1,16)

J. AUTHENTICATION

✓ Name, Signature, Certification Date, Exam Date.

WELL INSPECTION REPORT

✓ Check with permit and well log for discrepancies

INDEXED

JUL 30 1990

Signature

Jeff King

Date

5/23/90

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUN 27 1990

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 94-7293

1. Owner: Lisa Gootrad Phone No. 689-3421

Current Address: P.O. Box 34 Harrison ID 83833

2. Accompanied by: Appl. EXAM. DATE: 12/7/87

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: Spring tributary to Sinks

B. OVERLAP REVIEW

1. Other water rights with same place of use: None

☐ Copies Attached

2. Other water rights with same point of diversion: None


☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached

NTS



RECEIVED

JUL 30 1990

Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater.

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

Measured 1 gallon in 44 sec; repeated 1 gallon in 42 sec

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

$$\frac{1 \text{ gal (60) sec/min}}{42 \text{ sec}} = 1.43 \text{ gpm} \approx 0.003 \text{ cfs}$$

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) : Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = (0.003) \times 1983 \times 365 = 2.17 \text{ AF}$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Domestic Uses:

1.2 AF for single family household

JUL 30 1990

H. REMARKS AND OVERLAP REVIEW ANALYSIS

P.D is very close to EN $\frac{1}{4}$ line and NS $\frac{1}{4}$ line unable to determine from USGS quadrangle maps. A larger scale survey map of the area obtained from Scott Reed, C/A attorney was used to determine $\frac{1}{4}$ $\frac{1}{4}$ recommended. The development is so close to the line the location could be the SENNNW, SWNNW, NESWNW or the ~~SW~~SWNNW of Sec 14. The SENNNW is the most probable so that is my recommendation

5/22/90 MEASURED FLOW @ 5gpm. SPRING MAY NOT PRODUCE THIS MUCH - SYSTEM WAS SHUT OFF PRIOR TO EXAM - 2500' OF 2" PIPE HOLDS $\approx$ 4800 GAL AT 5gpm IT WOULD TAKE ~~OVER~~ 1.5 HRS TO PURGE SYSTEM

I. RECOMMENDATIONS

1. Recommended Amounts


Beneficial Use	Period of Use From To	Rate of Diversion Q (cfs)	Annual Volume V (afa)
Domestic	1-1 12-31	.01 003 GFS	1.2
Totals:		003 .01	1.2

2. Recommended Amendments

- ☐ Change P.D. as reflected above
 ☐ Add P.D. as reflected above
 ☒ None
- ☐ Change P.U. as reflected above
 ☐ Add P.U. as reflected above
 ☐ Other


J. AUTHENTICATION

Field Examiner's Name Robert G. Haynes
 Signature Robert G. Haynes
 Certification Date 5/15/87
 Field Report Preparation Date 12/22/87




K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

UNRECORDED
 JUL 30 1987



SCALE 1:24 000



CONTOUR INTERVAL 40 FEET
SUPPLEMENTARY CONTOUR INTERVAL 20 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929

REPRODUCED

JUL 30 1990

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
OR SALE BY U. S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST



Primary highway,
hard surface
Secondary highway,
hard surface
Interstate Route

MT.

TWP. 48 N RGE. 3 W SEC. 14 MAP # F-55 MAP SCALE 1:24,000
DATE OF EXAM 12-7-87 PERMIT # 94-7293



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION

RECEIVED

JAN 08 1988

REMARKS / PHOTOS

PERMIT # 94-7293

DATE

INITIALS

12/3/87 DON PASSOW CAME INTO OFFICE AS
ATTY IN FACT FOR MRS GOOTRAD & IS WONDERING
WHY LIC. NOT ISSUED. POB 295 ST. MERIES
PROPERTY INVOLVED IN LITIGATION

12/4/87 L.G. CAME INTO THE OFFICE TO REQUEST THAT
WE DO THE EXAM ASAP. I SET APPT FOR
10:30 AM - NOON 12/7/87



MICROFILME

JUL 30 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT SUPPLEMENT

Yes No

PERMIT 94-7293

- (☒) () B/U Acknowledgement Letter Sent PMS 11/18/85 (INITIAL & DATE)
() (☒) Aerial Photo Date Requested _____ by _____
(☒) () Quad Sheet
() (☒) GL Plat
() (☒) Copies of overlapping License Field Report Claim
(☒) () Photo PD/PU
() () Correspondence (Date) 7/2/86
() () Other (List) _____

EXAM COMPLETED BY PJA DATE 12/22/87
SR AGENT REVIEW JR DATE 12/23/87
REGIONAL MANAGER REVIEW PJA DATE 12/23/87
ENTERED ON COMPUTER BY MR DATE 1/6/88
PRELIMINARY OVERLAP REVIEW BY J King DATE 10/87
(☒) NO OVERLAP FOUND



94-7293




STATE OF IDAHO DEPARTMENT OF WATER RESOURCES

NORTHERN REGION

PERMIT # 94-7293

DATE

INITIALS



REPROFILMED
JUL 30 1990



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PERMIT # 94-7293

DATE

INITIALS



RECEIVED
APR 30 1990

TOM KING

- JIM KING CAME IN TO ADVISE US THAT HE HAD BOUGHT THE PROPERTY THAT INCLUDES WATER RIGHT NO. 94-07293. SEE NOTE ATTACHED.

AD

4-11-90

MICROFILMED

JUL 30 1980

12 MAY

1 9 8 9

CATEGORY DESCRIPTION	LOTS/ACRES	MARKET VALUE
6 20639 -17383	27.591	3,256

OWNER
GUTTING, THEODOR ETUX
X GOOTRAD, LISA
PO BOX 34
HARRISON, ID 83833

LEGAL 14-48N-3W
TAX #14090

PROPERTY ADDRESS
PARCEL NO. 48N03W-14-3750

172368
TAX CODE 038-000

12 MAY

1 9 8 9

CATEGORY DESCRIPTION	LOTS/ACRES	MARKET VALUE
5 104150 -76029	208.300	28,121
6 94242 -80507	188.483	13,735
10 HOMESITE RSITE	1.000	6,750
10 HOMESITE PSITE	3.000	14,250
31 RES IMPROV/C H1		83,323
90 HOMEOWNERS EXEMP		-41,662
32 IMPROVMNT/CA H3		10,478
32 IMPROVMNT/CA H2		16,788
32 IMPROVMNT/CA H4		17,139
32 IMPROVMNT/CA B1		1,926
32 IMPROVMNT/CA S1		1,805

OWNER
WELLS, ALBERT B
100 SHORELINE HWY
MILL VALLEY, CA 94941

LEGAL 14-48N-3W
NE EX TAX #, SE, SE-NW, N2-SW EX
TAX #

PROPERTY ADDRESS
PARCEL NO. 48N03W-14-1200

128724
TAX CODE 038-000

12 MAY

1 9 8 9

CATEGORY DESCRIPTION	LOTS/ACRES	MARKET VALUE
12 RURAL LAN RSITE	1.000	6,750
12 RURAL LAND	9.150	11,437
34 IMPROVEMENT/ H1		79,918

OWNER
WELLS, ALBERT B.
304 GOLDEN GATE AVE
BELVEDERE, CA 94920

TOTAL VALUE >> 98,105

LEGAL 14-48N-3W
TAX #10262

PROPERTY ADDRESS
PARCEL NO. 48N03W-14-0975

119593
TAX CODE 038-000

WATER RIGHT
NO. 94-07293

CURRENT OWNER

JIM KING
P.O. BOX 285
HARRISON, ID
83833

689-3209

MICROFILMED

JUL 30 1990

Don G. Passow
Attorney At Law
1005 College — P. O. Box 295
St. Maries, Idaho 83861
(208) 245-5171

RECEIVED
APR 27 1988
Department of Water Resources
Northern District Office

April 27, 1988

Mr. Robert G. Haynes
Department of Water Resources
Northern Region
4055 Government Way
Coeur d'Alene, Idaho 83814

RECEIVED
MAY 09 1988

RE: Gootrad vs. wells, et. al.
Kootenai Case No. 71012


Department of Water Resources

Dear Mr. Haynes:

I would appreciate it if you would review the enclosed affidavit which I have prepared for you to execute and return to me for use at a May 4, 1988 hearing in the above referenced matter.

If the statements in the affidavit are accurate, please sign it before a notary and return to me as soon as possible. If you feel anything should be changed, please call me. If you cannot reach me at the above number, my home phone is 689-3822.

Thank you for your attention in this matter.

Yours truly,

Don G. Passow

Encl.

MICROFILMED

JUL 10 1990

DON G. PASSOW
Attorney at Law
1005 College Avenue
P. O. Box 295
St. Maries, Idaho 83861
Telephone (208) 245-5171

RECEIVED
APR 23 1988
Department of Water Resources
Northern District Office

IN THE DISTRICT COURT OF THE FIRST JUDICIAL DISTRICT OF THE
STATE OF IDAHO, IN AND FOR THE COUNTY OF KOOTENAI

ELISABETH D. GOOTRAD, a widow,)
)
Plaintiff,)
)
vs.)
)
ALBERT B. WELLS, a married man,)
et., al.,)
)
Defendants.)

Case No. 71012

AFFIDAVIT OF ROBERT G. HAYNES

RECEIVED
MAY 09 1988

STATE OF IDAHO)
) ss.
County of Kootenai)

Department of Water Resources

ROBERT G. HAYNES, being first duly sworn, deposes and says:

1. That I am the Regional Supervisor for the Northern Region of the Department of Water Resources for the State of Idaho, and that unless otherwise indicated, I have personal knowledge of the matters set forth in this affidavit.

2. That I am the authorized custodian of the files pertaining to applications for water permits for the Northern Region of Idaho.

AFFIDAVIT OF ROBERT G. HAYNES

JUL 30 1990

3. At the request of Mrs. Gootrad's attorney, Don G. Passow, I made a thorough search of the files of the Department of Water Resources for the Northern Region of Idaho to determine if any permits to appropriate any public waters of the State of Idaho located within the SE $\frac{1}{4}$ NW $\frac{1}{4}$ NW $\frac{1}{4}$ of Section 14, Township 48 North, Range 3 West, Boise Meridian, Kootenai County, Idaho, had ever been issued to either Albert B. Wells, Dan and Collette Clardy, or "Timber Ridge Ranch." After searching my files I determined that no permits have been issued to any of these persons or entities to appropriate public waters from any point of diversion located on the parcel of real property described above.

4. Permit No. 94-7293 was issued to Elisabeth D. Gootrad on September 26, 1985, pursuant to her application of August 9, 1985. Under this permit Mrs. Gootrad was authorized to appropriate up to .04 cubic feet of water per second from a spring located upon the SE $\frac{1}{4}$ NW $\frac{1}{4}$ NW $\frac{1}{4}$ of Section 14, Township 48 North, Range 3 West, Boise Meridian, Kootenai County, Idaho. The permit authorized her to make the appropriation for domestic use, and established a priority date of August 9, 1985.

5. To the best of my knowledge, no license has yet been issued pursuant to this permit. The Department of Water Resources regards the permit as personal property.

6. As I understand and interpret the provisions of Section 42-211, IDAHO CODE, the holder of a permit may, at any time prior to the issuance of a license, file an application to amend the permit for the purpose of changing the place, period or nature of the intended use.

AFFIDAVIT OF ROBERT G. HAYNES

FILED
JUL 30 1990

Further affiant saith not.

Robert G. Haynes
ROBERT G. HAYNES

SUBSCRIBED AND SWORN to before me this 2nd day of May, 1988.

James H. Ayer
Notary Public for Idaho
Residing at: Golden, Id.
Commission expires: 12/10/93

AFFIDAVIT OF ROBERT G. HAYNES

MICROFILMED

JUL 30 1988

FFR 22 1988

Department of Water Resources

Don G. Passow
Attorney At Law
1005 College — P. O. Box 295
St. Maries, Idaho 83861
(208) 245-5171

February 19, 1988

Mr. Jim Johnson
Water Rights Supervisor
State of Idaho
Department of Water Resources
1301 North Orchard Street
Boise, Idaho 83706-2237

RE: Water Right No. 94-7293


Dear Mr. Johnson:

I have reviewed the draft copy of the license proposed to be issued on the above-referenced permit on behalf of the applicant, Elisabeth Gootrad.

After discussing the results of the December 7, 1987 field examination with Bob Haynes, I feel that it would be appropriate to defer final action on the issuance of this license until a second field examination can be conducted later this spring. Mrs. Gootrad believes that the output at the point of diversion at the time the examination was conducted was abnormally low, and that a more accurate measurement can be obtained in the spring.

Thank you for your consideration in this matter.

Yours truly,


Don G. Passow

*Exam returned
to region 3/18/88
SC*

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

Permit No. _____

1. Measurement Calculations

a) Field Measurement Calculations (Include theoretical capacities and system capacity)

b) Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____
 $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____
 $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____


c) Volume Calculations for Other Uses:

2. Overlap Review

a) Other water rights with same place of use: _____

b) Other water rights with same point of diversion: _____

c) Analysis:



Checked in Regional Office by

Checked in Regional Office by

Recommended Amendments

Recommended Conditions/Remarks:

[illegible]

Place(s) of Use

[illegible]

Point(s) of Diversion:

Allowable Maximums:

Period of Use
From To

tribut

Address: P.O. Box 34, Harrison

Permit Holder:

Permit No.	94-7293	8-9-1985	0.01 cfs	8-9-1985	8-16-1985	0.01 cfs
Priority						
Amount						
App. Date						
Date Proof Submitted						
System Capacity						

RECOMMENDED AMOUNTS

no fee reqd -

10 day
ALLOW

Date _____
Date 1-14-88

Date _____

Date _____

☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None

LISA GOOTRAD
P.O. BOX 34
HARRISON, ID 83833

*Lisa Gootrad
c/o Bonnie Graham
2420 Settice Way
Post Falls ID 83854*

February 9, 1988

RE: Permit No. 94-7293

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

FEB 10 1988



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION

A. Kenneth Dunn
Director

Suite No. 9
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 765-4639

July 2, 1986

Mrs Lisa Gootrad
P.O. Box 34
Harrison, ID 83833

Re: Water Right Permit No. 94-7293

Dear Mrs. Gootrad:

Enclosed are copies of the pictures that I took relating to the water rights exam for your property on June 24, 1986. As we discussed at the time, because the flow from your spring is lower now than it is earlier in the year, I will wait until next spring to make the measurement and complete the exam. In the meantime, if I can be of any assistance, please don't hesitate to contact me.

Sincerely,

Robert G. Haynes, P.E.
Regional Supervisor

Encl.

MICROFILMED

JUL 30 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
A. KENNETH DUNN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

NOVEMBER 18, 1985

LISA GOOTRAD
P.O. BOX 34
HARRISON ID 83833

RE: Permit No. 94-7293

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a Water Right License can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 765-4639 or in person at our office.

Sincerely,

/s/
TOM D. KING
Senior Water Resource Agent

cc: IDWR - State Office

MICROFILMED

JUL 30 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

RECEIVED
AUG 16 1985

Department of Water Resources
Northern District Office

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed development under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below:

Permit No. 94-7293

Name(s) of Permit Holder: Mrs. Lisa Gootrad

P. O. Box 34 Harrison, Id. 83833

Post Office Address: _____

Telephone No. 689-3421

Source of Water: Unnamed Spring

Extent of Use:

Domestic 1 (number of households)

Stockwater _____ (number and type of stock)

Irrigation _____ (acres)

Other/Remarks _____

Indicate the date water was first diverted and beneficially used under this permit: -1977

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Flow Measurement Port: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Person to contact to accompany the Department representative during the field examination:

Applicant (Mrs.) Lisa Gootrad
(Name)

P.O. Box 34, Harrison, Idaho 83833 (208) 689-3421
(Address) (Telephone Number)

The above information is a true statement of the extent to which the above numbered permit has been developed.

8/15/85
Date


Lisa Gootrad
Signature of Permit Holder (and Title, if appropriate)

MICROFILMED

600TRAD

P.O. Box 34

HARRISON, IDAHO 83833



IDAHO DEPARTMENT OF WATER RESOURCES
NORTHERN DISTRICT OFFICE
4055 GOVERNMENT WAY, SUITE 10
COEUR D'ALENE, ID 83814

[Redacted]

[Redacted]

September 30, 1985 .

RE: Permit No. 94-7293

Lisa Gootrad
Box 34
Harrison, ID 83833

Dear Permit Holder:

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval on the fourth page.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc
Enclosures

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: RJA

APPLICATION NUMBER: 94-1293

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____

Date: _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: 9/9/85
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 8/30/85
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
8/9/85 Date of priority recommended.
Special conditions of approval or cover letter. _____

By: RJA

Date: 9/12/85

STATE OFFICE REVIEW:

- ☐ See attached sheet for more information.
By: CW

Date: 9/25/85

SEP 17 1985

Department of Water Resources

MICROFILMED

RECEIVED

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

94-7287

GOODTRAD. LISA

P.O. BOX 34, HARRISON, ID 83833

Source: SPRING trib. to SINKS

Date Filed: 08/09/1985

Diversion Pt: NWNW SWNW Sec 14 T 48N R 03W

Use: DOMESTIC (0.04 CFS)

In: NNNE SWNE Sec 14 T 48N R 03W

MICROFILMED



STATE OF IDAHO DEPARTMENT OF WATER RESOURCES

NORTHERN REGION

A. Kenneth Dunn
Director

Suite No. 9
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 667-6484

August 22, 1985

Mrs. Lisa Gootrad
P. O. Box 34
Harrison, Id. 83833

Re: 94-7293

Dear Mrs. Gootrad:

We wish to acknowledge receipt of your Check No. 2140 in the correct amount of \$30.00.

We are returning herewith Check No. 3136 which was issued for the incorrect filing fee of \$35.00.

Thank you for your cooperation in this matter.

Sincerely,

Patricia M. Stypa
Secretary O/C

Enc. - Check No. 2136

MICROFILMED

STANLEY GOOTRAD
ELISABETH GOOTRAD
P. O. BOX 83
HARRISON, IDAHO 83833

2136

8/9 1985 92-55/1231

Pay to the order of IDWR \$ 35.00

thirty five ^{no}/₁₀₀ Dollars

 Coeur D'Alene Office
THE FIRST NATIONAL BANK
OF NORTH IDAHO
Coeur D'Alene, Idaho 83814

For Elisabeth Gootrad

⑆123100557⑆0401⑆009⑆6⑆ 2136

Rocky Mountain Bank Note B Wild World Painting by Clark Bronson

PAY TO THE ORDER OF
First National Bank of North Idaho
COEUR D'ALENE, IDAHO
FOR DEPOSIT ONLY
State of Idaho
State Treasurer
Dept. of Water Resources
Northern Region
0405-190-9

MICROFILMED

8/21/85

Dear Bob,

must be getting old -
mailed the formula &
signed it, but forgot to
replace check # 2136 in the
amount of \$ 35.00 (overpaid)
with check # 2140 in the
correct amount of \$ 30.00.
Hope this won't cause any
problems.

Best regards —

Lisa Gooch

RECEIVED

AUG 22 1985

Department of Water Resources
Northern District Office

MICROFILMED