

AFFIDAVIT OF PUBLICATION

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate public waters of the State of Idaho:

94-7151 OK

PICKARD, IRMA
P.O. BOX 62, CATALDO, ID 83810
Source: GROUNDWATER
Date Filed: 08/08/1979
Amount: 0.12 CFS
Diversion Point: NWSW Sec 34 T 49N R 01E, KOOTENAI Co.
Use: IRRIGATION (0.04 CFS) from 03/15 to 11/15
DOMESTIC (0.08 CFS) from 01/01 to 12/31
Place of Use: NWSW Sec 34 T 49N R 01E FOR 2 ACRES
Diversion Means: WELL & PUMP

94-7152 OK

NELSON, JOHN &/or ARLENE
RT. 1 BOX 193E, CATALDO, ID 83810
Source: ROSE CREEK & JOE CHARLIE CREEK tributary to COEUR D'ALENE RIVER
Date Filed: 08/13/1979
Amount: 0.20 CFS
Diversion Point: NWSE NESE Sec 30 T 49N R 01W, KOOTENAI Co.
Use: IRRIGATION (0.20 CFS) from 03/15 to 11/15
STOCKWATER (0.02 CFS) from 01/01 to 12/31
DOMESTIC (0.04 CFS) from 01/01 to 12/31
Place of Use: NESE NWSE Sec 30 T 49N R 01W FOR 10 ACRES
Diversion Means: DAM

95-7960 OK

FRETWELL, HENRY C. &/or ELLEN
N. 1700 SCHILLING, POST FALLS, ID 83854
Source: GROUNDWATER
Date Filed: 08/15/1979
Amount: 0.06 CFS
Diversion Point: SWSW Sec 10 T 50N R 05W, KOOTENAI Co.
Use: STOCKWATER (0.02 CFS) from 01/01 to 12/31
DOMESTIC (0.04 CFS) from 01/01 to 12/31
Place of Use: SWSW Sec 10 T 50N R 05W
Diversion Means: WELL & PUMP

95-7961 OK

STATE OF IDAHO
DEPARTMENT OF FISH & GAME, RT. 2 BOX 176, HARRISON, ID 83833
Source: UNNAMED SPRINGS, CREEKS, RUNOFF tributary to COEUR D'ALENE RIVER
Date Filed: 08/10/1979
Amount: 780.0 AC-FT
Diversion Point: LOT 02 (SWNE) Sec 29 T 48N R 03W, KOOTENAI Co.
Use: WILDLIFE (780.0 AC-FT) from 01/01 to 12/31
Place of Use: LOT 02 LOT 06 LOT 07 SENW NWSW Sec 29 T 48N R 03W LOT 06 NESE NWSE SWSE Sec 30 T 48N R 03W LOT 01 LOT 02 Sec 31 T 48N R 03W
Diversion Means: DAM

95-7962 OK

TILLOTSON, L. C.
RT. 2 BOX 120-A-1, HARRISON, ID 83833
Source: GROUNDWATER
Date Filed: 08/13/1979
Amount: 0.04 CFS
Diversion Point: LOT 03 Sec 06 T 49N R 03W, KOOTENAI Co.
Use: DOMESTIC (0.04 CFS) from 01/01 to 12/31
Place of Use: LOT 03 Sec 06 T 49N R 03W
Diversion Means: WELL & PUMP

96-7812 OK

FRY, FRANK A. &/or MARY ANN
RT. 1 BOX 87Q, ATHOL, ID 83801
Source: UNNAMED CREEK tributary to SAGE CREEK
Date Filed: 08/08/1979
Amount: 0.06 CFS
Diversion Point: SENE Sec 31 T 53N R 02W, KOOTENAI Co.
Use: STOCKWATER (0.02 CFS) from 01/01 to 12/31
DOMESTIC (0.04 CFS) from 01/01 to 12/31
Place of Use: SENE Sec 31 T 53N R 02W
Diversion Means: COLLECTION
OX, PIPE & STOCK TANKS
If issued, the permit(s) will be subject to all prior water rights.
Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 4055 Gov't Way, Coeur d'Alene, Id, 83814 on or before SEPTEMBER 10, 1979.
C. STEPHEN ALLRED
Director

Legal 93
Aug. 23, 30, 1979

STATE OF IDAHO,
County of Kootenai,

ss.

Carol Hedge

being first duly sworn upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The

Notice

of which the annexed is a printed copy, was published in the regular issue of said newspaper for 2 consecutive weeks, commencing on the 23 day of Aug, 1979, and ending on the 30 day of Aug, 1979, and such publication was made as often during said period as said newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Carol Hedge

Subscribed and sworn to before me this 30 day of Aug, 1979.

Roberta M. Mante
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

MICROFILMED



MICROFILMED

MAR 04 1988

TWP. 49N RGE. 1E SEC. 34 MAP # F-58 MAP SCALE 9 7 1/2

DATE OF FIELD EXAM 7/21/86 FIELD REPORT MAP PERMIT # 94-7151



MICROFILMED

MAR 04 1988

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 94-7151

Priority: August 8, 1979 Amount: .04 CFS 1.2 AFA

This is to certify, that IRMA PICKARD
P.O. BOX 9805
MOSCOW, ID 83843

has complied with the terms and conditions
of the permit issued pursuant to Application for Permit dated August 8, 1979, and
has submitted proof to the Department of Water Resources on July 31, 1984, that
water has been applied to a beneficial use; an examination by the Department indicates
that the works have a diversion capacity of .05 cfs of water from a GROUNDWATER
source and that a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>VOLUME</u>
Domestic	01/01 to 12/31	.04 cfs	1.2 afa

LOCATION OF POINT OF DIVERSION(S): NWSW , Sec. 34, Township 49N, Range 1E
Kootenai County

PLACE OF USE: Domestic

TWN RGE SEC

49N 1E 34 NWSW

CONDITIONS/REMARKS:

1. The right to the use of the water hereby confirmed is limited to the amount which can actually be beneficially used and is restricted and appurtenant to the lands or place of use and to the purpose herein described, as provided by the laws of Idaho.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 29th day
of February, 1988.

MICROFILMED

Director

MAR 04 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant IRMA PICKARD Phone _____

Post office address Box 62 CATALDO, ID

2. Source of water supply GROUNDWATER which is a tributary of _____

3. Location of point of diversion is NW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 34 Township 49N

Range 1E B.M. KOOTENAI County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.08 for DOMESTIC purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.04 for IRRIGATION purposes from MAR 15 to NOV 15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.12 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. WELL & PUMP

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year – maximum 5 years).

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water: NW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 34 Township 49N

Range 1E B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 2.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

[illegible]

2

None

APPLICANT

APPLICATION OF EULER'S POWERS

applicant to make this filing.

[illegible]

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

34 T-49N
 © P.D. ★
 PLACE
 OF
 USE
 R-1E

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Ima Pickard
(Applicant)

Proposed Priority 8/18/79

Received by KC Date 8/8/79 Time 9:00 A
Preliminary check by RMJ Fee \$ 30.00
Received by KC Date 8/8/79 # 14152
Publication prepared by me Date 8/16/79
Published in Coastal Area News
Publication dates 8/28-30/79
Publication approved MS Date 9-13-79
Protests filed by: none
Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by KC 9/17/79

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 94-7151, and said application is hereby approved _____
1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
b. Proof of construction of works and application of water to beneficial use shall be submitted on or before September 1, 19 84.
c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
d. Other: (1) The issuance of this permit in no way grants any right-of-way or easement across the land of another.

Witness my hand this 21st day of September, 19 79.

Chief, Office of the Bureau

A. Alan Saylor

55.

3. The State

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

MICROFILMED

LEADER

SHRDLWATER (SHR CFS)
01/01 to 12/31
\$5212 (0.04 CFS) from 01/01
to 12/31
Use: SHRDLW Sec M T SWN
The Idaho Department of
Water and Stock Tanks
will, the permit(s) will be
granted on all prior water rights
against the granting of
which must be filed with the
Director of the Idaho Department
of Water Resources, 4000 Grove
Road, Boise, Id. 83726
SEPTEMBER 10, 1991
C. STEPHEN ALLRED

Legal 93
Aug. 25, 30, 1979

February 29, 1988

IRMA PICKARD
P.O. BOX 9805
MOSCOW, ID 83843

RE: Permit No. 94-7151

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

RECORDED

MAR 04 1988

February 4, 1988

IRMA PICKARD
P.O. BOX 9805
MOSCOW, ID 83843

RE: Permit No. 94-7151

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

RECEIVED
MAR 04 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

10-DAY

94-7151

Permit No.

1. **Measurement Calculations**

a) Field Measurement Calculations (Include theoretical capacities and system capacity)

.05 cfs

b) Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

c) Volume Calculations for Other Uses:

Dom = 1.2 AF

2. **Overlap Review**

a) Other water rights with same place of use: _____

b) Other water rights with same point of diversion: _____

c) Analysis:

MICROFILMED

MAR 04 1988

Permit No.	94-7151	8-8-79	0.04	8-8-79	7-31-84	50'
System Capacity		App. Date	Date Proof Submitted			

Address: P.O. Box 9805 - Moscow, ID. 83843

6. Beneficial Use	Period of Use From To	Rate of Diversion O (cfs)	Annual Volume V (cfs)

[illegible]

7. Point(s) of Diversion:

[illegible][illegible]

Truss	Base	Sec	NE 1/4	NW 1/4	SW 1/4	SE 1/4	Totals
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
24							
25							
26							
27							
28							
29							
30							
31							
32							
33							
34							
35							
36							
37							
38							
39							
40							
41							
42							
43							
44							
45							
46							
47							
48							
49							
50							
51							
52							
53							
54							
55							
56							
57							
58							
59							
60							
61							
62							
63							
64							
65							
66							
67							
68							
69							
70							
71							
72							
73							
74							
75							
76							
77							
78							
79							
80							
81</							

[illegible][illegible]

9. Recommended Conditions/Remarks:

MAR 04 1988

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None

11. Examiner's Signature _____

Date _____

Approved in State Office by _____
Date 1-20-08

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
AUG 1 1986

Department of Water Resources

A. GENERAL INFORMATION

1. Owner: Irma Pickard Permit No. 77-7151
Current Address: Bx 9805 - Moscow, ID. Phone No. 882-0265
2. Accompanied by: _____ EXAM. DATE: 7/21/80
Address: Gr Phone No. _____
Relationship to Permit Holder: _____
3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE ☐ Copies Attached
2. Other water rights with same point of diversion: NONE ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached

Diagram area with grid lines and a stamp: **RECEIVED** MAR 04 1981

Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

From pump to 1" PVC Reduced $3/4"$ to home

Well or Diversion Identification No.*	sears	1/2	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
				sears	1" PVC

*Code to correspond with No. on map and aerial photo

- 5. Point(s) of Diversion:**

[illegible]

- 6. Place(s) of Use:**

Indicate Method of Determination

[illegible]
$$T_{\text{total}} =$$

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

NONE

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

$$Q = \frac{8.8(1.7)(1.5)}{2.23(25) + 10} = .05 \text{ cfs} \quad h_{\text{static}} \approx 10$$

2. Alternate Method for Checking Purposes:

$$Q = .04 \text{ cfs via Exam fee}$$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

$$V_{Dom + \text{each lawn \& garden}} = 1.2 \text{ AF}$$

H. REMARKS AND OVERLAP REVIEW ANALYSIS

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use

Dom + 1/2 ac lawn
+ garden

Period of Use

From To

1/1 12/31

Rate of Diversion

Q (cfs)

1.04 cfs

Annual Volume

V (af)

1.2 AF

2. Recommended Amendments

- ☐ Change P.D. as reflected above
☐ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
☐ Add P.U. as reflected above

- ☒ None
☐ Other

J. AUTHENTICATION

Field Examiner's Name

Jennifer Hargraves

Signature

Certification Date

Field Report Preparation Date

CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

REMARKS
ATTACHMENT TO 219A

PERMIT # 94-7151
INITIALS

DATE

7/21 Found Home - with help of Postmaster

Pumphouse was winterized -

call → Write letter to get info

on pump and system and confirm
Location

J.A.

7/22 Called - confirmed - was
able to get needed info


J.A.

FILED

MAR 04 1988



TWP. 49N RGE. 1E SEC. 34 MAR 04 1988
DATE OF FIELD EXAM 7/21/86 MAP # 7-58 MAP SCALE 0 7/2
FIELD REPORT MAP PERMIT # 91-7151



RECEIVED

MAR 04 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Staff Analysis Sheet
for
Beneficial Use Field Report

94-7/5-1
Permit No.

RECEIVED

AUG 1 1986

Department of Water Resources

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
☒ Copy of Permit
☐ Copies of any Amendments/Orders with conditions of approval
☐ Computer Data Proof Report
☒ Copy of U.S.G.S. Quad
☒ Check for Government Lots. If so, make a copy of Government Plat

Check of P/D index J.A. 7/22/86 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of exam(s) attached?

Type of Overlap? ☐ Add acres or uses to existing system
☐ Increase rate of flow or volume
☐ Other: _____

Check of P/U index J.A. 7/22/86 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of water right(s) attached?

Type of Overlap? ☐ Increase rate of flow or volume
☐ Add P/D's
☐ Increase number of acres within tracts
☐ Other: _____

Aerial Photo

Required? ☐ yes ☒ no If yes: ☐ copy attached?

Scheduling Letter sent? _____ (Initial and date)

☐ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
☐ Photographs of Point of Diversion and Place of Use
☒ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

C. Review and Processing:

Exam Completed J.A. 7/22/86 (Signature of examiner and date)

Exam Reviewed by Senior Water Resource Agent 7/28/86 (Initial and date)

Exam Reviewed by Manager of Regional Office 7/29/86 (Initial and date)

Exam Date Entered in Computer 7/29/86 (Initial and date)

Exam sent to State Office 7/30/86 (Initial and date) MAR 04 1988

Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)

4/86

RECEIVED

MAY 12 1986 For Office Use Only

Fee Received A/A

Date 5/8/86

Department of Water Resources Receipt #

Receipt by

Sent to S.O. 5/8/86

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

EXAMINATION FEE INFORMATION

RECEIVED

MAY 12 1986

Department of Water Resources
Northern District Office

1. Permit No. 94-7151

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:

- ☐ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.) NA

2. Permit Holder: IRMA PICKARD

3. Post Office Address: Bx 9805 - MOSCOW ID
83843 Telephone No. 208-882-0265

4. Source of Water: Groundwater

5. Extent of Use:

Domestic 1 (No. of households) Stockwater (No. and type of stock)

Irrigation (acres) Other/Remark

6. Total rate &/or volume for which proof is submitted .04 cfs acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

21 Sep 79

8. Person to contact to accompany the department representative during the field examination:

John C or Irma Pickard
(Name)

MAR 04 1988

Bx 9805 MOSCOW Id 83843
(Address)

208-882-0265
(Telephone Number)

- ☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

May 5, 1986
Date

Irma Pickard
Signature of Permit Holder (and title, if appropriate)



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

94-7151
PICKARD, IRMA
P.O. BOX 62
CATALDO, ID 83810

Mailing address:
Statehouse
Boise, Idaho 83720

138151

CERTIFIED MAIL

April 30, 1986

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

MAR 04 1988

Certified water right examiners are licensed engineers, geologists, or land surveyors certified by the department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is being developed at this time. A listing

of certified water right examiners will be available from this department when examiners have been certified.

If your permitted use, in fact, has already been examined by the department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the department.

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The enclosed license examination fee schedule shows a listing of applicable fees.

FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD, THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION, WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE.

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT.

The attached examination fee information sheet and the fee may be submitted to the following department offices.

Northern Region

Idaho Dept. of Water Resources
4055 Government Way
Coeur d'Alene, ID 83814
Phone: 765-4639

Eastern Region

Idaho Dept. of Water Resources
150 Shoup Ave., Suite 15
Idaho Falls, ID 83401
Phone: 525-7161

Southern Region

Idaho Dept. of Water Resources
1041 Blue Lakes Blvd. North
Twin Falls, ID 83301
Phone: 734-3578

Western Region

Idaho Dept. of Water Resources
450 W. State St., (Third Floor)
Boise, ID 83720
Phone: 334-2190

Sincerely,



L. GLEN SAXTON
Chief, Operations Bureau

Enclosures

MICROFILMED

MAR 04 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
A. KENNETH DUNN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

SEPTEMBER 6, 1984

IRMA PICKARD
BX 9805
MOSCOW

ID 83843

RE: Permit No. 94-7151

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a Water Right License can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 765-4639 or in person at our office.

Sincerely,

/s/
TOM D. KING
Senior Water Resource Agent

cc: IDWR - State Office

MICROFILMED

MAR 04 1988

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 94-7151.

Name(s) of Permit Holder: L R M A B. PICKARD

Post Office Address: Bx 9805 MOSCOW ID 83843 OK

Bx 62, CATALDO, ID 83810

Tel. No. 208-882 0265

Source of Water: well

Extent of Use:

☒ Domestic	<u>2</u>	(number of households)
☐ Stockwater		(number and type of stock)
☒ Irrigation	<u>2.3</u>	(acres)
☐ Other		


Measuring Device: Required?	☐ Yes	☒ No	Installed?	☐ Yes	☐ No
Access Port: Required?	☐ Yes	☐ No	Installed?	☐ Yes	☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

7-17-84

Date

Signature of Permit Holder



RECEIVED



JUL 31 1984

IDAHO DEPARTMENT OF WATER RESOURCES

STATEHOUSE

Department of Water Resources

BOISE, IDAHO 83720



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138994

PICKARD, IRMA
P.O. BOX 62
CATALDO, ID 83810

PROOF DUE NOTICE

JUNE 30, 1984

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 94-7151 WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE SEPTEMBER 01, 1984. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST). ENCLOSED IS A POSTCARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER THE BENEFICIAL USE POSTCARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

APPROVED
JUN 30 1984



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 384-2215

September 21, 1979

Irma Rickard
Box 62
Cataldo, Idaho 83810

Dear Ms. Pickard,

RE: Permit No. 94-7151

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval as listed on the fourth page.

Sincerely,

David R. Tuthill Jr.

DAVID R. TUTHILL, JR.
Supervisor, Water Allocations Section

DRT:lr

Enclosure

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: RGH

APPLICATION NUMBER: 94-7151

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department. Copies sent by: _____ Date: _____
☐ Idaho Fish and Game Department. _____
☐ Idaho Department of Lands. _____
☐ U.S. Bureau of Land Management. _____
☐ U.S. Forest Service. _____
☐ Other _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☒ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: 9-10-79
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 9-18-79
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
☒ 8/8/79 Date of priority recommended.
Special conditions of approval or cover letter. _____


By: [Signature] Date: 9/12/79

STATE OFFICE REVIEW:

04-

- ☐ See attached sheet for more information.

By: [Signature] Date: 9/2/79



MICROFILMED

Department of Water Resources

94-2151

PICKARD, IRMA

P.O. BOX 62, CATALDO, ID 83810

Source: GROUNDWATER

Date Filed: 08/08/1979

Amount: 0.12 CFS

Diversion Point: NSW Sec 34 T 49N R 01E, KOOTENAI Co.

Use: IRRIGATION	(0.04 CFS)	from 03/15 to 11/15
DOMESTIC	(0.08 CFS)	from 01/01 to 12/31

Place of Use: NSW Sec 34 T 49N R 01E FOR 2 ACRES

Diversion Means: WELL & PUMP

MICROFILMED