

1200000

1000000

Sec. 3.
297.33

Sec. 2.
607.17

Sec. 1.
624.2

Sec. 10.
474.17

Sec. 11

Sec. 12.
592.98

MICROFILMED


MAR 20 1987

LAKE KILLEARNY


Sec. 15.

Sec. 14.

Sec. 13.



SCALE 1:24 000



CONTOUR INTERVAL 40 FEET
SUPPLEMENTARY CONTOUR INTERVAL 20 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929

MICROFILMED

MAR 20 1981

IDAHO
QUADRANGLE LOCATION

Primary highway, hard surface
Secondary highway, hard surface
Interstate Route

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR THE U.S. GEOLOGICAL SURVEY, RESTON, VIRGINIA 20192
FOR THE U.S. GEOLOGICAL SURVEY, RESTON, VIRGINIA 20192

TWP. 48N R. 2W SEC. 11 MAP #

DATE OF FIELD EXAM

F-56 MAP SCALE 7 1/2
FIELD REPORT MAP PERMIT #94-7145

July 29, 1986

Mr. Ralph Rich
P.O. Box 867
Coeur d'Alene, Id. 83814

Re: 94-7145

Dear Mr. Rich:

I have tried to conduct the required on-site examination of your water system, but was unable to locate your home. To facilitate the licensing process, please contact:

Mr. Tom D. King
Senior Water Rights Examiner
Department of Water Resources
4055 Government Way
Coeur d'Alene, Id. 83814
Phone: (208) 765-4639

to set up a convenient time for your water rights examination.

Sincerely,

JENNIFER ARGRAVES
Water Rights Examiner

JA/pms

MICROFILMED

MAR 20 1987



MICROFILMED
MAR 20 1987

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 94-7145

Priority: June 6, 1979

Amount: .04 CFS

1.2 AF

This is to certify, that RALPH D. RICH
JUYNE T. RICH

P.O. BOX 867

COEUR D'ALENE, ID 83814

has complied with the terms and conditions of the permit issued pursuant to Application for Permit dated June 6, 1979, and has submitted proof to the Department of Water Resources on July 13, 1984, that water has been applied to a beneficial use; an examination by the Department indicates that the works have a diversion capacity of .04 cfs of water from a GROUNDWATER source and that a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>VOLUME</u>
Domestic	01/01 to 12/31	.04 cfs	1.2 af

LOCATION OF POINT OF DIVERSION(S): LOT 1(NENW), Sec. 11, Township 48N, Range 2W
Kootenai County

PLACE OF USE: Domestic

TWN RGE SEC

48N 2W 11 LOT 1(NENW)

CONDITIONS/REMARKS:

1. The right to the use of the water hereby confirmed is limited to the amount which can actually be beneficially used and is restricted and appurtenant to the lands or place of use and to the purpose herein described, as provided by the laws of Idaho.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 20TH day of FEBRUARY, 1987.

MICROFILMED

Attest for the Director



MAR 20 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant JURYN T. OR RALPH D. RICH Phone 667-2361
Post office address Box 867 COEUR D'ALENE, ID 83814
2. Source of water supply GROUNDWATER which is a tributary of _____
3. Location of point of diversion is GOV LOT 1 1/4 of _____ 1/4 of Section 11 Township 48N
Range 2W B.M. KOOTENAI County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.04 for DOMESTIC purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.02 for STOCKWATER purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.06 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. WELL & PUMP

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 76 inches; proposed depth of well is 173 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation: LOT 1
(1) Give the place of use of water: _____ 1/4 of _____ 1/4 of Section 11 Township 48N
Range 2W B.M.
(2) Amount of power to be generated: _____ horsepower under _____ feet of head.
(3) List number of each kind of livestock to be watered 10 HEAD OF CATTLE & HORSES
(4) Name of municipality to be served _____, or number of families to be supplied with domestic water ONE.
(5) If water is to be used for other purposes describe: _____

MICROFILMED

[illegible]

None

APPLICANT

APPLICANT

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the

applicant to make this filing

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

[illegible]

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Ralph D. Rich
(Applicant)

Received by KK Date 6/6/79 Time 1:30P
Preliminary check by KK Fee \$ 20.00
Received by KK Date 6/6/79 # 14008
Publication prepared by KK Date 6/13/79
Published in Boise Idaho Statesman
Publication dates 6/28-29/79
Publication approved none Date 7/15/79
Protests filed by: none
Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by SS

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 94-7145, and said application is hereby APPROVED

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 19 84.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: _____

Witness my hand this 31 day of July, 1979.

L. Glen Saxton
L. GLEN SAXTON

Chief, Operations Bureau

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO

NOTICE OF APPLICATIONS FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

94-7144
REESE, BENJAMIN C. &/or ELIZABETH H.
HCR 66 BOX 531, SANDPOINT, ID 83864

Source: UNNAMED SPRING
Date Filed: 06/07/1979
Amount: 0.04 CFS
Diversion Point: SWSE Sec 07 T 18N R 01E, KOOTENAI Co.
Use: DOMESTIC (0.04 CFS) from 11/01 to 12/31
Place of Use: SWSE Sec 07 T 48N R 01E
Diversion Means: SPRING BOX & PIPELINE

94-7145
RICH, RALPH D. &/or JUYNE T.
P.O. BOX 667, COEUR D'ALENE, ID 83814

Source: GROUNDWATER
Date Filed: 06/06/1979
Amount: 0.06 CFS
Diversion Point: LOT 01 SEC 11 T 48N R 02W, KOOTENAI Co.
Use: STOCKWATER (0.02 CFS) from 01/01 to 12/31
DOMESTIC (0.04 CFS) from 01/01 to 12/31
Place of Use: LOT 01 SEC 11 T 48N R 02W
Diversion Means: WELL & PUMP

95-7936
COWAN, GEORGE W.
1405 ST. MARIES AVE., COEUR D'ALENE, ID 83814

Source: GROUNDWATER
Date Filed: 06/07/1979
Amount: 0.04 CFS
Diversion Point: NWNW Sec 30 T 49N R 03W, KOOTENAI Co.
Use: DOMESTIC (0.04 CFS) from 02/01 to 12/31
Place of Use: NWNW Sec 30 T 49N R 03W
Diversion Means: WELL, PUMP & PIPE

95-7937
SAYLER, TERRY
RT. 2 BOX 848, HAYDEN LAKE, ID 83835

Source: HAYDEN LAKE
Date Filed: 06/06/1979
Amount: 0.09 CFS
Diversion Point: SWNW Sec 03 T 51N R 03W, KOOTENAI Co.
Use: DOMESTIC (0.09 CFS) from 01/01 to 12/31
Place of Use: SENE Sec 04 T 51N R 03W
Diversion Means: PUMP & PIPE

95-7938
MC MILLAN, M.D., JOHN C.
8020 N.E. 15TH ST., BELLEVUE, WA 98004

Source: COEUR D'ALENE LAKE tributary to SPOKANE RIVER
Date Filed: 06/03/1979
Amount: 0.04 CFS
Diversion Point: LOT-03 Sec 13 T 49N R 04W, KOOTENAI Co.
Use: DOMESTIC (0.04 CFS) from 01/01 to 12/31
Place of Use: LOT 03 Sec 13 T 49N R 04W
Diversion Means: PIPE

95-7939
JACKLIN SEED CO.
RT. 2 BOX 402, 17300 JACKLIN AVE., POST FALLS, ID 83854

Source: GROUNDWATER
Date Filed: 06/04/1979
Amount: 2.40 CFS
Diversion Point: SWNE Sec 01 T 50N R 06W, KOOTENAI Co.
Use: IRRIGATION (2.40 CFS) from 03/15 to 11/15
Place of Use: NENE NWNE SWNE SENE Sec 01 T 50N R 06W FOR 120 ACRES
Diversion Means: WELL, PUMP & PIPE

95-7940
ARVESON, ALDEN K. &/or JEANNETTE
RT. 3 BOX 75D, HAYDEN LAKE, ID 83835

Source: GROUNDWATER
Date Filed: 06/12/1979
Amount: 0.04 CFS
Diver

Source: BELLGROVE CREEK tributary to COEUR D'ALENE LAKE
Date Filed: 06/11/1979
Amount: 0.01 CFS 0.25 AC-FT
Diversion Point: NWSW Sec 07 T 48N R 04W, KOOTENAI Co.
Use: IRRIGATION (0.25 AC-FT) from 01/01 to 12/31
IRRIGATION FROM STORAGE (0.07 CFS) from 04/01 to 10/31
FIRE PROTECTION (0.25 AC-FT) from 01/01 to 12/31
DIVERSION TO STORAGE (0.01 CFS) from 01/01 to 12/31
Place of Use: NWSW Sec 07 T 48N R 04W FOR 5 ACRES
Diversion Means: WATER WHEEL & STORAGE PUMP

95-7942
WATSON, ROCKY
STAR RT., COEUR D'ALENE, ID 83814

Source: GROUNDWATER
Date Filed: 06/11/1979
Amount: 0.10 CFS
Diversion Point: NWSW Sec 07 T 48N R 04W, KOOTENAI Co.
Use: IRRIGATION (0.07 CFS) from 04/01 to 10/31
DOMESTIC (0.03 CFS) from 01/01 to 12/31
Place of Use: NWSW Sec 07 T 48N R 04W FOR 5 ACRES
Diversion Means: WELL & PUMP

96-7793
DURR, DAVID A. &/or ALICE M.
P.O. BOX 412, SPIRIT LAKE, ID 83869

Source: UNNAMED SPRING tributary to BUTTERWORTH CREEK
Date Filed: 06/12/1979
Amount: 0.04 CFS
Diversion Point: SENE Sec 01 T 53N R 05W, KOOTENAI Co.
Use: IRRIGATION (0.04 CFS) from 04/01 to 11/01
DOMESTIC (0.04 CFS) from 01/01 to 12/31
Place of Use: SENE Sec 01 T 53N R 05W FOR 4 ACRES
Diversion Means: GRAVITY FEED PIPELINE TO STORAGE TANK

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 4065 Gov't Way, Coeur d'Alene, Id, 83814 on or before JULY 9, 1979.

C. STEPHEN ALLRED
Director

Legal 874
June 21, 28, 1979

ss.

Carol Hedge being first duly sworn and says:

and at all times hereinafter mentioned was a citizen of the United States of Idaho, over the age of twenty-one years and not a married person, entitled action.

and at all times hereinafter mentioned was the printer (principal proprietor) of "The Coeur d'Alene Press," a newspaper printed and published daily except Sundays, at Coeur d'Alene, Kootenai County, Idaho, and having a general circulation

Notice

exed is a printed copy, was published in the regular issue of the newspaper for 2 consecutive weeks.

the 21 day of June, 1979, and the 28 day of June, 1979, and such

made as often during said period as said newspaper is regularly issued.

said newspaper has been continuously and uninterruptedly published in Coeur d'Alene, Kootenai County, during a period of more than seventy-eight consecutive weeks prior to the first publication of said notice.

Carol Hedge

and sworn to before me this 28 day of June, 1979.

Robert M. Manley
Notary Public for the State of Idaho, residing at Coeur d'Alene, Idaho.

RECEIVED

JUL 1 1979

Idaho Department of Water Resources
Northern District Office

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

RECEIVED

APR 4 1983

Permit No. 94-7145 Department of Water Resources
Name(s) of Permit Holder(s): JUYNET, OR RALPH D. RICH Northern District Office
Post Office Address: Box 867
COEUR D'ALENE, ID 83814 Tel. No. 667-2361

☒ I hereby certify that construction of diversion works for the above referenced permit began on JUNE 6, 1979 (date) I understand that I must continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is not an acceptable reason.

4/4/83
Date

Ralph D. Rich
Signature of Permit Holder

PLACE
STAMP
HERE

MICROFILMED

DEC 27 1988



RECEIVED

APR 8 1983

DEPARTMENT OF WATER RESOURCES

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

CECIL D. ANDRUS

Governor

A. KENNETH DUNN

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 334-4440

February 23, 1987

RE: Permit No. 94-7145

Ralph D. & Juyne T. Rich
Box 867
Corud d'Alene, ID 83814

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

MAR 20 1987



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

January 28, 1987

RE: Permit No. 94-7145

Ralph D. & Juyne T. Rich
Box 867
Coeur d'Alene, ID 83814

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

If you do not concur with the information shown on the draft license, please advise the Department within ten (10) days. If you have any questions, please let us know; otherwise, the license will be issued as identified on the draft copy.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

MAR 20 1987

MEMORANDUM

TO: File
FROM: Jim Johnson
DATE: 12-8-86
RE: Beneficial Use Field Report Review

Right No. 94-7145

Comments

Part A - General Info.

✓

Part B - Overlap Review

N/A

Part C - System Description

✓

Part D - Flow Measurements

N/A < 0.04

Part E - Flow Calculations

LIMIT TO Domestic @ 0.04 cfs
NO strkwr found

Part F - Volume Calculations

✓

Part G - Remarks

✓

Part H - Recommendations

✓

MICROFILMED

MAR 20 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

94-7145
Permit No.

Staff Analysis Sheet
for
Beneficial Use Field Report

RECEIVED
AUG 18 1986

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
☒ Copy of Permit
☐ Copies of any Amendments/Orders with conditions of approval
☒ Computer Data Proof Report
☒ Copy of U.S.G.S. Quad
☒ Check for Government Lots. If so, make a copy of Government Plat
Check of P/D index S.A. 8/6/86 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of exam(s) attached?
Type of Overlap? ☐ Add acres or uses to existing system
☐ Increase rate of flow or volume
☐ Other: _____

Check of P/U index S.A. 8/6/86 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of water right(s) attached?
Type of Overlap? ☐ Increase rate of flow or volume
☐ Add P/D's
☐ Increase number of acres within tracts
☐ Other: _____

Aerial Photo

Required? ☐ yes ☒ no If yes: ☐ copy attached?

Scheduling Letter sent? _____ (Initial and date)

☒ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
☐ Photographs of Point of Diversion and Place of Use
☒ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

MICROFILMED

MAR 20 1987

C. Review and Processing:

Exam Completed Jennifer Arnesen 8/6/86 (Signature of examiner and date)
Exam Reviewed by Senior Water Resource Agent P 8/6/86 (Initial and date)
Exam Reviewed by Manager of Regional Office P 8/13/86 (Initial and date)
Exam Date Entered in Computer 8/14/86 (Initial and date)
Exam sent to State Office 8/15/86 (Initial and date)
Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 94-7145

1. Owner: Ralph D. or Jayne T. Rich Phone No. 667-2361

Current Address: Coeur d'Alene, Idaho 83814

2. Accompanied by: _____ EXAM. DATE: 8/5/86

Address: SAME Phone No. _____

Relationship to Permit Holder: _____

3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE

☐ Copies Attached


2. Other water rights with same point of diversion: NONE

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater.

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

~~No Reservoir - Press tank ≈ 150 gal +~~

$$1\frac{1}{2}'' \text{ HC} \quad 3\frac{1}{4}'' \text{ Stal} + 0$$

From pump to press tank to out door

Between 40-60 PSI

NO Stock

+ 1/2 ac. lawn/garden - with 3/4" hose

4.

[illegible]

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

[illegible]

6. Place(s) of Use:

Indicate Method of Determination

Handwritten musical notation on a staff.

[illegible]

Total =

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

$$Q = \frac{8.8(1.7)(1.5)}{2.23(40) + 75} = .06 \text{ cfs}$$

h_{static} = 75' well logs

2. Alternate Method for Checking Purposes:

$$Q = .06 \text{ via permit}$$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

$$V = 1.2 \text{ AF}$$

Dom + 1/2 ac lawn & garden

H. REMARKS AND OVERLAP REVIEW ANALYSIS

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use From To	Rate of Diversion Q (cfs)	Annual Volume V (afa)
Dom. + Rec lawn & garden	1/1 12/31	1.06 cfs	1.2 AF
Totals:			
		1.06 cfs	1.2 AF

2. Recommended Amendments

- ☐ Change P.D. as reflected above
- ☐ Add P.D. as reflected above
- ☒ None
- ☐ Change P.U. as reflected above
- ☐ Add P.U. as reflected above
- ☐ Other

J. AUTHENTICATION

Field Examiner's Name Jennifer Higgins

Signature Jennifer Higgins


Certification Date

Field Report Preparation Date

CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

1	
Sec 11	
MICROFILMED	
MAR 20 1981	



SCALE 1:24,000

CONTOUR INTERVAL 40 FEET
 SECONDARY CONTOUR INTERVAL 20 FEET
 NATIONAL GRID - ELEVATION DATUM OF 1929

MICROFILMED

MAR 20 1981

IDALIO

QUADRANGLE LOCATION

Primary highway
 hard surface
 Secondary highway
 hard surface
 Interim Road

INC. 48 N 100. 2 W 11 MAP #
 DATE OF FIELD EXAM

F-56 MAP SCALE 7 1/2
 FIELD REPORT MAP NUMBER #94-7145

REMARKS
ATTACHMENT TO 219A

PERMIT # 94-7145
INITIALS

DATE

8/1/86 Appt. 9:30 at Boat Ramp 8/5/86 J.A.

MICROFILMED

MAR 20 1987

July 29, 1986

Mr. Ralph Rich
P.O. Box 867
Coeur d'Alene, Id. 83814

Re: 94-7145

Dear Mr. Rich:

I have tried to conduct the required on-site examination of your water system, but was unable to locate your home. To facilitate the licensing process, please contact:

Mr. Tom D. Kinn
Senior Water Rights Examiner
Department of Water Resources
4055 Government Way
Coeur d'Alene, Id. 83814
Phone: (208) 765-4639

to set up a convenient time for your water rights examination.

Sincerely,

JENNIFER ARGRAVES
Water Rights Examiner

JA/pms

MAILED

MAR 20 1987



MICROFILMED
MAR 20 1987

4/86

RECEIVED
MAY 18 1986
Department of Water Resources
Northern District Office

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EXAMINATION FEE INFORMATION

For Office Use Only
Fee Received N/A
Date 5/13/86
Receipt #
Receipt by
Sent to S.O. 5/13/86

RECEIVED
MAY 25 1986

1. Permit No. 94-7145

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR ~~Department~~ Department of Water Resources

- ☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: RALPH D. or JUYNE T. RICH

3. Post Office Address: Box 867

COEUR D'ALENE, ID 83814 Telephone No. 667-2361

4. Source of Water: GROUNDWATER

5. Extent of Use:

Domestic 1 (No. of households) Stockwater 10 (No. and type of stock)

Irrigation _____ (acres) Other/Remark _____

6. Total rate &/or volume for which proof is submitted 0.06 cfs _____ acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

8. Person to contact to accompany the department representative during the field examination:

MICROFILMED

(Name)

MAR 20 1987

(Address)

(Telephone Number)

- ☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

Date

5/13/86

Signature of Permit Holder (and title, if appropriate)

Ralph D. Rich



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

94-7145
RICH, RALPH D.
RICH, JUYNE T.
P.O. BOX 867
COEUR D'ALENE, ID 83814

Mailing address:
Statehouse
Boise, Idaho 83720

138148

April 30, 1986

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

Certified water right examiners are licensed engineers, geologists, or land surveyors certified by the department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is being developed at this time. A listing

RECORDED

MAY 20 1986

of certified water right examiners will be available from this department when examiners have been certified.

If your permitted use, in fact, has already been examined by the department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the department.

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The enclosed license examination fee schedule shows a listing of applicable fees.

FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD, THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION, WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE.

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT.

The attached examination fee information sheet and the fee may be submitted to the following department offices.

Northern Region

Idaho Dept. of Water Resources
4055 Government Way
Coeur d'Alene, ID 83814
Phone: 765-4639

Eastern Region

Idaho Dept. of Water Resources
150 Shoup Ave., Suite 15
Idaho Falls, ID 83401
Phone: 525-7161

Southern Region

Idaho Dept. of Water Resources
1041 Blue Lakes Blvd. North
Twin Falls, ID 83301
Phone: 734-3578

Western Region

Idaho Dept. of Water Resources
450 W. State St., (Third Floor)
Boise, ID 83720
Phone: 334-2190

Sincerely,



L. GLEN SAXTON
Chief, Operations Bureau

Enclosures

MICROFILMED

MAR 20 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
A. KENNETH DUNN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

August 30, 1984

RALPH & JUYNE RICH
BOX 867
COEUR D ALENE ID 83814

RE: Permit No. 94-7145

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a Water Right License can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 765-4639 or in person at our office.

Sincerely,

/s/
TOM D. KING
Senior Water Resource Agent

cc: IDWR - State Office

MICROFILMED
MAR 20 1987

DEPARTMENT OF WATER RESOURCES

SEE HNO BLOCK

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 94-7145.

Name(s) of Permit Holder: JUYNET OR RALPH D. RICH

Post Office Address: Box 867

COEUR D'ALENE, ID 83814 Tel. No. 667-2361

Source of Water: GROUNDWATER

Extent of Use: ☒ Domestic 1 (number of households)
☒ Stockwater 10 (number and type of stock)
☐ Irrigation (acres)
☐ Other

RECEIVED

JUL 18 1984

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No
 Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No

Department of Water Resources
 Northern District Office

The above information is a true statement of the extent to which the above numbered permit has been developed.

7/13/84

Date

Ralph D. Rich
 Signature of Permit Holder

RALPH D. JUNET RICH
P.O. BOX 867
COEUR D'ALENE, ID. 83814

PLACE
13 CENT
STAMP
HERE

RECEIVED



JUL 18 1984

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE

Department of Water Resources, BOISE, IDAHO 83720

RECEIVED

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138842

RICH, RALPH D. & JOYNE T.
P.O. BOX 867
COEUR D'ALENE, ID 83814

P R O O F D U E N O T I C E

M A Y 31, 1984

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 94-7145 WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE AUGUST 01, 1984. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST). ENCLOSED IS A POSTCARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER THE BENEFICIAL USE POSTCARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

RECEIVED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

August 6, 1979

Ralph D. Rich
Box 867
Coeurd'Alene, Idaho 83814

Dear Mr. Rich,

RE: Permit No. 94-7145

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval as listed on the fourth page.

Sincerely,

DAVID R. TUTHILL, JR.
Supervisor, Water Allocations Section

DRT:lr

Enclosure

MICROFILMED

94-7145

STAFF REVIEW - STATE OFFICE

1. ☒ Name vs. Signature
2. ☒ Source
3. ☒ Point of Diversion
4. ☒ Amnt. & Period of Use
5. ☒ Descrip. of Diverting Wrks.
6. ☒ Time req. for Proof of B/U
7. ☒ Place of Use for other than irrig.
8. ☐ Place of Use for irrigation (add acres)
9. ☒ Property Owner at Pt. of Div. & Pl. of Use
10. ☒ Map
11. ☒ Fee & Rec't. No.

Copies Sent To:

NO Idaho Health Department NO U.S.F.S.
NO Idaho Fish & Game Dept. NO Dept. of Lands
NO Bureau of Land Management NO Other

Dam Safety Information N/A (Goes to Permit Section)

Check:

Critical G.W. Area ☐ yes ☒ no

Other rights on same land N/A

Withdrawals of all protests received N/A yes ☐ no

Conditions:

ID Power Co. Letter - Snake R. NO
 ID Power Co. Letter - G.W. & Tribs. NO
 Snake River Condition NO
 Payette River Letter NO
 Priority Date 6/6/79
 Water Quality #16 NO
 Water Quality #10 NO
 intrastate NO interstate NO

Meas. Dev. or Sc. Meas. NO
 Totalizing meter NO
 Supplemental NO
 Right-of-Way Cond. NO
 Watermaster Cond. NO
 Wtr. Dist No. NO
 Meas. Dev. Cond. for apps within a Water Dist. NO

J. H. H. Reviewer
7/31/79 Date
 FILED

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. 94-7145 Rich

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) RJA 6.7.79

In form to receipt

(2) _____

Send Copies to:

_____ Idaho State Health Department
_____ Idaho Fish and Game Department
_____ Bureau of Land Management

(3) _____

_____ Request Special Use Permit from U.S.F.S.
_____ Request Easement from B.L.M.
_____ Request Information from Applicant
_____ Request Dam Safety Information

(4) RJA 6.7.79

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. _____

(7) _____

Critical groundwater area: yes _____ no _____

(8) _____

Groundwater levels:

_____ Declining, _____ Stable, _____ Increasing

(comment) _____

(9) _____

Other rights on the same place of use

(10) _____

Comments: _____

(11) ms 7/10/79

Affidavit of Publication received(date) 7/9/79

(12) ms 7/18/79

Final date for protests 7/9/79
Protests received: yes _____ no ☒

(13) ms 7/18/79

All requested information received from agencies or applicant: yes ☒ no _____

(14) _____

Action recommended:

☒ Approve _____ Deny

6-6-79 Proposed Priority

_____ Reason for Reduction _____

_____ Measuring device required

_____ See attached sheet for other conditions of approval

☒ No special conditions for approval

(15) District Northern By B. B. Hayes Date 7-19-79

RECEIVED
JUL 25 1979

Department of Water Resources

MICROFILMED

94-2145

RICH, RALPH D. &/or JUYNE T.

P.O. BOX 867, COEUR D'ALENE, ID 83814

Source: GROUNDWATER

Date Filed: 06/06/1979

Amount: 0.06 CFS

Diversion Point: LOT 01 Sec 11 T 48N R 02W, KOOTENAI Co.

Use: STOCKWATER	(0.02 CFS)	from 01/01 to 12/31
DOMESTIC	(0.04 CFS)	from 01/01 to 12/31

Place of Use: LOT 01 Sec 11 T 48N R 02W

Diversion Means: WELL & PUMP

MICROFILMED