


T50N R25 E



94-7137



SCALE 1:24 000

MICROFILMED

MAR 28 1990

TWP. 50 N., RGE. 2E SEC. 34 MAP # F-9 PERMIT # 94-7137
DATE OF EXAM _____

March 21, 1984

*The postcard described
in this letter is for
right No. 94-7137*

Raymond S. or Olive G. Miller
Enaville Star Rt.
Kingston, ID 83839

Dear Mr. and Mrs. Miller:

Re: Permit No. 94-7138

I received the Request for Extension of Time and also the Statement of Beneficial Use postcard. Before I can decide what action the Department should take on the permit, I need more information.

I've reviewed the information presented on the extension request. It indicates almost all of the project was complete at one time but that high waters have destroyed most of the work done. The permit is for two domestic purposes which I understand provides water for 12 self-contained campers. If the water is being placed to a beneficial use, that is, the water is actually being diverted from the unnamed stream and use for domestic purposes, the Statement of Beneficial use postcard is the right form to submit. In which case, please sign and return the postcard.

If the project is not complete, that is, you are not actually diverting or using the water for domestic purposes, then advise what me as to the amount and type of work left to be completed. Based on the information you provide me, the Department can take action on the extension request.

If you should decide to submit the statement of beneficial use postcard, I will make arrangements to return the extension request and filing fee.

I would like to follow up with this matter as soon as possible. Please try to contact me by April 15. My phone number is 334-4290 or write to the Department of Water Resources, Statehouse Mail, Boise, Idaho.

Sincerely,

RITA FLECK
Secretary/Records Manager

RECORDED

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 94-07137

Priority: October 12, 1979

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:¹

1.2 AF

This is to certify, that RAYMOND S. MILLER
OLIVE G. MILLER

HC 01 BOX 292
KINGSTON, ID 83839

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated April 10, 1979; and has submitted Proof of Beneficial Use on March 14, 1984. An examination indicates that the works have a diversion capacity of .040 cfs of water from:

SPRING

tributary to FALLS CREEK

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION:

SESESE , Sec. 34, Township 50N, Range 02E
SHOSHONE County

PLACE OF USE: DOMESTIC

TWN RGE SEC

50N 02E 34

SESE

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.

MICROFILMED


MAR 28 1990

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 94-07137

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 6TH
day of DECEMBER, 1989.


R. Keith Higginson, Director

MICROFILMED

MAR 28 1990

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT	)	
	)	
NO. 94-7137 IN THE NAME OF	)	ORDER ADVANCING
	)	DATE OF PRIORITY
RAYMOND &/OR OLIVE G. MILLER	)	
	)	

This matter having come before the Department of Water Resources (Department) as a result of preparing Permit No. 94-7137 for issuance of a license, the Department finds, concludes and orders:

FINDINGS OF FACT

1. The Department approved Application for Permit No. 94-7137 to appropriate the public waters of the State of Idaho with a proposed priority of APRIL 10, 1979.
2. On APRIL 30, 1986 the Department advised the permit holder that a license examination fee was required before an examination could be conducted to confirm the extent of use developed under the permit. The examination fee was due on JUNE 29, 1986.
3. The license examination fee was received on DECEMBER 31, 1986, 185 day(s) late.

MICROFILMED

MAR 28 1990

CONCLUSIONS OF LAW

1. The Director may advance the priority date of the permit one day for each day the license examination fee is late, pursuant to the provisions of Section 42-217, Idaho Code.

2. The date of priority of Permit No. 94-7137 should be advanced 185 day(s).

ORDER

IT IS HEREBY ORDERED that the date of priority of Permit No. 94-7137 is advanced to OCTOBER 12, 1979.

Dated this 7th day of November, 1989.

J. Glen Sayton
Chief, Water Allocation Bureau

MICROFILMED

MAR 28 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant Raymond L. or Olive G. Miller Phone 682-3218
Post office address Enaville Star Rt. Kingston Id.
2. Source of water supply Falls Creek ^{& unnamed spring} which is a tributary of Cowdell River
3. Location of point of diversion is SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 34 Township 50N
Range 2E B.M. Shoshone County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.12 for Domestic purposes from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.12 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Developed Spring & pipe
from Falls Creek to Spring storage then as gravity
flow to house

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial

use is 5 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 34 Township 50N
Range 2E B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 3.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

[illegible]

None

Applicant

W. J. Kent

applicant to make this filing

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

Dec 34
T 50N, R, 2E

x - RD. $\frac{1}{2}$ plane of view

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

x Oline H Miller
(Applicant)

Proposed Priority 4/10/79

Received by RVH Date 4/10/79 Time 9:30 AM
Preliminary check by RVH Fee \$ 20.00

Received by pm Date 4/10/79 (13517)

Publication prepared by pm Date 4/11/79

Published in Shoshone Falls

Publication dates 4/10-26/79

Publication approved pm Date 5/4/79

Protests filed by: None

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by RVH 5.5

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State

of Idaho No. 94-7137, and said application is hereby APPROVED

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or be-

fore May 1, 19 84.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other: _____

Witness my hand this

16 day of

May

, 19 79.

Chief, Operations Bureau

D. Allen Gayton

STATE OF IDAHO, }
County of Shoshone. } ss.

PROOF OF PUBLICATION

Legal Notice

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

94-7137

MILLER, RAYMOND S. &/or
OLIVE G.
ENAVILLE STAR ROUTE,
KINGSTON, ID 83839
Source: FALLS CREEK &
UNNAMED SPRING tribu-
tary to COEUR D'ALENE
RIVER

Date Filed: 04/10/1979
Amount: 0.12 CFS
Diversion Point: SESE Sec 34
T 50N R 02E, SHOSHONE Co.
Use: DOMESTIC (0.12 CFS)
from 01/01 to 12/31
Place of Use: SESE Sec 34 T
50N R 02E
Diversion Means: GRAVITY-
FLOW PIPELINE

94-7138
MILLER, RAYMOND S. &/or
OLIVE G.
ENAVILLE STAR ROUTE,
KINGSTON, ID 83839
Source: UNNAMED
STREAM tributary to
COEUR D'ALENE RIVER

Date Filed: 04/10/1979
Amount: 0.08 CFS
Diversion Point: LOT 05 Sec
34 T 50N R 02E, SHOSHONE
Co.
Use: DOMESTIC (0.08 CFS)
from 01/01 to 12/31
Place of Use: LOT 05 Sec 34 T
50N R 02E
Diversion Means: GRAVITY-
FLOW PIPE

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 4055 Gov't Way, Coeur d'Alene, Id, 83814 on or before May 7, 1979.

C. STEPHEN ALLRED
Director

April 19, 26, 1979

Shane O'Neill

, being first duly sworn,
deposes and says:

Editor

That he is the _____ of the North Idaho Publishing Company, publishers of the North Idaho Press, a daily newspaper printed and published at Wallace, Shoshone County, State of Idaho, which said newspaper has a general circulation in said county, and has been continuously and uninterruptedly printed and published in said county during a period of twelve (12) consecutive months prior to the 19 day of April A.D., 1979. That the Legal Notice of which a complete and correct copy is hereto attached, was first published in said newspaper in its issue dated the 19 day of April A.D., 1979, and published in Two (2) issues of said newspaper, the last publication thereof being in the issue dated the 26 day of April A.D., 1979.

Subscribed and sworn to before me this
30 day of April, A.D., 1979.

Notary Public for the State of Idaho
residing at Wallace, Idaho

September 25, 1981

MICROFILMED

December 8, 1989

RAYMOND S. MILLER
OLIVE G. MILLER
HC 01 BOX 292
KINGSTON, ID 83839

RE: PERMIT NO. 94-07137

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

REPRODUCED

MAR 28 1990

November 7, 1989

RAYMOND S. MILLER
OLIVE G. MILLER
HC 01 BOX 292
KINGSTON, ID 83839

RE: PERMIT NO. 94-07137

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

Also enclosed is an order advancing the date of priority of this right due to late submittal of the examination fee.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

RECORDED

MAR 28 1990

BENEFICIAL USE FIELD REPORT REVIEW

TO: FILE 94-7137

FROM: JIM JOHNSON

RE: PRIORITY ADVANCE REVIEW

DATE: 12-JUL-1989

=====

This review memo is prepared to show the process for determining what elements were involved in advancement of the priority.

	<u>DATE</u>	<u>JULIAN</u>
PERMIT		
Permit priority Date:	APRIL 10 1979	100
EXAM FEE NOTICE		
Exam Fee Notice Date:	APRIL 30 1986	120
Exam Fee/Info Sheet Received Date:	DECEMBER 31 1986	365
Exam Fee or Info Due Date:	JUNE 29 1986	180
Days Late:		185 DAY(S)
NEW PRIORITY DATE		
Original Priority Date:	APRIL 10 1979	100
Total Days Late:		185 DAY(S)
New Priority Date:	OCTOBER 12 1979	285

MICROFILMED

MAR 28 1990

POINT OF DIVERSION OVERLAP REVIEW

WR-NUMBER	TWP	RNG	SC	TRACT 1\4 1\4 1\4	LT	#SOURCE	#NAME
9407137	50N	02E	34	SE SE		FALLS CREEK	MILLER, RAYMOND S.
				NO MATCHES FOR THIS POD			

INDEXED

MAR 28 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT SUPPLEMENT

RECEIVED
JUN 26 1989

Department of Water Resources
PERMIT 94-7137

Yes No

- (☒) () B/U Acknowledgement Letter Sent _____ (INITIAL & DATE)
() (☒) Aerial Photo Date Requested _____ by _____
(☒) () Quad Sheet
(☒) () GL Plat
() (☒) Copies of overlapping License Field Report Claim
() () Photo PD/PU
() () Correspondence (Date) _____
() () Other (List) _____

EXAM COMPLETED BY Louis Dubovick DATE 7/11/88
SR AGENT REVIEW _____ DATE _____
REGIONAL MANAGER REVIEW _____ pyk DATE 6/89
ENTERED ON COMPUTER BY _____ pyk DATE 6/12/89
PRELIMINARY OVERLAP REVIEW BY J King DATE 9/87
(☒) NO OVERLAP FOUND

MICROFILMED

MAR 28 1990

94-7137

June 26, 1987

RECEIVED
JUN 26 1989

Mr. Raymond Miller
HCO 1 Box 292
Kingston, Id. 83839

Department of Water Resources

Re: 94-7137

Dear Permit Holder:

We are planning to conduct water right field examination in the vicinity of your above-referenced Water Permit during the week of July 6, 1987.

A field examination is needed to verify your water use so that a water license can be issued. In order to conduct your exam as efficiently as possible, please call this office to schedule a day and time during the above-referenced week which will be convenient for you. Please note that your system should be operating under normal conditions during the examination.

If there is a problem with scheduling or conducting the examination at this time, please call us at 765-4639 and other arrangements can be made.

Sincerely,

JENNIFER ARGRAVES
Water Rights Examiner

JA/pms

MICROFILMED
MAR 28 1990

COPY

Department of Water Resources
Northern District Office

MAY 21 1984

RECEIVED

April 26, 1984

Raymond S. or Olive G. Miller
HC-01, Box 292
Kingston, ID 83829

Dear Mr. Miller:

Re: Permit Nos. 94-7137 and 94-7138

This office acknowledges receipt of the Statement of Beneficial Use postcard submitted for Permit No. 94-7137 and the Request for Extension of Time submitted for Permit No. 94-7138.

For Permit No. 94-7137, before a license can be issued, a field examination must be made by a representative of this department. We cannot tell just when this examination will be made, but our examiner will contact you to schedule the exam at a convenient time.

For Permit No. 94-7138, enclosed is a copy of the approved request for extension of time. The time within which to submit the statement of beneficial use postcard is extended to May 1, 1989.

If you have any questions concerning your permits, please feel free to contact this office or our Northern Regional office at 667-6484.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosures: Ext. of Time

RECEIVED

MAY 28 1990



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION

REMARKS / PHOTOS


PERMIT # 94-7137

DATE

INITIALS

6-23-87 Gate locked - will call or write

J.A.



JUN 26 1989

Department of Water Resources

MICROFILMED

JUN 28 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 94-7132

1. Owner: Raymond & Olive G Miller

Phone No. 682-3218

Current Address: Hcot Box 292 Kingston Id

2. Accompanied by: Raymond Miller

EXAM. DATE: 7/6/88

Address: SAME

Phone No. SAME

Relationship to Permit Holder: SAME

3. Source: spring tributary to Falls Cr.

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE

☐ Copies Attached


2. Other water rights with same point of diversion: NONE

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

- ☒ Photo of Diversion and System Attached CAMERA MALFUNCTION
(required for all but single household domestic groundwater, and stockwater).

Department of Water Resources

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

500 gal concrete collection tank with 2" PVC line to house
And two frost free risers

☐ See Remarks on page 4 for continuation

☐ See Remarks on page 4 for continuation

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	gravity	feed			

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

[illegible]


6. Place(s) of Use:

Indicate Method of Determination.


[illegible]

Do not use this space

0661 200 200 200



SCALE 1:24 000



FILED

MAR 28 1990

TWP. 50 N., RGE. 2E SEC. 34 MAP # F-9 PERMIT # 94-7137

DATE OF EXAM _____

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

1 HOME = 1.2 ac or .04 cfs

RECEIVED

MAR 28 1990

H. REMARKS AND OVERLAP REVIEW ANALYSIS

NONE

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (ata)
	From	To		
Domestic	1/1	12/31	.04 cfs	1.39 cfs


Totals:

2. Recommended Amendments

- ☐ Change P.D. as reflected above
☐ Change P.U. as reflected above
☐ Add P.D. as reflected above
☐ Add P.U. as reflected above
☒ None
☐ Other

J. AUTHENTICATION

Field Examiner's Name: Louis Sokoraty
 Signature: [Signature]
 Certification Date: 5/15/89
 Field Report Preparation Date: 7/11/89



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

10M 7/12/89

RECEIVED
MAR 28 1990

STIKY NOTE
ON THE FRONT
Goes

State of Idaho

Department of Water Resources

LICENSE EXAMINATION FEE SCHEDULE

(c.f.s. = cubic feet per second
AF = acre feet)

cfs	AF	Fee
0 - 0.04	0 - 4	\$ 0
.05 - 0.20	5 - 20	50.00
.21 - 1.0	21 - 100	100.00
1.01 - 2.0	101 - 200	125.00
2.01 - 3.0	201 - 300	150.00
3.01 - 4.0	301 - 400	175.00
4.01 - 5.0	401 - 500	200.00
5.01 - 6.0	501 - 600	225.00
6.01 - 7.0	601 - 700	250.00
7.01 - 8.0	701 - 800	275.00
8.01 - 9.0	801 - 900	300.00
9.01 - 10.0	901 - 1000	325.00
10.01 - 11.0	1001 - 1100	350.00
11.01 - 12.0	1101 - 1200	375.00
12.01 - 13.0	1201 - 1300	400.00
13.01 - 14.0	1301 - 1400	425.00
14.01 - 15.0	1401 - 1500	450.00
15.01 - 16.0	1501 - 1600	475.00
16.01 - 17.0	1601 - 1700	500.00
17.01 - 18.0	1701 - 1800	525.00
18.01 - 19.0	1801 - 1900	550.00
19.01 - 20.0	1901 - 2000	575.00
20.01 & over	2001 & over	600.00

Checks should be made payable to the
Department of Water Resources

No fee is required for single family
domestic use or stockwater use.

due 6/29/6

ED

4/86

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EXAMINATION FEE INFORMATION

For Office Use Only
Fee Received 11/1
Date 12/31/86
Receipt # 1
Receipt by 12/31/86
Sent to S.O. 12/31/86

RECEIVED
JAN 02 1987

1. Permit No. 94-7137

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE. Department of Water Resources

☐ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: Raymonds & Olive G. Miller

3. Post Office Address: HCO 1 Box 292
Kingston ID 83839 Telephone No. 682-3218

4. Source of Water: Unnamed Spring trib to Falls Cr.
Falls Creek not used

5. Extent of Use:
Domestic 1 (No. of households) Stockwater _____ (No. and type of stock)
Irrigation _____ (acres) Other/Remark _____

6. Total rate &/or volume for which proof is submitted .04 cfs _____ acre-feet

7. Show the date water was first diverted and beneficially used under this permit:
1979

8. Person to contact to accompany the department representative during the field examination:
As Above (Name)

MICROFILM
MAR 20 1987

(Address) (Telephone Number)

☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

Date 12/30/86

Raymonds Miller
Signature of Permit Holder (and title, if appropriate)



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720

94-7137
MILLER, RAYMOND S.
MILLER, OLIVE G.
HC-01 BOX 292
KINGSTON, ID 83839

13814

April 30, 1986

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and still the fee needed for the department to conduct the field examination. **NOT REFILED**

Certified water right examiners are licensed engineers, geologists, or land surveyors certified by the department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is being developed at this time. A listing

of certified water right examiners will be available from this department when examiners have been certified.

If your permitted use, in fact, has already been examined by the department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the department.

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The enclosed license examination fee schedule shows a listing of applicable fees.

FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD, THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION, WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE.

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT.

The attached examination fee information sheet and the fee may be submitted to the following department offices.

Northern Region

Idaho Dept. of Water Resources
4055 Government Way
Coeur d'Alene, ID 83814
Phone: 765-4639

Eastern Region

Idaho Dept. of Water Resources
150 Shoup Ave., Suite 15
Idaho Falls, ID 83401
Phone: 525-7161

Southern Region

Idaho Dept. of Water Resources
1041 Blue Lakes Blvd. North
Twin Falls, ID 83301
Phone: 734-3578

Western Region

Idaho Dept. of Water Resources
450 W. State St., (Third Floor)
Boise, ID 83720
Phone: 334-2190

Sincerely,



L. GLEN SAXTON
Chief, Operations Bureau

Enclosures

MICROFILMED

MAR 28 1990

April 26, 1984

Raymond S. or Olive G. Miller
HC-01, Box 292
Kingston, ID 83839

Dear Mr. Miller:

Re: Permit Nos. 94-7137 and 94-7138

This office acknowledges receipt of the Statement of Beneficial Use postcard submitted for Permit No. 94-7137 and the Request for Extension of Time submitted for Permit No. 94-7138.

For Permit No. 94-7137, before a license can be issued, a field examination must be made by a representative of this department. We cannot tell just when this examination will be made, but our examiner will contact you to schedule the exam at a convenient time.

For Permit No. 94-7138, enclosed is a copy of the approved request for extension of time. The time within which to submit the statement of beneficial use postcard is extended to May 1, 1989.

If you have any questions concerning your permits, please feel free to contact this office or our Northern Regional office at 667-6484.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosures: Ext. of Time

RECEIVED
MAY 1 1984

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as agreement that the permit holder(s) has completed development to the extent shown below of Permit No. 94-7137.

Name(s) of Permit Holder: Raymond S. or Olive G. Miller

Post Office Address: HC-01- Box 292

Kingston, Idaho - 83839 Tel. No. 208-682-3218

Source of Water: Spring

Extent of Use: ☒ Domestic 2 (number of households)
☐ Stockwater (number and type of stock)
☐ Irrigation (acres)
☐ Other

Measurement Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No
 Access Point: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

3/26/84
Date

Raymond S. Miller
Signature of Permit Holder

Raymond Miller

HC-01- Box-292

Kingston, Idaho-83839

PLACE
13 CENT
STAMP
HERE

RECEIVED

MAR 14 1984



RECEIVED

MAR 23 1984

Department of Water Resources

IDAHO DEPARTMENT OF WATER RESOURCES

Department of Water Resources
STATE HOUSE

BOISE, IDAHO 83720

March 21, 1984

Raymond S. or Olive G. Miller
Enaville Star Rt.
Kingston, ID 83839

Dear Mr. and Mrs. Miller:

Re: Permit No. 94-7138

I received the Request for Extension of Time and also the Statement of Beneficial Use postcard. Before I can decide what action the Department should take on the permit, I need more information.

I've reviewed the information presented on the extension request. It indicates almost all of the project was complete at one time but that high waters have destroyed most of the work done. The permit is for two domestic purposes which I understand provides water for 12 self-contained campers. If the water is being placed to a beneficial use, that is, the water is actually being diverted from the unnamed stream and use for domestic purposes, the Statement of Beneficial use postcard is the right form to submit. In which case, please sign and return the postcard.

If the project is not complete, that is, you are not actually diverting or using the water for domestic purposes, then advise what me as to the amount and type of work left to be completed. Based on the information you provide me, the Department can take action on the extension request.

If you should decide to submit the statement of beneficial use postcard, I will make arrangements to return the extension request and filing fee.

I would like to follow up with this matter as soon as possible. Please try to contact me by April 15. My phone number is 334-4290 or write to the Department of Water Resources, Statehouse Mail, Boise, Idaho.

Sincerely,

RITA FLECK
Secretary/Records Manager

*The postcard described
in this letter is for
right No. 94-7137*

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

MILLER, RAYMOND S. & OLIVE G.
ENAVILLE STAR ROUTE
KINGSTON, ID 83839

138513

PROOF DUE NOTICE

FEBRUARY 28, 1984

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 94-7137 WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE MAY 01, 1984. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST). ENCLOSED IS A POSTCARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER THE BENEFICIAL USE POSTCARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

MICROFILMED

Entered as approved.

Print-out lost.

LR

6-11-79

IDENT. NO. 94-7137

WATER RIGHT
DATA ENTRY LOG

[illegible]



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 384-2215

May 21, 1979

Re: Permit No. 94-7137

Raymond S. or Olive G. Miller
Enaville Star Route
Kingston, ID 83839

Dear Mr. & Mrs. Miller:

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval as listed on the fourth page.

Sincerely,

David R. Tuthill Jr.

DAVID R. TUTHILL, JR.
Supervisor, Water Allocations Section

DRT:lr

Enclosure

MICROFILMED

STAFF REVIEW - STATE OFFICE

94-7137

1. ✓ Name vs. Signature
2. S.W. Source
3. ✓ Point of Diversion
4. 0.12 Amnt. & Period of Use
5. ✓ Descrip. of Diverting Wrks.
6. 5 Time req. for Proof of B/U
7. ✓ Place of Use for other than irrig.
8. N/A Place of Use for irrigation (add acres)
9. A Property Owner at Pt. of Div. & Pl. of Use
10. ✓ Map
11. 20 Fee & Rec't. No.

Copies Sent To:

<u>NO</u> Idaho Health Department	<u>NO</u> U.S.F.S.
<u>7</u> Idaho Fish & Game Dept.	<u>7</u> Dept. of Lands
<u>7</u> Bureau of Land Management	<u>7</u> Other

Dam Safety Information N/A (Goes to Permit Section)

Check:

Critical G.W. Area yes NO no

Other rights on same land N/A

Withdrawals of all protests received N/A yes no

Conditions:

ID Power Co. Letter - Snake R. NO
 ID Power Co. Letter - G.W. & Tribs. NO
 Snake River Condition NO
 Payette River Letter NO
 Priority Date 4/10/79

Meas. Dev. or Sc. Meas. NO
 Totalizing meter NO
 Supplemental NO
 Right-of-Way Cond. NO
 Watermaster Cond. NO
 Wtr. Dist No. NO

Water Quality #16 NO
 Water Quality #10 NO
 intrastate NO interstate NO

Meas. Dev. Cond. for apps within a Water Dist. NO

J. J. J. Reviewer
5/15/79 Date

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. 94-7137 Miller

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) RYA 4-10-79

In form to receipt

(2) _____

Send Copies to:

Idaho State Health Department

Idaho Fish and Game Department

Bureau of Land Management

(3) _____

Request Special Use Permit from U.S.F.S.

Request Easement from B.L.M.

Request Information from Applicant

Request Dam Safety Information

(4) RYA 4-10-79

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. _____

(7) _____

Critical groundwater area: yes _____ no _____

(8) _____

Groundwater levels:

_____ Declining, _____ Stable, _____ Increasing

(comment) _____

(9) _____

Other rights on the same place of use

(10) _____

Comments: _____

(11) pmc 5/4/79

Affidavit of Publication received(date) 5/11/79

(12) pmc 5/9/79

Final date for protests May 7, 1979

Protests received: yes _____ no ☒

(13) pmc 5/9/79

All requested information received from agencies or applicant: yes ☒ no _____

(14) _____

Action recommended:

☒ Approve _____ Deny

4-10-79 Proposed Priority

Reason for Reduction _____

Measuring device required

See attached sheet for other conditions of approval

☒ No special conditions for approval

(15) District Northern

By Bob Haynes Date 5-9-79

RECEIVED
MAY 15 1979

Department of Water Resources

94-2132

MILLER, RAYMOND S. &/or OLIVE G.

ENAVILLE STAR ROUTE, KINGSTON, ID 83839

Source: FALLS CREEK & UNNAMED SPRING tributary to COEUR D'ALENE RIVER

Date Filed: 04/10/1979

Amount: 0.12 CFS

Diversion Point: SESE Sec 34 T 50N R 02E, SHOSHONE Co.

Use: DOMESTIC (0.12 CFS) from 01/01 to 12/31

Place of Use: SESE Sec 34 T 50N R 02E

Diversion Means: GRAVITY-FLOW PIPELINE

MICROFILMED