


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Thomas A. Leeger

Harvey J. McNeil
(Applicant)

AFFIDAVIT OF PUBLICATION

RECEIVED

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

94-7130
LEEGER, THOMAS A.
MCNEEL, HARVEY J.
3205 PINE HILL DR. COEUR
D'ALENE, ID. 83814
Source: UNNAMED SPRING
tributary to BLUE LAKE
CREEK
Date Filed: 12/08/1978
Amount: 0.04 CFS
Diversion Point: NWNW Sec. 14
T 48N R 03W, KOOTENAI Co.
Use: DOMESTIC (0.04 CFS) from
01/01 to 12/31
Place of Use: NESE SENE Sec.
15 T 48N R 03W
Diversion Means: SPRING BOX
WITH PIPELINE

94-7131
ANDERSON, RALPH J.
RT 2 BOX 359, ST MARIES, ID
83861
Source: UNNAMED SPRINGS
Date Filed: 12/07/1978
Amount: 0.02 CFS
Diversion Point: NESW Sec. 21 T
47N R 02W NENW Sec. 16 T 47N
R 02W, KOOTENAI Co.
Use: STOCKWATER (0.02 CFS)
from 01/01 to 12/31
Place of Use: NENW Sec. 16 T
47N R 02W NESW Sec. 21 T 47N
R 02W
Diversion Means: STOCK TANKS
95-7882

DUNN, ROBERT R. &
or IONE R.
BOX 1644, COEUR D'ALENE, ID
83814
Source: UNNAMED SPRING
tributary to BLUE CREEK
Date Filed: 12/11/1978
Amount: 0.04 CFS
Diversion Point: SWNW Sec. 23 T
50N R 03W, KOOTENAI Co.
Use: DOMESTIC (0.04 CFS) from
01/01 to 12/31
Place of Use: SWNW Sec. 23 T
50N R 03W
Diversion Means: DEVELOPED
SPRING AND PIPELINE

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any water permit must be filed with the Director of the Idaho Department of Water Resources, 4055 Gov't Way, Coeur d'Alene, Id, 83814 on or before JANUARY 8, 1979.

C. STEPHEN ALLRED
Director

Published 12/21 & 12/28/78.
Legal
321
December 21 & 28, 1978

STATE OF IDAHO,
County of Kootenai,

ss.

DEC 29 1978

upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The Notice of which the annexed is a printed copy, was published in the regular issue of said newspaper for 2 consecutive weeks, commencing on the 21 day of Dec, 1978, and ending on the 28 day of Dec, 1978, and such publication was made as often during said period as said newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Subscribed and sworn to before me this 28 day of Dec, 1978.

Robert M. Mandy
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

LEADER

26, 64

MICROFILMED

DATE

9/19/862

10/6/86 DON WHITE FORESTER WITH WOFI COOPERATIVE OFFICE
SAYS THAT ATROZINE & VULPAR ARE & CAN
CAUSE SICKNESS^{OR} IF INGESTED. LETTER TO
MR. CLARDY

2

MICROFILMED

MAR 04 1988

94-7130




MICROFILMED

MAR 04 1988

T 48N
R 3W
S 14

94-7130



CONTOUR INTERVAL 40 FEET
SUPPLEMENTARY CONTOUR INTERVAL 20 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929

Primary h
hard surfa
Secondary
hard surfa

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 94-7130

Priority: December 4, 1978 Amount: .02 CFS .4 AFA

This is to certify, that THOMAS A. LEEGE
HARVEY J. MC NEEL

3205 PINEHILLE DR.
COEUR D ALENE, ID 83814

has complied with the terms and conditions of the permit issued pursuant to Application for Permit dated December 4, 1978, and has submitted proof to the Department of Water Resources on February 2, 1984, that water has been applied to a beneficial use; an examination by the Department indicates that the works have a diversion capacity of .02 cfs of water from;

SPRING tributary to BLUE LAKE CREEK

and that a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>VOLUME</u>
Stockwater	01/01 to 12/31	.01 cfs	.2 afa
Commercial	03/15 to 11/15	.02 cfs	.2 afa
	Totals	.02 CFS	.4 AFA

LOCATION OF POINT OF DIVERSION(S): NWNWNW , Sec. 14, Township 48N, Range 3W
Kootenai County

PLACE OF USE: Stockwater

TWN RGE SEC

48N 3W 15 NESE

PLACE OF USE: Commercial, same as Stockwater use

CONDITIONS/REMARKS:

1. The right to the use of the water hereby confirmed is limited to the amount which can actually be beneficially used and is restricted and appurtenant to the lands or place of use and to the purpose herein described, as provided by the laws of Idaho.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. Commercial use is for dilution of spray for Christmas trees.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 29th day of February, 1988.

Director

MAR 04 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR AMENDMENT OF A PERMIT

RECEIVED
FEB 2 1984

APPROVED

To change the point of diversion and/or the place of use.

Department of Water Resources

Comes now Thomas A Leege and Harvey J. McNell

of (address) 3205 Pinehill Dr. Coeur d' Alene Id. 83814, and represents to the

Director of the Idaho Department of Water Resources:

That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho
No. 94-7130, and requests that the permit and permit map be changed as follows:

NO CHANGE

1. Point of diversion: 1/4 1/4, Section , Township , Range , B.M.,
County of . Other points of diversion:

2. Period and nature of use: (irrigation, domestic, stockwatering, industrial, etc.)

Amount 0.01 for Stock purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre feet per annum)

Amount 0.03 for Commercial purposes from 3-15 to 11-15 (both dates inclusive)
(cfs or acre feet per annum)

Amount for purposes from to (both dates inclusive)
(cfs or acre feet per annum)

Amount for purposes from to (both dates inclusive)
(cfs or acre feet per annum)

3. Place of use or land to be irrigated:

NO CHANGE

TWP	RGE	SEC	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	

Total number of acres to be irrigated =

4. a. Who owns the property at the point of diversion?
b. Who owns the land to be irrigated or the place of use?
c. If the property is owned by a person other than the applicant, describe the arrangement enabling the
applicant to make this filing:

8.a.3 20 head of range stock

8.a.5 Commercial is for dilution of spray for christmas trees

NO CHANGE

NO CHANGE

[illegible]

Scale: 2 inches equal 1 mile.

That no one will be injured by such change, and that such change will be made at permit holder's own risk.

Signed at

to day of 24 this

(Signature)

(Signature)

FOR DEPARTMENT USE ONLY

Preliminary check by

Free = \$20.00

Received by

Date _____

60768 # 78-9-8

Publication dates

Publication prepared by

Date _____

Published in

I, L. GLEN SAXTON, Director of the Department of Water Resources hereby Approve the above referenced Amendment provided the conditions as set forth on page 4 of Permit No. 94-7130 are met.

page 4 of Permit No. 94-7130 are met.

Witness my hand this

day of

February

78 61

Chief, Operations Bureau

19 84
J. Allen Sayson
Chief, Operations Bureau

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Thomas A. Leeger and ~~Harvey J. Mc Neel~~ ^{Harvey J.} Phone 664-3725-home
664-9236-office
Post office address 3205 Pine Hill Dr., Coeur d'Alene, Id. 83814

2. Source of water supply spring (unnamed) which is a tributary of Blue Lake Creek

3. Location of point of diversion is NW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 14 Township 48N
Range 3W B.M. Kootenai County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .04 cfs for domestic purposes from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. .04 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. 500 gallon spring box (approx.)
with plastic pipe to residences.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation: NE SE
(1) Give the place of use of water: SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 15 Township 48N
Range 3W B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.


(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water two.

(5) If water is to be used for other purposes describe: _____

[illegible]

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Thomas A. Loege

Harvey J. McNeel
(Applicant)

Chief, Operations Bureau

J. Allen Saylor

Witness my hand this 15 day of January, 19 79.

d. Other:

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

for January 1, 19 84.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or be-

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

1. Approval of said application is subject to the following limitations and conditions:

of Idaho No. 94-7130, and said application is hereby APPROVED.

This is to certify that I have examined Application for Permit to appropriate the public waters of the State

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

Recommended for approval denial by J.S.

Hearing held by _____ Date _____

Copies of protests forwarded by _____

Protests filed by: _____

Publication approved PMS Date 12-29-78

Publication dates 12/21-28/78

Published in Courier & Press

Publication prepared by me Date 12/13/78

Received by ✓ Date 12-8-78 (12/6/78)

Preliminary check by ✓ Fee \$ 20.00

Received by KC Date 12/4/78 Time 4:45 P.

Proposed Priority 12/4-78 12-8-78 1PM

AFFIDAVIT OF PUBLICATION

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

94-7130
LEEGE, THOMAS A.
MCNEEL, HARVEY J.
3205 PINE HILL DR. COEUR
D'ALENE, ID. 83814
Source: UNNAMED SPRING
tributary to BLUE LAKE
CREEK
Date Filed: 12/08/1978
Amount: 0.04 CFS
Diversion Point: NWNW Sec. 14
T 48N R 03W, KOOTENAI Co.
Use: DOMESTIC (0.04 CFS) from
01/01 to 12/31
Place of Use: NESE SENE Sec.
15 T 48N R 03W
Diversion Means: SPRING BOX
WITH PIPELINE

94-7131
ANDERSON, RALPH J.
RT 2 BOX 359, ST MARIES, ID
83861
Source: UNNAMED SPRINGS
Date Filed: 12/07/1978
Amount: 0.02 CFS
Diversion Point: NESW Sec. 21 T
47N R 02W NENW Sec. 16 T 47N
R 02W, KOOTENAI Co.
Use: STOCKWATER (0.02 CFS)
from 01/01 to 12/31
Place of Use: NENW Sec. 16 T
47N R 02W NESW Sec. 21 T 47N
R 02W
Diversion Means: STOCK TANKS

95-7882
DUNN, ROBERT R. &
or IONE R.
BOX 1644, COEUR D'ALENE, ID
83814

Source: UNNAMED SPRING
tributary to BLUE CREEK
Date Filed: 12/11/1978
Amount: 0.04 CFS
Diversion Point: SWNW Sec. 23 T
50N R 03W, KOOTENAI Co.
Use: DOMESTIC (0.04 CFS) from
01/01 to 12/31
Place of Use: SWNW Sec. 23 T

50N R 03W
Diversion Means: DEVELOPED
SPRING AND PIPELINE

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any water permit must be filed with the Director of the Idaho Department of Water Resources, 4055 Gov't Way, Coeur d'Alene, Id, 83814 on or before JANUARY 8, 1979.

C. STEPHEN ALLRED
Director

Published 12/21 & 12/28/78.
Legal

321
December 21 & 28, 1978

STATE OF IDAHO,
County of Kootenai,

ss.

Carol Hedge being first duly sworn upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The *Notice* of which the annexed is a printed copy, was published in the regular *three* issue of said newspaper for *2* consecutive *weeks* commencing on the *21* day of *Dec*, 19*78*, and ending on the *28* day of *Dec*, 19*78*, and such publication was made as often during said period as said *paper* newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Carol Hedge
Subscribed and sworn to before me this *28* day of *Dec*, 19*78*.

LEADER *26.64*

Robert M. Mandy
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

February 29, 1988

THOMAS A. LEEGE
3205 PINEHILLE DR.
COEUR D ALENE, ID 83814

RE: Permit No. 94-7130

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

MAR 04 1988

February 4, 1988

THOMAS A. LEEGE
3205 PINEHILLE DR.
COEUR D ALENE, ID 83814

RE: Permit No. 94-7130

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

MAR 04 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

~~10~~ - DAY
10

94-7130
Permit No.

1. **Measurement Calculations**

- a) Field Measurement Calculations (Include theoretical capacities and system capacity)

0.02 cfs

- b) Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

- c) Volume Calculations for Other Uses:

Stock = 0.2

Commercial = 0.12/A & 0.2 AF/A

2. **Overlap Review**

- a) Other water rights with same place of use: _____

- b) Other water rights with same point of diversion: _____

- c) Analysis:

MICROFILMED

MAR 04 1988

RECOMMENDED AMOUNTS

Permit No.	94-7130	Priority	12-4-78	Amount	0.02	App. Date	12-4-78	Date Proof Submitted	2-2-84	System Capacity	0.02
------------	---------	----------	---------	--------	------	-----------	---------	----------------------	--------	-----------------	------

4. Permit Holder: Thomas A. Lege & Harvey J. McNeel

Address: 3205 Pinchill Dr. - Cotuit, Id. 83814

5. Source: Spring tributary to Blue Lake Cr.

6. Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
-------------------	---------------	-------------------	---------------

Period of Use	From	To	Rate of Diversion Q (cfs)	Annual Volume V (af/a)
---------------	------	----	------------------------------	---------------------------

570CK

12-31 1-1

10.0

COMMON

1-1 12-31

20'0

0.2

6. Beneficial Use

Period of Use
From To

Rate of Diversion
Q (cfs)

Annual Volume
V (ata)

No.	Govt. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County
		Nw	Nw	Nw	14	48 N	3 W	Kootenai

7. Point(s) of Diversion:

8. Place(s) of Use

Twp.	Rge.	Sec.	NE 1/4						NW 1/4						SW 1/4						SE 1/4		Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4					
48 N	3 W	15																					
																				Total Acres			

9. Recommended Conditions/Remarks:

10. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None (MAR 04 1988)

☒ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

11. Examiner's Signature _____

Date _____

10. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None MAR 04 1988

☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

11. Examiner's Signature

Checked in Regional Office by _____

Approved in State Office by _____

Date _____

1-28-88

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Dep't. of Water Resources

JAN 69 1987

A. GENERAL INFORMATION

Permit No. 94-7130

1. Owner: THOMAS A. LEEGE & HARVEY I. McNEEL

Phone No. 664-9236

Current Address: 3205 PINEHILL DR. COEUR D'ALENE, ID. 83814

2. Accompanied by: NONE

EXAM. DATE: 7/19/86

Address: NONE

Phone No. _____

Relationship to Permit Holder: NONE

3. Source: SPRING tributary to BLUE LAKE CR.

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE

☐ Copies Attached

2. Other water rights with same point of diversion: NONE

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached

RECEIVED
MAR 04 1988

Scale: 1" = _____

2. ☐ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater.

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
4 GAL BUCKET						

2. Measurements:

4 GAL IN 35 SEC

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

$$\frac{4}{35} = \frac{x}{60} \quad \therefore 35x = 240 \quad \therefore x = \frac{240}{35} = 6.96 = 0.015 \therefore 0.02 \text{ cfs}$$

2. Alternate Method for Checking Purposes:

$$Q = \left(\frac{0.463}{0.012} \right) \left(\frac{1}{12} \right)^{2.667} \left(\frac{200}{3000} \right)^{0.50} = 0.013 \text{ cfs}$$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) : Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

$$(0.02)(1.9835)(365) = 144.8 \text{ AF}$$

$$(0.02)(1.9835) = 0.04 \text{ AF}$$

$$2 \text{ ACRES OF TREES } 3 \text{ APPLICATIONS / YEAR} = 0.12 \text{ AF/A } \therefore 0.2 \text{ AF/A}$$

RECEIVED
MAR 04 1988

~~DAN CLARDY & FRANK BOWSER LIVE NEXT WEDNESDAY~~

CONCERN ABOUT CHEMICALS BEING USED. THEIR DOMESTIC

~~WATER SOURCE (LEGH FIELD) ARE 15 SURFACE, DIFFUSED~~

WATER.

CHEM'S = ATROZINE, VELPAR & ROUNDO RP.

SEE ATTACHMENT FOR FURTHER INFO

1. Recommended Amounts

Beneficial Use

Period of Use
From **To**

Rate of Diversion
Q (cts)

Annual Volume
V (a7a)

5726K

1-1

12-21

20.2

2.2

5726K

Front

01

Q (cfs)

(b)(7) A

Totals:

2070

4.0

2. Recommended Amendments

☐ Change P.U. as reflected above☐ Add P.U. as reflected aboveOther ☐☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

None ☐

Field Examiner's Name

Signature

Certification Date

Field Report Preparation Date


K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

CONSULTANT SEAL

MAR 04 1988

CERTIFICATE

DATE

9/19/86

94.7 30

2


10/6/86 DON WHITE FORESTER WITH MOFI COOPER OFFICE
SAYS THAT ATROZINE & VULPAR ARE & CAN
CAUSE SICKNESS^{OR} DEATH IF INGESTED. LETTER TO
MR. CLARDY

2

MICROFILMED

MAR 04 1988

94-7130



SCALE 1:24 000

MAR 04 1988

T 48N
R 3W
S 14

94-7130

CONTOUR INTERVAL 40 FEET
SUPPLEMENTARY CONTOUR INTERVAL 20 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1985

Primary hard surface
Secondary hard surface

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

94-7130
Permit No.

Staff Analysis Sheet
for
Beneficial Use Field Report

JAN 11 1987

Department of Water Resources

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
- ☒ Copy of Permit
- ☒ Copies of any Amendments/Orders with conditions of approval
- ☐ Computer Data Proof Report
- ☒ Copy of U.S.G.S. Quad
- ☒ Check for Government Lots. If so, make a copy of Government Plat

Check of P/D index R 9/8/86 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of exam(s) attached?
Type of Overlap? ☐ Add acres or uses to existing system
☐ Increase rate of flow or volume
☐ Other: _____

Check of P/U index R 9/8/86 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of water right(s) attached?
Type of Overlap? ☐ Increase rate of flow or volume
☐ Add P/D's
☐ Increase number of acres within tracts
☐ Other: _____

Aerial Photo

Required? ☐ yes ☒ no If yes: ☐ copy attached?

Scheduling Letter sent? _____ (Initial and date)

☐ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
- ☒ Photographs of Point of Diversion and Place of Use
- ☒ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

C. Review and Processing:

Exam Completed James K. King 9/22/86 (Signature of examiner and date)

Exam Reviewed by Senior Water Resource Agent R 9/22/86 (Initial and date)

Exam Reviewed by Manager of Regional Office PYB 1/26/87 (Initial and date)

Exam Date Entered in Computer 1/26/87 (Initial and date)

Exam sent to State Office 1/27/87 (Initial and date)

Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)

October 20, 1986

Mr. Dan Clardy
P.O. Box 28
Harrison, Id. 83833

Re: 94-7130

Dear Mr. Clardy:

I have consulted several authorities concerning the use of chemicals by Mr. Leege and Mr. McNeel. These chemicals are Atrozone, Velpar and Roundup.

Most of the people questioned agreed that these chemicals can be hazardous if ingested. However, I can find no restrictions concerning their use. If a problem develops, unless you can reach some agreement with Mr. Leege or Mr. McNeel, you may have to seek another source or deepen or filter your current leach field.

If we can be of any further assistance, please contact me at this office.

Sincerely,

TOM D. KING
Senior Water Resource Agent

TDK/pms

RECEIVED

MAR 04 1988

C
O
P
Y

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
A. KENNETH DUNN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

APRIL 24, 1984

T. A. LEEGE
3205 PINEHILL DR. W.
COEUR D ALENE ID 83814

RE: Permit No. 94-7130

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a Water Right License can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 667-6484 or in person at our office.

Sincerely,

/s/
TOM D. KING
Senior Water Resource Agent

cc: IDWR - State Office

MICROFILMED

MAR 04 1988

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 94-7130

Name(s) of Permit Holder: T.A. LEEGE and H.J. McNEEL

Post Office Address: 3205 Pinehill Dr. W.

Coer Alene, ID 83814

Tel. No. 664-3725

Source of Water: spring

Extent of Use:

☐ Domestic		(number of households)
☒ Stockwater	<u>20</u>	(number and type of stock)
☐ Irrigation		(acres)
☒ Other <u>used for mixing with herbicides & pesticides to spray Christmas Trees</u>		

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

1-26-84

Date

Tom Lege
Signature of Permit Holder

PLACE,
13 CENT
STAMP
HERE

RECEIVED

FEB 2 1984



MICROFILMED

IDAHO DEPARTMENT OF WATER RESOURCES
Department of Water Resources
STATEHOUSE
BOISE, IDAHO 83720

February 9, 1984

RE: Permit No. 94-7130

Thomas A. Leege &
Harvey J. McNeel
3205 Pinehill Dr.
Coeur d'Alene, ID 83814

Gentlemen:

Enclosed is a copy of the approved application for amendment submitted in connection with the above referenced permit.

If you have any questions concerning this matter, please contact us.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:sc

Enclosure

RECEIVED
FEB 14 1984
Coeur d'Alene, ID

December 7, 1983

T. A. Leege and H. J. McNeel
3205 Pinehill Drive West
Coeur d'Alene, ID 83814

Gentlemen:

Re: Permit No. 94-7130

Returned is the proof of beneficial use postcard received in this office on November 9, 1983. The proof submittal cannot be accepted since the permit was approved for domestic use in two homes, but the water is apparently being used for spraying trees. It does appear, however, that the submittal of an extension of time request would be appropriate since the spring apparently has been developed and the water diverted. The completed extension request, together with the appropriate fee of \$15.00 should be received in this office prior to January 1, 1984 to keep the permit in good standing.

If the extension request is not timely received, you will be sent a lapse notice and eventually the permit will become of no force nor effect.

If you have questions, please feel free to contact me at 334-4290.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure: B/U postcard
Extension Request

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138168

LEECE, THOMAS A
3205 PINE HILL DR
COEUR D'ALENE, ID 83814

PROOF DUE NOTICE

OCTOBER 31, 1983

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 94-7130 WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE JANUARY 01, 1984. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST). ENCLOSED IS A POSTCARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER THE BENEFICIAL USE POSTCARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

ENCLOSURES



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 384-2215

January 17, 1979

Re: Permit No. 94-7130

Thomas A. Leage
& Harvey J. McNeal
3205 Pine Hill Drive
Coeur d'Alene, Idaho 83814

Gentlemen:

Enclosed is a copy of your approved Application for Permit No. 94-7130. We direct your attention to the conditions of approval as listed on the fourth page.

Sincerely,

L. GLEN SAXTON
Chief, Operations Bureau

LGS:kw
Enclosure

NOT RECORDED

STAFF REVIEW - STATE OFFICE

- | | |
|---|--|
| 1. <u>✓</u> Name vs. Signature | 7. <u>✓</u> Place of Use for other than irrig. |
| 2. <u>Spr</u> Source | 8. <u>N/A</u> Place of Use for irrigation (add acres) |
| 3. <u>✓</u> Point of Diversion | 9. <u>B</u> Property Owner at Pt. of Div. & Pl. of Use |
| 4. <u>✓</u> Amnt. & Period of Use | 10. <u>✓</u> Map |
| 5. <u>✓</u> Descrip. of Diverting Wrks. | 11. <u>20</u> Fee & Rec't. No. |
| 6. <u>5</u> Time req. for Proof of B/U | |

Copies Sent To:

<u>NO</u> Idaho Health Department	<u>NO</u> U.S.F.S.
<u>✓</u> Idaho Fish & Game Dept.	<u>✓</u> Dept. of Lands
<u>✓</u> Bureau of Land Management	<u>✓</u> Other

Dam Safety Information N/A (Goes to Permit Section)

Check:

Critical G.W. Area ✓ yes ✓ no

Other rights on same land N/A

N/A Withdrawals of all protests received ✓ yes ✓ no

Conditions:

ID Power Co. Letter - Snake R. NO

ID Power Co. Letter - G.W. & Tribs. ✓

Snake River Condition ✓

Payette River Letter ✓

Priority Date 12/4/76

Water Quality #16 NO

Water Quality #10 ✓
intrastate ✓ interstate ✓

Meas. Dev. or Sc. Meas. NO

Totalizing meter ✓

Supplemental ✓

Right-of-Way Cond. ✓

Watermaster Cond. ✓
Wtr. Dist No. ✓

Meas. Dev. Cond. for apps within a Water Dist. ✓

Janie
Reviewer
1/11/79
Date

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. McNeel 94-7130

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) SL 12-8-78

In form to receipt

(2) _____

Send Copies to:

_____ Idaho State Health Department
_____ Idaho Fish and Game Department
_____ Bureau of Land Management

(3) 6 _____

_____ Request Special Use Permit from U.S.F.S.

_____ Request Easement from B.L.M.

_____ Request Information from Applicant

_____ Request Dam Safety Information

(4) SL 12-8-78

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. _____

(7) _____

Critical groundwater area: yes _____ no _____

(8) _____

Groundwater levels:

_____ Declining, _____ Stable, _____ Increasing

(comment) _____

(9) _____

Other rights on the same place of use

(10) _____

Comments: _____

(11) _____

Affidavit of Publication received(date) 12-29-78

(12) _____

Final date for protests 1-8-79

Protests received: yes _____ no ☒

(13) _____

All requested information received from agencies or applicant: yes ☒ no _____

(14) _____

Action recommended:

☒ Approve _____ Deny

RECEIVED
JAN 10 1979

Department of Water Resources

12-4-78 Proposed Priority

_____ Reason for Reduction _____

_____ Measuring device required

_____ See attached sheet for other conditions of approval

☒ No special conditions for approval

(15) District Northern

By Bob Haynes

Date 1-8-79

94-2130-

LEECE, THOMAS A
MCNEEL, HARVEY J

3205 PINE HILL DR, COEUR D'ALENE, ID 83814

Source: UNNAMED SPRING tributary to BLUE LAKE CREEK

Date Filed: 12/08/1978

Amount: 0.04 CFS

Diversion Point: NWNW Sec 14 T 48N R 03W, KOOTENAI Co.

Use: DOMESTIC (0.04 CFS) from 01/01 to 12/31

Place of Use: NESE SENE Sec 15 T 48N R 03W

Diversion Means: SPRING BOX WITH PIPELINE