

ROCHAT F

7.5 MINUTE


JDLEY 5.7 MI.

(CATALDO 1:125 000)

CATALDO 7.2 MI.

25'

340 000 FEET | R. 1 W. R. 1 E.





MICROFILMED

MAR 20 1987

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 94-7121

Priority: June 29, 1978

Amount:

.02 CFS

.2 AF

This is to certify, that RONALD G. SIMMONS
JOAN C. SIMMONS

P.O. BOX 84

CATALDO, ID 83810

has complied with the terms and conditions of the permit issued pursuant to Application for Permit dated June 29, 1978, and has submitted proof to the Department of Water Resources on August 1, 1983, that water has been applied to a beneficial use; an examination by the Department indicates that the works have a diversion capacity of .93 cfs of water from;

LATOUR CREEK

tributary to COEUR D ALENE RIVER

and that a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>VOLUME</u>
Stockwater	01/01 to 12/31	.02 cfs	.2 af

LOCATION OF POINT OF DIVERSION(S): NENW , Sec. 23, Township 48N, Range 1W
Kootenai County

PLACE OF USE: Stockwater

TWN RGE SEC

48N 1W 23 NWNW

CONDITIONS/REMARKS:

1. The right to the use of the water hereby confirmed is limited to the amount which can actually be beneficially used and is restricted and appurtenant to the lands or place of use and to the purpose herein described, as provided by the laws of Idaho.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 27th day of January, 1987.

MICROFILMED

MAR 20 1987

for the Director

Identification No. _____

Application No. 94-7121

**STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES**

APPLICATION FOR PERMIT APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant Ronald G & Jean C Simmens Phone: 773-5418
post office address Rx 1071 Post Falls, Id. 83854
2. Source of water supply ha Tour Creek which is a tributary of Coeur D'Alene River
3. a. Location of point of diversion is NE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 23 Township 48N
Range 1W B.M. Kootenai County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 0.02 for Stock purpose from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 0.02 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. _____
pump & pipeline to stock pond.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$ _____.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: NW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 23 Township 48N
Range 1W B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered 20-25 hd.

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.
(5) If water is to be used for other purposes describe: _____

MINORITY NAME

10. Remarks.

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the

b. Who owns the land to be irrigated or place of use.

9. a. Who owns the property at the point of diversion.

Note from us moved from filed 6/29/78

Total number of acres to be irrigated.

TWP.	RANGE	SEC.	NE¼			NW¼			SE¼			SW¼			NE¼			NW¼			SE¼		
TOTALS			NE¼	NW¼	SE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SE¼

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

place of use
② PD X
SRA 23
T48NR1W

Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Ronald H. Simmons
(Applicant)

Chief, Operations Bureau

J. Alan Gayton

Witness my hand this 17 day of August, 19 78.

2. Denial of said application is for the following reasons:

c. Other:

before August 1, 19 83.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

1. Approval of said application is subject to the following limitations and conditions:

Idaho No. 94-7121, and said application is hereby APPROVED.

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

Proposed Priority 6/29/78
Received by AK Date 6/29/78 Time 11 AM
Preliminary check by AK Fee \$ 10.00
Received by AK Date 6/27/78 (10970)
Publication prepared by AK Date 7-5-78
Published in Camden, New Jersey
Publication dates 7-13-78-78
Publication approved B Date 7-27-78
Priority reduced to _____ Reason _____
Protests filed by: _____
Copies of protests forwarded by: _____
Hearing held by _____ Date _____
Recommended for approval AK denial by AK

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
County of Kootenai,

ss.

Carol Hage

being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The

Notice

of which the annexed is a printed copy, was published in the regular issue of said newspaper for _____ consecutive _____, commencing on the _____ day of _____, 19____, and ending on the _____ day of _____, 19____, and such publication was made as often during said period as said newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Carol Hage

Subscribed and sworn to before me this _____ day of _____, 19____.

Roberta Mendenhall

Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

LEADER

31

11.16

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Ronald G &/or Joan C. Simmons, Box 1071, Post Falls, Id. has on June 29, 1978 submitted Application No. 94-7121 for a permit to appropriate 0.02 cubic feet per second of water from LaTour Creek by means of a pump & pipeline within the NE 1/4 NW 1/4 Sec 23, T48N, R1W, B.M., Kootenai County to be used from Jan. 1 to Dec. 31 for stockwater within the NW 1/4 NW 1/4 Sec 23, T48N, R1W, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 4055 Government Way, Coeur d'Alene, Idaho 83814, on or before July 31, 1978.

C. STEPHEN ALLRED
Director

Published in the Coeur d'Alene Press, Coeur d'Alene, Id. on July 13 and July 20, 1978
Legal No. 663
July 13, 20, 1978

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 947121

Name(s) of Permit Holder(s): Ronald G. & Joan C. SIMMONS

Post Office Address: P.O. Box 2071 Post Falls, Ida. 83854
~~Oct 10, 1982~~

☒ I hereby certify that construction of diversion works for the above referenced permit began on 10/10/82 (date). I understand that I must

continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is not an acceptable reason.

7/1/83
Date

Ronald G. Simmons
Signature of Permit Holder

Ronald Simmons

P.O. Box 84

Cataldo, Ida. 83810

Volunteer
lend a hand



USA 20c

MICROFILMED



DEC 27 1988

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

RECEIVED

JUL 5 1988

Letter dated July 1, 1988
Water Resources



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

CECIL D. ANDRUS

~~JOHN V. EVANS~~

Governor

A. KENNETH DUNN

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

January 29, 1987

RE: Permit No. 94-7121

Ronald G. & Joan C. Simmons
Box 84
Cataldo, ID 83810

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED
MAR 20 1987

MEMORANDUM

TO: File

FROM: KAY WALKER *KW*

DATE: *12-29-86*

RE: Beneficial Use Field Report Review

Right No. *94-7121*

Comments

Part A - General Info.

Part B - Overlap Review

Part C - System Description

Part D - Flow Measurements

Part E - Flow Calculations

Part F - Volume Calculations

Part G - Remarks

Part H - Recommendations

theoretical calculation

$$\frac{8.814(.7)(9)}{(2.31)(25) + 2} = \frac{55.5282}{59.75} = 0.93 \text{ cfs}$$

MICROFILMED

MAR 20 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
DEC 24 1986

Department of Water Resources

A. GENERAL INFORMATION


Permit No. 94-7121
1. Owner: Ronald E. & Joan C. Simmons Phone No. None
Current Address: POB 84, Cataldo, ID. 83810
2. Accompanied by: SAIME EXAM. DATE: 7/29/86
Address: SAIME Phone No. None
Relationship to Permit Holder: SAIME
3. Source: Lataur Creek tributary to Coeur d'Alene River

B. OVERLAP REVIEW

1. Other water rights with same place of use: # 94-7122
☐ Copies Attached
2. Other water rights with same point of diversion: None
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

3. Narrative: Description (As

Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

From stream 1 to pond 1 (520' 1.5 ft to pond)
(static head = 2') 3/4" PVC to pond

(static head = 2')

2, Coldest

Pond - 50' dia, 8' depth (deepest pt.)

~~400 PSI @ 100 gpm - No + 100 gpm~~

☐ See Remarks on page 4 for continuation

~~Printed 3 times per week~~

Well or Diversion	Pump Serial No.	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		B. & G. S. K.	9	A667024	HYPRO- 5200	3/4" PVC

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

[illegible]

6. Place(s) of Use:

Indicate Method of Determination

[illegible]

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

NONE

E. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

1. Measured Method:

$Q = .96 \text{ cfs}$ - cal on attached sheet

2. Alternate Method for Checking Purposes:

$Q = .02$ via permit

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{i,r} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{d,r} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{i,r} \text{ and } V_{d,r} =$ _____

2. Volume Calculations for Other Uses:

$V = .2 \text{ AF}$
stock

H. REMARKS AND OVERLAP REVIEW ANALYSIS

94-7122 overlap due to stock

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use From To	Rate of Diversion Q (cfs)	Annual Volume V (afa)
Stock	1/1 12/31	.02 cfs	.2 AF

2. Recommended Amendments

- ☐ Change P.D. as reflected above
☐ Change P.U. as reflected above
☐ Add P.D. as reflected above
☐ Add P.U. as reflected above
☒ None
☐ Other

J. AUTHENTICATION

Field Examiner's Name

Jennifer Higgins

Signature

Certification Date

Field Report Preparation Date

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

CONSULTANT SEAL

RECORDED

MAR 20 1991

94-7121

Calc.Storage Pond -

$$V = (\pi(25)^2) 4 = 7,853.98 \text{ ft}^3$$

$$\frac{7853.98 \text{ ft}^3}{43,560 \text{ ft}^2} = \boxed{.18 \text{ AF}}$$

No storage
on permitFlow -

$$Q = \frac{8.8(.7)(9)}{2.23(25) + 2} = \boxed{.96 \text{ cfs}}$$

MICROFILMED

MAR 20 1981

ROCHAT

7.5 MINUTE


JOLEY 5.7 MI.

(CATALDO 1:125 000)

CATALDO 7.2 MI.

25'

340 000 FEET R. I. W. R. I. E.





MAKROFILMED

MAR 20 1987

REMARKS
ATTACHMENT TO 219A

PERMIT # 94-7/21
INITIALS

DATE

7/21

Appt. Noon Wed 23, call
to confirm - Cataldo Post Office

Appt. 7/28/86 8:30

UNFILMED

MAR 20 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

94-7121
Permit No.

DEC 24 1985

Staff Analysis Sheet
for
Beneficial Use Field Report

RECEIVED
AUG 18 1986

Department of Water Resources

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
- ☒ Copy of Permit
- ☐ Copies of any Amendments/Orders with conditions of approval
- ☒ Computer Data Proof Report
- ☒ Copy of U.S.G.S. Quad
- ☒ Check for Government Lots. If so, make a copy of Government Plat

Check of P/D index J.A. 7/29/86 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of exam(s) attached?

Type of Overlap? ☐ Add acres or uses to existing system
☐ Increase rate of flow or volume
☐ Other: _____

Check of P/U index J.A. 7/29/86 (Initial and date)

Overlap? ☒ yes ☒ no If yes: ☐ copy of water right(s) attached?

Type of Overlap? ☐ Increase rate of flow or volume
☐ Add P/D's
☒ Increase number of acres within tracts
☐ Other: _____

Aerial Photo

Required? ☐ yes ☒ no If yes: ☐ copy attached?

Scheduling Letter sent? _____ (Initial and date)

☒ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
- ☐ Photographs of Point of Diversion and Place of Use
- ☒ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

MICROFILMED

MAR 20 1987

C. Review and Processing:

Exam Completed Jennifer Argraves (Signature of examiner and date) 7/29/86

Exam Reviewed by Senior Water Resource Agent 2 8/4/86 (Initial and date)

Exam Reviewed by Manager of Regional Office QA 8/14/86 (Initial and date)

Exam Date Entered in Computer 8/14/86 (Initial and date)

Exam sent to State Office 8/15/86 (Initial and date)

Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
A. KENNETH DUNN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

SEPTEMBER 6, 1983

RONALD AND JOAN SIMMONS
BOX 84
CATALDO ID 83810

RE: Permit No. 94-7121

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 667-6484 or in person at our office.

Sincerely,

/S/
TOM D. KING
Senior Water Resource Agent

cc: IDWR - State Office

MICROFILMED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 94-7121

Name(s) of Permit Holder: Ronald G. & Joan C. Simmons

New address
Post Office Address: P.O. Box 84 Cataldo, Ida. 83810

Tel. No. NONE

Source of Water: Latah Creek

Extent of Use:

☐ Domestic	(number of households)
☒ Stockwater <u>20 cattle</u>	(number and type of stock)
☒ Irrigation <u>21.7 acres</u>	(acres)
☐ Other	

pc

Measuring Device:	Required?	☐ Yes ☒ No	Installed?	☐ Yes ☐ No
Access Port:	Required?	☐ Yes ☒ No	Installed?	☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

7-29-83


Date

Ronald G. Simmons
Signature of Permit Holder

R. Simmons

P.O. Box 84

Cataldo, Ida. 83810



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

SIMMONS, RONALD G. & JOAN C.
P.O. BOX 1071
POST FALLS, ID 83854

138678

PROOF DUE NOTICE

MAY 31, 1983

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 94-7121 WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE AUGUST 01, 1983. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST). ENCLOSED IS A POSTCARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER THE BENEFICIAL USE POSTCARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

UNRECORDED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Statehouse
Boise, Idaho 83720

Ronald G. &/or Joan C. Simmons
Box 1071
Post Falls, ID 83854

NOT RECORDED

August 18, 1978

Re: Permit No.'s 94-7121 & 94-7122

Ronald G. &/or Joan C. Simmons
Box 1071
Post Falls, ID 83854

Dear Mr. and Mrs. Simmons:

Enclosed are copies of your approved Applications for Permit as referenced above.

We direct your attention to the conditions of approval as listed on the fourth page.

Sincerely,

L. GLEN SAXTON
Chief, Operations Bureau

LGS:kw
Enclosures

94-7121

STAFF REVIEW - STATE OFFICE

1. ☒ Name vs. Signature
2. S.W. Source
3. ☒ Point of Diversion
4. ☒ Amnt. & Period of Use
5. ☒ Descrip. of Diverting Wrks.
6. 5 Time req. for Proof of B/U
7. ☒ Place of Use for other than irrig.
8. N/A Place of Use for irrigation (add acres)
9. App Property Owner at ☒ Pt. of Div. & ☒ Pl. of Use
10. ☒ Map
11. 10.00 Fee & Rec't. No. 6-29-78
12. ☒ Consent ad

Copies Sent To:

N Idaho Health Department
A Idaho Fish & Game Dept.
A Bureau of Land Management

N U.S.F.S.
A Dept. of Lands
A Other

Dam Safety Information N/A (Goes to Permit Section)

Check:

Critical G.W. Area yes ☒ no

Other rights on same land 94-7122 - different springs -
for same use in same location

N/A Withdrawals of all protests received yes no

Conditions:

ID Power Co. Letter - Snake R. N
ID Power Co. Letter N - G.W. & Tribs. A
Snake River Condition A
Payette River Letter N
Priority Date 6-29-78

Water Quality #16 N
Water Quality #18 A
intrastate interstate

Meas. Dev. or Sc. Meas. N
Totalizing meter N
Supplemental N
Right-of-Way Cond. A
Watermaster Cond. A
Wtr. Dist No. A

Meas. Dev. Cond. for apps within a Water Dist. N

J mi
Reviewer
8/17/78
Date

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. Simmons

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) RENT 6.30-78

In form to receipt

(2) _____

Send Copies to:

Idaho State Health Department

Idaho Fish and Game Department

Bureau of Land Management

(3) _____

Request Special Use Permit from U.S.F.S.

Request Easement from B.L.M.

Request Information from Applicant

(4) RENT 6.30-78

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. _____

(7) _____

Critical groundwater area: yes _____ no _____

(8) _____

Groundwater levels:

_____ Declining, _____ Stable, _____ Increasing

(comment) _____

(9) _____

Other rights on the same place of use

(10) _____

Comments: _____

(11) _____

Affidavit of Publication received(date) 7-27-78

(12) _____

Final date for protests 7-31-78

Protests received: yes _____ no ☒

(13) _____

All requested information received from agencies or
applicant: yes ☒ no _____

(14) _____

Action recommended:

☒ Approve _____ Deny

RECEIVED

AUG 11 1978

Department of Water Resources

6-29-78 Proposed Priority

Reason for Reduction _____

Measuring device required

See attached sheet for other conditions of
approval

☒ No special conditions for approval

(15) District Northern

By Bob Haynes Date 8-10-78



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

Suite No. 1
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 667-6484

July 6, 1978

RE: Applications No. 96-7683, 95-7858, 94-7121, 94-7122, 95-7859,
Claims No. 94-4036, 95-4394

Coeur d'Alene Press
Second & Lakeside
Coeur d'Alene, Id 83814

Gentlemen:

Enclosed is a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to our office along with the publication bill. Your cooperation in this matter is appreciated.

Very truly yours,

ROBERT G. HAYNES, P.E.
District Supervisor

RGH:ab

Enc: Legal Notice(s)

Bill McNeil
7-27-78

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Ronald G &/or Joan C Simmons
Box 1071, Post Falls, Id
has on June 29, 1978 submitted Application No. 94-7121
for a permit to appropriate 0.02 cubic feet per second ~~xxxxxx cubic feet per annum~~
of water from LaTour Creek
by means of a pump & pipeline
within the NE $\frac{1}{4}$ NW $\frac{1}{4}$ Sec 23, T48N, R1W, B.M., Kootenai County

to be used from Jan 1 to Dec 31
for stockwater

within the NW $\frac{1}{4}$ NW $\frac{1}{4}$ SEC 22 - T48N, R1W, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 4055 Government Way, Coeur d'Alene, Idaho 83814, on or before July 31, 1978.

C. STEPHEN ALLRED
Director

Published in the Coeur d'Alene Press, Coeur d'Alene, Id
on July 13 and July 20, 1978

MICROFILMED