

PERMIT # 93-07041

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

P H O T O G R A P H S

PD



PD



PD



NOTED

AUG 31 1993

DE

PD

PD

PD

AUG 31 1993



DE

PD

PD

PD

AUG 31 1993

RECEIVED




PERMIT # 93-07041

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

P H O T O G R A P H S

Hydraulic
Ram



Hydraulic
Ram
~~Map~~



MICROFILMED

AUG 31 1993

PERMIT # 93-07041

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

P H O T O G R A P H S

PU



PU



RECEIVED

JUG 31 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 93-07041

Priority: June 24, 1983

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

1.2 AF

This is to certify, that ALBERT L HALVERSON

PO BOX 149

ST MARIES ID 83861

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated June 24, 1983; and has submitted Proof of Beneficial Use on August 27, 1990. An examination indicates that the works have a diversion capacity of .040 cfs of water from:

UNNAMED STREAM

tributary to HANGMAN CREEK

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 4(NWNW), Sec. 4, Township 43N, Range 03W
BENEWAH County

PLACE OF USE: DOMESTIC
TWN RGE SEC

43N 03W 4 Lot 4(NWNW)

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The total combined rate of diversion under this right and Right 93-07009 shall not exceed 0.04 cfs.
6. Domestic use is for 1 home.

RECORDED

AUG 31 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 93-07041

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 12TH
day of JULY, 1993.

Acting for 
R. Keith Higginson, Director

AUG 31 1993

AS 10-25-90

RECEIVED
AUG 27 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 93-07041 ^{WORK 245 2541} Telephone No. HOME 245 4045

Name(s) of Permit Holder(s): Former # 93-2041 Albert L Halverson

Post Office Address: PO Box 149 St Maries, Id. 83861

Source of Water: UN NAMED Stream Tributary of HAUGMAN Creek

If ground water, well driller's name: NA Date drilled: NA

Extent of Use:
Domestic ONE (No. of households) (1) Irrigation 1/2 (No. of acres)

Stockwater _____ (No. and type of stock) Other IN SAWMILL to WASH

LOGS

Total rate and/or volume for which proof is submitted 0.04 cfs ? acre/feet

Show date water was first diverted and beneficially used under this permit: Sept 15 1982

One of the following may be a condition of approval of your permit:

Measuring device: Required? Yes XNo Installed? Yes XNo

OR

Flow Measurement Port: Required? Yes XNo Installed? Yes XNo

Fee Enclosed: \$ NA (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

Albert L Halverson WORK 245-2541 HOME 245-4045
Name Telephone No.

PO Box 149 St Maries Id 83861 (2069 ELM)
Address

PLEASE give ADVANCE notice so I CAN get time off AS I AM A STATE
employee too & WILL HAVE to ASK

The above information is my true statement of the extent to which the above number(s) have been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

RECORDED

NOV 2 1990

8-22-90
Date

Albert L Halverson
Signature (and title if on behalf of a company or organization)

4/86

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

For Office Use Only

\$15 FEE Received by 4Date 3-30-88Receipt # C 000252

REQUEST FOR EXTENSION OF TIME

To provide additional time in which to submit proof
of beneficial use for a water right permit

MAR 30 1988

The Idaho Department of Water Resources will consider this form as a request for the Department of Water Resources (s) be granted an additional period of time in which to complete development of a water right under the provisions of Section 42-204, Idaho Code.

Permit No. 93-7041Name(s) of Permit Holder: Albert L HalversonPost Office Address: PO Box 149 St Maries, Id 83861Telephone No. Home 845-4045 Off. 845-2541Date Proof is Due: Sept #1, 1988

Describe what work has been completed toward the development of this water right: Diversions & 500 ft of
(This must be filled out! If no work has been completed, show "none".)

pipe laid & buried Gravity Feed to Catch Basin House also comp. Drive pipe
in & buried Pump in & working delivery pipe to site in & buried
Pressure tank in & working. I will have to redo the point of diversion
as the land was logged & my current (over) Costing \$ 8000+

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

As Noted I ran into Tractor, Cat, & Sawmill problems & don't
have "a house" as such yet, although our camper serves
as a temporary house. please give me time to "do it right."

Permit holder(s) request an extension to 9-1-92. My. Albert L Halverson
(1 yr. minimum) (Signature)*

FEE: \$15.00

*IF OTHER THAN PERMIT HOLDER,
POWER OF ATTORNEY MUST BE SUPPLIED.

MICROFILMED

JUL 27 1988 SECTION OF THE DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above request for extension of time be APPROVED and the time within which to submit proof of beneficial use is extended to September 1, 1990.

Signed this 6 day of June, 19 88.

J. M. Saxton
Chief, Operations Bureau

diversion has some problem with the added silt,
The real problem, however, is in my plan to have
A sawmill to cut the lumber & logs to build the
house. I purchased a 40 inch Circular saw &
carriage for \$500 & got started, I bought a 4 cyl. engine
for \$250 & ended up with a tractor after \$1300 & a whole summer's
work, I thought I could skid with it & use it to power the
sawmill. Unfortunately it wouldn't skid very well so I
started looking for a cat. I finally found one in July of
87, I traded my tractor & \$2400 for a D2 cat, "There's
nothing wrong with this cat!" He said. I should have
known better. (By the way, in the mean time, in addition
to the 1347.21 I had invested by 9-18-88, I have invested
\$2560.21 in the cam system & sawmill + several hundred
in cat & back hoe work,

Back to my cat, when I got it out to my land I
soon learned the seller hadn't been quite honest.
Over \$600 & 4 rollers ~~was~~ & a lot of hard work later I could
run the cat without the tracks falling off.

Back to the sawmill. After several weeks work I
learned my saw & arbor were left hand, not right hand,
the way I was setting up the mill. I am back to busting
a lot of concrete & starting over or getting a right hand
arbor. If I start over I can't use the sawmill building
I put up, but I guess I will still be able to use it to house
the cat. All in all, I have learned a lot but have had
many setbacks.

MICROFILMED

JUL 27 1988

cont

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant ALBERT L. HALVERSON Phone _____
Post office address Box 149 ST. MARIES, ID 83861
2. Source of water supply UNNAMED STREAM which is a tributary of HANGMAN CR.
3. Location of point of diversion is 600 LOT 4 (NW 1/4 of NW) 1/4 of Section 4 Township 43N
Range 3W B.M. BENEWAH County, additional points of diversion if any: _____
SE NW SEC. 4 T43N R3W
4. Water will be used for the following purposes:
Amount 0.04 for DOMESTIC purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 0.04 cubic feet per second and/or b. _____ acre-feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. PUMP & PIPELINE

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____
Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)
c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year - maximum 5 years).
8. Description of proposed uses:
a. If water is not for irrigation:
(1) Give the place of use of water: LOT 4 1/4 of _____ 1/4 of Section 4 Township 43N
Range 3W B.M.
(2) Amount of power to be generated: _____ horsepower under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water ONE.
(5) If water is to be used for other purposes describe: _____

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated

c. Describe any other water rights used for the same purposes as described above. 93-7009


9. a. Who owns the property at the point of diversion APPLICANT

b. Who owns the land to be irrigated or place of use _____ "

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks _____

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Albert L. Holmstrom
(Applicant)

Promised Priority 6/24/1983

Received by KK Date 6/24/83 Time 10:45 A

Preliminary check by PSA Fee \$ 30.00

Receipted by KK Date 6/24/83 # 28261

Publication prepared by mm Date 7/6/83

Published in St. Maries Gazette

Publication dates 7/13 - 7/20/83

Publication approved mm Date 8/26/83

Protests filed by: None

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for ☒ approval ☐ denial by [Signature] DRT

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 93-7041, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before September 1, 19 88.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 13th day of September, 1983.

[Signature]
Chief, Operations Bureau



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

July 13, 1993

ALBERT L HALVERSON
PO BOX 149
ST MARIES ID 83861

RE: WATER RIGHT NO. 93-07041

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

RECEIVED

AUG 31 1993

WR0749NP
No. L93-07041

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 07/02/93
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	ALBERT L HALVERSON PO BOX 149 ST MARIES ID 83861 (208) 245-4045	06/24/1983	DOMESTIC	01-01 12-31	0.04 CFS	1.2 AFA
TOTAL DIVERSION:					0.04 CFS	1.2 AFA

Water Source: UNNAMED STREAM

Tributary to: HANGMAN CREEK

Stage: LICENSE

Point(s) of Diversion Capacity: 0.04 CFS

Point(s) of Diversion: T43N R03W S04 Lot 04(NW NW)

Place of use Legal Description for: DOMESTIC

NE				NW				SW				SE											
T	R	S	:	NENE	NWNE	SWNE	SENE	:	NENW	NWNW	SWNW	SENW	:	NESW	NWSW	SWSW	SESW	:	NESE	NWSE	SWSE	SESE	:
---	---	---	:	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	:
43N	03W	4	:					:					:					:					:
			:					:					:					:					:

Pou County: BENEWAH

Remarks: The total combined rate of diversion under this right and
Right 93-07009 shall not exceed 0.04 cfs.
Domestic use is for 1 home.

Dates:	App. Received:	06/24/1983	Priority Date:	06/24/1983
	Proof Due Date:	09/01/1990	Proof Made Date:	08/27/1990
	Exam Made Date:	07/09/1992	Exam Sent to S.O.:	06/08/1993
	Licensed Date:			

Misc: Water District Number: Field Exam Fee: N (Not Required)

Audit: 07/02/93 CHAPMAN

LICENSE REVIEW CHECKLIST

Permit # 93-7041 Date 7-2-93 Brenda Chapman

NAME	Yes ☐ No ☒	Or Address Change?
PRIORITY DATE	☐ ☒	Advance? ☐ Memo to Advance ☐ Order to Reinstate Needed? ☐
SOURCE	☐ ☒	Changes? Clarification of Originally Intended source ☐ Notice of Intent to Void - Source change. ☐
P/D	☒ ☒	Amendment Needed? <u>With 93-7009</u> ☒ Is Overlap Analysis a Consideration? ☒
P/U	☐ ☒	Amendment Needed? ☐ Is Overlap Analysis a Consideration? ☒
TOTAL CFS	<u>-NA-</u> ☐ Incorrect Fee for rate recommended? <u>-NA-</u> ☐ Disagree/Measurement <u>NONE DONE</u> <u>-NA-</u> ☐ Pumping Theoretical $(8.8) \times (.70) \times ()$ $() + [2.31 \times]$ ☐ ☒ System Capacity <u>.04</u> Allowable Amount: <u>.04 AS PERMITTED</u>	
TOTAL VOLUME	Rate/ac ☐ AFA ☐ Irr. Season ☐ Standard Irr. Season ☐ Season Recommended ☐ ☐ ☒ Disagree with Examiner's Calculations? <u>Domestic @ 1.24F</u> ☐ ☒ Flow limit: <u>.04</u> x 365 x 1.9835 = <u>29 > 1.2</u>	
USES	☐ ☒ Change(s) in Nature of Use? ☐ ☐ ☒ Amendment Needed? ☐	
REMARKS	☐ ☒ Multiple P/Ds in 1/4 1/4? ☐ ☒ ☐ Non-Irr. Uses <u>DOMESTIC</u> <u>WB1</u> ☐ ☐ Special Overlap Condition <u>(.04)</u> ☐ ☒ Other ☐	
CONDITIONS	☐ ☒ Measuring Devices ☐ Dates/Misc ☐ ☒ W/Master Control ☐ Water Dist ☐ ☒ Overlap <u>6-24-83</u> App Rec'd ☐ ☒ Water Quality <u>7-9-92</u> Exam Made	

COMMENTS: _____

RECOMMENDED	CFS	VOL
Irrigation		
Domestic	<u>.04</u>	<u>1.2</u>
Stockwater		

LICENSE ☒
AMEND ☐

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUN 10 1993

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 93-07041

1. Owner: Albert Halverson

Phone No. 245-4045

Current Address: P.O. Box 149 St. Marres, ID 83861

2. Accompanied by: Albert Halverson

EXAM. DATE: 7/9/92

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: unnamed stream tributary to Hangman Creek

B. OVERLAP REVIEW

1. Other water rights with same place of use: 93-2009 (permit)

☒ Copies Attached


2. Other water rights with same point of diversion: 93-2009 (permit)

☒ Copies Attached

☒ Copies of Field Exam's Attached
same system

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NTS

2. ☐ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

RECEIVED
AUG 31 1993

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Stream is dammed up with a small dam and caught with 2" line which is gravity fed to a ~200 gallon tank. From there, water is fed through 1 1/2" steel to a hydraulic ram which delivers water to a 60 gallon pressure tank and 1 domestic w/lawn.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Hydraulic ram					

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NW	W	4	43N	03W	Benewah	Map

6. **Place(s) of Use:**

Indicate Method of Determination

Map

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
43N	03W	4					D												

Do not use this space

AUG 31 1993

Do not use this space

D. FLOW MEASUREMENTS *None* ☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS ☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes: *1 Domestic $\Rightarrow$.04 cfs w/lawn*

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) $\div$ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

1 domestic w/lawn = 1.2 AF

RECORDED
AUG 31 1993

H. REMARKS AND OVERLAP REVIEW ANALYSIS

- permit 93-7009 is same system for same use,
when combined, both should not exceed .04 cfs
- only one PD

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic	1/1	12/31	.04	1.2 AF
Totals:			.04 cfs	1.2 AF

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name Robert Knoblock
Signature Robert Knoblock
Certification Date _____
Field Report Preparation Date 7/13/92


CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

RECEIVED

AUG 31 1993

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY



PERMIT # 93-07041

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

P H O T O G R A P H S

PD

PD

PD

AUG 21 1993



DEI

PD

PD

PD

AUG 31 1993



DE

PD

PD

PD

AUG 31 1993




PERMIT # 93-07041


STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

P H O T O G R A P H S

Hydraulic
Ram



Hydraulic
Ram
~~ADDP~~




AUG 31 1993

PERMIT # 93-07041

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

P H O T O G R A P H S

PLA



PLA



10 31 1993

1-15-91
nothing

November 19, 1990

Albert L. Halverson
P. O. Box 149
St. Maries, ID 83861

AUG 31 1993

Dear Mr. Halverson:

Re: Permit No. 93-7041

The department received your letter of November 15, 1990 questioning the need for a lockable measuring device.

The letter acknowledging the proof of beneficial use contained a paragraph addressing the need for installation of a lockable measuring device. This paragraph was placed in the letter by error. The installation of a lockable measuring device is not necessary.

I apologize for any inconvenience this error may have caused you.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

RECEIVED

AUG 31 1993

Albert L. Halverson
P O Box 149
St. Maries, Idaho 83861
November 15, 1990

Rita Fleck
Secretary/Records Manager
State of Idaho
Department of Water Resources
1301 N. Orchard Street
Statehouse Mall
Boise, Idaho 83720

RECEIVED
NOV 19 1990

Department of Water Resources

re: permit #93-7041

Dear Rita,

In reference to your letter of November 1, 1990 about proof acknowledgement, try as I might, I can find no reference to a lockable device in any of my papers (see enclosed copy of page 4). Please explain where you came up with the lockable device.

For your information, my hydraulic ram water pump's output is self limiting and dependant on the amount of water available up to an upper limit of between 14 and 16 gallons/minute. At that upper limit I can pump about 4 gal/min with the rest being returned to the creek. If the water supply falls below 14 gallons/minute the amount of water pumped falls proportionately to the reduced flow through the system.

People who see my system say it is quite elaborate and I am quite proud of it and would like to show it off but would suggest you wait for spring as it would be hard to show you in the snow.

Please be advised you can call me at my office at DHW, 245-2541.

Sincerely,

Albert L. Halverson
Albert L. Halverson

RECEIVED

AUG 31 1993

enc/cdh

Processed Priority 6/24/1983

Received by KK Date 6/24/83 Time 10:45 A

Preliminary check by PSA Fee \$ 30.00

Receipted by KK Date 6/24/83 # 28261

Publication prepared by me Date 7/6/83

Published in St. Maries Gazette

Publication dates 7/13 - 7/20/83

Publication approved me Date 8/24/83

Protests filed by: None

Copies of protests forwarded by

Hearing held by Date

Recommended for approval denial by [Signature] DRT

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 93-7041, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- SUBJECT TO ALL PRIOR WATER RIGHTS.
- Proof of construction of works and application of water to beneficial use shall be submitted on or before September 1, 19 88.
- The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 13th day of September, 1983.

J. Glen Saxton
Chief, Operations Bureau

AUG 31 1983

November 1, 1990

ALBERT L. HALVERSON
P.O. BOX 149
ST. MARIES, ID 83861

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 93-07041

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

I note that the permit issued to you by the department requires the installation of a lockable device to allow the department to determine the rate of diversion. The proof which you submitted does not show that you have installed this equipment.

The installation of the lockable device must be complete by the time the department representative conducts the examination of your system unless the department has rescinded the requirement prior to the field examination. In some cases, the equipment requirement can be rescinded because the equipment cannot be physically installed, is not appropriate or can be accommodated with other measuring methods.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208)765-4639.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED
NOV 27 1990

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 93-7041

Date: 10-25-90

General Considerations:

- ☒ Name same as permit
☒ Signature the same as permit holder
☒ Address change _____ If yes, prepare a data entry
☒ Proof received timely
_____ Reinstated

Source of Water:

- ☒ Surface water
_____ Groundwater
_____ 1. well log in file
_____ 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

- ☒ Rate of diversion appropriate for uses
☒ Is rate or volume and fee appropriate?
☒ Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

- ☒ Is a measuring device or access port required?
☒ Has one been installed?
☒ Waiver or modification of measuring device requested

Remarks:

Proof acceptable

Priority Calculation:

Date proof received	<u>NA</u>	_____
Date proof due	_____	_____
No. of days late	_____	_____
Priority date	_____	_____
NEW PRIORITY DATE	_____	_____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

138011

June 30, 1990

ALBERT L. HALVERSON
P.O. BOX 149
ST. MARIES, ID 83861

PROOF DUE NOTICE

RE: PERMIT NO. 93-07041

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before September 1, 1990. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

NOV 27 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

COMMENCEMENT OF WORKS

Permit No. 93-7041

Name(s) of Permit Holder(s): ALBERT L HALVERSON

Post Office Address: PO Box 149 St. Maries ID 83861
BUS. PHONE 245 2541 Tel. No. 245 4045

☒ I hereby certify that construction of diversion works for the above referenced permit began on JUNE 15 1993 (date) and I understand that I must

continue to develop the water system with due diligence to maintain a valid permit. See Permit 93-7009 extension

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control:

*Note: A financing difficulty is not an acceptable reason.

Date

Signature of Permit Holder

PLACE
STAMP
HERE

RECEIVED

JUL 17 1986



MICROFILMED

NOV 27 1990

Department of Water Resources

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

June 8, 1988

Albert L. Halverson
P.O. Box 149
St. Maries, ID 83861

RE: PERMIT 93-7040.

Dear Mr. Halverson:

Enclosed is an approved extension of time in connection with the above referenced permit. From the information submitted on the Request for Extension of Time form, it sounds like your development is complete enough to submit the proof of beneficial use even though the house is not yet constructed. Since you submitted the extension request form, however, the department has granted two (2) additional years in which to submit the proof.

In your letter you asked for an explanation of a field examination. Before a field examination is conducted by the department, you first will need to submit proof of beneficial use which essentially is your written statement that you have diverted the water and beneficially used the water. A department employee will then schedule a site visit with you to review the water development you have constructed. This visit, which will determine that the legal descriptions are correct, and how much water is being beneficially used, is termed a field examination by the department.

Since the department has granted a two year extension for you to submit the proof, we will automatically notify you two months before the proof is due. The notice which we will send is termed a proof due notice.

Please feel free to contact this office or our office in Coeur d'Alene if you have additional questions.

Sincerely,

Rita I. Fleck
Secretary/Records Manager

MAILED

JUL 27 1988

STAFF REVIEW SHEET - EXTENSION OF TIME

Permit No. 93-7041Reviewed by [Signature]Date 5-20-1988

BASIC INFORMATION

Y Date stamp received
Y Extension received timely
 (not prior to 6 month before proof due date or after reinstatement period)
Y Fee received and receipted
Y Name and signature same as permit
N Address change (indicate on coding sheet)

BASIS FOR EXTENSION REQUEST

Y Has adequate work been completed to demonstrate due diligence?
Y Has the cost incurred been adequate to demonstrate an intent to complete the project?
N/A Has the permit been involved in litigation?
 a. Swan Falls _____ Dismissed from Swan Falls _____
 Other _____ Identify _____
 b. Is supporting documentation needed to complete the file? _____
 Requested _____
 c. Calculate the period of delay

Date litigation completed _____

Date litigation began _____

Total period of delay = _____

Present proof due date + _____

NEW PROOF DUE DATE = _____

NA Is delay by a government agency?
 Is supporting documentation needed to complete the file? _____
 Requested? _____

ACTION TAKEN - Recommend approval based on due diligence for

Special conditions or remarks:

N/A Reinstatement Date extension received _____ = _____
 Proof due date _____ = _____
 No. of days late _____ = _____
 Priority date _____ = + _____
 ADJUSTED PRIORITY DATE _____ = _____

/ Prepare coding sheet
/ Change rolodex cardf

IN SUMMARY, the CAM pumping system is a success, I have had some problem the last two summers because of silt because of the logging going on. The logging also robbed me of a great deal of work time because of having to monitor the loggers. the promises they make before they start never quite seem to match "what really happens".

As far as investment, I have well over \$8000 in the water system, the sawmill & the cat. so far we pump water for our garden & our household use while we are there on weekends. Even in last year's drought year the system worked. It is now automatic with a pressure relief valve installed at the pump site.

Realistically, if I am going to get the house up I could use 5 more years. It is all a lot harder & time consuming than I thought it would be, I have, though, come a long way & would like to be able to finish, the right way.

I decided to send the proof on permit 93-7009 as we do make some use, although not as complete as we plan, & I might as well have credit for what is there. It will also give me a better idea of what a field examination is as no one has been willing to tell me.

MAKING

JUL 27 1988

EXTENSION OF TIME

April 21, 1988

Albert L. Halverson
P. O. Box 149
St. Maries, ID 836861

PERMIT NO. 93-7041

We are in receipt of the \$15.00 extension fee for Extension(s) of Time to provide additional time in which to submit proof of beneficial use on a water right permit.

Your request for extension(s) of time is being reviewed by staff. You will be informed of our decision when review has been completed.

enclosed is our receipt No. C000252.

Roberta Garrett
Records Supervisor

Enclosure

RECEIVED

JUL 27 1988



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 334-4440

July 21, 1986

Albert L. Halverson
P.O. Box 140
St. Maries, ID 83861

Re: Permit No. 93-7009 and 93-7041

Dear Mr. Halverson:

The commencement of works card for Permit No. 93-7041 which you completed and submitted to this office has been received.

Pursuant to our telephone conversation on July 18, 1986, both permits will remain active until completion of works is due. With the extension of time which was granted for Permit No. 93-7009, both permits require that construction be completed by 1988.

After completion of works, a representative of the department will examine your diversion system. One examination should be conducted for both permits.

Sincerely,

A handwritten signature in cursive script, reading "Gary Spackman", is written over the typed name.

GARY SPACKMAN

Supervisor, Water Allocation Section

1s

cc: Northern Region

MICROFILMED

JUL 27 1988

ST. JOE SOCIAL SERVICES

Albert L. Halverson M.S.W. L.C.S.W.
P.O. Box 149
ST. MARIES, IDAHO 83861
Phone 208-245-4045

RECEIVED
JUL 17 1986

Idaho Dept of Water Resources
Statehouse
Boise Idaho 83720
Department of Water Resources

Dear Sirs:

re Permit # 93-7041

Attached is the blue card for permit # 93-7041 together with copies of the extension of permit # 93-7009 and appendix A (a detailed account of progress through April of 1983). Since that time I have constructed a permanent enclosed reservoir and completed the system to the point of a pressure tank and temporary connections to our domestic use. I am in the process of putting together a saw mill & intend to start on the house as soon as the saw mill is working.

Permit 93-7041 supersedes
Permit 93-7009 as it
allows a more reasonable
amount of water diversion

AL Halverson
MICROFILMED

JUL 27 1988

APPENDIX A

I chose a hydraulic ram pump system after having to revise the conditions of my permit to satisfy protests. I had difficulty finding a suitable ram. The survey work and actual choice of site proved quite difficult. Then 1980 was, for all practical purposes, lost due to Mt. St. Helens and its ash. My land was right in the center of the cloud and it deposited an inch and a half of ash everywhere.

I lost most of the summer of 1981 due to a back injury but was ready and able to put it all together in 1982. Unfortunately we had an unusually late spring and the snow didn't melt until the end of April and the mud didn't dry out until late May. I was able to slash the right-of-way but couldn't get a cat in to rough in the supply pipe route and the drive pipe route until mid June. The drive pipe route dropped 50 feet in 168 feet into an inaccessible part of the creek (the only usable site) and necessitated all future work on the drive pipe route and the ram house at the bottom to be done by hand including all the digging. Hand digging takes a lot of time! I didn't get done until late August and then had trouble with rain.

In mid-September I started the actual installation. I carried 20 90-pound sacks of premix down the drive pipe route by hand, mixed it in a wheelbarrow, by hand, and poured it into a prefab set of forms for the ram house. The ram itself and the exhaust system were set in place at the same time. Eight 21' lengths of 1½" galvanized steel pipe were installed in the hand-dug trench up to the supply reservoir, a 55 gallon drum. It took 500' of temporary 2" supply pipe (rigid 160 lb. test) to reach from the supply reservoir high enough above the reservoir to provide adequate flow from the creek. 500' of delivery pipe was then installed in the same trench up to the supply pipe and then temporarily the rest of the way up the hill. \$1100 spent and I still didn't know if it would work.

P 1 of 2

JUL 27 1988

APPENDIX A cont.

It took two weeks to get everything adjusted so the pump would pump -- at last-- pernetual motion.

There was still one problem, 200 feet of fairly steep grade between the existing trench and the rest of the prepared right of way for the delivery pipe. I hired a back hog as a test to see if he could handle the job. It went better than I expected so I started hand covering the plastic pipe (to avoid big rocks that would crush it and we made a deal to do the rest of the digging and covering the next week. Unfortunately that Sunday, October 17 the temperature dropped below freezing and it started snowing and I had to pull it all apart to avoid freezing. I purchased 800' of 2" plastic pipe and other odds and ends to complete the project but the weather has precluded further work.

EX-111-111

For Office Use Only
Fee Received <u>15.00</u>
Date <u>2-15-83</u>
Receipt # <u>25906</u>

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

REQUEST FOR EXTENSION OF TIME

To provide additional time in which to submit
proof of beneficial use on a water right permit

RECEIVED

FEB 11 1983

Department of Water Resources

Albert L. Halverson
(Name)

of Box 149, St. Maries, Idaho 83861
(Address)

State of Idaho, deposes and says:

That he is the holder, or the duly authorized agent of the holder*, of Permit to Appropriate the Public Waters of the State of Idaho No. 93-7009

RECEIVED
JUL 17 1986

That under the terms and conditions of said permit, work thereunder was required to be completed on or before
April 1, 19 83
Department of Water Resources

That he has heretofore performed the following work described under said permit: See
(This must be filled out! If no work has been completed put none.)

Appendix A

Costing \$ \$1347.21

That he is unable to complete the remainder of the work within the required time for the following reasons, to-wit:

Because most of the remaining work involves excavation it would be difficult and dangerous to attempt to complete the project by April 1, 1983. In addition, the depressed economy has created a variety of problems for me including not being able to sell timber or my house in town which has necessitated my commuting to my property only on weekends.

Wherefore, he asks that the Department of Water Resources extend the time for the completion of obligations under said permit to April 1, 19 88
(1 yr. minimum, 5 yrs. maximum)

NOTE
AS OF JULY 1, 1980,
THERE IS A \$15.00
CHARGE FOR REQUESTS
FOR EXTENSION OF
TIME.

Albert L. Halverson
(Signature)*

*IF OTHER THAN HOLDER, Power of Attorney must be supplied.

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above application for extension of time be APPROVED and the time within which to submit the statement of beneficial use is extended to April 1, 1988.

Signed this 24th day of February, 19 83.

MICROFILMED

JUL 27 1988

A. Glen Saxton
Chief, Operations Bureau

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

HALVERSON, ALBERT L.
P.O. BOX 149
ST. MARIES, ID 83861

SEPTEMBER 27, 1983

RE: PERMIT NO. 93-7041

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

THE 1982 IDAHO LEGISLATURE ADDED A REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

Affidavit of Publication

STATE OF IDAHO
County of Benewah, ss.

JoJane Hammes, being first duly sworn on oath, deposes and says that she is co-publisher and business manager of the St. Maries Gazette Record, a weekly newspaper printed and published at St. Maries, Benewah County, State of Idaho; the St. Maries Gazette Record is a newspaper having general circulation in Benewah county, State of Idaho, and has been continuously and uninterruptedly published in Benewah County, State of Idaho, during a period of more than seventy-eight consecutive weeks prior to the first publication of the notice of advertisement hereon.

That the notice, of which the one hereto attached is a true copy, was published in said newspaper for a period of 2 issues, the first publication being on the 13th day of July, 1983 and the last on the 20th day of July, 1983.

That said newspaper was regularly distributed to its subscribers during the time of the same period; that said notice was published in the regular and entire issue of said paper.

Subscribed and sworn to before me this 17th day of Aug, 1983.

Sharon D. Black

92-7144

Name: Benjamin F. Schrengohst
Address: Rt. 1, Box 193, St. Maries, Idaho 83861
Date Filed: June 24, 1983
Source: Alder Creek, North Fork tributary to Alder Creek
Point of Diversion: Lot 02 Sec 05 T 44N R 03W
In: Lot 02 Sec 05 T 44N R 03W for 1 acre
Use: Irrigation (0.03 cfs)

92-7145

Name: Art H. and-or Georgene B. Shamel
Address: 331 College Ave., St. Maries, Idaho 83861
Date Filed: June 24, 1983
Source: Groundwater
Point of Diversion: NWSW Sec 27 T 46N R 02W
In: Lot 03 Lot 02 Sec 27 T 46N R 02W for 52 acres
Use: Irrigation (0.20 cfs); Stock-water (0.02 cfs); Domestic (0.12 cfs)

92-7146

Name: William L. and-or Rebecca A. Rhodes
Address: Rt. 4, Box 214, St. Maries, Idaho 83861
Date Filed: June 27, 1983
Source: Springs tributary to Santa Creek, Unnamed Stream tributary to Santa Creek
Point of Diversion: SWSE Sec 35 T 44N R 03W

93-7043

Name: Bill and-or Ruth Rosenberry
Address: Star Route, Box 59, DeSmet, Idaho 83824
Date Filed: June 28, 1983
Source: Spring tributary to Sinks
Point of Diversion: NENE Sec 33 T 44N R 05W
In: NENE Sec 33 T 44N R 05W
Use: Stockwater (0.02 cfs); Domestic (0.04 cfs)

95-8373

Name: Mufiel J. Innes
Address: P.O. Box 345, Plummer, Idaho 83851
Date Filed: June 9, 1983
Source: Groundwater
Point of Diversion: NWSW Sec 11 T 46N R 05W
In: SWNW NWSW Sec 11 T 46N R 05W for 40 acres
Use: Irrigation (0.40 cfs); Stock-water (0.02 cfs); Domestic (0.13 cfs)

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, 4055 Government Way, Coeur d'Alene, Idaho 83814 on or before August 1, 1983.

KEN DUNN, Dir.

Id. 7169 — July 13-20

Notary Public in and for Benewah County, Idaho
Residing at St. Maries, Idaho

93-7042
Name: Gary A. and-or Kathleen H. Johnson
Address: Star Route, Box 20, DeSmet, Idaho 83824
Date Filed: June 27, 1983
Source: Spring tributary to Sinks
Point of Diversion: SESW Sec 34 T 44N R 05W
In: SESW Sec 34 T 44N R 05W
Use: Domestic (0.04 cfs)

Notice of applications for water rights filed

NOTICE OF APPLICATION FOR WATER RIGHT
The following application(s) have been filed to appropriate the public waters of the State of Idaho:

91-7081

Name: Clay and-or Jann Julian
Address: Rt. 2, Box 196-H, St. Maries, Idaho 83861
Date Filed: June 22, 1983
Source: Spring tributary to Hells Gulch Creek, Unnamed Stream tributary to Hells Gulch Creek
Point of Diversion: SWNW Sec 35 T 47N R 02W
In: SWNW Sec 35 T 47N R 02W for 1 acre
Use: Irrigation (0.02 cfs); Stock-water (0.02 cfs); Domestic (0.04 cfs)

91-7082

Name: Lynn and-or JoAnne LaForce
Address: Rt. 2, Box 196M, St. Maries, Idaho 83861
Date Filed: June 27, 1983
Source: Groundwater
Point of Diversion: NENE Sec 03 T 46N R 02W
In: NWNE SWNE SENE Sec 03 T 46N R 02W NENE Sec 03 T 46N R 02W for 14 acres
Use: Irrigation (0.0350 cfs); Domestic (0.0350 cfs)

91-7083

Name: Lynn and-or JoAnne LaForce
Address: Rt. 2, Box 196M, St. Maries, Idaho 83861
Date Filed: June 27, 1983
Source: Hells Gulch Creek tributary to Saint Joe River
Point of Diversion: NWNW Sec 02 T 46N R 02W
In: NWNW Sec 02 T 46N R 02W NENE Sec 03 T 46N R 02W for 39 acres
Use: Irrigation (0.75 cfs)

92-7142

Name: Thomas C. Morris
Address: 910 Highland Drive, St. Maries, Idaho 83861
Date Filed: June 23, 1983
Source: Unnamed Stream tributary to Saint Maries River
Point of Diversion: SESW Sec 25 T 46N R 02W
In: SESW Sec 25 T 46N R 02W
Use: Stockwater Storage (3.5 AF); Recreation Storage (3.5 AF)

In: SWSE Sec 35 T 44N R 03W for 1 acre
Use: Irrigation (0.10 cfs); Irrigation Storage (1.0 AF); Irrigation from Storage (1.0 AF); Stockwater Storage (1.0 AF)

92-7147

Name: Edna M. Dawson
Address: Rt. 4, Box 168, St. Maries, Idaho 83861
Date Filed: June 27, 1983
Source: Groundwater
Point of Diversion: SWSE Sec 28 T 44N R 02W
In: SWSE Sec 28 T 44N R 02W
Use: Commercial (0.04 cfs)

92-7148

Name: Jim and-or Karen Anderson
Address: 2211 Ora Ave., St. Maries, Idaho 83861
Date Filed: June 29, 1983
Source: Groundwater
Point of Diversion: SENE Sec 25 T 46N R 03W
In: SENE Sec 25 T 46N R 03W
Use: Domestic (0.04 cfs)

92-7149

Name: Roland J. Houle
Address: E. 4275 20th, Post Falls, Idaho 83854
Date Filed: June 28, 1983
Source: Springs tributary to Sinks
Point of Diversion: NWSW NESW Sec 24 T 44N R 01W
In: NWSW Sec 24 T 44N R 01W NESW NWSW Sec 24 T 44N R 01W for 8 acres
Use: Irrigation (0.15 cfs); Stock-water (0.02 cfs)

92-7150

Name: Marmaduke M. Harris
Address: P.O. Box 428, St. Maries, Idaho 83861
Date Filed: June 28, 1983
Source: Reafro Creek tributary to Saint Maries River
Point of Diversion: NENE Sec 22 T 44N R 01W
In: NENE SENE Sec 22 T 44N R 01W for 30 acres
Use: Irrigation (0.20 cfs); Stock-water (0.02 cfs)

92-7151

Name: Steven W. Barnhart
Address: Rt. 4, Box 220 A, St. Maries, Idaho 83861
Date Filed: June 28, 1983
Source: Spring tributary to Santa Creek, Unnamed Stream tributary to Santa Creek
Point of Diversion: NWSW Sec 01 T 43N R 03W
In: NWSW Sec 01 T 43N R 03W for 1 acre
Use: Irrigation (0.03 cfs); Domestic (0.04 cfs)

92-7152

Name: David Furrow
Address: Rt. 4, Box 222 A, St. Maries, Idaho 83861
Date Filed: June 28, 1983
Source: Santa Creek tributary to St. Maries River
Point of Diversion: NWSW Sec 36 T 44N R 03W
In: NWSW Sec 36 T 44N R 03W for 1 acre
Use: Irrigation (0.03 cfs)

91-7153

Name: Frank W. Law
Address: Rt. 4, Box 220 B, St. Maries, Idaho 83861
Date Filed: June 28, 1983
Source: Spring tributary to Santa Creek, Unnamed Stream tributary to Santa Creek
Point of Diversion: SENW Sec 01 T 43N R 03W
In: SENW Sec 01 T 44N R 03W for 1 acre
Use: Irrigation (0.03 cfs); Domestic (0.04 cfs)

93-7041

Name: Albert L. Halverson
Address: P.O. Box 149, St. Maries, Idaho 83861
Date Filed: June 24, 1983
Source: Unnamed Stream tributary to Hangman Creek
Point of Diversion: Lot 04 SENW Sec 04 T 43N R 03W
In: Lot 04 Sec 04 T 43N R 03W
Use: Domestic (0.04 cfs)

93-2041-

HALVERSON, ALBERT L.

P.O. BOX 149, ST. MARIES, ID 83861

Source: UNNAMED STREAM trib. to HANGMAN CREEK

Date Filed: 06/24/1983

Diversion Pt: LOT 04 SENW Sec 04 T 43N R 03W

Use: DOMESTIC (0.04 CFS)

In: LOT 04 Sec 04 T 43N R 03W

RECEIVED