

AFFIDAVIT OF PUBLICATION

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

93-7018

LACY, TED
RT. 2 WORLEY, ID 83876
Source: GROUNDWATER
Date Filed: 08/05/1980
Amount: 0.20 CFS
Diversion Point: NWNE Sec 12 T 47N R 06W, KOOTENAI Co.
Use: IRRIGATION (0.05 CFS) from 03/15 to 11/15; STOCKWATER (0.02 CFS) from 01/01 to 12/31; COMMERCIAL (0.20 CFS) from 03/15 to 11/15; DOMESTIC (0.04 CFS) from 01/01 to 12/31
Place of Use: NWNE Sec 12 T 47N R 06W LOT 01 NENE Sec 12 T 47N R 06W FOR 2 ACRES
Diversion Means: WELL, PUMP AND PIPELINE.

93-7019

LACY, WILLARD
RT. 2, WORLEY, ID 83876
Source: GROUNDWATER
Date Filed: 08/05/1980
Amount: 0.20 CFS
Diversion Point: NWNE Sec 12 T 47N R 06W, KOOTENAI Co.
Use: IRRIGATION (0.05 CFS) from 03/15 to 11/15; STOCKWATER (0.02 CFS) from 01/01 to 12/31; COMMERCIAL (0.20 CFS) from 03/15 to 11/15; DOMESTIC (0.04 CFS) from 01/01 to 12/31
Place of Use: NWNE Sec 12 T 47N R 06W LOT 01 NENE Sec 12 T 47N R 06W FOR 2 ACRES
Diversion Means: WELL, PUMP AND PIPELINE.

95-8044

JONES, REASEL M. &/or BETTY S.
11202 FLALLON ST., NORWALK, CA 90650
Source: GROUNDWATER
Date Filed: 08/01/1980
Amount: 0.06 CFS
Diversion Point: SESW Sec 35 T 52N R 05W, KOOTENAI Co.
Use: STOCKWATER (0.02 CFS) from 01/01 to 12/31; DOMESTIC (0.04 CFS) from 01/01 to 12/31
Place of Use: SESW Sec 35 T 52N R 05W
Diversion Means: WELL AND PUMP.

95-8045

BERG, DAVID E.
624 W. 15TH ST., SPOKANE, WA 99203
Source: SPRINGS
Date Filed: 08/05/1980
Amount: 0.04 CFS
Diversion Point: LOT 01 Sec 35 T 50N R 04W, KOOTENAI CO.
Use: DOMESTIC (0.04 CFS) from 01/01 to 12/31
Place of Use: LOT 01 Sec 35 T 50N R 04W
Diversion Means: CISTERN AND PIPELINE.

95-8046

GAGLIANO, MICHAEL &/ or KAREN SUE
Rt. 3 BOX 47, RATHDRUM, ID 83858
Source: GROUNDWATER
Date Filed: 08/01/1980
Amount: 0.10 CFS
Diversion Point: SESE Sec 34 T 52N R 05W, KOOTENAI Co.
Use: STOCKWATER (0.02 CFS) from 01/01 to 12/31; COMMERCIAL (0.04 CFS) from 01/01 to 12/31; DOMESTIC (0.04 CFS) from 01/01 to 12/31
Place of Use: SESE Sec 34 T 52N R 05W
Diversion Means: WELL AND PUMP.

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 4055 Gov't Way, Coeur d'Alene, Id, 83814, on or before SEPTEMBER 2, 1980.

C. STEPHEN ALLRED
Director

Legal 232
Aug. 14, 21, 1980 45.36

STATE OF IDAHO,
County of Kootenai,

ss.

Jordan C. Arwath being first duly sworn upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The Application for water Right

Legal # 232
of which the annexed is a printed copy, was published in the regular Thursday issue of said newspaper for 2 consecutive weeks, commencing on the 14th day of August, 1980 and ending on the 21st day of August, 1980, and such publication was made as often during said period as said newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Jordan C. Arwath
Subscribed and sworn to before me this 21st day of August, 1980.

RECEIVED
AUG 22 1980
Department of Water Resources
Nampa District Office
LEADER

Robert D. Stanley
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT SUPPLEMENT
C O N T E N T S

() B/U Acknowledgment Letter Sent

This Examination Report Contains the Following Documents.

(☒) Field Report	(☒) Quad Sheet	() Gov. Lot Plat	(☒) Rules Check list
() Aerial Photo	() Photo PD/PU	(☒) Well Log	

Number of Diagrams Attached _____ Number of Calculation Sheets Attached _____

() Correspondence (Date) _____

() Other (List) _____

Contacts:

*The well is
in those
trees*

Remarks:

*DO - 93-170
" 93-070 3
93-08488*

Make sure



Exam Completed By *Birch*

Date 2/14/89

Sr. Agent Review _____

Date _____

Regional Manager Review *RJA*


Date 6/8/90

PERMIT NUMBER

93-7018

MICROFILMED

MAR 22 1991



348

19

Setters

Elevators

5257

Well

BM

2670

36

Well

32

5256

27'30"

BOUNDARY

T 48 N

T 47 N

T 48 N

T 47 N

2617

X 2594

5255

WORLEY 1/8 MI.
PLUMMER 1/2 MI.

2600

2600

2600

2600

2600

2600

2600

2600

2600

2600

2600

2600

2600

2600

2600

2600

2600

2600

2600

2600

2600

2600

2600

5254

(PLUMMER 1/2 MI. 500)
2678 N

NWNE

2513

2513

2513

2513

2513

2513

2513

2513

2513

2513

2513

2513

2513

2513

2513

2513

2513

2513

5253

0.5 MI. TO U.S. 95

Rock

T 23 N

T 22 N

X 2645

X 2657

58

X 2647

X 2627

5252

REPRODUCTION
MAR 22 1991

25'

5251

Gravel Pits

18

2565 X

2600

2635 X

2540



2524

R

2

SCHEMATIC

Provide a schematic diagram showing the location of the well in the quarter-quarter with respect to houses, roads, other wells or readily identifiable features.



Inspected by Louis Dubow

Date 7/10/89

MICROFILMED
MAR 22 1991

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other

Thickness	Diameter	From	To
250 inches	6 inches	+1-6 feet	38 feet
inches	inches	feet	feet
inches	inches	feet	feet
inches	inches	feet	feet

Was casing drive shoe used? ☐ Yes ☒ No

Was a packer or seal used? ☐ Yes ☐ No

Perforated? ☐ Yes ☒ No

How perforated? ☐ Factory ☐ Knife ☐ Torch

Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☐ Yes ☒ No

Manufacturer's name _____

Type _____ Model No. _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____

Placed from _____ feet to _____ feet

Surface seal depth 38 Material used in seal: ☐ Cement grout

☒ Puddling clay ☐ Well cuttings

Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing

☐ Overbore to seal depth

Method of joining casing: ☐ Threaded ☐ Welded ☐ Solvent

Weld

☐ Cemented between strata

Describe access port NW well sealed with Pump P.

6. LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name _____

Lot No. 1 Block No. _____

County Kootenai

NW 1/4 NE 1/4 Sec. 12, T. 47 N/S, R. 6 E/W.

10.

Work started 4/1/88 finished 4/12/88

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name Ed. H. Hines Drilling Co. Firm No. 105

Address 1300 N. 1st St. P.O. Box 1300 Date 4/12/88

Signed by (Firm Official) [Signature]

and (Operator) [Signature]

USE ADDITIONAL SHEETS IF NECESSARY — FORWARD THE WHITE COPY TO THE DEPARTMENT

MICROFILMED

OCT 13 1988

1. WELL OWNER Name <u>Willard Lee (Tid)</u> Address <u>Rt 2. Rock Ford Wash.</u> Owner's Permit No. _____	7. WATER LEVEL Static water level <u>18</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature _____ OF. Quality _____																																																																																																																																																				
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe method of abandoning) _____	8. WELL TEST DATA ☐ Pump ☐ Bailor ☒ Air ☐ Other _____ <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th>Discharge G.P.M.</th> <th>Pumping Level</th> <th>Hours Pumped</th> </tr> <tr> <td style="text-align: center;">53</td> <td style="text-align: center;">200</td> <td style="text-align: center;">3</td> </tr> </table>	Discharge G.P.M.	Pumping Level	Hours Pumped	53	200	3																																																																																																																																														
Discharge G.P.M.	Pumping Level	Hours Pumped																																																																																																																																																			
53	200	3																																																																																																																																																			
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type) _____	9. LITHOLOGIC LOG <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Hole Diam.</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th colspan="2">Water</th> </tr> <tr> <th>From</th> <th>To</th> <th>Yes</th> <th>No</th> </tr> </thead> <tbody> <tr><td>8</td><td>0</td><td>4</td><td>Top Soil Brown Dark</td><td></td><td></td></tr> <tr><td>4</td><td>4</td><td>8</td><td>Clay Brown Dark</td><td></td><td></td></tr> <tr><td>8</td><td>8</td><td>12</td><td>Basalt Brown Broken</td><td></td><td></td></tr> <tr><td>12</td><td>12</td><td>21</td><td>Basalt Brown Broken</td><td></td><td></td></tr> <tr><td>21</td><td>21</td><td>31</td><td>Basalt Brown 1/4 3/8 Brown Chyl</td><td></td><td></td></tr> <tr><td>31</td><td>31</td><td>38</td><td>Basalt Blue hard</td><td></td><td></td></tr> <tr><td>38</td><td>38</td><td>40</td><td>Basalt Brown Broken</td><td></td><td></td></tr> <tr><td>40</td><td>40</td><td>48</td><td>Basalt Gray hard</td><td></td><td></td></tr> <tr><td>48</td><td>48</td><td>68</td><td>Basalt Blue hard</td><td></td><td></td></tr> <tr><td>68</td><td>68</td><td>72</td><td>Basalt Gray hard</td><td></td><td></td></tr> <tr><td>72</td><td>72</td><td>75</td><td>Basalt Black hard 1/2 gravel</td><td></td><td></td></tr> <tr><td>75</td><td>75</td><td>136</td><td>Basalt Gray hard</td><td></td><td></td></tr> <tr><td>136</td><td>136</td><td>156</td><td>Basalt Blue hard</td><td></td><td></td></tr> <tr><td>156</td><td>156</td><td>163</td><td>Basalt Black soft</td><td></td><td></td></tr> <tr><td>163</td><td>163</td><td>174</td><td>Basalt Black hard</td><td></td><td></td></tr> <tr><td>174</td><td>174</td><td>178</td><td>Basalt Gray hard</td><td></td><td></td></tr> <tr><td>178</td><td>178</td><td>180</td><td>Basalt Black med hard</td><td></td><td></td></tr> <tr><td>180</td><td>180</td><td>186</td><td>Basalt Gray hard</td><td></td><td></td></tr> <tr><td>186</td><td>186</td><td>209</td><td>Basalt Black hard</td><td></td><td></td></tr> <tr><td>209</td><td>209</td><td>228</td><td>Basalt Black hard</td><td></td><td></td></tr> <tr><td>228</td><td>228</td><td>231</td><td>Basalt Black Paris</td><td></td><td></td></tr> <tr><td>231</td><td>231</td><td>237</td><td>Basalt Black decomposed</td><td></td><td></td></tr> <tr><td>237</td><td>237</td><td>240</td><td>Basalt Gray hard</td><td></td><td></td></tr> </tbody> </table>	Hole Diam.	Depth		Material	Water		From	To	Yes	No	8	0	4	Top Soil Brown Dark			4	4	8	Clay Brown Dark			8	8	12	Basalt Brown Broken			12	12	21	Basalt Brown Broken			21	21	31	Basalt Brown 1/4 3/8 Brown Chyl			31	31	38	Basalt Blue hard			38	38	40	Basalt Brown Broken			40	40	48	Basalt Gray hard			48	48	68	Basalt Blue hard			68	68	72	Basalt Gray hard			72	72	75	Basalt Black hard 1/2 gravel			75	75	136	Basalt Gray hard			136	136	156	Basalt Blue hard			156	156	163	Basalt Black soft			163	163	174	Basalt Black hard			174	174	178	Basalt Gray hard			178	178	180	Basalt Black med hard			180	180	186	Basalt Gray hard			186	186	209	Basalt Black hard			209	209	228	Basalt Black hard			228	228	231	Basalt Black Paris			231	231	237	Basalt Black decomposed			237	237	240	Basalt Gray hard		
Hole Diam.	Depth		Material	Water																																																																																																																																																	
	From	To		Yes	No																																																																																																																																																
8	0	4	Top Soil Brown Dark																																																																																																																																																		
4	4	8	Clay Brown Dark																																																																																																																																																		
8	8	12	Basalt Brown Broken																																																																																																																																																		
12	12	21	Basalt Brown Broken																																																																																																																																																		
21	21	31	Basalt Brown 1/4 3/8 Brown Chyl																																																																																																																																																		
31	31	38	Basalt Blue hard																																																																																																																																																		
38	38	40	Basalt Brown Broken																																																																																																																																																		
40	40	48	Basalt Gray hard																																																																																																																																																		
48	48	68	Basalt Blue hard																																																																																																																																																		
68	68	72	Basalt Gray hard																																																																																																																																																		
72	72	75	Basalt Black hard 1/2 gravel																																																																																																																																																		
75	75	136	Basalt Gray hard																																																																																																																																																		
136	136	156	Basalt Blue hard																																																																																																																																																		
156	156	163	Basalt Black soft																																																																																																																																																		
163	163	174	Basalt Black hard																																																																																																																																																		
174	174	178	Basalt Gray hard																																																																																																																																																		
178	178	180	Basalt Black med hard																																																																																																																																																		
180	180	186	Basalt Gray hard																																																																																																																																																		
186	186	209	Basalt Black hard																																																																																																																																																		
209	209	228	Basalt Black hard																																																																																																																																																		
228	228	231	Basalt Black Paris																																																																																																																																																		
231	231	237	Basalt Black decomposed																																																																																																																																																		
237	237	240	Basalt Gray hard																																																																																																																																																		
4. METHOD DRILLED ☒ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____	10. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>Ed. Helman Drill Co.</u> No. <u>105</u> Address <u>Lot 4 Paris Rd</u> Date <u>6/12/80</u> Signed by (Firm Official) <u>[Signature]</u> and (Operator) <u>[Signature]</u>																																																																																																																																																				
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>250 inches</td> <td>6 inches</td> <td>1.6 feet</td> <td>38 feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> Was casing drive shoe used? ☐ Yes ☒ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Number</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>38</u> Material used in seal: ☐ Cement grout ☒ Puddling clay ☐ Well cuttings Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☒ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld ☐ Cemented between strata Describe access port <u>14" Well Seal Ed Pump</u>	Thickness	Diameter	From	To	250 inches	6 inches	1.6 feet	38 feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	Number	From	To	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	11. LOCATION OF WELL Sketch map location must agree with written location. Subdivision Name _____ Lot No. <u>1</u> Block No. _____ County <u>Keetonai</u> <u>N.W. 1/4 NE 1/4 Sec 12, T. 47, N/S, R. 6 E/W.</u>																																																																																																																				
Thickness	Diameter	From	To																																																																																																																																																		
250 inches	6 inches	1.6 feet	38 feet																																																																																																																																																		
_____ inches	_____ inches	_____ feet	_____ feet																																																																																																																																																		
_____ inches	_____ inches	_____ feet	_____ feet																																																																																																																																																		
_____ inches	_____ inches	_____ feet	_____ feet																																																																																																																																																		
Number	From	To																																																																																																																																																			
_____ perforations	_____ feet	_____ feet																																																																																																																																																			
_____ perforations	_____ feet	_____ feet																																																																																																																																																			
_____ perforations	_____ feet	_____ feet																																																																																																																																																			

USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT

001 13 1988

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 93-07018

Priority: August 5, 1980

Maximum Diversion Rate: 0.04 CFS
Maximum Diversion Volume:¹ 8.9 AF

This is to certify, that TED LACY
RT. 2

WORLEY, ID 83876 has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated August 5, 1980; and has submitted Proof of Beneficial Use on August 18, 1988. An examination indicates that the works have a diversion capacity of .070 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.04 CFS	4.5 AF
COMMERCIAL	03/15 to 11/15	0.04 CFS	3.8 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	0.6 AF
	Totals	0.04 CFS	8.9 AF

LOCATION OF POINT(S) OF DIVERSION:

NWNE , Sec. 12, Township 47N, Range 06W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
47N	06W	12	NWNE	1.5		1.5

Total number of acres irrigated: 1.5

PLACE OF USE: COMMERCIAL, same as IRRIGATION use

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

MAR 22 1991

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE


WATER RIGHT NO. 93-07018


CONDITIONS/REMARKS:

5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.0 afa per acre for the lands above.
6. Commercial use is for crop spraying; domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 7TH day of MARCH, 1991.

Acting for


R. Keith Higginson, Director


MAR 26 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

For Office Use Only
\$15 FEE Received
Date 8-28-85
Receipt # 37092

REQUEST FOR EXTENSION OF TIME

To provide additional time in which to submit proof
of beneficial use on a water right permit

RECEIVED

AUG 26 1985

Ted Lacy

(Name)

of

RT2 Worley

(Address)

Department of Water Resources

State of IDAHO, deposes and says:

That he is the holder, or the duly authorized agent of the holder*, of Permit to Appropriate the Public Water of the
State of Idaho No. 93-7018

That under the terms and conditions of said permit, work thereunder was required to be completed on or before

September, 19 85

That he has heretofore performed the following work described under said permit:

(This must be filled out! If no work has been completed put none.)

WE HAVE DRILLED THE WELLS - installed Pump
INSTALLED 90% of MAIN LINES, Pressure Tanks
ARE INSTALLED, wiring etc, 20% of Secondary
LINES ARE INSTALLED, MAIN System is Costing \$ 10,000
IN operation

That he is unable to complete the remainder of the work within the required time for the following reasons, to-wit:

WE NEED to finish the remaining 10% of
MAIN LINES and 80% of Secondary Lines - install
some Electric Valves, wiring etc.,

Wherefore, he asks that the Department of Water Resources extend the time for the completion of obligations

under said permit to Sept., 19 90

(1 yr. minimum,
5 yrs. maximum)

Ted Lacy

(Signature)*

*IF OTHER THAN HOLDER, Power of Attorney must be supplied.

FEE: \$15.00

MICROFILMED

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above application for extension of time be APPROVED and the time within
which to submit the proof of beneficial use is extended to September 1, 1990.

Signed this 25th day of September, 19 85

J. Glen Saxton
Chief, Operations Bureau

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant TED LACY Phone 231-5631

Post office address Rt #2 Worley Id. 83876

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is NW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 12 Township 47N

Range 6W B.M. Kootenai County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.05 for Irrigation purposes from 3-15 to 11-15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.20 for Commercial purposes from 3-15 to 11-15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.02 for Stock purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.04 for Domestic purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.20 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. well, 3hp pump & pipeline

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 8 inches; proposed depth of well is 240 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses: (NEMW) GL. #1, NE $\frac{1}{4}$ of NE $\frac{1}{4}$ RH 9-9-80

a. If water is not for irrigation:

(1) Give the place of use of water: NW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 12 Township 47N

Range 6W B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) ~~Est~~ Number of each kind of livestock to be watered 25 hd. range

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 1.

(5) If water is to be used for other purposes describe: Commercial for crop spraying

[illegible]


For next morning

b. Who owns the land to be irrigated or place of use
Harry Krumm Esq.

applicant to make this filing ~~Co-owner hasy form Gnt~~

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

X Ted Lay
(Applicant)

Proposed Priority 8/5/80

Received by pm Date 8/3/80 Time noon
Preliminary check by RIC Fee \$ 30.00
Received by pm Date 8/7/80 (15346)
Publication prepared by pm Date 8/1/80
Published in Coastal Area News
Publication dates 7/14-21-80
Publication approved pm Date 8/25/80
Protests filed by: none
Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by RAH RK

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 93-7018, and said application is hereby approved _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____ September 1, 19 85.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other:

The issuance of this permit in no way grants any right-of-way or easement across the land of another.

Witness my hand this 17 day of September 19 80.

Acting Chief, Operations Bureau

David R. Tuttle

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, } ss.
County of Kootenai,

James A. Swartz being first duly sworn upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The Application for Water Rights

of which the annexed is a printed copy, was published in the regular Thursday issue of said newspaper for 2 consecutive weeks, commencing on the 14th day of August, 1980 and ending on the 21st day of August, 1980, and such publication was made as often during said period as said newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Subscribed and sworn to before me this 21st day of Aug., 1980.

Roberta D. Stanley
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

LEADER

NOTICE OF
FOR WATER
Notice is hereby given that the
following applications have
been submitted to the
appropriate the public of the
State of Idaho:

LACY, TELL
AT 1 W1/4 Sec 12 T
Source: GROUNDWATER
Date Filed: 08/05/1980
Amount: 0.01 CFS
Diversion Point: NWNE Sec 12 T
47N R 04W, KOOTENAI Co.
Use: IRRIGATION (0.05 CFS)
from 01/01 to 11/15; STOCK-
WATER (0.02 CFS) from 01/01 to
12/31; COMMERCIAL (0.20 CFS)
from 01/01 to 12/31; DOMESTIC
(0.04 CFS) from 01/01 to 12/31
Place of Use: NWNE Sec 12 T 47N
R 04W LOT 01 NENE Sec 12 T
47N R 04W FOR 2 ACRES
Diversion Means: WELL, PUMP
AND PIPELINE.
93-7019

WILLARD
AT 1 W1/4 Sec 12 T
Source: GROUNDWATER
Date Filed: 08/05/1980
Amount: 0.01 CFS
Diversion Point: NWNE Sec 12 T
47N R 04W, KOOTENAI Co.
Use: IRRIGATION (0.05 CFS)
from 01/01 to 11/15; STOCK-
WATER (0.02 CFS) from 01/01 to
12/31; COMMERCIAL (0.20 CFS)
from 01/01 to 12/31; DOMESTIC
(0.04 CFS) from 01/01 to 12/31
Place of Use: NWNE Sec 12 T 47N
R 04W LOT 01 NENE Sec 12 T 47N
R 04W FOR 2 ACRES
Diversion Means: WELL, PUMP
AND PIPELINE.
93-8041

STUBBS, STEPHEN M. &/or BET-
TY
AT 1 W1/4 Sec 12 T
Source: GROUNDWATER
Date Filed: 08/01/1980
Amount: 0.01 CFS
Diversion Point: SESE Sec 35 T
50N R 04W, KOOTENAI Co.
Use: GROUNDWATER (0.02 CFS)
from 01/01 to 12/31; DOMESTIC
(0.04 CFS) from 01/01 to 12/31
Place of Use: SESE Sec 35 T 52N
R 04W
Diversion Means: WELL AND
PIPELINE.
93-8046

BERG, DAVID E.
AT 1 W1/4 Sec 12 T
Source: SPRINGS
Date Filed: 08/05/1980
Amount: 0.04 CFS
Diversion Point: LOT 01 Sec 35 T-
50N R 04W, KOOTENAI CO.
Use: DOMESTIC (0.04 CFS) from
01/01 to 12/31
Place of Use: LOT 01 Sec 35 T 50N
R 04W
Diversion Means: CISTERNS
AND PIPELINE.
93-8046

GAGLIANO, MICHAEL &/ or
KAREN SUE
AT 1 W1/4 Sec 12 T
Source: GROUNDWATER
Date Filed: 08/01/1980
Amount: 0.10 CFS
Diversion Point: SESE Sec 34 T
52N R 06W, KOOTENAI Co.
Use: STOCKWATER (0.02 CFS)
from 01/01 to 12/31; COM-
MERCIAL (0.04 CFS) from 01/01
to 12/31; DOMESTIC (0.04 CFS)
from 01/01 to 12/31
Place of Use: SESE Sec 34 T 52N
R 06W
Diversion Means: WELL AND
PUMP.

If issued, the permit(s) will be
subject to all prior water rights.
Protests against the granting of
any permit must be filed with the
Director of the Idaho Department
of Water Resources, 4055 Gov't
Way, Coeur d'Alene, ID, 83814, on
or before SEPTEMBER 2, 1980.

C. STEPHEN ALMED
Director

Legal 22
Aug. 11, 1980 45.34

March 11, 1991

TED LACY
RT. 2
WORLEY, ID 83876

RE: WATER RIGHT NO. 93-07018

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosure

FILED
MAR 22 1991

February 19, 1991

TED LACY
RT. 2
WORLEY, ID 83876

RE: WATER RIGHT NO. 93-07018

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm

Enclosure

RECEIVED
MAR 24 1991

LICENSE REVIEW CHECKLIST

Permit No. 93-7018

Name/Address change? ok ✓

Priority date Advance? yes no ✓
Memo to advance no ✓
Order to reinstate needed? yes no ✓

Total cfs Limited by fee .04 ✓
Limited by capacity no

Total volume Limited by flow no
Chart checked for AF rate/ac 3.0 ✓

Capacity Actual measurement checked NONE
Theoretical checked no ✓
If greater than permit, check for other rts no

Source Changed? yes no ✓
If so, is memo needed to clarify? no

P/D Verify with map no permit no ✓
More than one per 1/4? Remember remark no
Check p/d overlap N/A

Uses Check irrigation period of use w/ chart no ✓

P/U Verify with map no permit no ✓
> 5 acres irrigated, run overlap N/A

Remarks More than one p/d in 1/4
Description of non-irrig uses no ✓
Special overlap condition no

Conditions -

Measuring device no
W.Master control no
Overlap no
Water quality no
Other no

Dates/Misc. -

Water Dist no
App Rec'd no
Proof Rec'd no

CHECK FOR ADJ. CLAIM


Needed according to proof filed no
Filed - needs amended no
Add'l fee required no
Not filed - no
Not needed yes proof made 1988

Comments/Changes to Examiner's Recommendations:

License no 10-day no

Back of field report signed? no

Reviewer S. Curtis Date 1/23/91 Review time 8 min.



SENIOR AGENT REVIEW

RECEIVED
JUN 27 1990

Check List
for
Beneficial Use Field Report

Department of Water Resources

Permit 93-07018

A. GENERAL INFORMATION

- ✓ 1. Name and address are most current available. (Check BU statement)
✓ 2. Exam Date
✓ 3. Source (Check Permit)

B. OVERLAP REVIEW

- ✓ 1. & 2. (Rule 5,1,4)

C. SYSTEM DESCRIPTION

- ✓ 1. Diversion System Diagram (Rule 5,1,3 / 5,1,4)
✓ 2. USGS (Rule 5,1,7 / 5,1,9) Aerial (Rule 5,1,17)
✓ 3. Word Picture (Rule 5,1,3 / 5,1,4) → *COMMERCIAL?*
✓ 4. Diversion (Rule 5,1,3)
✓ 5. Compare with USGS Map, Land Survey Maps, Aerial Photos and Permit.
✓ 6. Irrigation (Rule 5,1,8)

D. FLOW MEASUREMENTS Check math (Rule 5,1,13 / 5,1,14) — *COMMERCIAL?*

E. FLOW CALCULATIONS Check math (Rule 5,1,13 / 5,1,14)

F. OPTIONAL

G. VOLUME CALCULATIONS

- ✓ Three significant figures and no more than 1/10's (Rule 6,1,2)
Fish (Rule 5,1,11) number stock, homes, etc... (Rule 5,1,12)

H. REMARKS AND OVERLAP ANALYSES

- ✓ All actual uses listed; all permitted uses not used, also listed; (Rule 5,1,2):
✓ Overlaps (Rule 5,1,4):
✓ Return flows (Rule 5,1,5):
✓ Conditions (Rule 5,1,6).

I. RECOMMENDATIONS

- ✓ 1. Municipal (Rule 5,1,10): Compare with items E & G, permit, fee, capacity
(Rule 5,1,15): Measured flows for each use listed separately (Rule 5,1,14).
Period of year (Rule 5,1,13)
✓ 2. Compare permit to exam for amendments (Rule 5,1,16)

J. AUTHENTICATION

✓ Name, Signature, Certification Date, Exam Date.

WELL INSPECTION REPORT

✓ Check with permit and well log for discrepancies

Signature

Date

8/21/89

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT SUPPLEMENT
C O N T E N T S

() B/U Acknowledgment Letter Sent

This Examination Report Contains the Following Documents.

(☒) Field Report (☒) Quad Sheet () Gov. Lot Plat (☒) Rules Check list
() Aerial Photo () Photo PD/PU (☒) Well Log

Number of Diagrams Attached _____ Number of Calculation Sheets Attached _____

() Correspondence (Date) _____

() Other (List) _____

Contacts:

*The well is
in those
trees*

Remarks:

DO - 93-170

" 93-170 3

93-08488

Make sure

Exam Completed By *[Signature]*

Date *2/14/89*

Sr. Agent Review _____

Date _____

Regional Manager Review *[Signature]*

Date *6/8/90*

PERMIT NUMBER

93-7018

RECORDED

MAR 22 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUN 27 1990

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 93-7018

1. Owner: TED LACY Phone No. 231-5621

Current Address: Rt 2 Worley Id, 83876

2. Accompanied by: Same EXAM. DATE: 7/10/89

Address: — Phone No. —

Relationship to Permit Holder: —

3. Source: ground water tributary to —


B. OVERLAP REVIEW

1. Other water rights with same place of use: Commercial overlap on 93-7019 and 93-7032 ☐ Copies Attached

2. Other water rights with same point of diversion: NONE ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NTS

2. ☐ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
- ☐ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

RECEIVED

MAR 22 1991

3. Narrative: Description (As operating at time of measurement, indicate pressure, number of sprinklers, etc.)

A 240 ft well with a $1\frac{1}{2}$ hp pump pumps to 3000 gal storage tank and to Domestic in house and 51 acre of irrigation around home. Compressed is for spraying and is directed at storage tanks.

☐ See Remarks on page 4 for continuation

Well or Diversion Identification No. *	#2	#7					
Motor Make	Boyle-Stad	Boyle-Stad					
Hp	3	3					
Motor Serial No.	?	11/34					
Pump Make	Boyle	Boyle					
Pump Serial No. or Discharge Size	3"	3"					

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

[illegible]

Indicate Method of Determination

6. Place(s) of Use:

[illegible]

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

IRRIGATION 4 heads 3/16 nozzles 5.5 gal/min @ 30 psi
 22 gal/min (23 gal/min) $(\frac{cf}{7.48 gal})(\frac{1 min}{60 sec}) = .049 cfs$
 limited by fee sheet

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

.04 cfs for single household domestic
 commercial .04 cfs by fee sheet

2. Alternate Method for Checking Purposes:

capability of pump for commercial $\frac{(8.8)(7)(11.5)}{40(2.3) + 28} = .03$ but limited by fee sheet to .04 cfs

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 1.5 \times 3 = 4.5 \text{ afa}$
 $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .04 cfs \times 245 = 9.8 \text{ afa}$
 $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 4.5 \text{ afa}$

2. Volume Calculations for Other Uses:

Domestic 0.6 afa
 Commercial $(5000 \text{ gal/day})(245 \text{ day}) = 1,225,000 \text{ gal}$
 $\frac{1,225,000 \text{ gal}}{7.48 \text{ gal/cf}} = 163,770 \text{ cf/y}$
 $\frac{163,770 \text{ cf/y}}{43860} = 3.8 \text{ afa}$

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Found no stock watering

Not to exceed 0.09 cfs or 3.8 afa for commercial use when combined with 93-2032 and/or 93-2019

93-07018, 93-07019 & 93-07032 EXAMINED CONCURRENTLY - JK

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	3/15	11/15	0.09 cfs	4.5 afa
Commercial	3/15	11/15	0.09 cfs	3.8 afa
Domestic	1/1	12/31	0.09 cfs	0.6 afa
Totals:			0.09 cfs	8.9 afa

2. Recommended Amendments

- ☐ Change P.D. as reflected above
- ☐ Add P.D. as reflected above
- ☐ Change P.U. as reflected above
- ☐ Add P.U. as reflected above

J. AUTHENTICATION

Field Examiner's Name Louis Sukoraty
 Signature [Signature]
 Certification Date 2/12/89
 Field Report Preparation Date 2/12/89

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

1/23/91
SC



EX-107

MAR 2 1991



State of Idaho
Department of Water Resources
WELL INSPECTION FORM

This form should be completed by the examiner when conducting a field examination to determine the extent of beneficial use of water from a well or whenever a well is inspected for other reasons. The form should be forwarded to Groundwater Protection Section in the State Office upon completion.

1. Legal Description of well location. Twp. 47N, Rge. 6W,
Sec. 12, Qtr./Qtr. NWNE or Lot _____
2. Owner TED LACY
Address Rt 2, City Worley, State Id
3. Approx. date of well construction 1980
Well Driller E. A. Helman Drilling
4. Casing: Diameter 6" Condition good
5. Casing length above land surface 1'+
6. Well depth (ft) 340 Flowing — Temp. —
Access port —
7. Condition of piping and valving good
8. Evidence of well seal yes
9. Shut in pressure or static water level 18'
10. Evidence of leakage around the casing no
11. Does well need repair no
12. Comments NONE



RECEIVED

MAR 22 1991

(OVER)

SCHEMATIC

Provide a schematic diagram showing the location of the well in the quarter-quarter with respect to houses, roads, other wells or readily identifiable features.



Inspected by *Eric Sutton*

Date 7/10/89

FILED
MAR 22 1991



State of Idaho
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION, Suite No. 9 • 4055 Government Way • Coeur d'Alene, Idaho 83814 • (208) 765-4639

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

October 17, 1988

RECEIVED
OCT 20 1988

Mr. Ted Lacy
Rt. 2
Worley, Id. 83876
Re: 98-7018

Department of Water Resources

Dear Permitholder:

We acknowledge receipt of your statement of completion of water development use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We do not know at this time when he will be able to conduct the examination; however, the examiner will try to contact you at the time he makes the examination so that you may show him the system. If you will not be available to show the system, please provide this office with the name and address of someone who will be able to do so. Your permit will remain valid until the examination is made.

If you have any questions concerning the field examination, please contact this office. Please be sure to use the above-referenced permit number in all future correspondence concerning this examination.

Sincerely,

/s/
TOM D. KING
Senior Water Resource Agent

TDK/pms

MICROFILMED

MAR 24 1991

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 937018

Date: 9/21/88

General Considerations:

Y Name same as permit
Y Signature the same as permit holder
N Address change _____ If yes, prepare a data entry
Y Proof received timely _____
_____ Reinstated

Source of Water:

_____ Surface water
Y Groundwater
_____ 1. well log in file
N/A 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

Y Rate of diversion appropriate for uses
Y Is rate or volume and fee appropriate?
Y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

N/A Is a measuring device or access port required?
N/A Has one been installed?
N/A Waiver or modification of measuring device requested

Remarks:

Proof acceptable

N/A

Priority Calculation:

Date proof received	_____	_____
Date proof due	_____	_____
No. of days late	_____	= _____
Priority date	_____	+ _____
NEW PRIORITY DATE	_____	= _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

RECEIVED
APR 27 1988

STATE OF IDAHO

no \$ encl *Q*
Department of Water Resources

AUG 18 1988

For Office Use Only
Fee Received _____
Date _____
Receipt # _____
Receipt by _____
Reviewed by *Q*
Sent to region _____

PROOF OF BENEFICIAL USE

no \$ encl *Q*
Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 93-7018

Name(s) of Permit Holder: TED M. OR Kathy Y. Lacy

Post Office Address: RT 2 Worley IDAHO 83876

Telephone No. (208) 231-5628

Source of Water: WELL

Extent of Use:

Domestic 1 (number of households) Stockwater _____ (number and type of stock)

Irrigation 2.5 (acres) Other/Remark ~~_____~~

Commercial Sprinkling for Ag Crops

Total rate and/or volume for which proof is submitted .04 cfs _____ acre-feet

☒ Show the date water was first diverted and beneficially used under this permit: ☒ Well Drilled in 1981
☒ Water used first in 1982

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Fee enclosed \$ -0-
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Person to contact to accompany the Department representative during the field examination:

TED LACY Same as Above
(Name) (Telephone Number)

RT 2 Worley IDAHO 83876
(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

7-25-88
Date

Ted Lacy
Signature of Permit Holder (and title, if appropriate)

OCT 13 1988

To: File 93-7018

From: Groundwater Protection

Date: 9/20

Drilling Permit: ☒ Not Applicable
☐ Found and in file
☐ Not Found

Well Drillers Report:

☐ Not found, due to reported age of well
☐ probably not available
☒ Found and is in file
☐ Not found

Follow-up

☐ Request from permit holder the well
drillers report and/or the name of the
well driller.
☐ Ask permit holder when well was drilled
and notify holder of drilling permit
requirement if after July 01, 1987.

OK.

OCT 13 1988

Here is the information
you requested. We
hope this will
expedite your work.
Thank you.

Led Kacy
Rt. 2
Worcester, Ida
83876

Permit No.

93 7018



001747000

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name Willard Jay (Ted)Address Rt. 2 - ~~Paul~~ ~~Wade~~Owner's Permit No. Warley, Idaho

7. WATER LEVEL

Department of Water Resources

Static water level 18 feet below land surface.Flowing? ☐ Yes ☒ No G.P.M. flow _____

Artesian closed-in pressure _____ p.s.i.

Controlled by: ☐ Valve ☐ Cap ☐ Plug

Temperature _____ °F. Quality _____

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement☐ Abandoned (describe method of abandoning) _____

8. WELL TEST DATA

☐ Pump ☐ Bailer ☒ Air ☐ Other _____Discharge G.P.M. 50Pumping Level 100Hours Pumped 3

3. PROPOSED USE

☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal☐ Industrial ☐ Stock ☐ Waste Disposal or Injection☐ Other _____ (specify type)

4. METHOD DRILLED

☒ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary☐ Cable ☐ Dug ☐ Other _____

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other

Thickness	Diameter	From	To
<u>250</u> inches	<u>6</u> inches	<u>+1-6</u> feet	<u>38</u> feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was casing drive shoe used? ☐ Yes ☒ NoWas a packer or seal used? ☐ Yes ☒ NoPerforated? ☐ Yes ☒ NoHow perforated? ☐ Factory ☐ Knife ☐ Torch

Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☐ Yes ☒ No

Manufacturer's name _____

Type _____ Model No. _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____

Placed from _____ feet to _____ feet

Surface seal depth 38 Material used in seal: ☐ Cement grout☒ Puddling clay ☐ Well cuttingsSealing procedure used: ☐ Slurry pit ☐ Temp. surface casing☐ Overbore to seal depthMethod of joining casing: ☐ Threaded ☐ Welded ☐ Solvent

Weld

☐ Cemented between strata

9. LITHOLOGIC LOG

Hole Diam.	Depth		Material	Water	
	From	To		Yes	No
8	0	1	Top Soil Brown Dark		/
8	1	2	Clay Brown Dark		/
8	2	3	Light Brown Broken Shells		/
8	3	4	Light Brown Broken		/
8	4	5	Light Brown w/ light brown clay		/
8	5	6	Light Blue hard		/
8	6	7	Light Brown Broken		/
8	7	8	Light Gray hard		/
8	8	9	Light Blue hard		/
8	9	10	Light Gray hard		/
8	10	11	Light Black hard w/ gravel		/
8	11	12	Light Gray hard		/
8	12	13	Light Blue		/
8	13	14	Light Black sand		/
8	14	15	Light Black hard		/
8	15	16	Light Gray hard		/
8	16	17	Light Black medium		/
8	17	18	Light Gray hard		/
8	18	19	Light Black hard		/
8	19	20	Light Black Pot		/
8	20	21	Light Black medium		/
8	21	22	Light Gray hard		/

OCT 13 1988

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other

Thickness: 2.50 inches Diameter: 6 inches From: +1-6 feet To: 38 feet

Inches inches feet feet

Inches inches feet feet

Inches inches feet feet

Inches inches feet feet

Was casing drive shoe used? ☐ Yes ☒ No

Was a packer or seal used? ☐ Yes ☒ No

Perforated? ☐ Yes ☒ No

How perforated? ☐ Factory ☐ Knife ☐ Torch

Size of perforation: _____ inches by _____ inches

Number _____ From _____ To _____

_____ perforations _____ feet _____ feet

_____ perforations _____ feet _____ feet

_____ perforations _____ feet _____ feet

Well screen installed? ☐ Yes ☒ No

Manufacturer's name _____

Type _____ Model No. _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____

Placed from _____ feet to _____ feet

Surface seal depth 38 Material used in seal: ☐ Cement grout ☒ Puddling clay ☐ Well cuttings

Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☐ Overbore to seal depth

Method of joining casing: ☐ Threaded ☐ Welded ☐ Solvent Weld

☐ Cemented between strata

Describe access port 1 1/2" well head 1" pump P.

8	21	10	100 ft Blue band	07
6	20	10	100 ft Brown Bickon	07
10	19	10	100 ft Gray band	07
10	18	10	100 ft Blue band	07
10	17	10	100 ft Gray band	07
10	16	10	100 ft Black band	07
10	15	10	100 ft Gray band	07
10	14	10	100 ft Blue band	07
10	13	10	100 ft Black band	07
10	12	10	100 ft Gray band	07
10	11	10	100 ft Blue band	07
10	10	10	100 ft Black band	07
10	9	10	100 ft Gray band	07
10	8	10	100 ft Blue band	07
10	7	10	100 ft Black band	07
10	6	10	100 ft Gray band	07
10	5	10	100 ft Blue band	07
10	4	10	100 ft Black band	07
10	3	10	100 ft Gray band	07
10	2	10	100 ft Blue band	07
10	1	10	100 ft Black band	07

6. LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name _____

Lot No. 1 Block No. _____

County Keokuk

NW 1/4 Sec. 12, T. 47 N/S, R. 4 E/W.

10.

Well completed 10/20 Dated 6/12/83

11. DRILLER'S CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name Keokuk Drilling Co. Firm No. 105

Address 1000 1st St. N.E. Date 6/12/83

Signature (Print Name) John A. Smith

(Signature) [Signature]

USE ADDITIONAL SHEETS IF NECESSARY — FORWARD TO THE DEPARTMENT

RECEIVED

OCT 10 1983

1. WELL OWNER

Name William Lee (Tn)Address Rt. 2 - Park Road N.W.

Owner's Permit No. _____

2. WATER LEVEL

Static water level 12 feet below land surfaceFlowing? ☐ Yes ☒ No O.P.M. flow _____

Artesian closed-in pressure _____ p.s.i.

Controlled by: ☐ Valve ☐ Cap ☐ Plug

Temperature _____ °F. Quality _____

3. NATURE OF WORK

- ☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe method of abandoning) _____

4. WELL TEST DATA

- ☐ Pump ☐ Soller ☒ Air ☐ Other _____

Discharge G.P.M. 33 Pumping Level 100 Head Feet 3

5. PROPOSED USE

- ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

6. METHOD DRILLED

- ☒ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary
☐ Cable ☐ Dug ☐ Other _____

7. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other

Thickness 1/2 inches Diameter 6 inches From 1-6 feet To 3-8 feet
 _____ inches _____ inches _____ feet _____ feet
 _____ inches _____ inches _____ feet _____ feet
 _____ inches _____ inches _____ feet _____ feet

Was casing drive shoe used? ☐ Yes ☒ NoWas a packer or seal used? ☐ Yes ☒ NoPerforated? ☐ Yes ☒ NoHow perforated? ☐ Factory ☐ Knife ☐ Torch

Size of perforation _____ inches by _____ inches

Number _____ From _____ feet To _____ feet
 _____ perforations _____ feet _____ feet
 _____ perforations _____ feet _____ feet
 _____ perforations _____ feet _____ feet

Well screen installed? ☐ Yes ☒ No

Manufacturer's name _____

Type _____ Model No. _____

Diameter _____ Size type _____ Set from _____ feet to _____ feet

Diameter _____ Size type _____ Set from _____ feet to _____ feet

Depth of screen _____ ft. ☐ No ☐ Stop at ground

Packer type _____ Set to _____ feet

Perforation depth _____ ft. _____ ft. _____ ft. _____ ft.

8. LITHOLOGIC LOG

Depth	From	To	Material	Notes
0	0	4	Top Soil Brown Soil	
4	4	8	Clay Brown Soil	
8	8	12	Gravel Brown Sandstone	
12	12	21	Gravel Brown Sandstone	
21	21	31	Gravel Brown Sandstone	
31	31	38	Gravel Blue Sand	
38	38	40	Gravel Brown Sandstone	
40	40	42	Gravel Blue Sand	
42	42	45	Gravel Blue Sand	
45	45	48	Gravel Blue Sand	
48	48	50	Gravel Blue Sand	
50	50	52	Gravel Blue Sand	
52	52	55	Gravel Blue Sand	
55	55	58	Gravel Blue Sand	
58	58	60	Gravel Blue Sand	
60	60	62	Gravel Blue Sand	
62	62	65	Gravel Blue Sand	
65	65	68	Gravel Blue Sand	
68	68	70	Gravel Blue Sand	
70	70	72	Gravel Blue Sand	
72	72	75	Gravel Blue Sand	
75	75	78	Gravel Blue Sand	
78	78	80	Gravel Blue Sand	
80	80	82	Gravel Blue Sand	
82	82	85	Gravel Blue Sand	
85	85	88	Gravel Blue Sand	
88	88	90	Gravel Blue Sand	
90	90	92	Gravel Blue Sand	
92	92	95	Gravel Blue Sand	
95	95	98	Gravel Blue Sand	
98	98	100	Gravel Blue Sand	

September 1, 1988

Ted M. and Kathy Y. Lacy
Rt. 2
Worley, ID 83876

RE: Permit No. 93-7018

Dear Permit Holder:

The department received your Proof of Beneficial Use form, however, before completing processing, additional information is needed.

If you have a well driller's report, please send a copy to the department. If you do not have one, please let me know who drilled the well and when it was drilled.

Please remit the requested information by October 1, 1988 to keep your permit from losing priority.

If you have any questions, feel free to call me.

Sincerely,

RITA FLECK
Secretary/Records Manager

c: N. Region

RECEIVED

OCT 13 1988

To: File 93-7018

From: Groundwater Protection

Date: 9/1/88

Drilling Permit: ☒ Not Applicable
☐ Found and in file
☐ Not Found

Well Drillers Report:

☐ Not found, due to reported age of well
probably not available
☐ Found and is in file
☒ Not found

Follow-up

☒ Request from permit holder the well
drillers report and/or the name of the
well driller
☐ Ask permit holder when well was drilled
and notify holder of drilling permit
requirement if after July 01, 1987.

*Dunn indicates well drilled in
1981. may be a chance he
has well log.*

jm

MICROFILMED

OCT 13 1988

May 18, 1988

Ted Lacy
Rt. 2
Worley, ID 83876

Dear Mr. Lacy:

Re: Permit No. 93-7018

Returned is the proof of beneficial use form submitted to this office on April 27, 1988.

Please complete the proof form by indicating when the well was drilled and the water was put to a beneficial use. See the red X's.

Your permit was issued for 0.20 cfs which is about 90 gpm. I note that you indicate that the total use of water is about 0.04 cfs which is about 18 gpm. Please be advised that the department will issue a license for only up to the amount the exam fee has been paid for. However, you should not indicate a rate of diversion greater than what the well actually produces.

If you have any questions concerning this matter, please feel free to contact this office.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enc.

MICROFILMED

OCT 13 1988

RECEIVED
APR 27 1988

no incl
Department of Water Resources

STATE OF IDAHO

PROOF OF BENEFICIAL USE

For Office Use Only
Fee Received _____
Date _____
Receipt # _____
Receipt by _____
Reviewed by _____
Sent to region _____

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 93-7018

Name(s) of Permit Holder: TED M. OR Kathy Y. Lacy

Post Office Address: RT 2 Worley IDAHO 83876

Telephone No. (208) 231-5625

Source of Water: WELL

Extent of Use:

Domestic 1 (number of households) Stockwater _____ (number and type of stock)

Irrigation 2.5 (acres) Other/Remark ~~_____~~

Commercial Spraying for Ag Crops

Total rate and/or volume for which proof is submitted .04 cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: _____

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☐ No

Fee enclosed \$ _____
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☐ No

Person to contact to accompany the Department representative during the field examination:

TED LACY
(Name)

Same as Above
(Telephone Number)

RT 2 Worley IDAHO 83876
(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

4-25-88

Date

Ted Lacy
Signature of Permit Holder (and title, if appropriate)

September 26, 1985

Ted Lacy
Rt. 2
Worley, ID 83876

Dear Mr. Lacy:

Re: Permit No. 93-7018

Enclosed is a copy of the approved request for extension of time. The time within which to submit the proof of beneficial use is extended to September 1, 1990.

If you have any questions concerning your permit, please feel free to contact this office.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure

MICROFILMED

STAFF REVIEW OF REQUESTS FOR EXTENSION TIME

Permit No. 93-7018

BASIC INFORMATION ABOUT EXTENSION REQUEST

Check for the following:

- ☒ Date received stamp
☒ Extension received within six months of due date (if greater than, return extension)
☒ Fee received and receipted
☒ Name and signature same as on permit
☒ Address change? If so, complete coding sheet
☒ Source of water the same?
☒ Extension previously approved?
☒ Do conditions of approval restrict the extension?

Indicate basis: _____

REASON FOR GRANTING EXTENSION

- ☒ Due diligence
 _____ Work completed - Adequate to show due diligence?
 _____ Cost incurred - Adequate to show due diligence?
 _____ Litigation _____ Swan Falls _____ Dismissed from Swan Falls
 _____ Have supporting documents been submitted?

Date litigation completed _____

Date litigation began _____

Total period of delay = _____

Proof due date _____

NEW PRIORITY DATE _____

- _____ Delayed by a governmental agency
 _____ Permit holder provided supporting documents?

REASON FOR DENIAL _____

RECOMMENDATION FOR ACTION

Recommend approval - due diligence

Additional conditions:

- ☒ Reinstate: Date extension received _____ = _____
 Proof due date _____ = _____
 No. of days late _____
 Priority date _____ = _____

ADJUSTED PRIORITY DATE _____

- ☒ Is there commencement of works?
☒ Prepared coding sheet?
☒ Change rolodex card

MICROFILMED

Reviewed by _____

Date _____

9-25-1985



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 334-4440

EXTENSION OF TIME

August 29, 1985

Willard Lacy

Ted Lacy

Rt. 2

Worley, ID 83876

PERMIT NO. 93-7019, 93-7018

We are in receipt of the \$30 extension fee for Extension(s) of Time to provide additional time in which to submit proof of beneficial use on a water right permit.

Your request for extension(s) of time is being reviewed by staff. You will be informed of our decision when review has been completed.

Enclosed is our receipt No. **37092.**

Roberta Garrett

Records Supervisor

Enclosure

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138164

LACY, TED
RT. 2
WORLEY, ID 83876

PROOF DUE NOTICE

JUNE 30, 1985

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 93-7018 WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE SEPTEMBER 01, 1985. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST). ENCLOSED IS A FORM WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER THE BENEFICIAL USE FORM OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

MICROFILMED

93-7018

July 24, 1980

Mr. Ted Lacy
Rt. 2
Worley, Idaho 83876

Dear Mr. Lacy:

Enclosed is your Check No. 98-186 in the amount of \$55.00 and
four Applications for Permit as we discussed on the phone.

The fee for filing the permits is \$30.00 each.

If you have any questions, please contact me at this office.

Sincerely,

TOM D. KING
Senior Water Resource Agent

TDK/pms

Enc. - Check
Applications (3)
Blank Application & Instructions

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

LACY, TED
RT. 2
WORLEY, ID 83876

SEPTEMBER 24, 1980

RE: PERMIT NO. 93-7018

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

WE HAVE ENCLOSED A FORM ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: KK APPLICATION NUMBER: 93-7018

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department. Copies sent by: _____ Date: _____
☐ Idaho Fish and Game Department. _____
☐ Idaho Department of Lands. _____
☐ U.S. Bureau of Land Management. _____
☐ U.S. Forest Service. _____
☐ Other _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☒ Yes ☐ No Other rights on same place of use. 93-7019 7 Different Well
☒ Yes ☐ No* In form for advertising. No Overlay
Final date for protests: 9/2/80 ✓
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 8/22/80 ✓
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
✓ 8/15/80 Date of priority recommended.
Special conditions of approval or cover letter. _____

STATE OFFICE REVIEW:

- By: [Signature] Date: 9/2/80
Return receipt of cover letter. Cover letter sent.
SL to card
☐ See attached sheet for more information.
By: [Signature] Date: 9/9/80

93-7018-

LACY, TED

RT. 2, WORLEY, ID 83876

Source: GROUNDWATER

Date Filed: 08/05/1980

Amount: 0.20 CFS

Diversion Point: NWNE Sec 12 T 47N R 06W, KOOTENAI Co.

Use: IRRIGATION	(0.05 CFS)	from 03/15 to 11/15
STOCKWATER	(0.02 CFS)	from 01/01 to 12/31
COMMERCIAL	(0.20 CFS)	from 03/15 to 11/15
DOMESTIC	(0.04 CFS)	from 01/01 to 12/31

Place of Use: NWNE Sec 12 T 47N R 06W LOT 01 NENE Sec 12 T 47N R 06W
FOR 2 ACRES

Diversion Means: WELL, PUMP AND PIPELINE.