

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Michael J. Needham
(Applicant)

NORTHERN REGION
LDWR

9-1-93

~~SOLD~~
~~LARRY SHERMAN~~
~~Residence: Hayden Lake, ID~~

Sold To
Bennett Lumber
Princeton, ID

~~GORDON
JAMES
Residence:
Post Falls, ID~~

ED STISBERG
residence: Sacramento,
California

① Present Perm. # 92-89-N-6

① Present Plan
1 BOREHOLE TO BE USED
FOR SEASONAL IRRIGATION AND
POND EVAPORATION
COMPENSATION
DURING LATE SUMMER

Mike Noedham

Residence: SE SW SEC. 35 T44N
R3W BENEWAH

BROODSTOCK
① POND
1/4 AC.

← CONCRETE CISTERN (HOUSEHOLD USE)

JOERGEN

NOLTHEWIKS

Residence : Fernan Lt,
Coeur d'Alene ID


1 AC. (2)
BROOD STOCK POND

OCT 28 1993

BROOD STOCK POND | 1
screened - system | outlet


NATURAL DITCH (DRY)

BENNETT LUMBER, PRINCETON
BEAVER PONDS ID.



DETAILS OF DAM AND APPURTENANCE STRUCTURES

Type of dam (embankment, other, describe) Earthen Dam



Hydraulic Height (H) 19' feet. If dam is being raised, indicate increase in height feet.

Crest Length 300' feet. Crest (top of dam) Width (W) 16' feet.

Downstream Slope (S_d) 2 : 1; Upstream Slope (S_u) 3 : 1.

Depth of Cutoff Trench (T) 4' feet.


OUTLET NA (Size); NA (Type); Maximum Release Rate NA cfs (under full reservoir head)

Size and number of anti-seep collars NA (also indicate spacing of collars along outlet)

SPILLWAY

☐ Service (auxiliary) Spillway, describe

☒ Emergency Spillway, Located at: ☐ left, ☒ right abutment, ☐ other location.



Total Depth of Spillway (below top of dam) 5' feet.

Spillway: Bottom width (B) 10' feet; Top Width (A) 30' feet.

Discharge Capacity of Spillway 25 cfs at spillway flow depth (d) 2 feet


Freeboard (F_b) 3 feet (total depth of spillway minus the spillway flow depth).

Spillway Channel Lining Rock / Riprap (Rock Cut, Rock Riprap, Other-describe)

DEC 11 1997

SEP 24 1993

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/nine i.d. as applicable.



Scale: 1" =

Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

Aerial Photo Attached (required for irrigation of 10+ acres)

Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date


2. Measurements:

MICROFILMED


DEC 11 1997

5/8/96

PERM IT # 92-07203



NEEDHAM'S UPPER LAKE




$$\frac{540 \times 340}{2} = 91,800 \text{ ft}^2 \times 10' \text{ DEEP}$$

$$43,560$$

MICROFILMED
DEC 11 1997

PICTURE TAKEN FROM
NE CORNER OF LAKE
LOOKING WEST

21.1 Af



92-07203
NEEDHAM
T. 35 N., R. 3 W.

NOTED
DEC 1-1 1997

MARSH

APPLICATION FOR PERMIT
STATE OFFICE REVIEW

Application #: 92-7203 Date: 10/8/93 Reviewer: Cindy Zimmerman

AREA OF CONCERN? - No/Yes _____
SYSTEM COMPLETED:
No - 26A-P17
Complete in 1 year - P16
Yes
Proof not submitted - P16
Proof submitted - N/A
GROUNDWATER:
+ 0.2 cfs <flo-ch> - 01G-P03 (new), 01C-P03 (existing), NMR
- 0.2 cfs - NMR <flow chart>
Drilling Permit:
Included w/permit - P99 Permit No. _____
Existing well - N/A (if drilled before 7/1/87)
No WD permit? - 046-46A<Irr>-46B-P23 (if drilled after 7/1/87)
SURFACE WATER: not in WD - 01C-P03 (+.2 w/pump), NMR <flow chart>
LOCATION:
Water District - WD No. _____
Surface water - 005 or 005-01J-P08 (+.2, or -.2 no pump)
or 005-01H-P01 (-.2 w/pump); NMR
Groundwater - P05 (if well has not been drilled)
In stream channel - 030 (stream channel alteration)
Irrigation Dist. - 023
Canal Co. Areas - 023
Drainage Districts - 024
Flood Control Dist. - 063
Boise Front (63) - 058 (Groundwater temperature)
Swan Falls Flag - B <See condition code chart>
Trust - 051-052-053-P74 (Consumptive Uses)
Non Trust <1> - 048-049
RIVER BASINS (Surface): Water District Control Condition (005) &....
Boise (63) - 05A (req), 11E (non-domestic use), NA
Payette (65) - 064 (consump. use), 047-P04 (Payette Lake), NA
Snake (01, 02 & 03) - 11A-P04 (01), 061-P07 (02/03 No W.D.Cond.), NA
USE:
Fish Propagation - 010/06A/09E-P10 (WQ) & 07A-042-~~002-P06~~ (MD) (req)
044 (N 1000 Spr)
Irrigation - 803 (if GW use SW 1st) (+5A do POU comparison)
Power - 08A-17K-025-027 (req); 01F-P19; 09E-P10;
+25 cfs-P18; 17G(FERC) or 17M(FERC); 18B-P09
Mining - 06A/010/09E-P10 & 054 (req)
Storage (✓ 3 compo.) - 18A-for multi MD in WD, 18B-P09 (+10' high dam)
Domestic (surface) - 021 (Boise R ↑ L Peak), 27A (Payette R)
OWNERSHIP:
Non land owner - 004 (P/D or P/U)
PROTESTED:
Prehearing agreement - 020
OTHER CONDITIONS: - _____
REMARKS: - _____
BENEFICIAL USE DUE: - 10-1-1998
COMMENTS: - D.O.W. Desc.

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 92-07203

Priority: July 23, 1993

Maximum Storage Volume:

19.0 AF

This is to certify, that MICHAEL J NEEDHAM
WEST FORK SANTA CREEK RD
PO BOX 25
TENSED ID 83870

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated July 23, 1993; and
has submitted Proof of Beneficial Use on January 9, 1995. An examination indicates
that the works have a storage capacity of 19.000 af of water from:

UNNAMED STREAM

tributary to SANTA CREEK

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
FISH PROP. STORAGE	01/01 to 12/31		19.0 AF

LOCATION OF POINT(S) OF DIVERSION:

SESW , Sec. 35, Township 44N, Range 03W
BENEWAH County

PLACE OF USE: FISH PROP. STORAGE

TWN RGE SEC

44N 03W 35

SESW

CONDITIONS OF APPROVAL AND REMARKS

1. This water right is appurtenant to the described place of use.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. This right authorizes an annual volume of water to fill the storage facility and the amount required to replace losses through evaporation.
5. Water used under this right when discharged into a natural channel or subsurface system shall meet Idaho Water Quality Standards.
6. The right holder shall be required to provide the Department, upon request, information showing volume changes per hour necessary to maintain an adequate environment for the fish propagation facility. Volume changes per hour shall be based upon actual fish production.
7. Fish propagation storage use is for a fish hatchery.
8. Facility volume = 827,640 cubic feet.


MICROFILMED
DEC 11 1997


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 92-07203

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 25th
day of JUNE, 1992.


Acting for KARL J. DREHER, Director



MICROFILMED

DEC 1 1997

STATE OF IDAHO
RECEIVED DEPARTMENT OF WATER RESOURCES

JAN 11 1995

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 92-7203 Telephone No. 208-245-3151
2. Name(s) of Permit Holder(s): Michael J. Needham
3. Mailing Address: POB 25 West Fork Santa Crk. Rd. Tensed, ID. 83870
4. Source of Water: Unknown (Seasonal Run-off) If GROUNDWATER (well), Date Drilled: mo. / yr.
 - a. Well Driller: Drilling Permit Number:
 - b. **OPTIONAL:**
Pump Horsepower: Pressure (psi): Dynamic pumping level (ft):
5. Use(s) (as authorized by the water right permit):
Domestic (No. of households): 1 ^{MSH} Stockwater (No. and type of stock):
Irrigation (No. of acres): Other:
6. Total rate of diversion and/or volume for which proof is submitted: 0.26 ^{MSH} cfs OR 23 acre feet
7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device:	Is a measuring device required?	Yes <u> </u>	or	No <u>✓</u>
	Has the measuring device been installed?	Yes <u> </u>	or	No <u> </u>
Flow Measurement Port:	Is a flow measurement port required?	Yes <u> </u>	or	No <u>✓</u>
	Has the measurement port been installed?	Yes <u> </u>	or	No <u> </u>
8. Fee Enclosed: \$ 100.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)
9. Person to contact to accompany the Department representative during field examination of the water system.
Name: Michael J. Needham Telephone Number: 208 245 3151
Address: POB 25, West Fork Santa Crk. Rd., Tensed, ID. 83870
10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder:

Michael J. Needham - owner
(include your title, if on behalf of company or organization)
(NEEDHAM ENTERPRISES)

Date:

1-9-95

JAN 20 1995

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 92-07203

Proposed Priority: July 23, 1993

Maximum Diversion Rate:

0.96 CFS

This is to certify, that **MICHAEL J NEEDHAM**
PO BOX 44
SANTA ID 838660044

has applied for a permit to appropriate water from:

UNNAMED STREAM

tributary of **SANTA CREEK**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
FISH PROP. STORAGE	01/01 to 12/31		23.0 AF
DIVERSION TO STORAGE	01/01 to 12/31	0.96 CFS	
	Totals	0.96 CFS	

LOCATION OF POINT(S) OF DIVERSION:

SESW , Sec. 35, Township 44N, Range 03W
BENEWAH County

PLACE OF USE: FISH PROP. STORAGE

TWN RGE SEC

44N 03W 35

SESW

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **October 1, 1998**.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. Water used under this right if discharged into a natural channel or subsurface system shall meet Idaho Water Quality Standards.
5. Assignment or sale of this right is subject to a determination by the Department that the right holder has proceeded to develop the right with due diligence and without speculation.
6. The right holder shall be required to provide the Department, upon request, information showing volume changes per hour necessary to maintain an adequate environment for the fish propagation facility. Volume changes per hour shall be based upon actual fish production.
7. Two diversion points are located within SESW, S35, T44N, R03W.
8. Fish propagation storage use is for a fish hatchery.

OCT 28 1993


State of Idaho
Department of Water Resources

Permit To Appropriate Water


NO. 92-07203

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

25th day of October, 1993.


R. Keith Higginson, Director

for



OCT 28 1993

RECEIVED
SEP 30 1993

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 92-7203

Department of Water Resources To appropriate the public waters of the State of Idaho

1. Name of applicant Michael J. Needham Phone (208) 245-3151
Post office address P.O. Box 44 Santa, Idaho 83866

2. Source of water supply Unnamed Stream which is a tributary of Santa Creek

3. Location of point of diversion is SE $\frac{1}{4}$ of SW $\frac{1}{4}$, Govt. Lot _____
Sec. 35 Township 44 N. Range 3 W. B.M. Benevolence County; additional
points of diversion if any: 2 points of diversion

4. Water will be used for the following purposes:

Amount 0.96 for Diversion to Storage purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 23 for Storage for Fish Propagation purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 0.96 cubic feet per second and/or (b) 23 acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Three ~~Four~~ small dams + ponds

b. Height of storage dam 19 ft feet; active reservoir capacity 19 acre-feet; total
reservoir capacity 19 acre-feet; period of year when water will be diverted to storage:
1/1 to 12/31 inclusive.

c. Proposed well diameter is NA inches; proposed depth of well is _____ feet.

d. Is ground water with a temperature of greater than 85°F being sought? NA

e. If well is already drilled, when? _____; Drilling firm _____

Well was drilled for (well owner) _____

7. Time required for the completion of the works and application of the water to be proposed beneficial use is
5 years (minimum 1 year).

OCT 28 1993

2025 RELEASE UNDER E.O. 14176

applicant to make this filing.

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the

b. Who owns the land to be irrigated or place of use?

Applicant

11. a. Who owns the property at the point of diversion?

Applicat

10. Describe any other water rights used for the same purposes as described above.

Total number of acres to be irrigated.

[illegible]

ponding place of use below. See instructions for standard symbols.

b. If water is used for other purposes, place a symbol of the use (example: *D for Domestic*) in the corresponding column.

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

9. Description of place of use:

e. Other; describe fully. Fish Propagation

d. Domestic; show number of households.


c. Municipal; show name of municipality.

b. Stockwatering; list number and kind of livestock.

a. Hydropower; show total feet of head and proposed capacity in kW.

8. Description of proposed uses (if irrigation only, go to item 9):

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Michael J. Needham
(Applicant)

OCT 28 1993

RECEIVED

e. Other:

permit.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

19

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

1. Approval of said application is subject to the following limitations and conditions:

Idaho No. _____, and said application is hereby _____

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

Publication approved _____ Date _____

Publication prepared by _____ Date 7/28/93

Published in 8/11/93

Fee \$ 45 - Received by _____

NW 6770

Date 7/25/93

Received by _____ Date 7/25/93 Time 9:30am

Preliminary check by _____

RECEIVED

SEP 16 1993

NO. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634, 635, 636, 637, 638, 639, 640, 641, 642, 643, 644, 645, 646, 647, 648, 649, 650, 651, 652, 653, 654, 655, 656, 657, 658, 659, 660, 661, 662, 663, 664, 665, 666, 667, 668, 669, 670, 671, 672, 673, 674, 675, 676, 677, 678, 679, 680, 681, 682, 683, 684, 685, 686, 687, 688, 689, 690, 691, 692, 693, 694, 695, 696, 697, 698, 699, 700, 701, 702, 703, 704, 705, 706, 707, 708, 709, 710, 711, 712, 713, 714, 715, 716, 717, 718, 719, 720, 721, 722, 723, 724, 725, 726, 727, 728, 729, 730, 731, 732, 733, 734, 735, 736, 737, 738, 739, 740, 741, 742, 743, 744, 745, 746, 747, 748, 749, 750, 751, 752, 753, 754, 755, 756, 757, 758, 759, 760, 761, 762, 763, 764, 765, 766, 767, 768, 769, 770, 771, 772, 773, 774, 775, 776, 777, 778, 779, 780, 781, 782, 783, 784, 785, 786, 787, 788, 789, 790, 791, 792, 793, 794, 795, 796, 797, 798, 799, 800, 801, 802, 803, 804, 805, 806, 807, 808, 809, 810, 811, 812, 813, 814, 815, 816, 817, 818, 819, 820, 821, 822, 823, 824, 825, 826, 827, 828, 829, 830, 831, 832, 833, 834, 835, 836, 837, 838, 839, 840, 841, 842, 843, 844, 845, 846, 847, 848, 849, 850, 851, 852, 853, 854, 855, 856, 857, 858, 859, 860, 861, 862, 863, 864, 865, 866, 867, 868, 869, 870, 871, 872, 873, 874, 875, 876, 877, 878, 879, 880, 881, 882, 883, 884, 885, 886, 887, 888, 889, 890, 891, 892, 893, 894, 895, 896, 897, 898, 899, 900, 901, 902, 903, 904, 905, 906, 907, 908, 909, 910, 911, 912, 913, 914, 915, 916, 917, 918, 919, 920, 921, 922, 923, 924, 925, 926, 927, 928, 929, 930, 931, 932, 933, 934, 935, 936, 937, 938, 939, 940, 941, 942, 943, 944, 945, 946, 947, 948, 949, 950, 951, 952, 953, 954, 955, 956, 957, 958, 959, 960, 961, 962, 963, 964, 965, 966, 967, 968, 969, 970, 971, 972, 973, 974, 975, 976, 977, 978, 979, 980, 981, 982, 983, 984, 985, 986, 987, 988, 989, 990, 991, 992, 993, 994, 995, 996, 997, 998, 999, 1000

STEVE RISKIN
Residence: Georgia

LARRY SHERMAN
Residence: Hayden Lake, ID

SOLD

@improved map

perm # 92-07203 (Mike Neefham)
9-1-93

SOLD to
Barnett Lumber
Princeton, ID

GORDON
JAMES
Residence:
Puff Falls, ID

ED STISBERG
Residence: Sacramento,
California

Mike Neefham
Residence: SE SW SEC. 35 T44N
R3W BEAVERH

① Present perm. # 92-89-N-6
BAREHOLE TO BE USED
FOR SEASONAL IRRIGATION
AND
FOR EVAPORATION
AND PUMPATION
DURING LATE SUMMER

② 2 AC
POND

① 1/2 AC.
POND
18'x60' HATCHERY
3 EARTH RACEWAYS
w/ AERATION SYSTEM
FOR BROODSTOCK REARING-UP
EACH 30'x50'x8'
① 1/4 AC. TOTAL
UNDERGROUND
GRAVEL FILTER TRENCH
AERATION
PIT
FILTER PITS

BROODSTOCK
① POND
1/4 AC.
BROODSTOCK
① POND
1/4 AC.
PUMPAGE OVER
CONCRETE CISTERN
(UNUSUAL USE)

1 AC. ③
BROOD STOCK POND
screened - system outlet

OCT 28 1993

JORGENSEN
NOLTHENIUS
Residence: Fernan Lt.,
Coeur d'Alene ID.

unnamed MASH
SP. STREAM
NATURAL DITCH (DRY)
BEAVER POUNDS
Princeton, ID.

THIS INDENTURE, made this 17th day of October, 1977, between
REFORESTATION, INC., a Washington Corporation

of Spokane, County of Spokane, State of Washington,
the party of the first part and Michael J. Needham and Patricia A. Needham, husband and wife,
P.O. Box 128
of St. Maries, County of Benewah, State of Idaho,
the party of the second part,

WITNESSETH, that the said party of the first part, for and in consideration of the sum of Ten and no/100 - - - - -
- - (\$10.00) - - and other valuable consideration - - - - - Dollars,
lawful money of the United States of America, Hand
to party of the first part in hand paid by the party of the second part, the receipt whereof is hereby acknowledged, has granted,
bargained, sold, and by these presents, does grant, bargain, sell and convey and confirm unto the said party of the second part, and
to party of the second part's Heirs and assigns, forever, all the following described real estate situated in
County of Benewah State of Idaho, to-wit:

The Southeast Quarter of the Southwest Quarter of Section 35,
Township 44 North, Range 3 West, Boise Meridian, Benewah County, Idaho

Deed re-recorded to correct acknowledgment.

TOGETHER with all and singular the tenements, hereditaments and appurtenances thereunto belonging or in anywise
appertaining, and the reversion and reversions, remainder and remainders, and rents, issues and profits thereof, and all estate, right,
title and interest in and to the said property, as well in law as in equity, of the said party of the first part,

TO HAVE AND TO HOLD, all and singular the above mentioned and described premises together with the appurtenances unto
the party of the second part, and to party of the second part's Heirs and assigns forever. And the said party of the first part, and
said party of the first part's Heirs shall and will warrant and by these presents forever defend the said premises in the quiet and
peaceable possession of the said party of the second part, and party of the second part's Heirs and assigns, against the said party of
the first part, and party of the first part's Heirs and against all and every person and persons whomsoever, lawfully claiming or to
claim the same.

In construing this deed and where the context so requires, the singular includes the plural.

IN WITNESS WHEREOF, the said party of the first part hereunto has set his hand.

Representation, Inc.
D. H. Camp, Pres.

STATE OF IDAHO,

County of Benewah

On this 18th day of October in the year 1977, before me J. W. Christensen
a Notary Public in and for said State, personally appeared
D. H. Camp

known to me to be the person whose name is subscribed to the within instrument, and
acknowledged to me that he executed the same.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official seal the day and
year in this certificate first above written.

J. W. Christensen
Notary Public for the State of Idaho
Residing at St. Maries, Idaho.

No. 167412

WARRANTY DEED

to

Dated 7-5-1985

STATE OF IDAHO,

County of Benewah

I hereby certify that this instrument was
filed for record at the request of

Michael J. Needham

at 45 minutes past

o'clock P. M., this 15th day

of July, 1985, in my

office and duly entered in Book 100

of

at page 14097

By *Benewah* Ex-Officio Recorder.

Fees, \$ 2.00

Mail to

AFTER RECORDING RETURN TO:

OCT 28 1985

St. Maries Gazette Record

STATE OF IDAHO
County of BENEWAH } ss.

On this 18th day of October, 1977, before me,
J.W. Christensen, a Notary Public in and for said
State, personally appeared D.H. CAMP

XXXX
known or identified to me to be the President
of the corporation that executed
this instrument or the persons who executed the instrument on
behalf of said corporation and acknowledged to me that such
corporation executed the same.
IN WITNESS WHEREOF, I have hereunto set my hand and
affixed by official seal the day and year in this certificate first above
written.

Notary Public for: Idaho
Residing at: St. Maries, Ida

117548
State of Idaho, County of Benewah. Filed for record at the request of

Land Title
on the 17th day of July 1985 at 11:35 clock A.M. and
recorded in Book 100 of Records on page 14120
Dorothy Vallard By Kay Lethen
County Recorder Deputy
Fee \$ 4.00 Mailed to

MICROFILMED

OCT 28 1993

QUIT CLAIM DEED

PATRICIA ANN NEEDHAM, hereinafter called the Grantor,
for and in consideration of Ten and no/100 Dollars (\$10.00)
and other valuable consideration in hand paid, and for the
purpose of clearing title to the subject property, do hereby
remin, release and forever quit claim unto MICHAEL JAMES NEEDHAM,
of Route 4, St. Maries, Idaho 83861, all right, title and interest
of Grantor in and to the following described real property situated
in the County of Benewah, State of Idaho:

The Southeast Quarter of the Southwest Quarter
(SE1/4 SW1/4), Section Thirty-five (35),
Township Forty-four (44) North, Range
Three (3) West, Boise Meridian, Benewah
County, Idaho.

with all appurtenances, including not only her entire present
interest as of the date hereof, but also any, every and all
right, title and interest hereinafter acquired.

IN WITNESS WHEREOF, the Grantor has executed this
deed this 11 day of December, 1980.

Patricia Ann Needham
Patricia Ann Needham

STATE OF Idaho
County of Benewah

THIS IS TO CERTIFY that before me, the undersigned
Notary Public in and for the State and County aforesaid,
personally appeared PATRICIA ANN NEEDHAM, to me known to
be the person whose name is subscribed to the foregoing Quit
Claim Deed, and acknowledged to me that she signed the same
for the uses and purposes therein set forth.

DATED this 11 day of December, 1980.

RECORDED

167413

66.100 page 14098
SEAL

25 JUL 5 P4:51

BEVERLY VALLARO

Notary Public

State of Idaho

St. Maries, Idaho 83861

Notary Public in and for
Res. & P.O. Addr:
Commission expires:

NOTARY PUBLIC OF NEW JERSEY
My Commission Expires Dec 7, 1984

RECORDED
OCT 28 1993


County of Benewah
Notary Public in and for
Res. & P.O. Addr:
Commission expires:
Notary Public of New Jersey
My Commission Expires Dec 7, 1984
I, Notary Public in and for the above
County of Benewah, do hereby
certify the foregoing to be a full, true and
correct copy of the original to you, and
acknowledge same now appears on file and
is a true and correct copy of the original
filed in my office.
Notary Public in and for the above
County of Benewah, do hereby
certify the foregoing to be a full, true and
correct copy of the original to you, and
acknowledge same now appears on file and
is a true and correct copy of the original
filed in my office.
Notary Public in and for the above
County of Benewah, do hereby
certify the foregoing to be a full, true and
correct copy of the original to you, and
acknowledge same now appears on file and
is a true and correct copy of the original
filed in my office.

State of Idaho)
County of Benewah) ss

I, Kay Sather Clerk of the above
entitled Court & County Recorder do hereby
certify the foregoing to be a full, true and
correct copy of the original *Quitclaim Deed*
as the same now appears on file and of
record in my office.

WITNESS my hand and official seal
this *23* day of *Oct*, 19*91*
By *Kay Sather* Clerk
By *Bonnie Sather* Deputy

RECORDED
OCT 28 1993





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

June 30, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

MICHAEL J NEEDHAM
WEST FORK SANTA CREEK RD
PO BOX 25
TENSED ID 83870

RE: WATER RIGHT NO. 92-07203

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen". The signature is written in dark ink and is positioned above the typed name.

Shelley W. Keen
Water Rights Supervisor

SK:klt


Enclosure

CERTIFICATE OF MAILING

I hereby certify that on the 30th day of June, 1997, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 92-07203

MICHAEL J NEEDHAM
WEST FORK SANTA CREEK RD
PO BOX 25
TENSED ID 83870


Kari Lynn Townsend
Secretary

RECEIVED
SEP 12 1994
Department of Water Resources

September 8, 1994

TO: Dam Safety, Boise/ File D92-7203

SUBJECT: Final Construction Inspection, Needham Dam,
September 1, 1994.

BY: David D. LePard

On Thursday I stopped by the dam site, to check construction and measure the final structure. Pictures were taken.

The dam had the following dimensions on September 1, 1994:

Structural Height: 20.1 ft. Hydraulic Height: 16.1 ft.

Freeboard: 4.0 ft. Crest Width: 13.0 ft.

US Slope: 3:1 DS Slope: 1.5-2:1

Outlet: None

Spillway Width: 6.0 ft. CMP Culvert

Spillway Depth: ^{4.0}
~~6.0~~ ft.

Spillway Side Slopes left: NA right: NA


Storage Capacity: 19.0 acre-feet

~~Since the downstream hazard is low, the dam as constructed is small enough to forego regulation under the dam safety act. The dam should be put on the five year hazard review list.~~

I TALKED TO DAVE LEPARO ON 9/13/94 CONCERNING THIS. SINCE RESERVOIR CAPACITY IS >10 AC-FT, DAM IS LARGE ENOUGH TO REGULATE. DAVE & I RECOMMEND ISSUING A STORAGE^{CERT.} FOR 2-YR PERIOD. IF AFTER 2 YEARS, DAM IS IN SATISFACTORY CONDITION, INSPECTION INTERVALS WILL BE INCREASED TO EVERY 5 YEARS.

Am

NOV 07 1994 DEC 11 1994



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED
JUL 09 1993
Department of Water Resources

APPLICATION FOR CONSTRUCTION OF SMALL DAM

As required for construction or alteration of a dam 20 feet or less in height
and capable of storing less than 100 acre-feet of water.

- Name of Owner (print or type): Michael J. Needham Phone No. 208 245-315
Post Office Address: P.O. Box 44 Santa, Idaho 83866
- Application for: ☒ Construction of new dam, ☐ Reconstruction, Alteration of existing dam.
- Location: SE 1/4, SW 1/4, Section 35, Township 44N, Range 3W,
Benewah County.
- Source of Water unnamed stream (seasonal flow) tributary to Santa Creek
(Name, Unnamed Stream, Other-describe) (Stream Name)
- Drainage Area: 160 acres, above the site of the dam.
(Approximate)
- Downstream Development county rd. 3/4 mile below dam. no other development.
Describe land use below site of dam, indicate approximate distances to buildings or development, roads, etc.

NOTE: If the small dam is (to be) located in or immediately above a high risk area (urban, concentrated development, or in proximity to a habitable dwelling, that could be adversely affected by a release from the dam) this application shall be accompanied by plans and specifications prepared by a registered engineer.


- Reservoir: Surface area 1 1/2 acres; Storage Capacity 19 acre-feet
- Reservoir Storage Purpose: fish propagation
(Irrigation, Stockwater, Recreation, Other-describe)

RECEIVED

DEC 11 1997

DETAILS OF DAM AND APPURTENANCE STRUCTURES

Type of dam (embankment, other, describe) Earthen Dam



Hydraulic Height (H) 19' feet. If dam is being raised, indicate increase in height feet.

Crest Length 300' feet. Crest (top of dam) Width (W) 16' feet.

Downstream Slope (S_d) 2 : 1; Upstream Slope (S_u) 3 : 1.

Depth of Cutoff Trench (T) 4' feet.


OUTLET NA (Size); NA (Type); Maximum Release Rate NA cfs (under full reservoir head)

Size and number of anti-seep collars NA (also indicate spacing of collars along outlet)

SPILLWAY

☐ Service (auxiliary) Spillway, describe

☒ Emergency Spillway, Located at: ☐ left, ☒ right abutment, ☐ other location.



Total Depth of Spillway (below top of dam) 5' feet.

Spillway: Bottom width (B) 10' feet; Top Width (A) 30' feet.

Discharge Capacity of Spillway 25 cfs at spillway flow depth (d) 2 feet

Freeboard (F_b) 3 feet (total depth of spillway minus the spillway flow depth).

Spillway Channel Lining Rock/Riprap (Rock Cut, Rock Riprap, Other-describe)

CONSTRUCTION SCHEDULE

Proposed date for start of construction

6/20/93
(Date)

8/15/93

Michael J. Needham
Applicant's Signature

FOR DEPARTMENT USE ONLY

Date application received 7/6/93

By

h

Fee \$

20

Date receipted 7/6/93

Receipted by

A (N670L)

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

In accordance with the provisions of Title 42, Chapter 17, Idaho Code, and the Department's Rules and Regulations for Safety of Dams, the application for construction of NEEDHAM Dam is hereby approved, subject to the following conditions:

1. This action does not constitute the required authority to appropriate water under Idaho Water Law.
2. The applicant shall notify the Department at the following times and at such other times deemed necessary, to conduct inspections.
 - a. After clearing and excavation of the foundation area, and prior to placing fill material.
 - b. After installation of the outlet conduit, and before placing any backfill material around the conduit.
 - c. After construction is complete and before any water is stored in the reservoir.
3. Approval of the application for construction of the dam shall not be construed to grant the applicant other authorization required to proceed. It is the responsibility of the applicant (dam owner) to secure all lands, easements, and rights-of-way; water rights; or the approval of other regulatory agencies, prior to commencing to construct the dam or to store water in the reservoir area.
4. In the event the owner fails to pursue actual construction and maintain reasonable progress on construction of the dam, in conformance with this approval, the Director may revoke the approval one year after such approval.
5. Additional Conditions: SEE ACCOMPANYING APPROVAL LETTER.

Witness my hand this 13th day of September, 1993.

SEP 14 1993
Bobby D. Jensen

SEP 24 1993

SEP 14 1993

MEMORANDUM

TO: File 92-07203

FROM: Sharla Curtis

DATE: June 23, 1997

RE: Recommendation Adjustment(s)

The final license recommendations for Permit No. 92-07203 are based on the following:

H. RECOMMENDATIONS

Fish Prop. Storage	1/1 - 12/31	19.0 af
--------------------	-------------	---------

Dam Safety records show an application for construction of a small dam listing 19.0 af as the storage of the reservoir. A copy of this application has been placed in the water right file along with a copy of the Dam Safety inspection report from Dave LePard, also showing 19.0 af.

The original application for permit also shows one reservoir for 19 af and two other reservoirs (which were not developed under this right) for 1 af each. It's not clear from this document how a total of 23.0 af was arrived at, but the license will be issued for 19 af.

Examiner: Ted McCracken
Exam Date: May 8, 1996

RECORDED
DEC 11 1997

LICENSE REVIEW CHECKLIST

PERMIT NO. 92-07203

DATE 11/26/96

REVIEWER: S H A R L A

NAME	Change <u> </u>	OK <u> </u>	Address Change <u> </u>
SOURCE	<u> </u>	<u> </u>	Is change clarification of originally intended source? <u> </u> If not, prepare Notice of Intent to Void <u> </u>
POINT OF DIV	<u> </u>	<u> </u>	Amendment required <u>NO</u>
PLACE OF USE	<u> </u>	<u> </u>	Amendment required <u>NO</u>

Does map agree with written description? yes no

OVERLAPS P/D P/U

RATE OF DIV

Permitted Rate	<u>.96</u> cfs	<u>23.0</u> af
Fee limit	<u>1.0</u> cfs	<u>\$100⁰⁰</u> <u>100</u> af
Measured	<u>21.1</u> cfs	<u>af</u>
Theoretical	<u> </u> cfs	<u> </u>
		Recommended Total Div Rate <u>21.1</u> cfs <u>19.0</u>

ANNUAL VOLUME/ NATURE OF USES

<u> </u>	<u> </u>	Use <u>Fish Star</u>	Volume Calculation <u>21.1</u> <u>19.0</u> af
<u> </u>	<u> </u>	<u> </u>	<u> </u> af
<u> </u>	<u> </u>	<u> </u>	<u> </u> af
<u> </u>	<u> </u>	<u> </u>	<u> </u> af
SUBTOTAL			<u>21.1</u> <u>19.0</u> af

Flow rate cfs X days X 19835 = af
 Total volume recommended af
 (SUBTOTAL or Flow Rate, whichever is less)

REMARKS

407
Facility volume - 418,000 cf. 827,640 cf

CONDITIONS Watermaster Control WD#
 GW Measurement/Measuring Device
 Overlap
 Use-specific conditions 09E, 042

Advancement of Priority Date Required yes no

SRBA Claim Filed N/A
 Adjustment Memo N/A volume

1st Amend Letter N/A
 2nd Amend Letter N/A

CONSTRUCTION SCHEDULE

Proposed date for start of construction

8/15/93

6/20/93
(Date)Michael J. Needham
Applicant's Signature

FOR DEPARTMENT USE ONLY

Date application received 7/6/93

By [Signature]

Fee \$ 20

Date received 7/6/93

Received by [Signature] (N6706)

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

In accordance with the provisions of Title 42, Chapter 17, Idaho Code, and the Department's Rules and Regulations for Safety of Dams, the application for construction of NEEDHAM Dam is hereby approved, subject to the following conditions:

1. This action does not constitute the required authority to appropriate water under Idaho Water Law.
2. The applicant shall notify the Department at the following times and at such other times deemed necessary, to conduct inspections.
 - a. After clearing and excavation of the foundation area, and prior to placing fill material.
 - b. After installation of the outlet conduit, and before placing any backfill material around the conduit.
 - c. After construction is complete and before any water is stored in the reservoir.
3. Approval of the application for construction of the dam shall not be construed to grant the applicant other authorization required to proceed. It is the responsibility of the applicant (dam owner) to secure all lands, easements, and rights-of-way; water rights; or the approval of other regulatory agencies, prior to commencing to construct the dam or to store water in the reservoir area.
4. In the event the owner fails to pursue actual construction and maintain reasonable progress on construction of the dam, in conformance with this approval, the Director may revoke the approval one year after such approval.
5. Additional Conditions: SEE ACCOMPANYING APPROVAL LETTER.

Witness my hand this 13th day of September, 1993.

SEP 24 1993

MEMORANDUM

TO: File 92-07203

FROM: Sharla Curtis

DATE: June 23, 1997

RE: Recommendation Adjustment(s)

The final license recommendations for Permit No. 92-07203 are based on the following:

H. RECOMMENDATIONS

Fish Prop. Storage	1/1 - 12/31	19.0 afa
--------------------	-------------	----------

Dam Safety records show an application for construction of a small dam listing 19.0 af as the storage of the reservoir. A copy of this application has been placed in the water right file along with a copy of the Dam Safety inspection report from Dave LePard, also showing 19.0 af.

The original application for permit also shows one reservoir for 19 af and two other reservoirs (which were not developed under this right) for 1 af each. It's not clear from this document how a total of 23.0 af was arrived at, but the license will be issued for 19 af.

Examiner: Ted McCracken

Exam Date: May 8, 1996

LICENSE REVIEW CHECKLIST

PERMIT NO. 92-07203

DATE 11/26/96

REVIEWER: S H A R L A

NAME	Change <u> </u>	OK <u> </u>	Address Change <u> </u>
SOURCE	<u> </u>	<u> </u>	Is change clarification of originally intended source? <u> </u> If not, prepare Notice of Intent to Void <u> </u>
POINT OF DIV	<u> </u>	<u> </u>	Amendment required <u>NO</u>
PLACE OF USE	<u> </u>	<u> </u>	Amendment required <u>NO</u>

Does map agree with written description? yes no

OVERLAPS P/D P/U

RATE OF DIV

Permitted Rate	<u>.96</u>	cfs	23.0 af
Fee limit	<u>1.0</u>	cfs	\$100 ⁰⁰ 100 af
Measured	<u>21.1</u>	cfs	af
Theoretical	<u> </u>	cfs	
			Recommended Total Div Rate <u>21.1</u> cfs ^{19.0}

ANNUAL VOLUME/ NATURE OF USES

<u> </u>	<u> </u>	Use <u>Fish Star</u>	Volume Calculation <u>21.1</u> 19.0 af
<u> </u>	<u> </u>	<u> </u>	af
<u> </u>	<u> </u>	<u> </u>	af
<u> </u>	<u> </u>	<u> </u>	af
SUBTOTAL			<u>21.1</u> 19.0 af

Flow rate cfs X days X 1.9835 = af
 Total volume recommended af
(SUBTOTAL or Flow Rate, whichever is less)

REMARKS

407
Facility volume = 918,000 cf. 827,640 cf.

CONDITIONS Watermaster Control WD#
 GW Measurement/Measuring Device
 Overlap
 Use-specific conditions 09E, 042

Advancement of Priority Date Required yes no

SRBA Claim Filed N/A
 Adjustment Memo N/A volume

1st Amend Letter N/A
 2nd Amend Letter N/A

RECEIVED

OCT 21 1996

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 92-7203

1. Owner: Michael J Needham Phone No. 245-3151

Current Address: P.O. Box 25 Westfork Santa Creek Rd Timrod, NJ 83870
5/10/96

2. Accompanied by: Owner EXAM DATE: 5/1/95

Address: same as above Phone No.

Relationship to Permit Holder:

3. Source: Unnamed stream tributary to Santa Creek

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 92-04130

2. Other water rights with the same point of diversion:

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

[illegible]

2. Place(s) of Use:

Indicate Method of Determination

[illegible]


Size/ditch size/line i.d. as applicable.

D. FLOW MEASUREMENTS

2. Measurements:

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size



E. NARRATIVE/REMARKS/COMMENTS

Water from seasonal stream is
used to fill pond for fish propagation
this pond is directly on the stream
and is not diverted from the original
stream route. so no diversion to storage
is needed in this permit
this pond had a average depth of 13 feet

Have conditions of permit approval been met? ☐ yes ☐ no

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method:

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} =$$

2. Volume Calculations for Other Uses:

$$250 \times 300 \times 13 = 97500$$

$$= 22.4$$

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use

fish farm, Almonds

From

51-01

Period of Use

To 14-31

Rate of Diversion

Q (cfs)

Annual Volume

21.4

Totals:

22.4

2. Recommended Amendments

Change P.D. as reflected above

Change P.U. as reflected above

Add P.D. as reflected above

Add P.U. as reflected above

None

Other

I. AUTHENTICATION

Field Examiner's Name

Bob M. Carlson

Date

11/12/95


Reviewer

Date


SEAL

5/8/96

Perm # 92-07203




NEEDHAM'S UPPER LAKE



$$\frac{540 \times 340}{2} = 91,800 \text{ ft}^2$$
$$\frac{91,800 \times 10' \text{ DEEP}}{43,560}$$

PICTURE TAKEN FROM
NE CORNER OF LAKE
LOOKING WEST

21146



Permit No. 92-07203 Reviewed by [Signature] Date 1-19-95

TYPES OF USE

Downloaded from <http://ajphaphysocpharm.sagepub.com/> at 11:06 11 November 2014

Correct Uses? _____

SOURCE OF WATER

_____ Ground/water source

	Copy in the file?	Drilling Permit No.
--	-------------------	---------------------

Correct?

LICENSE EXAMINATION FEE

MEASURING DEVICE

no Required?

☒	Installed?
☒	Waiver requested?

Date proof received

Date proof due

No. of days late

Priority Date

New Priority Date

DEFICIENCIES OR ACTION ITEMS

PROOF acceptable

DATA ENTRY

DATA ENTRY
New Address P.O. Box 25 West Fork Santa
Tensed, Id. 83870 creek Rd.

Proof Made 1-11-95



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

January 20, 1995

MICHAEL J NEDHAM
P O BOX 25
WEST FORK SANTA CREEK RD
TENSED ID 83870

PROOF ACKNOWLEDGEMENT LETTER

RE: PERMIT NO. 92-07203

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit.

The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur d'Alene, at (208) 769-1450.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

RECEIVED

JAN 20 1995



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

October 25, 1993

MICHAEL J NEEDHAM
PO BOX 44
SANTA ID 838660044

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 92-07203


Dear Permit Holder:

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permit.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed. You will receive a "Proof Due Notice" from this Department approximately 60 days prior to the completion date requiring you to file either a Proof of Beneficial Use form stating that the project has been completed or file a Request for an Extension of Time in which to file the proof statement.

Please be advised that water quality is subject to regulations of the Idaho Department of Health and Welfare. We suggest that you check with them before starting construction.

Sincerely,


JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosures

RECEIVED

OCT 28 1993

APPLICATION FOR PERMIT
STATE OFFICE REVIEW

Application #: 99-12463 Date: 10/19/98 Reviewer: Cindy Zimmerman

AREA OF CONCERN? - No/Yes _____
SYSTEM COMPLETED:
No - 26A-P17
Complete in 1 year - P16
Yes
Proof not submitted - P16
Proof submitted - N/A
GROUNDWATER:
+ 0.2 cfs <flo-ch> - 01G-P03 (new), 01C-P03 (existing), NMR
- 0.2 cfs - NMR <flow chart>
Drilling Permit:
Included w/permit - P99 Permit No. _____
Existing well - N/A (if drilled before 7/1/87)
No WD permit? - 046-46A<Irr>-46B-P23 (if drilled after 7/1/87)
SURFACE WATER: not in WD - 01C-P03 (+.2 w/pump), NMR <flow chart>
LOCATION:
Water District - WD No. _____
Surface water - 005 or 005-01J-P08 (+.2, or -.2 no pump)
or 005-01H-P01 (-.2 w/pump); NMR
Groundwater - P05 (if well has not been drilled)
In stream channel - 030 (stream channel alteration)
Irrigation Dist. - 023
Canal Co. Areas - 023
Drainage Districts - 024
Flood Control Dist. - 063
Boise Front (63) - 058 (Groundwater temperature)
Swan Falls Flag - B <See condition code chart>
Trust - 051-052-053-P74 (Consumptive Uses)
Non Trust <1> - 048-049
RIVER BASINS (Surface): Water District Control Condition (005) &....
Boise (63) - 05A (req), 11E (non-domestic use), NA
Payette (65) - 064 (consump. use), 047-P04 (Payette Lake), NA
Snake (01, 02 & 03) - 11A-P04 (01), 061-P07 (02/03 No W.D.Cond.), NA
USE:
Fish Propagation - 010/06A/09E-P10 (WQ) & 07A-042-002-P06 (MD) (req)
044 (N 1000 Spr)
Irrigation - 803 (if GW use SW 1st) (+5A do POU comparison)
Power - 08A-17K-025-027 (req); 01F-P19; 09E-P10;
+25 cfs-P18; 17G (FERC) or 17M (FERC); 18B-P09
Mining - 06A/010/09E-P10 & 054 (req)
Storage (✓ 3 compo.) - 18A-for multi MD in WD, 18B-P09 (+10' high dam)
Domestic (surface) - 021 (Boise R ↑ L Peak), 27A (Payette R)
OWNERSHIP:
Non land owner - 004 (P/D or P/U)
PROTESTED:
Prehearing agreement - 020
OTHER CONDITIONS: - _____
REMARKS: - _____
BENEFICIAL USE DUE: - _____
COMMENTS: - _____

No. a
4/87-06/92n

WATER DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

RECEIVED
SEP 30 1993

APPLICATION # _____

***** INITIAL REVIEW ***** Department of Water Resources

APPLICANT: NEEDHAM BY: MB DATE: 7/23/93

ITEM REQUIRED INFORMATION

1. ☒ Name and Address
2. ☒ Source
3. ☒ Point of Diversion & County
4. ☒ Quantity
☒ Nature of Proposed Use
☒ Period of Use
5. ☒ Total Quantity
6. ☒ Description of diverting works
7. ☒ Time required for b/u
8. ☒ Proposed use
9. ☒ Place of use or acres irrigated
10. ☒ Other Water Rights
11. ☒ Ownership
13. ☒ Map
☒ Signature
☒ Fee (Amt, recpt, acknowlegment)

*** Send info sheet Y() N()

ADDITIONAL INFORMATION

Yes No

- ☒ Field check: by _____
☒ Field report attached
☒ Analysis Supp. attached (>5cfs/500af)
☒ Water delivered by water master?
Water District # _____

PROCESSING

Yes No

PRIORITY DATE: 7/23/93

☒ (Include Moratorium Remark)

☒ Statewide Avertising: (Diversion rate greater than 10 cfs or 1,000 af).

ADVERTISE IN: Barnstable County.

LETTERS SENT REQUESTING:

- () Dam Information () Fish Information
() Power Information () Other: _____

INFORMATION RECEIVED:

WILL SEND COUNTY, DEC AND F/G SOON
() Dam Information ☒ Fish Information
() Power Information () Other: _____

***** GROUNDWATER SECTION *****

(Yes) (No)

Checked by: _____ Date: ____/____/____

Remarks: _____

- ☒ Groundwater management area
☐ Critical ground water area
☒ Well Drilling Permit required
☒ Well Drilling Application and Fees received
☒ Well Drilling Application approved?
Well Drilling Application Number _____

***** FINAL REGIONAL PROCESSING/REVIEW *****

(Yes) (No)

- ____ Notice of pending void order issued. Final order response date: ____/____/____
____ Further information required from applicant
____ Affidavit of publication received
____ Application published correctly, If not, record action taken: _____
____ Publication dates and paper recorded on application | Sr. Agent initial _____
____ Protests received. Final protest date: 8/23/93
____ Measuring device required
____ Measuring port required
____ Special conditions: _____
____ Special conditions of approval supplement and/or cover letter attached: _____

Approval Recommended by: _____ Date: ____/____/____

WARRANTY DEED

For Value Received

GORDON I. JAMES and NAOMI JAMES, husband and wife

the grantor(s), do hereby grant, bargain, sell and convey unto

BENNETT LUMBER PRODUCTS, INC., an Idaho corporation

the grantee(s) whose current address is

PO BOX 49 PRINCETON ID 83857-0049

the following described premises, in Benewah County Idaho:

GYC 35
E $\frac{1}{2}$ NW $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$, Section 35, Township 44 North, Range 3 West,
Boise Meridian

GYC 36
W $\frac{1}{2}$ NW $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$, Section 35, Township 44 North, Range 3 West,
Boise Meridian

GYC 37
W $\frac{1}{2}$ SW $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$, Section 35, Township 44 North, Range 3 West,
Boise Meridian

GYC 38
E $\frac{1}{2}$ SW $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$, Section 35, Township 44 North, Range 3 West,
Boise Meridian

TO HAVE AND TO HOLD the said premises, with their appurtenance unto the said grantee(s) their heirs or assigns forever. And the said Grantor(s) do hereby covenant to and with the said Grantee(s), that they are the owners in fee simple of said premises; that they are free from all encumbrances

EXCEPTING easements or restrictions of record or in view

and that they will warrant and defend the same from all lawful claims whatsoever.

Dated: August 25, 1993

Gordon I. James
X GORDON I. JAMES

Naomi James
X NAOMI JAMES

RECEIVED

STATE OF Idaho }

SS

0193799

COUNTY OF Benewah }

23 AUG 25 P 4: 13

On this 25th day of August in the year 1993, before me, a Notary Public, personally appeared

GORDON I. JAMES and NAOMI JAMES

known or identified to me to be the person whose name subscribed to the within instrument, and acknowledged to me that he executed the same.

Ada Linn Mann
Notary public
Residing at Plummer

My Commission Expires 4-14-93

BENEWAH COUNTY
KAY SATHER, CLERK 300
Gordon I. James Deputy
Benewah County Abstract

OCT 28 1993

10-11-93

RECEIVED


OCT 21 1993

Department of Water Resources

Mike Needham
POB 44

Santa, Idaho 83866

Dave LeFard
% State of Idaho, Dept. of Water Resources
1910 Northwest Blvd., Suite #210
Coeur d'Alene, ID. 83814-2615



Dave —

Please submit for me a waiver of need for a "measuring device" with my pending water right; appropriate # 92-7203.

I Relieved a waiver of need for a "measuring device" with my existing (though, as of yet uninspected) water right; appropriation # 92-7141.

Given that the conditions remain the same: primarily, that the water I am using is seasonal flow (intermittent) and there is no one in my drainage desiring use of this seasonal water, I remain the 1st and only claimant.

My assumption of course being, that since Gordon James has sold his land, his pending water right application will become invalidated. OCT 28 1993

Please, advice. Please expedite the clarification of

this matter (of ~~Gordon James~~), if at all possible.

OCT 1 5 1983

ALL INFORMATION CONTAINED HEREIN IS UNCLASSIFIED

Sincerely
Mike 'Needham

PS - I have photographs of the existing 7
ponds associated with my water appropriation #
92-7141. Let me know if you want copies of
these photos for your files.



OCT 28 1983




IDAHO FISH & GAME

REGION 1

2320 Government Way
Coeur d'Alene, ID 83814-3683
(208) 765-3111

September 22, 1993



Mr. Robert G. Haynes
Idaho Department of Water Resources
1910 Northwest Blvd. Suite 201
Coeur d'Alene, ID 83814

Dear Bob:

REFERENCE: 92-07203 NEEDHAM/SANTA CREEK TRIBUTARY

Mr. Needham has provided us with a set of plans and discussed his water right proposal with us.

With the information we now have, we do not believe Mr. Needham's project would have a significant negative impact on fish or wildlife. Therefore, we are dropping our protest of his application at this time.

Sincerely,

David W. Ortmann
Regional Supervisor

DWO:CEC:kh

C: Steve Goddard, Legal
Mr. Mike Needham, PO Box 44, Santa, ID 83866
Natural Resource Policy Bureau

Cecil D. Andrus / Governor
Jerry M. Conley / Director
Equal Opportunity Employer



Working for wildlife - since 1938

RECEIVED

OCT 28 1993



State of Idaho
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION, Suite No. 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814-2615
(208) 769-1450 ~~TELEPHONE (208) 769-1450~~ Fax (208) 769-1454

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

September 28, 1993

Mr. David W. Ortmann
Idaho Dept. of Fish & Game
2320 Government Way
Coeur d'Alene, Id. 83814

Re: 92-7203 - Michael J. Needham

Dear Mr. Ortmann:

We wish to acknowledge receipt of your withdrawal of protest to the above-referenced Water Right Application. The application will now be forwarded to our State Office in Boise and resume its normal processing for approval.

By copy of this letter, we are advising Mr. Needham of your withdrawal.

If you have any questions, please feel free to contact this office.

Sincerely,

ROBERT G. HAYNES, P.E.
Regional Manager

RGH/pms

c Mr. Michael J. Needham

MICROFILMED

OCT 28 1993

Application No. 92-7203

SPECIAL NOTE: _____

PROTEST INFORMATION SHEET

Protestant(s)

	NAME	ADDRESS	PROTEST DATE
1	Dept. of Fish & Game	2320 Govt. Way, CDA, Id. 83814	8/17/93
2			
3			
4			
5			
6			
7			
8			
9			
10			

ATTORNEY

ADDRESS

DATE FILED: 8/17/93

PROTEST DUE DATE: 8/23/93

ISSUES: Potential of negatively impacting fish populations. Not in public
Interest.

Applicant

ATTORNEY

ADDRESS

Protest Date Entered on Computer

DATE
9/1/93

Acknowledgment Letters Sent

9/1/93

Hearing Date

(Other Dates)

Other Information: _____

Protest information submitted to computer (following hearing): _____

OCT 28 1993

92-07203

NEEDHAM, MICHAEL J
PO BOX 44
SANTA, ID 83866

Source: UNNAMED STREAM

Tributary: SANTA CREEK

Diversion Pt: SESW Sec 35 T 44N R 03W in BENEWAH County.

```


Use: FISH PROP. STORAGE ( 23.00 AF)
      DIVERSION TO STORAGE ( .960 CFS)
      Total Diversion: ( .960 CFS)

```

Date Filed: 7/23/1993

In: BENEWAH County
T44N R03W S35 SESW

RECEIVED
OCT 28 1993



OCT 28 1993



State of Idaho
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION, Suite No. 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814-2615
(208) 769-1450 ~~(208) 769-1450~~ ~~(208) 769-1450~~ Fax (208) 769-1454

CECIL D. ANDRAUS

Governor
August 31, 1993

R. KEITH HIGGINSON
Director

Dept. of Fish & Game
2320 Government Way
Coeur d'Alene, Id. 83814

Re: 92-7203

Gentlemen:

Your protest against the approval of the above-referenced application has been received and a copy has been sent to the applicant. The Department suggests that you contact the applicant directly in an effort to determine what is proposed by the application and to attempt to resolve the protest.

If you do not advise us within twenty (20) days that the protest has been resolved, the matter will be scheduled for conference and/or hearing. At such a conference and/or hearing, the following are the principle items the Department can consider in either approving or denying the Application for Permit (Section 42-203, Idaho Code):

1. Will the proposed use reduce the quantity of water under existing water rights?
2. Is the proposed water supply insufficient for the purpose intended?
3. Is the application made in good faith or for delay or speculation?
4. Has the applicant sufficient financial resources with which to complete the project?
5. Will the proposed use conflict with the local public interest?
6. Will the proposed use be contrary to the conservation of water resources within the State of Idaho?

You will be notified at a later date of the time and place of the conference and/or hearing. If we can be of any assistance, please contact us.

Sincerely,

ROBERT G. HAYNES, P.E.
Regional Manager
RGH/pms

MICROFILMED

OCT 28 1993




IDAHO FISH & GAME

REGION 1
2320 Government Way
Coeur d'Alene, ID 83814-3683
(208) 765-3111

August 13, 1993

Mr. Robert G. Haynes
Idaho Department of Water Resources
1910 Northwest Blvd. Suite 210
Coeur d'Alene, ID 83814



Dear Bob:

REFERENCE: 92-07203 NEEDHAM/SANTA CREEK TRIBUTARY

We have reviewed Mr. Needham's proposal to divert 0.96 cfs from a tributary to upper Santa Creek.

Santa Creek and its perennial tributaries presently support viable populations of westslope cutthroat trout. Many of these tributaries carry only a small flow during low flow periods, and fish habitat would be severely impacted by diversion of 0.96 cfs. Furthermore, the applicant proposes to divert and store water for fish propagation. Fish propagation has the potential to negatively affect native fish populations through changes in the genetic integrity of native stocks and/or introduction of diseases, as well as introducing additional nutrients to the system. Portions of the upper St. Maries River watershed are presently water quality limited.

The notice of application provides no information as to how the proposed project would function, what percentage of the water in the stream would be diverted, whether or not fish passage would be obstructed, or potential impacts to water quality. Given the potential for harm to the publicly owned fishery, and the lack of information as to how the applicant believes his project may or may not affect the fishery, we do not believe it is in the public interest to approve this water right, and therefore, formally protest the application. If the applicant can demonstrate the beneficial uses of fish and wildlife will be protected, and that the project will be in the public interest, we will withdraw our protest.

Chip Corsi of my staff will be the contact per person for any additional consultation by your department or the applicant. Also, in future correspondence on this or other water rights, we request your letters reference the application by the applicant's name and the name of the stream as well as the application number.

Cecil D. Andrus / Governor
Jerry M. Conley / Director

Equal Opportunity Employer



Working for wildlife since 1938

MICROFILMED

OCT 28 1993

Mr. Robert G. Haynes - Page 2
August 13, 1993

Thanks for the opportunity to comment.

Sincerely,



David W. Ortmann
Regional Supervisor

DWO:CEC:kh

C: Steve Goddard, Legal
Natural Resource Policy Bureau

MICROFILMED

OCT 28 1993

Affidavit of Publication

STATE OF IDAHO

County of Benewah, ss.

Cynthia Ann Hammes, being first duly sworn on oath, deposes and says that she is vice president of The Corporation, owner of the St. Maries Gazette Record, a weekly newspaper printed and published at St. Maries, Benewah County, State of Idaho; the St. Maries Gazette Record is a newspaper having general circulation in Benewah County, State of Idaho, and has been continuously and uninterruptedly published in Benewah County, State of Idaho, during a period of more than seventy-eight consecutive weeks prior to the first publication of the notice of advertisement hereon.

That the notice, of which the one hereto attached is a true copy, was published in said newspaper for a period of 2 issues, the first publication being on the 11th day of Aug., 1993 and the last on the 14th day of Aug., 1993.

That said newspaper was regularly distributed to its subscribers during the time of the same period; that said notice was published in the regular and entire issue of said paper.

Dated this 11th day of Aug., 1993

Cynthia Ann Hammes

STATE OF IDAHO
COUNTY OF BENEWAH }

On this 11th day of Aug., in the year of 1993, before me, a Notary Public, personally appeared Cynthia Ann Hammes, known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that she executed the same.

Sharon D. Blacklum

Notary Public for Idaho

Residing at St. Maries, ID

My commission expires: NOV. 4, 1998

Michael J. Needham
files water application

NOTICE OF APPLICATION
FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:
92-07203

Needham, Michael J.

P.O. Box 44

Santa, ID 83866

Source: Unnamed Stream

Tributary: Santa Creek

Diversion Pt: SESW Sec 35 T 44N R 03W in Benewah County.

Use: Fish Prop. Storage (23.00 AF);

Diversion to Storage (.960 CFS);

Total Diversion: (.960 CFS)

Date Filed: 7/23/1993

In: Benewah County T44N R03W S35 SESW

For additional information concerning the property location, call the Northern Regional Office at (208) 769-1450.

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Northern Region, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Idaho 83814 on or before August 23, 1993.

R. KEITH HIGGINSON,
Director

No. 2156 --- Aug. 4-11.



RECEIVED
OCT 28 1993



State of Idaho
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION, Suite No. 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814-2615

(208) 769-1450

~~(208) 769-1450 • Fax (208) 769-1454~~

Fax (208) 769-1454

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

August 6, 1993

Mr. Gordon I. James
Rt. 4 Box 208F
St. Maries, Id. 83861

Dear Mr. James:

I am enclosing a copy of an Application for Permit filed by Mr. Michael Needham for the ponds which he is proposing to construct.

A closer review on our part of the water rights that Mr. Needham held showed that the time for construction of his ponds had expired; therefore, necessitating his filing another application.

Notice of this application was published in the St. Maries Gazette Record on the 4th of August and will be published on the 11th of August, with a last date to file objections on August 23, 1993.

If you have any questions about this application, please feel free to contact me. I will be out of the office all of the week of August 9th through the 13th.

Sincerely,

ROBERT G. HAYNES, P.E.
Regional Manager

RGH/pms

Enclosure

RECORDED
AUG 08 1993



State of Idaho
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION, Suite No. 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814-2615

(208) 769-1450

~~(208) 769-1450~~ ~~For (208) 769-1450~~

Fax (208) 769-1454

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

July 29, 1993

Mr. Michael J. Needham
P.O. Box 44
Santa, Id. 83866

Dear Mr. Needham:

Re: Water Appropriation Application No. 92-7203.

The Idaho Department of Water Resources hereby acknowledges receipt of the above referenced Application for Permit to appropriate the Public Waters of the State of Idaho. To assist us in providing you with prompt, accurate service, please refer to the above referenced number in all future matters concerning this water right application.

Your appropriation application is currently being prepared for advertising in the county newspaper. This advertisement will be published for two consecutive weeks followed by a waiting period of ten days to allow for the submittal of protests. Normal processing time is approximately 3 to 4 months, if the application is not protested.

If the application is not protested, it will be forwarded to Boise to be considered for approval by the Director. However, if the application is protested during this waiting period, you will be sent a copy of the protest and instructions to aid you in resolving the protest without a hearing. However all protests must be resolved before approval of the application can be made, so if the protestant does not voluntarily withdraw the protest, this department will conduct a conference and/or hearing on the matter.

If your application is for groundwater and unless you are using a well that was constructed prior to July 1, 1987, it will be necessary for you to apply for a well drilling permit upon approval of the appropriation application. Well drilling permits can be issued by this office only to holders of approved appropriation permits.

If you have any questions or if I can be of any assistance please feel free to contact me at this office.

Sincerely,

ALLEN BEARDSLEE
Senior Water Resources Agent

AB/pms

OCT 28 1993