

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUN 24 1991

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 92-07187

1. Owner: Sidney Boyd Phone No. 245-3188

Current Address: Box 94 Santa, ID 83866

2. Accompanied by: _____ EXAM. DATE: 9/24/90

Address: SAME Phone No. _____

Relationship to Permit Holder: _____

3. Source: Spring tributary to Sinks

B. OVERLAP REVIEW

1. Other water rights with same place of use: None

☐ Copies Attached

2. Other water rights with same point of diversion: None

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



10 x 6' = 15,000 cubic feet
g fed
pond

RECEIVED

Scale: 1" = NTS


AUG 09 1991

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).


☒ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater).

☒ Aerial Photo Attached NA
(required for irrigation of 10 acres or more).



9207187



CONTOUR INTERVAL 40 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929

DA T 44 N RIW Sec 9 1991

REPRODUCTION
AUG 09 1991

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 92-07187

Priority: November 8, 1988

Maximum Storage Volume:

0.3 AF

This is to certify, that SIDNEY BOYD
P.O. BOX 94

SANTA, ID 83866 has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated September 30, 1988; and
has submitted Proof of Beneficial Use on February 9, 1990. An examination indicates
that the works have a storage capacity of .300 af of water from:

SPRING

tributary to SINKS

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER STORAGE	01/01 to 12/31		0.3 AF

LOCATION OF POINT(S) OF DIVERSION:

SENESW , Sec. 23, Township 44N, Range 01W
BENEWAH County

PLACE OF USE: STOCKWATER STORAGE
TWN RGE SEC


44N 01W 23 NESW


CONDITIONS/REMARKS:

1. This water right is appurtenant to the described place of use.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. Stockwater storage is for 320 range cattle.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 25th
day of July, 1991.

Acting for


R. Keith Higginson, Director


AUG 09 1991

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 92-7187 IN THE
NAME OF SIDNEY BOYD

)
) ORDER OF REINSTATEMENT
)

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted on or before January 1, 1990; and,

WHEREAS, the Department notified the permit holder by certified mail that proof was due and instructed the permit holder of the steps to be taken to submit the proof of beneficial use; and,

WHEREAS, the Department notified the permit holder that the permit lapsed for failure of the permit holder to submit the proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing why the permit should be reinstated by submitting proof of beneficial use on February 9, 1990;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 92-7187 be REINSTATED and the priority advanced to November 8, 1988.

Dated this 8th day of March, 1990.

MICROFILMED

MAR 28 1990

L. Glen Saxton
L. GLEN SAXTON, Chief
Water Allocation Bureau

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 92-7187

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Sidney Boyd Phone 245-3188
Post office address Box 94 Santa, ID 83866
2. Source of water supply Spring which is a tributary of Sinks
3. Location of point of diversion is SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of SW $\frac{1}{4}$, Govt. Lot _____
Sec. 23 Township 44 N Range 1 W B.M. Beneva County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 0.04 for Stockwater diversion to storage purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.5 for Stockwater Storage purposes from 5/15 to 9/20 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.5 for Stockwater From Storage purposes from 5/15 to 9/20 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.04 cfs for Stock Water purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.04 and/or (b) 0.5
cubic feet per second acre feet per annum
6. Proposed diverting works: Pond
 - a. Description of ditches, flumes, pumps, headgates, etc. Spring flows into pond
which stockwaters from.
 - b. Height of storage dam 8 feet; active reservoir capacity 0.5 acre-feet; total
reservoir capacity 0.5 acre-feet; period of year when water will be diverted to storage:
1/1 to 12/31 inclusive.
 - c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? _____
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

MICROFILMED

DEC 27 1988

RECEIVED

applicant to make this filing.

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the

b. Who owns the land to be irrigated or place of use?

11. a. Who owns the property at the point of diversion?

10. Describe any other water rights used for the same purposes as described above.

Total number of acres to be irrigated

[illegible]

ponding place of use below. See instructions for standard symbols.

b. If water is used for other purposes, place a symbol of the use (example: *D for Domestic*) in the corresponding column.

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

9. Description of place of use:

e. Other, describe fully.

d. Domestic; show number of households.

c. Municipal; show name of municipality.

b. Stockwatering; list number and kind of livestock, 520 range

a. Hydropower; show total feet of head and proposed capacity in kW.

8. Description of proposed uses (if irrigation only, go to item 9):

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

23
5 ← P₂ + P₄

MICROFILMED

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Sidney Boyd
(Applicant)

Received by _____ Date 9/30/88 Time 10 am
 Preliminary check by TK
 Fee \$ 30.00
 Received by TK
 # N 1749
 Date 10/3/88
 Published in 10/19-26/88
 Date 11/7/88
 Publication prepared by _____
 Date 10/11/88
 Publication approved _____
 Date 11/7/88

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 9/30/88, and said application is hereby APPROVED

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before

January 1, 19 90.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

Witness my hand this 8th day of December, 1988.

[Signature]

MICROFILMED

DEC 27 1988

Affidavit of Publication

STATE OF IDAHO
County of Benewah, ss.

Cynthia Ann Hammes, being first duly sworn on oath, deposes and says that she is vice president of The Corporation, owner of the St. Maries Gazette Record, a weekly newspaper printed and published at St. Maries, Benewah County, State of Idaho; the St. Maries Gazette Record is a newspaper having general circulation in Benewah county, State of Idaho, and has been continuously and uninterruptedly published in Benewah County, State of Idaho, during a period of more than seventy-eight consecutive weeks prior to the first publication of the notice of advertisement hereon.

That the notice, of which the one hereto attached is a true copy, was published in said newspaper for a period of 88 issues, the first publication being on the 19th day of Oct, 1988 and the last on the 26th day of Oct, 1988.

That said newspaper was regularly distributed to its subscribers during the time of the same period; that said notice was published in the regular and entire issue of said paper.

Dated this 4th day of Nov, 1988

Cynthia Ann Hammes

STATE OF IDAHO }
COUNTY OF BENEWAH }

On this 4th day of Nov in the year 1988, before me, a Notary Public, personally appeared Cynthia Ann Hammes known or identified to me to be the person whose name subscribed to the within instrument, and acknowledged to me that she executed the same.

Sharon D. Black
Notary Public
Residing at St. Maries, Idaho

Boyd and Furman file water permits

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:
92-07185

Boyd, Sidney
P.O. Box 94
Santa, ID 83866
Source: Spring
Tributary: SINKS
Diversion Pt: NWSWSE Sec 23 T
44N R 01W
Use: Irrigation (.060 CFS); Irrigation Storage (6.00 AF); Irrigation from Storage (6.00 AF); Stockwater (.020 CFS); Stockwater Storage (6.00 AF); Stockwater From Storage (5.40 AF); Fire Protection Storage (6.00 AF); Fire Protect. From Stor. (6.00 AF); Diversion to Storage (.200 CFS)
Date Filed: 9/30/1988
In: T44N R01W S23 SESW SWSE
2.0 Acres Total
92-07186

Boyd, Sidney
P.O. Box 94
Santa, ID 83866
Source: Spring
Tributary: SINKS
Diversion Pt: SESESE Sec 23 T
44N R 01W
Use: Stockwater (.040 CFS); Stockwater Storage (1.25 AF); Stockwater From Storage (1.25 AF); Diversion to Storage (.040 CFS)
Date Filed: 9/30/1988
In: T44N R01W S23 SESE
92-07187
Boyd, Sidney
P.O. Box 94
Santa, ID 83866
Source: Spring

Tributary: SINKS
Diversion Pt: SENESW Sec 23 T
44N R 01W
Use: Stockwater (.040 CFS); Stockwater Storage (.50 AF); Stockwater from Storage (.50 AF); Diversion to Storage (.040 CFS)
Date Filed: 9/30/1988
In: T44N R01W S23 NESW
92-07188

Boyd, Sidney
P.O. Box 94
Santa, ID 83866
Source: Spring
Tributary: SINKS
Diversion Pt: NENSW Sec 23 T
44N R 01W
Use: Stockwater (.040 CFS); Stockwater Storage (.50 AF); Stockwater from Storage (.50 AF); Diversion to Storage (.040 CFS)
Date Filed: 9/30/1988
In: T44N R01W S23 NWSW
93-07051

Furman, Howard
Rt. 1 Box 72
Plummer, ID 83851
Source: Springs
Tributary: SINKS
Diversion Pt: NWNSE Sec 17 T
45N R 04W
SWNESE Sec 17 T 45N R04W
Use: Irrigation (.200 CFS); Stockwater (.020 CFS)
Date Filed: 10/03/1988
In: T45N R04W S17 NESE
20.0 acres total

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Northern Region, Government Way Suite 9, Coeur d'Alene, Idaho 83814 on or before November 7, 1988.

R. KEITH HIGGINSON,
Director

No. 602 --- Oct. 19-26.

RECEIVED

NOV 7 1988

NORTHERN REGION
IDWR

MICROFILMED

DEC 27 1988

July 25, 1991

SIDNEY BOYD
P.O. BOX 94
SANTA, ID 83866

RE: WATER RIGHT NO. 92-07187

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm

Enclosure

RECEIVED
JUL 29 1991

July 11, 1991

SIDNEY BOYD
P.O. BOX 94
SANTA, ID 83866

RE: WATER RIGHT NO. 92-07187

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm

Enclosure

RECORDED
AUG 09 1991

LICENSE REVIEW CHECKLIST

Permit No. 92-7187

Name/Address change? ok ☒

Priority date Advance? yes no ☒

Memo to advance

Order to reinstate needed? yes no ☒

Total cfs Limited by fee N/A

Limited by capacity ☒

Total volume Limited by flow

Chart checked for AF rate/ac N/A

Capacity Actual measurement checked

Theoretical checked

If greater than permit, check for other rts

Source Changed? yes no ☒

If so, is memo needed to clarify?

P/D Verify with map ☒ permit ☒

More than one per 1/4? Remember remark

Check p/d overlap N/A

Uses Check irrigation period of use w/ chart N/A

P/U Verify with map ☒ permit ☒

> 5 acres irrigated, run overlap N/A

Remarks More than one p/d in 1/4

Description of non-irrig uses ☒

Special overlap condition

Conditions -

Measuring device	<u> </u>	Dates/Misc. -	<u> </u>
W.Master control	<u> </u>	Water Dist	<u> </u>
Overlap	<u> </u>	App Rec'd	<u> </u>
Water quality	<u> </u>	Proof Rec'd	<u> </u>
Other	<u> </u>		

CHECK FOR ADJ. CLAIM

Needed according to proof filed

Filed - needs amended

Add'l fee required

Not filed -

Not needed ☒

Comments/Changes to Examiner's Recommendations:

License 10-day ☒ 30-day

Back of field report signed?

Reviewer S. Curran Date 7/10/91 Review time 5 min.

AUG 09 1991

SENIOR AGENT REVIEW

Check List
for
Beneficial Use Field Report

Permit 92-07187

☒ **A. GENERAL INFORMATION**

- ☒ 1. Name and address are most current available. (Check BU statement)
☒ 2. Exam Date
☒ 3. Source (Check Permit)

☒ **B. OVERLAP REVIEW**

- ☒ 1. & 2. (Rule 5,1,4)

☒ **C. SYSTEM DESCRIPTION**

- ☒ 1. Diversion System Diagram (Rule 5,1,3 / 5,1,4)
☒ 2. USGS (Rule 5,1,7 / 5,1,9) Aerial (Rule 5,1,17)
Photo of pd and/or pu or explanation
☒ 3. Word Picture (Rule 5,1,3 / 5,1,4)
☒ 4. Diversion (Rule 5,1,3)
☒ 5. Compare with USGS Map/Land Survey Maps/Aerial Photos/Permit.
Method of determination
☒ 6. Irrigation (Rule 5,1,8), Method of determination,
Compare USGS/Land Survey? Aerial Photos/Permit.

☒ **D. FLOW MEASUREMENTS** Check math (Rule 5,1,13 / 5,1,14)

☒ **E. FLOW CALCULATIONS** Check math (Rule 5,1,13 / 5,1,14)

☒ **F. OPTIONAL**

☒ **G. VOLUME CALCULATIONS**

- Three significant figures/not less than 0.10 (Rule 6,1,2)
Fish (Rule 5,1,11) number stock, homes, etc... (Rule 5,1,12)

☒ **H. REMARKS AND OVERLAP ANALYSES**

- ☒ All actual uses listed (Rule 5,1,2):
☒ All unused, permitted uses listed (Rule 5,1,2):
☒ Overlaps (Rule 5,1,4):
☒ Return flows (Rule 5,1,5):
☒ Conditions (Rule 5,1,6).

☒ **I. RECOMMENDATIONS**

- ☒ 1. Municipal (Rule 5,1,10): Compare with items E & G, permit, fee, capacity
(Rule 5,1,15): Measured flows for each use listed separately (Rule 5,1,14).
Period of year (Rule 5,1,13)
☒ 2. Compare permit to exam for amendments (Rule 5,1,16)

☒ **J. AUTHENTICATION**

Name, Signature, Certification Date, Exam Date.

WELL INSPECTION REPORT

Check with permit and well log for discrepancies

Signature



Date

10/31/90

RECEIVED
JUN 24 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 92-07187

1. Owner: Sidney Boyd Phone No. 245-3188

Current Address: Box 94 Santa, ID 83866

2. Accompanied by: _____ EXAM. DATE: 9/24/90

Address: SAME Phone No. _____

Relationship to Permit Holder: _____

3. Source: Spring tributary to Sinks

B. OVERLAP REVIEW

1. Other water rights with same place of use: None

☐ Copies Attached


2. Other water rights with same point of diversion: None

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



0 x 6' = 15,000 cubic feet
g fed
pond

Scale: 1" = NTS

AUG 09 1991

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater.

☒ Aerial Photo Attached NA
(required for irrigation of 10 acres or more).

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUN 24 1991

Department of Water Resources

A. GENERAL INFORMATION

1. Owner: Sidney Board

Permit No. 92-07187

Phone No. 245-3188

3866

AM. DATE: 9/24/90

Phone No. _____


B.

☐ Copies Attached

☐ Copies of Field Exam's Attached

C.

between components. Indicate weir



Scale: 1" = NTS

AUG 09 1991

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

- ☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.

- ☒ Aerial Photo Attached NA
(required for irrigation of 10 acres or more).

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Excavated 50x50x6' spring fed stock pond
there is no outlet or overflow

no outflow or overflow

☐ See Remarks on page 4 for continuation

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Gravity					

**Code to correspond with No. on map and aerial photo*



5. Point(s) of Diversion:

[illegible]

6. Place(s) of Use:

Indicate Method of Determination

[illegible]



Do not use this space

D. FLOW MEASUREMENTS *None* ☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS ☐ Additional Computation Sheets Attached

1. Measured Method:

Storage Only

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

$50 \times 50 \times 6 = 15000 \text{ cubic feet} = 0.3 \text{ AF}$
 $43560 \text{ cubic feet/Acre foot}$

AUG 09 1991

March 14, 1990

SIDNEY BOYD
P.O. BOX 94
SANTA, ID 83866

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 92-07187

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. Enclosed is an order advancing the priority of the permit since the proof was received after the proof due date. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208)765-4639.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

Enclosure

INDEXED

MAR 28 1990

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 92-7187

Date: 3-8-1990

General Considerations:

5 Name same as permit
5 Signature the same as permit holder
N Address change _____ If yes, prepare a data entry
5 Proof received timely
YES Reinstated

Source of Water:

5 Surface water
5 Groundwater
NA 1. well log in file
NA 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

5 Rate of diversion appropriate for uses
5 Is rate or volume and fee appropriate?
5 Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

NA Is a measuring device or access port required?
NA Has one been installed?
NA Waiver or modification of measuring device requested

Remarks: Proof acceptable

5 Priority Calculation:

Date proof received

Date proof due

No. of days late

Priority date

NEW PRIORITY DATE

Feb. 9 40
Jan. 1 - 1
= 39
Sept. 30 + 273
Nov. 8, 88 = 312

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

RECEIVED

FEB 9 1990

no fee encl.
Department of Water Resources

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

For Office Use Only

Amt. of Fee \$

Date

Receipt No.

Received by

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 92-07187 Telephone No. 208-245-3188

Name(s) of Permit Holder(s): Sidney D. Boyd

Post Office Address: SANTA IDAHO Box 94 83866

Source of Water: SPRING

If ground water, well driller's name: _____ Date drilled: _____

Extent of Use:
Domestic no (No. of households) Irrigation no (No. of acres)
Stockwater 400 YRS and type of stock: FOR NO SPECIFIED TIME Other none

Total rate and/or volume for which proof is submitted 0.4 cfs 0.5 acre/feet

Show date water was first diverted and beneficially used under this permit: this water was used for this purpose in 1982 Permit was issued Dec 12-1988

One of the following may be a condition of approval of your permit:

Measuring device: Required? Yes No Installed? Yes No

OR

Flow Measurement Port: Required? Yes No Installed? Yes No

Fee Enclosed: \$ _____ (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

Sid Boyd 208-245-3188
Name Telephone No.
SANTA IDAHO Box 94 83866
Address

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MICROFILMED

Feb 1 1990 Sidney D Boyd MAR 28 1990
Date Signature (and title if on behalf of a company or organization)

WARNING

CANCELLED OR LAPSED

This permit has been officially CANCELLED or LAPSED.

Ninety days following the date of official action this file will be DESTROYED.

January 10, 1990

SIDNEY BOYD
P.O. BOX 94
SANTA, ID 83866

LAPSE NOTICE

RE: PERMIT NO. 92-07187

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced water permit has lapsed. This office did not receive either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time. You were provided the proper form in our proof due notice to you dated October 31, 1989.

Your permit cannot be reinstated unless you submit proof of beneficial use or submit an extension of time request showing reasonable cause for delay. Either the completed proof of beneficial use submittal (including the examination fee or a completed field examination report) or the extension request form together with the \$15 fee must be received by this department within sixty days of the date of mailing of this lapse notice or the permit will no longer be of any force or effect.

A proof of beneficial use form and a request for extension of time form are again enclosed for your use. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a governmental agency or by litigation which might bring title to the water in question.

L. GLEN SAXTON
Chief, Water Allocation Bureau

Enclosures

LGS:RF

RECEIVED

MAR 28 1990

CERTIFICATION OF MAILING

I hereby certify that on 1-15-90
~~a copy~~ an original of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above.

[Signature]

138857

October 31, 1989

SIDNEY BOYD
P.O. BOX 94
SANTA, ID 83866

PROOF DUE NOTICE

RE: PERMIT NO. 92-07187

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before January 1, 1990. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

ENCLOSURE

MAR 28 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 334-7900
December 12, 1988

SIDNEY BOYD
P.O. BOX 94
SANTA, ID 83866

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 92-07187

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed.

Sincerely,

GARY SPACKMAN, Supervisor
Water Rights Permits Section

GS: SC
Enclosures

MICROFILMED

DEC 27 1988

Form No. 202a.
4/87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: JK DATE: 10/3/88 APPLICATION: 92-7187

REQUIRED INFORMATION

- ☒ Name: (If applicant is a corporation or partnership, names must be provided for the director, officers, and other partners.)
- ☒ Address:
- ☒ Source: (See USGS Quad for names of water sources)
- ☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
- ☒ County:
- ☒ Quantity: (flow and/or volume)
- ☒ Period of use:
- ☒ Nature of proposed use: (Include description of use)
- ☒ Description of diverting works:
- ☒ Time required for beneficial use of water:
- ☒ Place of use or acres irrigated:
- ☒ Map:
- ☒ Signature: (If applicant is corp., partnership, or municipality title of signator is required)
- ☒ Fee:
- ☒ yes ☐ No* In form to receipt:

ADDITIONAL INFORMATION

YES NO

- ☐ ☒ Overlapping place of use: (Describe source & relationship to present application on the back.)
- ☐ ☒ Overlapping point of diversion:
- ☐ ☒ Field check required: Field check by: _____
- ☐ ☒ Field report attached:
- ☐ ☒ Critical groundwater area:
- ☐ ☒ Groundwater management area:
- ☐ ☒ Send dam safety information:
- ☐ ☒ Send power requirement letter:
- ☐ ☒ Send fish farm requirement letter:
- ☐ ☒ Power residency affidavit:
- ☐ ☒ Power efficiency form:
- ☐ ☒ Within trust water boundry: (If yes, attach Trust Water Supplementary Analysis Sheet.)
- ☐ ☒ Diversion greater than 5 cfs or 500 af: (If yes, attach Large Diversion supplementary analysis sheet.)
- ☐ ☒ *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

DATE REQUESTED: _____

☒ Additional information on reverse side: _____

RECEIVED
NOV 18 1988

Department of Water Resources

YES NO

SEND COPIES TO

YES NO

YES NO

_____ U.S. BLM
 _____ U.S. Forest Svc.
 _____ Water District # _____
 _____ Other

YES / NO

Publication dates and paper recorded on application:
 ✓ Protests received, Final date for protest 11/7/88
 ✓ Protests, dates, resolution of protest recorded on application:
 ✓ Recommendations attached:
 ✓ Measuring device required:
 ✓ Measuring port required:
 ✓ Water delivered by water master? District # _____
 ✓ Special conditions of approval or cover letter: (see additional info. below)
 ✓ See Below For Additional Information

Recommended Date of Priority 9/30/88 ✓
Recommended by: RJA Date 11/10/88

STATE OFFICE REVIEW

See below for additional information. By kw Date 12/1/88

ADDITIONAL INFORMATION

92-07187

BOYD, SIDNEY
P.O. BOX 94
SANTA, ID 83866

Source: SPRING

Tributary: SINKS

Diversion Pt: SENESW Sec 23 T 44N R 01W

Use: STOCKWATER	(.040 CFS)	
STOCKWATER STORAGE		(.50 AF)
STOCKWATER FROM STORAGE		(.50 AF)
DIVERSION TO STORAGE	(.040 CFS)	

Date Filed: 9/30/1988

In: T44N R01W S23 NESW

MICROFILMED

DEC 27 1988