

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUN 24 1991

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 92-07186

1. Owner: Sidney Boyd
Current Address: Box 94 Santa, ID 83866

Phone No. 245-3188

2. Accompanied by: SA ME
Address: _____
EXAM. DATE: 9/24/90
Phone No. _____

Relationship to Permit Holder: _____

3. Source: Spring tributary to Sinks


B. OVERLAP REVIEW

1. Other water rights with same place of use: None
_____ ☐ Copies Attached

2. Other water rights with same point of diversion: None
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached




Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

☐ Aerial Photo Attached N/A
(required for irrigation of 10 acres or more).




9207186

R.1 W. R.

MICROFILMED

1 MILE
AUG 09 1991

1
10X
E



CONTOUR INTERVAL 40 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929

T 44 N R 1 W Sec 23

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 92-07186

Priority: November 8, 1988

Maximum Storage Volume:

1.1 AF

This is to certify, that SIDNEY BOYD

P.O. BOX 94

SANTA, ID 83866

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated September 30, 1988; and has submitted Proof of Beneficial Use on February 9, 1990. An examination indicates that the works have a storage capacity of 1.100 af of water from:

SPRING

tributary to SINKS

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER STORAGE	01/01 to 12/31		1.1 AF

LOCATION OF POINT(S) OF DIVERSION:

SESESE , Sec. 23, Township 44N, Range 01W
BENEWAH County

PLACE OF USE: STOCKWATER STORAGE

TWN RGE SEC

44N 01W 23


SESE

CONDITIONS/REMARKS:

1. This water right is appurtenant to the described place of use.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. Stockwater storage is for 320 range cattle.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 25TH day of JULY, 1991.

Acting for


R. Keith Higginson, Director

AUG 09 1991

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 92-7186 IN THE
NAME OF SIDNEY BOYD

)
) ORDER OF REINSTATEMENT
)
)

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted on or before January 1, 1990; and,

WHEREAS, the Department notified the permit holder by certified mail that proof was due and instructed the permit holder of the steps to be taken to submit the proof of beneficial use; and,

WHEREAS, the Department notified the permit holder that the permit lapsed for failure of the permit holder to submit the proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing why the permit should be reinstated by submitting proof of beneficial use on February 9, 1990;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 92-7186 be REINSTATED and the priority advanced to November 8, 1988.

Dated this 8th day of March, 1990.

RECEIVED

MAR 26 1990

L. Glen Saxton
L. GLEN SAXTON, Chief
Water Allocation Bureau

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Sidney Boyd Phone 245-3188
Post office address Box 94 Santa, ID 83846
2. Source of water supply Spring which is a tributary of Sinks
3. Location of point of diversion is SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of SE $\frac{1}{4}$, Govt. Lot _____
Sec. 23 Township 44N Range 1 W B.M. Benewah County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 0.04 for Stockwater diversion to Storage purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 1.25 for Stockwater Storage purposes from 5/15 to 9/20 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 1.25 for Stockwater from Storage purposes from 5/15 to 9/20 (both dates inclusive)
(cfs or acre-feet per annum)
Amount .04 cfs for STOCK WATER purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.04 and/or (b) 1.25
cubic feet per second acre feet per annum
6. Proposed diverting works: Pond
 - a. Description of ditches, flumes, pumps, headgates, etc. spring flows into pond
 - b. Height of storage dam 10 structural feet; active reservoir capacity 1.25 acre-feet; total
reservoir capacity 1.25 acre-feet; period of year when water will be diverted to storage:
1/1 to 12/31 inclusive.
 - c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? _____
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

DEC 1 1992

a. Hydropower; show total feet of head and proposed capacity in kW. 320 range

d. Domestic; show number of households.

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

ponding place of use below. See instructions for standard symbols.

[illegible]

10. Describe any other water rights used for the same purposes as described above.

b. Who owns the land to be irrigated or place of use? Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the

applicant to make this filing.

12. Remarks:

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

23

pd + pu

MICROFILMED
DEC 27 1988

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Sidney Boyd
(Applicant)

Exposed Priority 9/30/88

Received by Date 9/30/88 Time 10 AM
Received by JK # 1749 Date 10/3/88
Publication prepared by Date 10/1/88
Publication approved Date 10/7/88
Preliminary check by JK

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 92-7186, and said application is hereby APPROVED
1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before January 1, 19 90.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

Witness my hand this 8th day of December, 1988.

A. Newington

MICROFILMED
DEC 27 1988

Affidavit of Publication

STATE OF IDAHO
County of Benewah, ss.

Cynthia Ann Hammes, being first duly sworn on oath, deposes and says that she is vice president of The Corporation, owner of the St. Maries Gazette Record, a weekly newspaper printed and published at St. Maries, Benewah County, State of Idaho; the St. Maries Gazette Record is a newspaper having general circulation in Benewah county, State of Idaho, and has been continuously and uninterruptedly published in Benewah County, State of Idaho, during a period of more than seventy-eight consecutive weeks prior to the first publication of the notice of advertisement hereon.

That the notice, of which the one hereto attached is a true copy, was published in said newspaper for a period of 3 issues, the first publication being on the 14th day of Oct., 1988 and the last on the 26th day of Oct., 1988

That said newspaper was regularly distributed to its subscribers during the time of the same period; that said notice was published in the regular and entire issue of said paper.

Dated this 4th day of Nov., 1988

Cynthia Ann Hammes

STATE OF IDAHO } ss.
COUNTY OF BENEWAH }

On this 4th day of Nov. in the year 1988, before me, a Notary Public, personally appeared Cynthia Ann Hammes known or identified to me to be the person whose name subscribed to the within instrument, and acknowledged to me that she executed the same.

Sharon D. Blackler

Notary Public

Residing at St. Maries, Idaho

Boyd and Furman file water permits

NOTICE OF APPLICATION
FOR WATER RIGHT
The following application(s) have been filed to appropriate the public waters of the State of Idaho:
92-07185

Boyd, Sidney
P.O. Box 94
Santa, ID 83866
Source: Spring
Tributary: SINKS
Diversion Pt: NWSWSE Sec 23 T 44N R 01W
Use: Irrigation (.060 CFS); Irrigation Storage (6.00 AF); Irrigation from Storage (6.00 AF); Stockwater (.020 CFS); Stockwater Storage (6.00 AF); Stockwater From Storage (5.40 AF); Fire Protection Storage (6.00 AF); Fire Protect. From Stor. (6.00 AF); Diversion to Storage (.200 CFS)
Date Filed: 9/30/1988
In: T44N R01W S23 SESW SWSE
2.0 Acres Total
92-07186

Boyd, Sidney
P.O. Box 94
Santa, ID 83866
Source: Spring
Tributary: SINKS
Diversion Pt: SESESE Sec 23 T 44N R 01W
Use: Stockwater (.040 CFS); Stockwater Storage (1.25 AF); Stockwater From Storage (1.25 AF); Diversion to Storage (.040 CFS)
Date Filed: 9/30/1988
In: T44N R01W S23 SESE
92-07187

Boyd, Sidney
P.O. Box 94
Santa, ID 83866
Source: Spring

Tributary: SINKS
Diversion Pt: SENESW Sec 23 T 44N R 01W
Use: Stockwater (.040 CFS); Stockwater Storage (.50 AF); Stockwater from Storage (.50 AF); Diversion to Storage (.040 CFS)
Date Filed: 9/30/1988
In: T44N R01W S23 NESW
92-07188

Boyd, Sidney
P.O. Box 94
Santa, ID 83866
Source: Spring
Tributary: SINKS
Diversion Pt: NENWSW Sec 23 T 44N R 01W
Use: Stockwater (.040 CFS); Stockwater Storage (.50 AF); Stockwater from Storage (.50 AF); Diversion to Storage (.040 CFS)
Date Filed: 9/30/1988
In: T44N R01W S23 NWSW
93-07051

Furman, Howard
Rt. 1 Box 72
Plummer, ID 83851
Source: Springs
Tributary: SINKS
Diversion Pt: NWNESE Sec 17 T 45N R 04W
SWNESE Sec 17 T 45N R04W
Use: Irrigation (.200 CFS); Stockwater (.020 CFS)
Date Filed: 10/03/1988
In: T45N R04W S17 NESE
20.0 acres total

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Northern Region, Government Way Suite 9, Coeur d'Alene, Idaho 83814 on or before November 7, 1988.

R. KEITH HIGGINSON,
Director

No. 602 -- Oct. 19-26.

RECEIVED

NOV 7 1988

NORTHERN REGION
IDWR

MICROFILMED

DEC 27 1988

July 25, 1991

SIDNEY BOYD
P.O. BOX 94
SANTA, ID 83866

RE: WATER RIGHT NO. 92-07186

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm

Enclosure

RECEIVED
BUREAU OF LAND MANAGEMENT

AUG 09 1991

July 11, 1991

SIDNEY BOYD
P.O. BOX 94
SANTA, ID 83866

RE: WATER RIGHT NO. 92-07186

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm

Enclosure

JUL 13 1991

LICENSE REVIEW CHECKLIST

Permit No.

92-7186

Name/Address

change?

ok

Priority date

Advance? yes

no

Memo to advance

Order to reinstate needed?

yes

no

Total cfs

Limited by fee

N/A

Limited by capacity

Total volume

Limited by flow

Chart checked for AF rate/ac

Capacity

Actual measurement checked

Theoretical checked

If greater than permit, check for other rts

Source

Changed? yes

no

If so, is memo needed to clarify?

P/D

Verify with map

permit

More than one per 1/4? Remember remark

Check p/d overlap

N/A

Uses

Check irrigation period of use w/ chart

N/A

P/U

Verify with map

permit

> 5 acres irrigated, run overlap

N/A

Remarks

More than one p/d in 1/4

Description of non-irrig uses

Special overlap condition

Conditions -

Measuring device

W.Master control

Overlap

Water quality

Other

Dates/Misc. -

Water Dist

App Rec'd

Proof Rec'd

CHECK FOR ADJ. CLAIM

Needed according to proof filed

Filed - needs amended

Add'l fee required

Not filed

Not needed

Comments/Changes to Examiner's Recommendations:

License

10-day

30-day

Back of field report signed?

Reviewer

Date

Review time

min.

SENIOR AGENT REVIEW

Check List
for
Beneficial Use Field Report

Permit 9207186

☒ **A. GENERAL INFORMATION**

- ☒ 1. Name and address are most current available. (Check BU statement)
☒ 2. Exam Date
☒ 3. Source (Check Permit)

☒ **B. OVERLAP REVIEW**

- ☒ 1. & 2. (Rule 5,1,4)

☒ **C. SYSTEM DESCRIPTION**

- ☒ 1. Diversion System Diagram (Rule 5,1,3 / 5,1,4)
☒ 2. USGS (Rule 5,1,7 / 5,1,9) Aerial (Rule 5,1,17)
Photo of pd and/or pu or explanation
☒ 3. Word Picture (Rule 5,1,3 / 5,1,4)
☒ 4. Diversion (Rule 5,1,3)
☒ 5. Compare with USGS Map/Land Survey Maps/Aerial Photos/Permit.
Method of determination
☒ 6. Irrigation (Rule 5,1,8), Method of determination,
Compare USGS/Land Survey? Aerial Photos/Permit.

☒ **D. FLOW MEASUREMENTS** Check math (Rule 5,1,13 / 5,1,14)

☒ **E. FLOW CALCULATIONS** Check math (Rule 5,1,13 / 5,1,14)

☒ **F. OPTIONAL**

☒ **G. VOLUME CALCULATIONS**

- Three significant figures/not less than 0.10 (Rule 6,1,2)
Fish (Rule 5,1,11) number stock, homes, etc... (Rule 5,1,12)

☒ **H. REMARKS AND OVERLAP ANALYSES**

- ☒ All actual uses listed (Rule 5,1,2):
☒ All unused, permitted uses listed (Rule 5,1,2):
☒ Overlaps (Rule 5,1,4):
☒ Return flows (Rule 5,1,5):
☒ Conditions (Rule 5,1,6).

☒ **I. RECOMMENDATIONS**

- ☒ 1. Municipal (Rule 5,1,10): Compare with items E & G, permit, fee, capacity
(Rule 5,1,15): Measured flows for each use listed separately (Rule 5,1,14).
Period of year (Rule 5,1,13)
☒ 2. Compare permit to exam for amendments (Rule 5,1,16)

☒ **J. AUTHENTICATION**

Name, Signature, Certification Date, Exam Date.

☒ **WELL INSPECTION REPORT**

Check with permit and well log for discrepancies

Signature

J. King

Date

10/31/90

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUN 24 1991

Department of Water Resources

A. GENERAL INFORMATION

1. Owner: Sidney Boyd Permit No. 92-07186
Current Address: Box 94 Santa, ID 83866 Phone No. 245-3188
2. Accompanied by: SAME EXAM. DATE: 9/24/90
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: Spring tributary to Sinks

B. OVERLAP REVIEW


1. Other water rights with same place of use: None

☐ Copies Attached
2. Other water rights with same point of diversion: None

☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached N/A
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

100' x 60' shock pond that is spring fed. There is no outlet other than the overflow, which is severely eroded. It is 8' deep.

☐ See Remarks on page 4 for continuation

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Gravity					

*Code to correspond with No. on map and aerial photo


5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	%	%	%	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
					SE	SE	SE	44N 1W	Renewal May

6. Place(s) of Use:

Indicate Method of Determination


Twp.	Rge.	Sec.	NE%	NW%	SW%	SE%	NE%	NW%	SW%	SE%	NE%	NW%	SW%	SE%	NE%	NW%	SW%	SE%	Totals
44N	1W	23																	5



9207186

R.1 W. R.

10X
E



SCALE 1:24 000
CONTOUR INTERVAL 40 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929

REPRODUCED

1 MILE
AUG 9 1991

T 14 N R 1 W Sec 23

Do not use this space

D. FLOW MEASUREMENTS

None

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

storage only

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Ampsx .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

$60 \times 100 \times 8 = 48,000 \text{ cubic feet}$
 $48,000 \text{ cubic feet} / 43,560 \text{ cubic feet/Acre foot} = 1.1 \text{ acre feet}$

H. REMARKS AND OVERLAP REVIEW ANALYSIS

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
	From To	Q (cfs)	V (afa)
Stock Water	1-12-31	Storage Only	1.14FA

2. Recommended Amendments

- ☐ Change P.D. as reflected above
☐ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
☐ Add P.U. as reflected above

- ☒ None
☐ Other

J. AUTHENTICATION

Field Examiner's Name

Signature

Certification Date

Field Report Preparation Date

Theresa J. Bright
9/16/90
9/25/90

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.



March 14, 1990

SIDNEY BOYD
P.O. BOX 94
SANTA, ID 83866

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 92-07186

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. Enclosed is an order advancing the priority of the permit since the proof was received after the proof due date. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208)765-4639.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

Enclosure

INDEXED

MAR 26 1990

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 92-7186

Date: 3-8-1990

General Considerations:

9 Name same as permit
9 Signature the same as permit holder
10 Address change _____ If yes, prepare a data entry
9 Proof received timely
9 Reinstated

Source of Water:

9 Surface water
9 Groundwater
9 1. well log in file
9 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

9 Rate of diversion appropriate for uses
9 Is rate or volume and fee appropriate?
9 Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

9 Is a measuring device or access port required?
9 Has one been installed?
9 Waiver or modification of measuring device requested

Remarks: Proof acceptable

4 Priority Calculation:

Date proof received	<u>Feb 9</u>	<u>40</u>
Date proof due	<u>Jan 1</u>	<u>- 1</u>
No. of days late		<u>= 39</u>
Priority date	<u>Sept. 30</u>	<u>+ 273</u>
NEW PRIORITY DATE	<u>Nov. 8, 88</u>	<u>= 302</u>

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

RECEIVED

STATE OF IDAHO

For Office Use Only
Amt. of Fee \$ _____
Date _____
Receipt No. _____
Received by _____

FEB 9 1990
no fee encl
Department of Water Resources
PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 92-07186 Telephone No. 208-245-3185

Name(s) of Permit Holder(s): Sidney D Boyd

Post Office Address: SANTA IDAHO 83866

Source of Water: SPRING

If ground water, well driller's name: _____ Date drilled: _____

Extent of Use:
Domestic NO (No. of households) Irrigation NO (No. of acres)
Stockwater 400 hd YES FOR NO SPECIFIED TIME (No. and type of stock) Other _____

Total rate and/or volume for which proof is submitted 0.4 cfs 0.5 acre/feet

Show date water was first diverted and beneficially used under this permit: This water was used for this purpose in 1982 Permit was issued Dec 12-88

One of the following may be a condition of approval of your permit:

Measuring device: Required? Yes No Installed? Yes No

OR

Flow Measurement Port: Required? Yes No Installed? Yes No

Fee Enclosed: \$ none (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

Sid Boyd 208-245-3188
Name Telephone No.
SANTA IDAHO 83866
Address

The above information is my true statement of the extent to which the above numbered permit has been developed and I hereby relinquish any undeveloped portion of the permit to the state of Idaho.

MAR 26 1990

Feb 1 1990 Sidney D Boyd
Date Signature (and title on behalf of a company or organization)

WARNING

CANCELLED OR LAPSED

This permit has been officially CANCELLED or LAPSED.

Ninety days following the date of official action this file will be DESTROYED.

January 10, 1990

SIDNEY BOYD
P.O. BOX 94
SANTA, ID 83866

LAPSE NOTICE

RE: PERMIT NO. 92-07186

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced water permit has lapsed. This office did not receive either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time. You were provided the proper form in our proof due notice to you dated October 31, 1989.

Your permit cannot be reinstated unless you submit proof of beneficial use or submit an extension of time request showing reasonable cause for delay. Either the completed proof of beneficial use submittal (including the examination fee or a completed field examination report) or the extension request form together with the \$15 fee must be received by this department within sixty days of the date of mailing of this lapse notice or the permit will no longer be of any force or effect.

A proof of beneficial use form and a request for extension of time form are again enclosed for your use. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a governmental agency or by litigation which might bring title to the water in question.

L. GLEN SAXTON
Chief, Water Allocation Bureau

Enclosures

LGS:RF

CERTIFICATION OF MAILING

I hereby certify that on 1-15-90
~~a copy~~ an original of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above.

MAR 25 1990

138856

October 31, 1989

SIDNEY BOYD
P.O. BOX 94
SANTA, ID 83866

PROOF DUE NOTICE

RE: PERMIT NO. 92-07186

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before January 1, 1990. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

MAR 26 1990

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 334-7900
December 12, 1988

SIDNEY BOYD
P.O. BOX 94
SANTA, ID 83866

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. 92-07186

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

If the diversion dam is 10 feet or more in height, or has an impounding capacity of 50 acre-feet or more, certain dam safety requirements must be met. Please contact the regional office nearest you for details.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed.

Sincerely,

GARY SPACKMAN, Supervisor
Water Rights Permits Section

GS: SC
Enclosures

MICROFILMED

DEC 27 1988

Form No. 202a.
4/87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: JK DATE: 10/3/88 APPLICATION: 92-7186

REQUIRED INFORMATION

- ☒ Name: (If applicant is a corporation or partnership, names must be provided for the director, officers, and other partners.)
- ☒ Address:
- ☒ Source: (See USGS Quad for names of water sources)
- ☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
- ☒ County:
- ☒ Quantity: (flow and/or volume)
- ☒ Period of use:
- ☒ Nature of proposed use: (Include description of use)
- ☒ Description of diverting works:
- ☒ Time required for beneficial use of water:
- ☒ Place of use or acres irrigated:
- ☒ Map:
- ☒ Signature: (If applicant is corp., partnership, or municipality title of signator is required)
- ☒ Fee:
- ☒ yes No* In form to receipt:

ADDITIONAL INFORMATION

- | YES | NO |
|--|--------------------------|
| ☒ | ☐ |
| Overlapping place of use: (Describe source & relationship to present application on the back.) | |
| ☒ | ☐ |
| Overlapping point of diversion: | |
| ☒ | ☐ |
| Field check required: Field check by: _____ | |
| ☒ | ☐ |
| Field report attached: | |
| ☒ | ☐ |
| Critical groundwater area: | |
| ☒ | ☐ |
| Groundwater management area: | |
| ☒ | ☐ |
| Send dam safety information: | |
| ☒ | ☐ |
| Send power requirement letter: | |
| ☒ | ☐ |
| Send fish farm requirement letter: | |
| ☒ | ☐ |
| Power residency affidavit: | |
| ☒ | ☐ |
| Power efficiency form: | |
| ☒ | ☐ |
| Within trust water boundry: (If yes, attach Trust Water Supplementary Analysis Sheet.) | |
| ☒ | ☐ |
| Diversion greater than 5 cfs or 500 af: (If yes, attach Large Diversion supplementary analysis sheet.) | |
| ☒ | ☐ |
| *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT | |

DATE REQUESTED:

☒ Additional information on reverse side:

RECEIVED
NOV 18 1988

Department of Water Resources

PROCESSING

YES NO

In form for advertising:

Statewide advertising:

Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

I.D. Health and Welfare

I.D. Fish and Game

I.D. Lands

Adjudication Bureau

FINAL REGIONAL PROCESSING REVIEW

YES NO

Affidavit of publication received:

Application published correctly: If not, record action taken.

Publication dates and paper recorded on application:

Protests received, final date for protest

Protests, dates, resolution of protest recorded on application:

Recommendations attached:

Measuring device required:

Measuring port required:

Water delivered by water master? District #

Special conditions of approval or cover letter: (see additional info. below)

See Below For Additional Information

Recommended Date of Priority

Recommended by:

STATE OFFICE REVIEW

PO9 P16

Date

11/10/88

ADDITIONAL INFORMATION

See below for additional information. By

KW

Date

12/1/88

92-07186

BOYD, SIDNEY
P.O. BOX 94
SANTA, ID 83866

Source: SPRING

Tributary: SINKS

Diversion Pt: SESESE Sec 23 T 44N R 01W

Use: STOCKWATER	(.040 CFS)	
STOCKWATER STORAGE		(1.25 AF)
STOCKWATER FROM STORAGE		(1.25 AF)
DIVERSION TO STORAGE	(.040 CFS)	

Date Filed: 9/30/1988

In: T44N R01W S23 SESE

MICROFILMED

DEC 27 1988