


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

Section 2, Twp. 43 N. R. 3 E. 3 W. B.M.



Scale: 2 inches equal 1 mile.

Section 11

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


Robert A. Uhlenkott
(Applicant)

Beatrice M. Uhlenkott

MICROFILMED



TWP. 43N RGE. 3W SEC. 2 MAP # H-5 MAP SCALE
DATE OF EXAM 7/30/86 PERMIT # 92-7115



TWP. 43N RGE. 3W SEC. 2 MAP # 1455 MAP SCALE 1" = 1 mile
DATE OF EXAM 7/30/86 PERMIT # 92-7115



MICROFILMED

MAR 20 1987

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 92-7115

Priority: February 16, 1983 Amount: .04 CFS 1.4 AF

This is to certify, that NORBERT I. UHLENKOTT
BEATRICE M. UHLENKOTT

P.O. BOX 153

COLTON, WA 99113

has complied with the terms and conditions of the permit issued pursuant to Application for Permit dated February 16, 1983, and has submitted proof to the Department of Water Resources on August 16, 1985, that water has been applied to a beneficial use; an examination by the Department indicates that the works have a diversion capacity of .04 cfs of water from;

SANTA CREEK, SOUTH FORK

tributary to SANTA CREEK

and that a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>VOLUME</u>
Stockwater	03/01 to 11/01	.02 cfs	.2 af
Domestic	03/01 to 11/01	.04 cfs	1.2 af
	Totals	.04 CFS	1.4 AF

LOCATION OF POINT OF DIVERSION(S): SWNE , Sec. 2, Township 43N, Range 3W
Benewah County

PLACE OF USE: Stockwater

TWN RGE SEC

43N 3W 2 SWNE

PLACE OF USE: Domestic, same as Stockwater use

CONDITIONS/REMARKS:

1. The right to the use of the water hereby confirmed is limited to the amount which can actually be beneficially used and is restricted and appurtenant to the lands or place of use and to the purpose herein described, as provided by the laws of Idaho.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 26TH day of FEBRUARY, 1987.

MICROFILMED

Noting for the

Director

MAR 20 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Norbert I & Beatrice M. Uhlenkott Phone (509) 229-3568
Post office address P. O. Box 153 - Colton, Washington - 99113
2. Source of water supply South Fork Santa Creek which is a tributary of Santa Creek
3. Location of point of diversion is SW 1/4, NE 1/4 of Section 2 Township 43 North
Range 3 W B.M. Beneewah See Map attached - 160 ft. from East boundary line.
County, additional points of diversion if any: None
4. Water will be used for the following purposes:
Amount .04 for Domestic purposes from Mar. 1st to Nov. 1st (both dates inclusive)
(cfs or acre-feet per annum)
Amount .03 for Stock purposes from Mar. 1st to Nov. 1st (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. .07 ~~1.00~~ C. F. S. cubic feet per second and/or _____ acre-feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. 1/2 horsepower pump
this will deliver 16 gal. per minute at homesite. Since a
lift is needed from creek up the hill to site.
b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir
capacity N/A acre-feet, materials used in storage dam: N/A
Period of year when water will be diverted to storage N/A to N/A inclusive.
(Month/Day) (Month/Day)
c. Proposed well diameter is N/A inches; proposed depth of well is N/A feet.
7. Time required for the completion of the works and application of the water to the proposed beneficial
use is 5 years years (minimum 1 year - maximum 5 years).
8. Description of proposed uses:
a. If water is not for irrigation: SW 1/4 NE 1/4
(1) Give the place of use of water: SW 1/4 of NE 1/4 of Section 2 Township 43 North
Range 3 West B.M. same as above
(2) Amount of power to be generated: N/A horsepower under N/A feet of head.
(3) List number of each kind of livestock to be watered 3 horses (week-ends only)
We will have 1 more horse
(4) Name of municipality to be served N/A, or number of families to be
supplied with domestic water 1 family.
(5) If water is to be used for other purposes describe: N/A

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated

None

c. Describe any other water rights used for the same purposes as described above.

None

9. a. Who owns the property at the point of diversion

Applicants

b. Who owns the land to be irrigated or place of use

Applicants

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the

N/A	applicant to make this filing
-----	-------------------------------


V/N

10. Remarks	N/A
-------------	-----

V/N

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

Section 2, Twp. 43 N. R. E. 3 W. B.M.



Scale: 2 inches equal 1 mile.

Section 11

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Norbert A. Uhlenkott
(Applicant)
Beatrice M. Uhlenkott

Proposed Priority 2/16/1983

Received by [Signature] Date 2/16/83 Time 1:45 PM
Preliminary check by [Signature] Fee \$ 3000
Received by [Signature] Date 2/16/83 # 24894

Publication prepared by [Signature] Date 2/17/83
Published in Idaho State Register
Publication dates 2/23-3/2/83

Publication approved [Signature] Date 3/7/83
Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____
Date _____
Recommended for approval denial by [Signature]

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 92-7115, and said application is hereby APPROVED
1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
b. Proof of construction of works and application of water to beneficial use shall be submitted on or before March 1, 19 88.

- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 23rd day of March, 1983.

[Signature]
Chief, Operations Bureau

Affidavit of Publication

STATE OF IDAHO
County of Benewah, ss.

JoJane Hammes, being first duly sworn on oath, deposes and says that she is co-publisher and business manager of the St. Maries Gazette Record, a weekly newspaper printed and published at St. Maries, Benewah County, State of Idaho; the St. Maries Gazette Record is a newspaper having general circulation in Benewah county, State of Idaho, and has been continuously and uninterruptedly published in Benewah County, State of Idaho, during a period of more than seventy-eight consecutive weeks prior to the first publication of the notice of advertisement hereon.

That the notice, of which the one hereto attached is a true copy, was published in said newspaper for a period of 2 issues, the first publication being on the 23rd day of February, 1983 and the last on the 2nd day of March, 1983.

That said newspaper was regularly distributed to its subscribers during the time of the same period; that said notice was published in the regular and entire issue of said paper.

JoJane Hammes

Subscribed and sworn to before me this 3rd day of May, 1983

Sharon D. Black

Notary Public in and for Benewah County, Idaho
Residing at St. Maries, Idaho

OK
3/7/83

Five file applications for Benewah Co. water

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

91-7066

Name: Mike Suenkel, Harry Hanofman, Rollin F. Suenkel
Address: S. 1609 Ione St., Kennewick, WA 99336

Date Filed: Feb. 15, 1983

Source: Unnamed Stream tributary to Saint Joe River
Point of Diversion: Lot 05 (NWSE) Sec 19 T 46N R 01E
In: SENW Sec 19 T 46N R 01E for 2 acres

Use: Irrigation (0.04 cfs);
Domestic (0.12 cfs)

92-7115

Name: Norbert I. and-or Beatrice M. Uhlenkott
Address: P.O. Box 153, Colton, WA 99113

Date Filed: Feb. 16, 1983

Source: Santa Creek, South Fork tributary to Santa Creek
Point of Diversion: SWNE Sec 02 T 43N R 03W

In: SWNE Sec 02 T 43N R 03W
Use: Stockwater (0.03 cfs);
Domestic (0.04 cfs)

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, 4055 Gov't Way, Coeur d'Alene, Idaho 83814 on or before March 14, 1983.

KENDUNN, Dir.

No. 7045 — Feb. 23-Mar. 2.

RECEIVED
MAR. 3 1983

Department of Water Resources
Northern District Office

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 92-7115

Name(s) of Permit Holder(s): Norbert I & Beatrice M. Uhlenkott

Post Office Address: P. O. Box 153

Colton, Washington - 99113

Phone No. (509) 229-3568

☒ I hereby certify that construction of diverting works for the above referenced permit began on 6/26/83 (date)

and I understand that I must continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is not an acceptable reason.

6/27/83

Date

Norbert I Uhlenkott
Signature of Permit Holder
Beatrice M. Uhlenkott

PLACE
STAMP
HERE

MICROFILMED

DEC 27 1988



**IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720**

RECEIVED
JUN 30 1983



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

CECIL D. ANDRUS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

February 23, 1987

RE: Permit No. 92-7115

Norbert I. & Beatrice M. Uhlenkott
Box 153
Colton, WA 99113

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

MAR 20 1987



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 334-4440

January 28, 1987

RE: Permit No. 92-7115

Norbert I. & Beatrice M. Uhlenkott
Box 153
Colton, WA 99113

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

If you do not concur with the information shown on the draft license, please advise the Department within ten (10) days. If you have any questions, please let us know; otherwise, the license will be issued as identified on the draft copy.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

MAR 20 1987

MEMORANDUM

TO: File

FROM: KAY WALKER *KW*

DATE: 12/9/86

RE: Beneficial Use Field Report Review

Right No. 92-7115

Comments

Part A - General Info.

Part B - Overlap Review

Part C - System Description

Part D - Flow Measurements

Part E - Flow Calculations

Part F - Volume Calculations

Part G - Remarks

Part H - Recommendations

Theoretical

$$Q = \frac{8.8(1/3)(0.70)}{2.31 \times 25(+3)} = 0.033$$

allow 0.04 -

MICROFILMED
MAR 20 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

1. Owner: Norbert Uhlenkott Permit No. 92-7115
Current Address: Lolton, Washington, 99113 Phone No. (509) 229-3568
2. Accompanied by: SAMIE EXAM. DATE: 7/30/86
Address: SAMIE Phone No. _____
Relationship to Permit Holder: _____
3. Source: South Fork of Santa Creek tributary to Santa Creek

B. OVERLAP REVIEW


1. Other water rights with same place of use: NONE

☐ Copies Attached
2. Other water rights with same point of diversion: NONE

☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached ☐ Aerial Photo Attached
Showing location(s) of point(s) of diversion and (required for irrigation of 10 acres or more)
place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.)

Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

3.

✓
V.1
Collects

5 gal
Bucketh
with
holes

$$40 + 3 = 2 + 4 + 5 + 4$$

Stock - 2 no during exam

1 1/4" plastic from stream to pump to pump 2 1/2" to 3/4" plastic to reservoir 55 gal + then gravity feed through 2 1/2"

☐ See Remarks on page 4 for continuation

4

Well or Diversion Identification No.*	Dayton	Motor Make	Hp	Mod. Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
			1/3	5K556B	Dayton	1/2"

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

[illegible]

6. Place(s) of Use:

Indicate Method of Determination

[illegible]

To do:

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

None

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

$$Q = \frac{8.8(1/3)(7)}{2.75(25) + 3} = .035 \text{ cfs}$$

2. Alternate Method for Checking Purposes:

$$Q = .04 \text{ via Exam fee}$$

$$Q = .02 \text{ stock}$$

$$Q = .02 \text{ Dom}$$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{\hspace{2cm}}$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{\hspace{2cm}}$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{\hspace{2cm}}$

2. Volume Calculations for Other Uses:

$$V = 1.2 \text{ AF}$$

Dom + 1/2 ac lawn & garden

$$V_{\text{stock}} < 10$$

MAR 20 1987

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Blank lines for remarks and overlap review analysis.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use		Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (af)
From	To	From	To		
Dom + 1/2 ac lawn	1/3	1/11	1/11	0.02 cfs	1.2 AF
garden	1/3	1/11	1/11	0.02 cfs	0.2 AF
Stock	1/3	1/11	1/11	0.02 cfs	1.4 AF
Totals:				0.04 cfs	2.8 AF

2. Recommended Amendments

- ☐ Change P.D. as reflected above
- ☐ Add P.D. as reflected above
- ☐ Change P.U. as reflected above
- ☐ Add P.U. as reflected above
- ☒ None
- ☐ Other

J. AUTHENTICATION


Field Examiner's Name: Jennifer Arreaga
Signature: Jennifer Arreaga
Certification Date: _____
Field Report Preparation Date: _____

CONSULTANT SEAL


K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED
MAR 20 1981

copy made 12/19/80



TWP. 43N RGE. 3W SEC. 2 MAP # H-5 MAP SCALE
DATE OF EXAM 7/30/86 PERMIT # 92-7115



MICROFILMED

MAR 20 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

92-7115-
Permit No.

Staff Analysis Sheet
for
Beneficial Use Field Report

RECEIVED
AUG 18 1986

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
☒ Copy of Permit
☐ Copies of any Amendments/Orders with conditions of approval
☒ Computer Data Proof Report
☒ Copy of U.S.G.S. Quad
☒ Check for Government Lots. If so, make a copy of Government Plat

Check of P/D index J.A. 8/1/86 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of exam(s) attached?
Type of Overlap? ☐ Add acres or uses to existing system
☐ Increase rate of flow or volume
☐ Other: _____

Check of P/U index J.A. 8/1/86 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of water right(s) attached?
Type of Overlap? ☐ Increase rate of flow or volume
☐ Add P/D's
☐ Increase number of acres within tracts
☐ Other: _____

Aerial Photo

Required? ☐ yes ☒ no If yes: ☐ copy attached?

Scheduling Letter sent? _____ (Initial and date)

☐ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
☐ Photographs of Point of Diversion and Place of Use
☒ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

MICROFILMED
MAR 20 1987

C. Review and Processing:

Exam Completed Juanita Argueta (Signature of examiner and date)
Exam Reviewed by Senior Water Resource Agent J. 8-4-86 (Initial and date)
Exam Reviewed by Manager of Regional Office RWA 8/14/86 (Initial and date)
Exam Date Entered in Computer 8/14/86 (Initial and date)
Exam sent to State Office 8/15/86 (Initial and date)
Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)

4/86

RECEIVED

JUL 15 1986

Department of Water Resources
Northern District Office
STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

EXAMINATION FEE INFORMATION

For Office Use Only
Fee Received N/A
Date 7/16/86
Receipt #
Receipt by
Sent to S.O. 7/16/86

RECEIVED

JUL 22 1986

1. Permit No. 92-7115

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE **Department of Water Resources**

☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: Norbert Uhlenkott

3. Post Office Address: P. O. Box 153

Colton, Washington - 99113 Telephone No. (509) 229-3568

4. Source of Water: South Fork of Santa Creek

5. Extent of Use:

Domestic 1 (No. of households) Stockwater 2 (No. and type of stock)
Horses

Irrigation (acres) Other/Remark

6. Total rate &/or volume for which proof is submitted 0.04 cfs -0- acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

7/84

8. Person to contact to accompany the department representative during the field examination:

Norbert Uhlenkott

(Name)

P. O. Box 153 - Colton, Washington - 99113

(Address)

(509) 229-3568

(Telephone Number)

☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

7/14/86

Date

Norbert Uhlenkott
Signature of Permit Holder (and title, if appropriate)



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720

92-7115
UHLENKOTT, NORBERT I.
UHLENKOTT, BEATRICE M.
P.O. BOX 153
COLTON, WA 99113

138132

April 30, 1986

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

Certified water right examiners are licensed engineers, geologists, or land surveyors certified by the department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is being developed at this time. A listing

MICROFILMED

MAR 20 1987

of certified water right examiners will be available from this department when examiners have been certified.

If your permitted use, in fact, has already been examined by the department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the department.

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The enclosed license examination fee schedule shows a listing of applicable fees.

FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD, THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION, WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE.

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT.

The attached examination fee information sheet and the fee may be submitted to the following department offices.

Northern Region

Idaho Dept. of Water Resources
4055 Government Way
Coeur d'Alene, ID 83814
Phone: 765-4639

Eastern Region

Idaho Dept. of Water Resources
150 Shoup Ave., Suite 15
Idaho Falls, ID 83401
Phone: 525-7161

Southern Region

Idaho Dept. of Water Resources
1041 Blue Lakes Blvd. North
Twin Falls, ID 83301
Phone: 734-3578

Western Region

Idaho Dept. of Water Resources
450 W. State St., (Third Floor)
Boise, ID 83720
Phone: 334-2190

Sincerely,


L. GLEN SAXTON
Chief, Operations Bureau

Enclosures



MAR 26 1987

7/14/86

Mr. [redacted]g:

Please contact us as soon as possible to set up a date and time for the inspection. We can be available most any time even during the week, for this item.

Thank you for all your help in the past.

N. Uhlenkott

Nd.

MICROFILMED

MAR 20 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
A. KENNETH DUNN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

NOVEMBER 18, 1985

NORBERT UHLENKOTT
P.O. BOX 153
COLTON WA 99113

RE: Permit No. 92-7115

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a Water Right License can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 765-4639 or in person at our office.

Sincerely,

/s/
TOM D. KING
Senior Water Resource Agent

cc: IDWR - State Office

MICROFILMED
MAR 20 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

RECEIVED
AUG 16 1985

Department of Water Resources
Northern District Office
Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed development under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below:

Permit No. 92-7115

Name(s) of Permit Holder: Norbert L. & Beatrice M. Uhlenkott

Post Office Address: P.O. Box 153 - Colton, Washington - 99113

Telephone No. (509) 229-3568

Source of Water: South Fork Santa Creek

Extent of Use:

Domestic 1 - Campers trailers only (number of households)

Stockwater 2 Horses - week - ends (number and type of stock)

Irrigation - 0 - (acres)

Other/Remarks - 0 -

Indicate the date water was first diverted and beneficially used under this permit: 6/84

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Flow Measurement Port: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Person to contact to accompany the Department representative during the field examination:

N. L. or Beatrice M. Uhlenkott

(Name)

P.O. Box 153 - Colton, Wa. - 99113

(Address)

(509) 229-3568

(Telephone Number)

The above information is a true statement of the extent to which the above numbered permit has been developed.

Date 8-15-85

Beatrice M. Uhlenkott
Signature of Permit Holder (and Title, if appropriate)

MICROFILMED



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION

A. Kenneth Dunn
Director

Suite No. 9
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 765-4639

August 5, 1985

Mrs. Norbert M. Uhlenkott
P. O. Box 153
Colton, Wa. 99113

Re: 92-7115

Dear Mrs. Uhlenkott:

Enclosed is the beneficial use statement which you requested concerning the
above-referenced permit.

Sincerely,

TOM D. KING
Senior Water Resource Agent

TDK/pms

Enc. - Beneficial Use Statement

RECEIVED
AUG 7 1985

Department of Water Resources

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

UHLENKOTT, NORBERT I. & BEATRICE M.
P.O. BOX 153
COLTON, WA 99113

MARCH 29, 1983

RE: PERMIT NO. 92-7115

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

THE 1982 IDAHO LEGISLATURE ADDED A REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: RYA

APPLICATION NUMBER: 92-7115

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☐ Yes ☒ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. _____

- ☒ Yes ☐ No* In form for advertising.
Final date for protests: 3/14/83
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 3/3/83
☒ Application published correctly. If not, record action taken.
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district?
2/16/83 Date of priority recommended. Priority reduced because correction
☒ Special conditions of approval or cover letter. more 30 days after request.

By: RYA

Date: 3/15/83

MICROFILMED

STATE OFFICE REVIEW:

- 3LW/LIT 26
☐ See attached sheet for more information.
By: _____

Date: _____

RECEIVED

MAR 22 1983

Department of Water Resources

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

UHLENKOTT, NORBERT I. &/or BEATRICE M.

P.O. BOX 153, COLTON, WA 99113

Source: SANTA CREEK, SOUTH FORK trib. to SANTA CREEK

Date Filed: 02/16/1983

Diversion Pt: SWNE Sec 02 T 43N R 03W

Use: STOCKWATER	(0.03 CFS)
DOMESTIC	(0.04 CFS)

In: SWNE Sec 02 T 43N R 03W



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION

John V. Evans
Governor

A. Kenneth Dunn
~~C. Stephen Albrecht~~
Director

Suite No. 1
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 667-6484

January 5, 1983

Mr. Norbert I. Uhlenkott
P. O. Box 153
Colton, Wa. 99113

Dear Mr. Uhlenkott:

I regret to inform you that the legal descriptions shown in Item No. 3 and 8a1 describe an 80-acre tract of land.

Item No. 3 must be described to a 40-acre tract or less, so I am returning your Check No. 98-200 in the amount of \$30.00 and your Application.

I am also enclosing a set of instructions to aid you in correcting Item Nos. 3 and 11, since the map you have furnished does not show the relationship of the point of diversion to the section.

If you need any assistance, please contact me at this office.

Sincerely,

TOM D. KING
Senior Water Resource Agent

TDK/pms

Enc. - Application
Check
Instructions

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Norbert I & Beatrice M. Uhlenkott Phone (509) 229-3568
 Post office address P. O. Box 153 - Colton, Washington - 99113
2. Source of water supply South Fork Santa Creek which is a tributary of Santa Creek
- 3. Location of point of diversion is N.W. 1/4 of Sec. 1/2 of Section 2 Township 43 North
See Map Attached - 175 ft. from East Boundary Line
 Range 3 W R.M. Seneewah County, additional points of diversion if any: None
4. Water will be used for the following purposes:
 Amount .04 ~~for~~ for Domestic purposes from Mar. 1st to Nov. 1st (both dates inclusive)
(cfs or acre-feet per annum)
 Amount .03 ~~for~~ for Stock purposes from Mar. 1st to Nov. 1st (both dates inclusive)
(cfs or acre-feet per annum)
 Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
 Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
.07
 a. ~~100~~ C. F. S. cubic feet per second and/or b. _____ acre-feet per annum.
6. Proposed diverting works:
 a. Description of ditches, flumes, pumps, headgates, etc. 1/2 horsepower pump
this will deliver 16 gal. per minute at homsite. Quite a
lift is needed from creek up the hill to site.
 b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir
 capacity N/A acre-feet, materials used in storage dam: N/A
 Period of year when water will be diverted to storage N/A to N/A inclusive.
(Month/Day) (Month/Day)
 c. Proposed well diameter is N/A inches; proposed depth of well is N/A feet.
7. Time required for the completion of the works and application of the water to the proposed beneficial
 use is 5 years years (minimum 1 year - maximum 5 years).
8. Description of proposed uses:
 ➤ a. If water is not for irrigation:
 (1) Give the place of use of water: N.W. 1/4 of Sec. 1/2 of Section 2 Township 43 North
same as above
 Range 3 West B.M.
 (2) Amount of power to be generated: N/A horsepower under N/A feet of head.
 (3) List number of each kind of livestock to be watered 3 ± horses (week-ends only)
We will have 1 more horse
 (4) Name of municipality to be served N/A, or number of families to be
 supplied with domestic water 1 family.
 (5) If water is to be used for other purposes describe: N/A

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
				N/A							N/A								

Total number of acres to be irrigated None

c. Describe any other water rights used for the same purposes as described above. _____

None


9. a. Who owns the property at the point of diversion Applicants

b. Who owns the land to be irrigated or place of use Applicants

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing N/A

10. Remarks N/A

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



The South Half (S 1/2) of "Reforestation Tract GYI - 2", more particularly described as follows:

The East Half (E 1/2) of Government Lot Two (2), and the East Half of the Southwest Quarter of the Northeast Quarter (E 1/2 SW 1/4 NE 1/4), and the East Half of the Northwest Quarter of the Southeast Quarter (E 1/2 NW 1/4 SE 1/4), all in Section Two (2), Township Forty-three (43) North, Range Three (3) West, Boise Meridian,

EXCEPTING therefrom the North one-half (N 1/2) thereof.

Recorded in Book P-2 of Deeds - Page 4573-8/2/22

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

MICROFILMED

Robert A. Uhlenkott
(Applicant)

Beatrice M. Uhlenkott

Received by AKK Date 12/8/82 Time 1:45 PM

Preliminary check by _____ Fee \$ _____

Receipted by _____ Date _____

Publication prepared by _____ Date _____

Published in _____

Publication dates _____

Publication approved _____ Date _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by _____


ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other:

RECEIVED



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION

John V. Evans
Governor

A. Kenneth Dunn
~~Executive Assistant~~
Director

Suite No. 1
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 667-6484

December 10, 1982

Mr. Norbert Uhlenkott
P. O. Box 153
Colton, Wa. 99113

Dear Mr. Uhlenkott:

I regret to inform you that an Application for Permit cannot be accepted unless the point of diversion and place of use are described to the nearest 40-acre tract. I am returning your Check No. 98-200 in the amount of \$45.00 and your Application for Permit along with a set of instructions to aid you in this matter. Before you re-submit the application, you might wish to check Item Nos. 4 and 5 and complete Item No. 6a.

In Item No. 4, you have applied for 0.70 cfs for one home. That equates to 314 gallons per minute. You have also applied for 0.30 cfs (135 g.p.m.) for two head of stock. The Department may not approve an application for these amounts, since the Department has determined that 0.04 cfs (18 g.p.m.) for one home and 0.02 cfs (9 g.p.m.) for two head of stock is a reasonable amount.

If you have any questions, please contact me at this office.

Sincerely,

TOM D. KING
Senior Water Resource Agent

TDK/pms

Enc. - Application
Check

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Norbert I & Beatrice M. Uhlenkott Phone (509) 229-3568
Post office address P. O. Box 153 - Colton, Washington - 99113
2. Source of water supply South Fork Santa Creek which is a tributary of Santa Creek
- 3. Location of point of diversion is _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township 43 North
Range 3 W B.M. Beneewah County, additional points of diversion if any: _____
None
4. Water will be used for the following purposes:
Amount .70 for Domestic purposes from Mar. 1st to Nov. 1st (both dates inclusive)
(cfs or acre-feet per annum)
Amount .30 for Stock purposes from Mar. 1st to Nov. 1st (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 1.00 C. F. S. cubic feet per second and/or b. _____ acre-feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. N/A


b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity N/A acre-feet, materials used in storage dam: N/A
Period of year when water will be diverted to storage N/A to N/A inclusive.
(Month/Day) (Month/Day)
c. Proposed well diameter is N/A inches; proposed depth of well is N/A feet.
7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years years (minimum 1 year - maximum 5 years).
8. Description of proposed uses:
➤ a. If water is not for irrigation:
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township 43 North
Range 3 West B.M.
(2) Amount of power to be generated: N/A horsepower under N/A feet of head.
(3) List number of each kind of livestock to be watered 2 horses (week-ends only)

(4) Name of municipality to be served N/A, or number of families to be supplied with domestic water 1 family.
(5) If water is to be used for other purposes describe: N/A

MICROFILMED

[illegible]

MAP: GYI - 1 to 7



The East Half (E 1/2) of Government Lot Two (2), and the East Half of the Southwest Quarter of the Northeast Quarter (E 1/2 SW 1/4 NE 1/4), and the East Half of the Northwest Quarter of the Southeast Quarter (E 1/2 NW 1/4 SE 1/4), all in Section Two (2), Township Forty-three (43) North, Range Three (3) West, Boise Meridian.

EXCEPTING therefrom the North one-half (N 1/2)
thereof. Recorded in Book P-2 of Deeds - Page 4573-8/2/22

Norbert C. Uhlenkott
 (Applicant)
 Beatrice M. Uhlenkott

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
				N/A							N/A								

Total number of acres to be irrigated None

c. Describe any other water rights used for the same purposes as described above. None

9. a. Who owns the property at the point of diversion Applicants

b. Who owns the land to be irrigated or place of use Applicants

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing N/A

10. Remarks N/A

ENCLOSURE

Received by KK Date 12/8/82 Time 1:00P

Preliminary check by _____ Fee \$ _____

Received by _____ Date _____

Publication prepared by _____ Date _____

Published in _____

Publication dates _____

Publication approved _____ Date _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by _____

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other:

MICROFILMED