

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT SUPPLEMENT II

P H O T O G R A P H S

The
Pump
and
PD




The
Pond



UNFILMED

FEB 07 1991




GREG/LEAH SEMPEL
PD: NWNE, S.11, T.44N, R.1W
PU: SAME

IRRIGATION
DOMESTIC

92-7109
MAP # 17
QUAD: H 7

MICROFILMED

FEB 07 1991



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 92-07109

Priority: December 29, 1982

Maximum Diversion Rate:
Maximum Diversion Volume:¹

0.04 CFS
1.2 AF

This is to certify, that GREG SEMPEL
LEAH MAGGIO

P.O. BOX 34
SANTA, ID 83866

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated December 29, 1982; and has submitted Proof of Beneficial Use on January 29, 1988. An examination indicates that the works have a diversion capacity of .040 cfs of water from:

UNNAMED STREAM

tributary to POKEY CREEK

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION: NWNE , Sec. 11, Township 44N, Range 01W
BENEWAH County

PLACE OF USE: DOMESTIC
TWN RGE SEC

44N 01W 11 NWNE

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.

MICROFILMED

FEB 07 1991

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 92-07109

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 24TH
day of JANUARY, 1991.

Acting for


R. Keith Higginson, Director

RECORDED
FEB 07 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

LEAH MAGGIO AND/OR

1. Name of applicant GREG SEMPEL Phone _____

Post office address Box 34 SANTA, ID 83866

2. Source of water supply UNNAMED STREAM which is a tributary of POKEY CREEK
POKEY CREEK BENFRO CREEK

3. Location of point of diversion is NW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 11 Township 44N

Range 1W B.M. BENEWAH County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.10 for IRRIGATION purposes from MAR 15 to NOV 15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 10 AF for STORAGE FOR purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum) IRRIGATION & DOMESTIC

Amount 5 AF for IRRIGATION FROM purposes from MAR 15 to NOV 15 (both dates inclusive)
(cfs or acre-feet per annum) STORAGE

Amount 3 AF for DOMESTIC FROM purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum) STORAGE

5. Total quantity to be appropriated: 10.10

a. 0.10 cubic feet per second and/or b. 8 acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. PUMP & ~~PIPE~~ PIPELINE

b. DUG POND FOR STORAGE
Height of storage dam _____ feet, active reservoir capacity 8 acre-feet; total reservoir capacity 8 acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage 1/1 to 12/31 inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: NW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 11 Township 44N
Range 1W B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water ONE.

(5) If water is to be used for other purposes describe: _____

[illegible]

5

None

~~XXXXXXXXXXXX~~ GEORGE BOYD

11

Applicant is ~~the~~ the son of applicant to make this filing


George Boyd And Is In The Process Of Purchasing The Property.

THE PROPERTY.

10. Remarks

7

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Greg Sempel
(Applicant)

RECEIVED
MAY 1982

R. Allen Gayton
Chief, Operations Bureau

Witness my hand this 1st day of February, 1983.

- d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before February 1, 19 88.
- a. SUBJECT TO ALL PRIOR WATER RIGHTS.

1. Approval of said application is subject to the following limitations and conditions:

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 92-7109, and said application is hereby APPROVED.

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

Received by AK Date 12/29/82 Time 1:30 pm Fee \$ 30.00
Preliminary check by AK
Received by AK Date 12/29/82 # 25185
Publication prepared by AK Date 12/30/82
Published in Idaho Water Review
Publication dates 1/27/83
Publication approved AK Date 1/24/83
Protests filed by: none
Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by AK

Affidavit of Publication

STATE OF IDAHO
County of Benewah, ss.

JoJane Hammes, being first duly sworn on oath, deposes and says that she is co-publisher and business manager of the St. Maries Gazette Record, a weekly newspaper printed and published at St. Maries, Benewah County, State of Idaho; the St. Maries Gazette Record is a newspaper having general circulation in Benewah county, State of Idaho, and has been continuously and uninterruptedly published in Benewah County, State of Idaho, during a period of more than seventy-eight consecutive weeks prior to the first publication of the notice of advertisement hereon.

That the notice, of which the one hereto attached is a true copy, was published in said newspaper for a period of 2 issues, the first publication being on the 5th day of Jan, 1983 and the last on the 12th day of Jan, 1983.

That said newspaper was regularly distributed to its subscribers during the time of the same period; that said notice was published in the regular and entire issue of said paper.

Subscribed and sworn to before me this 12th day of Jan, 1983

Sharon D. Blackburn

Notary Public in and for Benewah County, Idaho
Residing at St. Maries, Idaho

Sempel and Maggio ask OK for water right

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

92-7109

Name: Greg Sempel and Leah Maggio

Address: P.O. Box 34, Santa, Idaho 83866

Date Filed: Dec. 29, 1982

Amount: 0.10 cubic feet per second
8.0 AC-FT

Source: Unnamed Stream tributary to Pokey Creek, Pokey Creek tributary to Renfro Creek

Means: Pump and Pipe

Point of Diversion: NWNE Sec 11 T 44N R 01W, Benewah County

Place of Use: NWNE Sec 11 T 44N R 01W for 5 acres

Use: Irrigation (0.10 cfs) from March 15 to Nov. 15; Irrigation Storage (8.0 AC-FT) from Jan. 1 to Dec. 31; Irrigation from Storage (5.0 AC-FT) from March 15 to Nov. 15; Domestic (0.04 cfs) from Jan. 1 to Dec. 31; Domestic Storage (8.0 AC-FT) from Jan. 1 to Dec. 31; Domestic from Storage (3.0 AC-FT) from Jan. 1 to Dec. 31.

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, 4055 Gov't Way, Coeur d'Alene, Idaho 83814 on or before January 24, 1983.

KEN DUNN, Dir.
No. 7005 — Jan. 5-12.

February 5, 1991

GREG SEMPEL
LEAH MAGGIO
P.O. BOX 34
SANTA, ID 83866

RE: WATER RIGHT NO. 92-07109

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosure

770-47109

January 7, 1991

GREG SEMPEL
LEAH MAGGIO
P.O. BOX 34
SANTA, ID 83866

RE: WATER RIGHT NO. 92-07109

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm

Enclosure

100-7109

LICENSE REVIEW CHECKLIST

Permit No. 92-7109

Name/Address change? ok ✓

Priority date Advance? yes no ✓

Memo to advance
Order to reinstate needed? yes no ✓

Total cfs Limited by fee fr

Limited by capacity fr

Total volume Limited by flow fr

Chart checked for AF rate/ac n/a

Capacity Actual measurement checked n/a

Theoretical checked n/a

If greater than permit, check for other rts n/a

Source Changed? yes no ✓

If so, is memo needed to clarify?

P/D Verify with map ✓ permit ✓

More than one per 1/4? Remember remark n/a

Check p/d overlap n/a

Uses Check irrigation period of use w/ chart n/a

P/U Verify with map ✓ permit ✓
> 5 acres irrigated, run overlap n/a

Remarks More than one p/d in 1/4 n/a

Description of non-irrig uses ✓

Special overlap condition n/a

Conditions -

Measuring device
W.Master control
Overlap
Water quality
Other

Dates/Misc. -

Water Dist
App Rec'd
Proof Rec'd ✓

CHECK FOR ADJ. CLAIM Needed according to proof filed

Filed - needs amended

Add'l fee required

Not filed -

Not needed ✓

RECEIVED

Comments/Changes to Examiner's Recommendations:

FEB 07 1991

License 10-day ✓

30-day

Back of field report signed?

Reviewer [Signature] Date 12/31/90 Review time min.

SENIOR AGENT REVIEW

Check List
for
Beneficial Use Field Report

RECEIVED
JUN 27 1990

Department of Water Resources

Permit 92-07109

✓ A. GENERAL INFORMATION

- ✓ 1. Name and address are most current available. (Check BU statement)
✓ 2. Exam Date
✓ 3. Source (Check Permit)

✓ B. OVERLAP REVIEW

- ✓ 1. & 2. (Rule 5,1,4)

✓ C. SYSTEM DESCRIPTION

- ✓ 1. Diversion System Diagram (Rule 5,1,3 / 5,1,4)
✓ 2. USGS (Rule 5,1,7 / 5,1,9) Aerial (Rule 5,1,17)
✓ 3. Word Picture (Rule 5,1,3 / 5,1,4)
✓ 4. Diversion (Rule 5,1,3)
✓ 5. Compare with USGS Map, Land Survey Maps, Aerial Photos and Permit.
✓ 6. Irrigation (Rule 5,1,8)

✓ D. FLOW MEASUREMENTS Check math (Rule 5,1,13 / 5,1,14)

✓ E. FLOW CALCULATIONS Check math (Rule 5,1,13 / 5,1,14)

✓ F. OPTIONAL

✓ G. VOLUME CALCULATIONS

- ✓ Three significant figures and no more than 1/10's (Rule 6,1,2)
Fish (Rule 5,1,11) number stock, homes, etc... (Rule 5,1,12)

✓ H. REMARKS AND OVERLAP ANALYSES

- ✓ All actual uses listed; all permitted uses not used, also listed; (Rule 5,1,2):
✓ Overlaps (Rule 5,1,4):
✓ Return flows (Rule 5,1,5):
✓ Conditions (Rule 5,1,6).

✓ I. RECOMMENDATIONS

- ✓ 1. Municipal (Rule 5,1,10): Compare with items E & G, permit, fee, capacity
(Rule 5,1,15): Measured flows for each use listed separately (Rule 5,1,14).
Period of year (Rule 5,1,13)
✓ 2. Compare permit to exam for amendments (Rule 5,1,16)

✓ J. AUTHENTICATION

✓ Name, Signature, Certification Date, Exam Date.

✓ WELL INSPECTION REPORT

✓ Check with permit and well log for discrepancies

Signature

John K. [Signature]

Date

8/19/89

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT SUPPLEMENT
C O N T E N T S

(☒) B/U Acknowledgment Letter Sent

This Examination Report Contains the Following Documents.

(☒) Field Report

(☒) Quad Sheet

() Gov. Lot Plat

(☒) Rules Check list

() Aerial Photo

() Photo PD/PU

Number of Diagrams Attached _____

Number of Calculation Sheets Attached _____

() Correspondence (Date) _____

() Other (List) 92-7107, 92-7062

Contacts:

Remarks:

EXAMINER USE 4 WHEEL DRIVE - DRIVE UP DRY CREEK BED

RECEIVED

FEB 07 1991

Exam Completed By John Johnson

Date 6/29/89

Sr. Agent Review _____

Date _____

Regional Manager Review RAH

Date 6/8/90

PERMIT NUMBER

92-7109

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT SUPPLEMENT II
P H O T O G R A P H S

The
Pump
and
PD

92-7109

The
Pond

92-7109

RECORDED
FEB 07 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUN 27 1990

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 92-7109

1. Owner: Leah Maggio And/or Greg Semple Phone No.

Current Address: Box 34 Santa ID 83866

2. Accompanied by: Leah Maggio EXAM. DATE: 6/27/89

Address: same Phone No.

Relationship to Permit Holder: Same

3. Source: unnamed Stream tributary to Pokey Cr.


B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE ☐ Copies Attached

2. Other water rights with same point of diversion: NONE ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater.

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

RECORDED
FEB 07 1991

☐ See Remarks on page 4 for continuation

**Code to correspond with No. on map and aerial photo*

[illegible]

Indicate Method of Determination *WPP*

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS


NONE

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:



E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

Single household domestic
0.04 cfs and 1.2 afa

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3)

Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:


$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

0.04 cfs and 1.2 afa



H. REMARKS AND OVERLAP REVIEW ANALYSIS

NONE

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use Domestic
 Period of Use From 1/1 To 12/31
 Rate of Diversion Q (cfs) 0.04 cfs
 Annual Volume V (afa) 1.2 afa

2. Recommended Amendments

- ☐ Change P.D. as reflected above
☐ Add P.D. as reflected above
☐ Change P.U. as reflected above
☐ Add P.U. as reflected above

J. AUTHENTICATION


Field Examiner's Name Louis Sukoraty
 Signature [Signature]
 Certification Date 2/17/89
 Field Report Preparation Date 6/22/89

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.



- ☒ None
☐ Other

Totals: 0.04 cfs 1.2 afa



GREG/LEAH SEMPEL
PO: NWN, S. 11, T 44N, R 1W
PU: SAME

92-7109
MAP # 17
QUAD: H 7

IRRIGATION
DOMESTIC

FED 07 1991

Cem



State of Idaho
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION, Suite No. 9 • 4055 Government Way • Coeur d'Alene, Idaho 83814 • (208) 765-4639

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

June 8, 1988

Greg Sempel
Box 34
Santa, Id 83866

RE: 92-7109

Dear Sir:

We acknowledge receipt of your statement of completion of water development use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We do not know at this time when he will be able to conduct the examination; however, the examiner will try to contact you at the time he makes the examination so that you may show him the system. If you will not be available to show the system, please provide this office with the name and address of someone who will be able to do so. Your permit will remain valid until the examination is made.

If you have any questions concerning the field examination, please contact this office. Please be sure to use the above-referenced permit number in all future correspondence concerning this examination.

Sincerely,

/s/
TOM D. KING
Senior Water Resource Agent

TDK/pms

RECEIVED

JUL 27 1988



1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 92-7109

Date: 5-11-88

General Considerations:

9 Name same as permit
9 Signature the same as permit holder
N Address change _____ If yes, prepare a data entry
9 Proof received timely _____
_____ Reinstated

Source of Water:

9 Surface water
N/A Groundwater
_____ 1. well log in file
_____ 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

9 Rate of diversion appropriate for uses
9 Is rate or volume and fee appropriate?
9 Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

N/A Is a measuring device or access port required?
N/A Has one been installed?
N/A Waiver or modification of measuring device requested


Remarks:

Proof acceptable

Priority Calculation:

Date proof received	_____	_____
Date proof due	_____	+ _____
No. of days late	_____	= _____
Priority date	_____	+ _____
NEW PRIORITY DATE	_____	= _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

For Office Use Only
Fee Received _____
Date _____
Receipt # _____
Receipt by _____
Reviewed by _____
Sent to region _____

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 92-7109

Name(s) of Permit Holder: Greg & Leah Sempel ✓

Post Office Address: P.O. Box 34 Santa, Idaho 83866 ✓

Telephone No. _____

Source of Water: Creek ✓

Extent of Use:

Domestic 1 ✓ (number of households) Stockwater _____ (number and type of stock)

Irrigation _____ (acres) Other/Remark _____

Total rate and/or volume for which proof is submitted 0.04? cfs ? acre-feet

Show the date water was first diverted and beneficially used under this permit: Pond + pump

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No
Fee enclosed \$ N/A
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Person to contact to accompany the Department representative during the field examination:
Greg Sempel
(Name) (Telephone Number)

P.O. Box 34 Santa, Idaho 83866
(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

JUL 27 1988

Jan 25 Date
Greg Sempel ✓
Signature of Permit Holder (and title, if appropriate)



SEMPEL
BOX 34
SANTA, IDAHO 83866



St. of Idaho
DEPT. of Water Resources
Statehouse
Boise, Idaho
83720

RECEIVED

JUL 27 1988

MAGGIO, LEAH &/OR
SEMPEL, GREG
P.O. BOX 34
SANTA, ID 83866

158121
CERTIFIED MAIL
November 30, 1987

PROOF DUE NOTICE

RE: Permit No. 92-7109

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before February 1, 1988. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a completed field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this Department on or before the above described proof due date, or the permit will no longer be of any force nor effect.

Sincerely,

RITA FLECK
Secretary/Records Manager

Enclosures

MICROFILMED

JUL 27 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

SEMPEL, GREG
P.O. BOX 34
SANTA, ID 83866

FEBRUARY 15, 1983

RE: PERMIT NO. 92-7109

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

THE 1982 IDAHO LEGISLATURE ADDED A REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: LB

APPLICATION NUMBER: 92-7109

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☒ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☒ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☒ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
☐ Yes ☒ No Final date for protests: 1/24/83
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 1/21/83
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
☒ 12/29/82 Date of priority recommended.
Special conditions of approval or cover letter. _____

By: RAH

Date: 1/25/83

STATE OFFICE REVIEW:

SLW/LIT

26

- ☐ See attached sheet for more information.

By: Polyp

Date: 1/31/83

RECEIVED
JAN 28 1983

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

92-7109-

SEMPEL, GREG
MAGGIO, LEAH

P.O. BOX 34, SANTA, ID 83866

Source: UNNAMED STREAM tributary to POKEY CREEK
POKEY CREEK tributary to RENFRO CREEK

Date Filed: 12/29/1982

Amount: 0.10 CFS 8.0 AC-FT

Diversion Point: NWNE Sec 11 T 44N R 01W, BENEWAH Co.

Use: IRRIGATION	(0.10 CFS)	from 03/15 to 11/15
IRRIGATION STORAGE	(8.0 AC-FT)	from 01/01 to 12/31
IRRIGATION FROM STORAGE	(5.0 AC-FT)	from 03/15 to 11/15
DOMESTIC	(0.04 CFS)	from 01/01 to 12/31
DOMESTIC STORAGE	(8.0 AC-FT)	from 01/01 to 12/31
DOMESTIC FROM STORAGE	(3.0 AC-FT)	from 01/01 to 12/31

Place of Use: NWNE Sec 11 T 44N R 01W FOR 5 ACRES

Diversion Means: PUMP AND PIPE.